Jun Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6960888/publications.pdf

Version: 2024-02-01

257450 254184 2,112 43 63 24 citations h-index g-index papers 64 64 64 2302 all docs docs citations times ranked citing authors

#	Article	lF	Citations
1	Structure of a laminarin-type \hat{l}^2 -(1 \hat{a} †'3)-glucan from brown algae Sargassum henslowianum and its potential on regulating gut microbiota. Carbohydrate Polymers, 2021, 255, 117389.	10.2	34
2	Ginseng ameliorates exercise-induced fatigue potentially by regulating the gut microbiota. Food and Function, 2021, 12, 3954-3964.	4.6	30
3	Structural analogues in herbal medicine ginseng hit a shared target to achieve cumulative bioactivity. Communications Biology, 2021, 4, 549.	4.4	5
4	Synergistic effects of autophagy/mitophagy inhibitors and magnolol promote apoptosis and antitumor efficacy. Acta Pharmaceutica Sinica B, 2021, 11, 3966-3982.	12.0	28
5	Stronger anti-obesity effect of white ginseng over red ginseng and the potential mechanisms involving chemically structural/compositional specificity to gut microbiota. Phytomedicine, 2020, 74, 152761.	5.3	23
6	Qualitative and quantitative characterization of carbohydrate profiles in three different parts of Poria cocos. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 113009.	2.8	23
7	Scutellariae radix and coptidis rhizoma ameliorate glycolipid metabolism of type 2 diabetic rats by modulating gut microbiota and its metabolites. Applied Microbiology and Biotechnology, 2020, 104, 303-317.	3.6	112
8	Effects of sulfur fumigation and heating desulfurization on quality of medicinal herbs evaluated by metabolomics and glycomics: Codonopsis Radix, a pilot study. Journal of Pharmaceutical and Biomedical Analysis, 2020, 191, 113581.	2.8	13
9	A novel inulin-type fructan from Asparagus cochinchinensis and its beneficial impact on human intestinal microbiota. Carbohydrate Polymers, 2020, 247, 116761.	10.2	54
10	Characterization of Chemical Component Variations in Different Growth Years and Tissues of Morindae Officinalis Radix by Integrating Metabolomics and Glycomics. Journal of Agricultural and Food Chemistry, 2019, 67, 7304-7314.	5.2	10
11	Comparative quality of the forms of decoction pieces evaluated by multidimensional chemical analysis and chemometrics: Poria cocos, a pilot study. Journal of Food and Drug Analysis, 2019, 27, 766-777.	1.9	12
12	Comparative analysis of the main active components and hypoglycemic effects after the compatibility of Scutellariae Radix and Coptidis Rhizoma. Journal of Separation Science, 2019, 42, 1520-1527.	2.5	9
13	Independent or integrative processing approach of metabolite datasets from different biospecimens potentially affects metabolic pathway recognition in metabolomics. Journal of Chromatography A, 2019, 1587, 146-154.	3.7	7
14	Less SO2 residue may not indicate higher quality, better efficacy and weaker toxicity of sulfur-fumigated herbs: Ginseng, a pilot study. Journal of Hazardous Materials, 2019, 364, 376-387.	12.4	20
15	Comprehensive quality evaluation and comparison of Angelica sinensis radix and Angelica acutiloba radix by integrated metabolomics and glycomics. Journal of Food and Drug Analysis, 2018, 26, 1122-1137.	1.9	21
16	Impact of sulphur fumigation on the chemistry of ginger. Food Chemistry, 2018, 239, 953-963.	8.2	25
17	UPLC-QTOF-MS/MS-guided isolation and purification of sulfur-containing derivatives from sulfur-fumigated edible herbs, a case study on ginseng. Food Chemistry, 2018, 246, 202-210.	8.2	29
18	Laser microdissection hyphenated with high performance gel permeation chromatography-charged aerosol detector and ultra performance liquid chromatography-triple quadrupole mass spectrometry for histochemical analysis of polysaccharides in herbal medicine: Ginseng, a case study. International Journal of Biological Macromolecules, 2018, 107, 332-342.	7.5	14

#	Article	IF	CITATIONS
19	Qualitatively and quantitatively comparing secondary metabolites in three medicinal parts derived from Poria cocos (Schw.) Wolf using UHPLC-QTOF-MS/MS-based chemical profiling. Journal of Pharmaceutical and Biomedical Analysis, 2018, 150, 278-286.	2.8	44
20	Time segment scanning-based quasi-multiple reaction monitoring mode by ultra-performance liquid chromatography coupled with quadrupole/time-of-flight mass spectrometry for quantitative determination of herbal medicines: Moutan Cortex, a case study. Journal of Chromatography A, 2018, 1581-1582, 33-42.	3.7	17
21	Correlation between Quality and Geographical Origins of Poria cocos Revealed by Qualitative Fingerprint Profiling and Quantitative Determination of Triterpenoid Acids. Molecules, 2018, 23, 2200.	3.8	31
22	Integrating Targeted and Untargeted Metabolomics to Investigate the Processing Chemistry of Polygoni Multiflori Radix. Frontiers in Pharmacology, 2018, 9, 934.	3.5	26
23	Tissue-Specific Analysis of Secondary Metabolites Creates a Reliable Morphological Criterion for Quality Grading of Polygoni Multiflori Radix. Molecules, 2018, 23, 1115.	3.8	10
24	Simultaneous determination of the bioactive components in rat plasma by UPLCâ€MS/MS and application in pharmacokinetic studies after oral administration of radix Scutellariae extract. Biomedical Chromatography, 2017, 31, e3961.	1.7	8
25	Qualitative and quantitative characterization of secondary metabolites and carbohydrates in Bai-Hu-Tang using ultraperformance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry and ultraperformance liquid chromatography coupled with photodiode array detector, lournal of Food and Drug Analysis, 2017, 25, 946-959.	1.9	13
26	Effects of boiling duration in processing of White Paeony Root on its overall quality evaluated by ultra-high performance liquid chromatography quadrupole/time-of-flight mass spectrometry based metabolomics analysis and high performance liquid chromatography quantification. Chinese Journal of Natural Medicines, 2017, 15, 62-70.	1.3	7
27	Synchronous characterization of carbohydrates and ginsenosides yields deeper insights into the processing chemistry of ginseng. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 59-70.	2.8	16
28	Understanding the Molecular Mechanisms of the Interplay Between Herbal Medicines and Gut Microbiota. Medicinal Research Reviews, 2017, 37, 1140-1185.	10.5	241
29	Chemomics-based marker compounds mining and mimetic processing for exploring chemical mechanisms in traditional processing of herbal medicines, a continuous study on Rehmanniae Radix. Journal of Chromatography A, 2017, 1530, 232-240.	3.7	32
30	Ultrasound-Assisted Extraction May Not Be a Better Alternative Approach than Conventional Boiling for Extracting Polysaccharides from Herbal Medicines. Molecules, 2016, 21, 1569.	3.8	12
31	Full component analysis of Tianma-Gouteng-Yin. Chinese Medicine, 2016, 11, 44.	4.0	8
32	Gut microbiota-involved mechanisms in enhancing systemic exposure of ginsenosides by coexisting polysaccharides in ginseng decoction. Scientific Reports, 2016, 6, 22474.	3.3	132
33	HSCCC-based strategy for preparative separation of in vivo metabolites after administration of an herbal medicine: Saussurea laniceps, a case study. Scientific Reports, 2016, 6, 33036.	3.3	18
34	Integrating targeted glycomics and untargeted metabolomics to investigate the processing chemistry of herbal medicines, a case study on Rehmanniae Radix. Journal of Chromatography A, 2016, 1472, 74-87.	3.7	53
35	UPLC-QTOF-MS based metabolomics coupled with the diagnostic ion exploration strategy for rapidly evaluating sulfur-fumigation caused holistic quality variation in medicinal herbs, Moutan Cortex as an example. Analytical Methods, 2016, 8, 1034-1043.	2.7	15
36	Sulfur dioxide residue in sulfur-fumigated edible herbs: The fewer, the safer?. Food Chemistry, 2016, 192, 119-124.	8.2	28

#	Article	IF	CITATIONS
37	UPLC-Q-TOF/MS-based screening and identification of the main flavonoids and their metabolites in rat bile, urine and feces after oral administration of Scutellaria baicalensis extract. Journal of Ethnopharmacology, 2015, 169, 156-162.	4.1	51
38	UPLC-MS based metabolite profiles of two major bioactive components in herb pair scutellaria–coptis metabolized by intestinal bacteria derived from healthy rats and rats with type 2 diabetes. Analytical Methods, 2015, 7, 5574-5582.	2.7	3
39	Saussurea involucrata: A review of the botany, phytochemistry and ethnopharmacology of a rare traditional herbal medicine. Journal of Ethnopharmacology, 2015, 172, 44-60.	4.1	67
40	Fingerprint analysis of processed Rhizoma Chuanxiong by high-performance liquid chromatography coupled with diode array detection. Chinese Medicine, 2015, 10, 2.	4.0	24
41	Simultaneous determination of seven active ingredients in rat plasma by UPLC-MS/MS and application in pharmacokinetic studies after oral administration of scutellaria-coptis herb couple. Medicinal Chemistry Research, 2015, 24, 1289-1297.	2.4	5
42	Comprehensive quantitative analysis of Shuang-Huang-Lian oral liquid using UHPLC–Q-TOF-MS and HPLC-ELSD. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 1-8.	2.8	22
43	Simultaneous Determination of Original, Degraded Ginsenosides and Aglycones by Ultra High Performance Liquid Chromatography Coupled with Quadrupole Time-of-Flight Mass Spectrometry for Quantitative Evaluation of Du-Shen-Tang, the Decoction of Ginseng. Molecules, 2014, 19, 4083-4104.	3.8	17
44	Chemical Profile Analysis and Comparison of Two Versions of the Classic TCM Formula Danggui Buxue Tang by HPLC-DAD-ESI-IT-TOF-MSn. Molecules, 2014, 19, 5650-5673.	3.8	13
45	Characterization of in Vitro Metabolism of Loganin by Human Intestinal Microflora Using Ultra-High Performance Liquid Chromatography–Quadrupole Time-of-Flight Mass Spectrometry. Analytical Letters, 2014, 47, 1500-1512.	1.8	5
46	A novel and rapid HPGPC-based strategy for quality control of saccharide-dominant herbal materials: Dendrobium officinale, a case study. Analytical and Bioanalytical Chemistry, 2014, 406, 6409-6417.	3.7	52
47	An integrated strategy based on UPLC–DAD–QTOF-MS for metabolism and pharmacokinetic studies of herbal medicines: Tibetan "Snow Lotus―herb (Saussurea laniceps), a case study. Journal of Ethnopharmacology, 2014, 153, 701-713.	4.1	50
48	Ultra performance liquid chromatography/quadrupole-time-of-flight mass spectrometry for determination of avicularin metabolites produced by a human intestinal bacterium. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 949-950, 30-36.	2.3	11
49	Characterization of the metabolism of 5-hydroxymethylfurfural by human intestinal microflora using ultra-high performance liquid chromatography-quadrupole time-of-flight mass spectrometry. Analytical Methods, 2014, 6, 3826.	2.7	8
50	Determination and characterization of metabolites of scutellarin produced by human intestinal bacteria using UPLC-Q-TOF/MS. Analytical Methods, 2014, 6, 2314.	2.7	3
51	Quantitative evaluation of Radix Paeoniae Alba sulfur-fumigated with different durations and purchased from herbal markets: Simultaneous determination of twelve components belonging to three chemical types by improved high performance liquid chromatography–diode array detector. lournal of Pharmaceutical and Biomedical Analysis. 2014. 98. 424-433.	2.8	50
52	Application of ultra-performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry to determine the metabolites of orientin produced by human intestinal bacteria. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 944, 123-127.	2.3	27
53	Structural diversity requires individual optimization of ethanol concentration in polysaccharide precipitation. International Journal of Biological Macromolecules, 2014, 67, 205-209.	7.5	105
54	Comparative metabolism of Radix scutellariae extract by intestinal bacteria from normal and type 2 diabetic mice in vitro. Journal of Ethnopharmacology, 2014, 153, 368-374.	4.1	20

#	Article	IF	CITATIONS
55	Comparative metabolites in plasma and urine of normal and type 2 diabetic rats after oral administration of the traditional Chinese scutellaria-coptis herb couple by ultra performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 965, 27-32.	2.3	23
56	Chemistry, bioactivity and quality control of Dendrobium, a commonly used tonic herb in traditional Chinese medicine. Phytochemistry Reviews, 2013, 12, 341-367.	6.5	154
57	UPLC-Q-TOF/MS for Analysis of the Metabolites of Flavone Glycosides from Scutellaria baicalensis Georgi by Human Fecal Flora in Vitro. Chromatographia, 2013, 76, 975-983.	1.3	10
58	Why are Angelicae Sinensis radix and Chuanxiong Rhizoma different? An explanation from a chemical perspective. Food Research International, 2013, 54, 439-447.	6.2	15
59	Ultra-Performance Liquid Chromatography Coupled with Quadrupole Time-of-Flight Mass Spectrometry for Rapid Determination of the Metabolites of Baicalin Produced by Human Intestinal Bacteria. Analytical Letters, 2013, 46, 429-438.	1.8	1
60	Influence of sulphur-fumigation on the quality of white ginseng: A quantitative evaluation of major ginsenosides by high performance liquid chromatography. Food Chemistry, 2012, 135, 1141-1147.	8.2	41
61	Simultaneous determination of iridoid glycosides, phenethylalcohol glycosides and furfural derivatives in Rehmanniae Radix by high performance liquid chromatography coupled with triple-quadrupole mass spectrometry. Food Chemistry, 2012, 135, 2277-2286.	8.2	35
62	Detection of Sulfur-Fumigated Paeoniae Alba Radix in Complex Preparations by High Performance Liquid Chromatography Tandem Mass Spectrometry. Molecules, 2012, 17, 8938-8954.	3.8	23
63	Ultra-high-performance liquid chromatography–quadrupole/time of flight mass spectrometry based chemical profiling approach to rapidly reveal chemical transformation of sulfur-fumigated medicinal herbs, a case study on white ginseng. Journal of Chromatography A, 2012, 1231, 31-45.	3.7	96