

Wenhua Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6961451/publications.pdf>

Version: 2024-02-01

178
papers

2,991
citations

186265

28
h-index

206112

48
g-index

179
all docs

179
docs citations

179
times ranked

1720
citing authors

#	ARTICLE	IF	CITATIONS
1	A High-Efficiency 142–182-GHz SiGe BiCMOS Power Amplifier With Broadband Slotline-Based Power Combining Technique. <i>IEEE Journal of Solid-State Circuits</i> , 2022, 57, 371-384.	5.4	21
2	Convolutional Neural Network for Behavioral Modeling and Predistortion of Wideband Power Amplifiers. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2022, 33, 3923-3937.	11.3	55
3	A Fully Integrated 3.5-/4.9-GHz Dual-Band GaN MMIC Doherty Power Amplifier Based on Multi-Resonant Circuits. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 416-431.	4.6	7
4	A 250–310 GHz Power Amplifier With 15-dB Peak Gain in 130-nm SiGe BiCMOS Process for Terahertz Wireless System. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2022, 12, 1-12.	3.1	16
5	An 18–50-GHz $\hat{\Gamma}$ -Modulated Quasi-Continuous Digital Vector-Modulation Phase Shifter With Variable Gain Control. <i>IEEE Microwave and Wireless Components Letters</i> , 2022, 32, 60-63.	3.2	1
6	Artificial Intelligence-Based Power-Temperature Inclusive Digital Predistortion. <i>IEEE Transactions on Industrial Electronics</i> , 2022, 69, 13872-13880.	7.9	6
7	A Highly Linear GaN MMIC Doherty Power Amplifier Based on Phase Mismatch Induced AM–PM Compensation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 1334-1348.	4.6	7
8	A Reconfigurable S - X -Band GaN MMIC Power Amplifier. <i>IEEE Microwave and Wireless Components Letters</i> , 2022, 32, 547-550.	3.2	6
9	A Low Complexity Moving Average Nested GMP Model for Digital Predistortion of Broadband Power Amplifiers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022, 69, 2070-2083.	5.4	6
10	High-Efficiency Dual-Band Filtering Doherty Power Amplifier Based on Multi-Function Circuit. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 2697-2709.	4.6	8
11	Broadband Three-Stage Pseudoload Modulated Balanced Amplifier With Power Back-Off Efficiency Enhancement. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 2710-2722.	4.6	16
12	Highly Efficient Terahertz Beam-Steerable Integrated Radiator Based on Tunable Boundary Conditions. <i>IEEE Journal of Solid-State Circuits</i> , 2022, 57, 1314-1331.	5.4	1
13	Novel Design Space of Broadband High-Efficiency Parallel-Circuit Class-EF Power Amplifiers. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022, 69, 3465-3475.	5.4	8
14	Averaged and Cluster DPDs for Beamforming Applications. , 2022, , .		0
15	A Class-X Power Amplifier With Finite Number of Harmonics. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 3897-3909.	4.6	2
16	Hybrid Harmonic Cancellation Digital Predistortion With a Feedback Loop Compensation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021, 68, 2222-2226.	3.0	8
17	Anti-Aliasing Digital Predistortion for Nonuniform-Sampling-Rate Concurrent Dual-Band Transmitters. , 2021, , .		1
18	Linearization of Radio-Over-Fiber Cloud-RAN Transmitters Using Pre- and Post-Distortion Techniques. <i>IEEE Photonics Technology Letters</i> , 2021, 33, 339-342.	2.5	3

#	ARTICLE	IF	CITATIONS
19	A Complexity-Reduced Harmonic-Cancellation Digital Predistortion for HF Transmitters. IEEE Microwave and Wireless Components Letters, 2021, 31, 529-532.	3.2	8
20	An Efficient Pruning Method of Digital Predistortion Suitable for Power Amplifiers with Scalable Output Power. , 2021, , .		1
21	Broadband Digital Predistortion Utilizing Parallel Quasi- Wiener-Hammerstein Model with Extended Dynamic Range. , 2021, , .		1
22	Review of the Neural Network based Digital Predistortion Linearization of Multi-Band/MIMO Transmitters. , 2021, , .		2
23	A Fully Integrated 47.6% Fractional Bandwidth GaN MMIC Distributed Efficient Power Amplifier With Modified Input Matching and Power Splitting Network. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 3132-3145.	4.6	14
24	305-325 GHz Non-Reciprocal Isolator Based on Peak-Control Gain-boosting Magnetless Non-reciprocal Metamaterials. , 2021, , .		1
25	300-335 GHz Highly Efficient Beam-Steerable Radiator Based on Tunable Boundary Conditions. , 2021, , .		2
26	Theory and Design Methodology for Reverse-Modulated Dual-Branch Power Amplifiers Applied to a 4G/5G Broadband GaN MMIC PA Design. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 3120-3131.	4.6	11
27	A 24-44 GHz Broadband Transmit-Receive Front End in 0.13- μm SiGe BiCMOS for Multistandard 5G Applications. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 3463-3474.	4.6	10
28	Multi-Stream Spatial Digital Predistortion for Fully-Connected Hybrid Beamforming Massive MIMO Transmitters. IEEE Transactions on Circuits and Systems I: Regular Papers, 2021, 68, 2998-3011.	5.4	15
29	Augmented Convolutional Neural Network for Behavioral Modeling and Digital Predistortion of Concurrent Multiband Power Amplifiers. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 4142-4156.	4.6	22
30	2-D Magnitude-Selective Affine Function-Based Digital Predistortion for Concurrent Dual-Band Terminal Power Amplifiers. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 4209-4222.	4.6	7
31	A 160 GHz High Output Power and High DC-to-RF Efficiency Fundamental Oscillator in a 130-nm SiGe BiCMOS Process. , 2021, , .		2
32	A 24-29.5 GHz Voltage-Combined Doherty Power Amplifier Based on Compact Low-Loss Combiner. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 2342-2346.	3.0	13
33	A Fully Integrated High-Efficiency Three-stage Doherty Power Amplifier for Small-cell application. , 2021, , .		1
34	Single and Dual Band Compatible Digital Predistortion for On-Demand Broadband Transmitters. , 2021, , .		0
35	A robust multi-sampling rate digital predistortion for ultra-broadband power amplifiers. Microwave and Optical Technology Letters, 2020, 62, 1041-1048.	1.4	1
36	A Methodology and a Metric for the Assessment of the Linearizability of Broadband Nonlinear Doherty Power Amplifiers. IEEE Microwave and Wireless Components Letters, 2020, 30, 764-767.	3.2	2

#	ARTICLE	IF	CITATIONS
37	Power Scalable Beam-Oriented Digital Predistortion for Compact Hybrid Massive MIMO Transmitters. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 4994-5006.	5.4	17
38	A 160 GHz High Output Power and High Efficiency Power Amplifier in a 130-nm SiGe BiCMOS Technology. , 2020, , .		4
39	A Broadband Millimeter-Wave Continuous-Mode Class-F Power Amplifier Based on the Deembedded Transistor Model. IEEE Microwave and Wireless Components Letters, 2020, 30, 609-612.	3.2	8
40	A 210-GHz Magnetless Nonreciprocal Isolator in 130-nm SiGe BiCMOS Based on Resistor-Free Unidirectional Ring Resonators. IEEE Microwave and Wireless Components Letters, 2020, 30, 524-527.	3.2	8
41	Doherty PAs for 5G Massive MIMO: Energy-Efficient Integrated DPA MMICs for Sub-6-GHz and mm-Wave 5G Massive MIMO Systems. IEEE Microwave Magazine, 2020, 21, 78-93.	0.8	31
42	A Robust and Scalable Harmonic Cancellation Digital Predistortion Technique for HF Transmitters. IEEE Transactions on Microwave Theory and Techniques, 2020, 68, 2796-2807.	4.6	14
43	180ÅGHz highÎgain cascode power amplifier in a 130Ånm SiGe process. Electronics Letters, 2020, 56, 498-501.	1.0	5
44	A Cascaded Memory Polynomial-Neural Network Behavior Model For Digital Predistortion. , 2020, , .		5
45	Linearization of a Directional Modulation Transmitter Using Low-Complexity Cascaded Digital Predistortion. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 4467-4478.	4.6	8
46	An Efficient Directional Modulation Transmitter With Novel Crest Factor Reduction Technique. IEEE Microwave and Wireless Components Letters, 2019, 29, 554-556.	3.2	10
47	A Broadband GaN Power Amplifier MMIC Utilizing a Non-Uniform Distributed Topology. , 2019, , .		2
48	A Broadband Linear Millimeter-Wave Power Amplifier With an Adaptive Bias Circuit. , 2019, , .		1
49	Beam-Oriented Digital Predistortion for Hybrid Beamforming Array Utilizing Over-the-Air Diversity Feedbacks. , 2019, , .		7
50	A 10-3100 MHz Nested-mode Highly Efficient Power Amplifier for Multi-Octave Applications. , 2019, , .		4
51	A Fully Integrated C-band GaN MMIC Doherty Power Amplifier with High Gain and High Efficiency for 5G Application. , 2019, , .		7
52	A Ka-Band Highly Linear Power Amplifier with a Linearization Bias Circuit. , 2019, , .		6
53	A Dual-Band GaN MMIC Power Amplifier With Hybrid Operating Modes for 5G Application. IEEE Microwave and Wireless Components Letters, 2019, 29, 228-230.	3.2	45
54	A Fully Integrated C-Band GaN MMIC Doherty Power Amplifier With High Efficiency and Compact Size for 5G Application. IEEE Access, 2019, 7, 71665-71674.	4.2	53

#	ARTICLE	IF	CITATIONS
55	Analytical Design Solution for Optimal Matching of Hybrid Continuous Mode Power Amplifiers Suitable for a High-Efficiency Envelope Tracking Operation. Electronics (Switzerland), 2019, 8, 621.	3.1	4
56	A Compact Ka/Q Dual-Band GaAs MMIC Doherty Power Amplifier With Simplified Offset Lines for 5G Applications. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 3110-3121.	4.6	33
57	Linearization for Hybrid Beamforming Array Utilizing Embedded Over-the-Air Diversity Feedbacks. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 5235-5248.	4.6	43
58	A Ka-Band Power Amplifier MMIC Utilizing an Advanced 100nm GaN HEMT Technology. , 2019, , .		1
59	Highly Linear and Magnetless Isolator Based on Weakly Coupled Nonreciprocal Metamaterials. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 4322-4331.	4.6	12
60	The Nested-Mode Power Amplifiers for Highly Efficient Multi-Octave Applications. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 5114-5126.	4.6	5
61	Improved Three-Stage Doherty Amplifier Design With Impedance Compensation in Load Combiner for Broadband Applications. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 778-786.	4.6	78
62	Multiband and Multimode Concurrent PA With Novel Intermodulation Tuning Network for Linearity Improvement. IEEE Microwave and Wireless Components Letters, 2018, 28, 248-250.	3.2	12
63	A design methodology of envelope tracking power amplifier based on harmonic impedance tuning. Microwave and Optical Technology Letters, 2018, 60, 639-642.	1.4	5
64	Reduced Cost Digital Predistortion Only With In-Phase Feedback Signal. IEEE Microwave and Wireless Components Letters, 2018, 28, 257-259.	3.2	7
65	A Wideband 28 GHz Fully-Integrated Power Amplifier in 65 nm CMOS Technology. , 2018, , .		0
66	A High Efficiency Asymmetric Doherty Power Amplifier Using Symmetric Devices for 5G Application. , 2018, , .		1
67	3.5-0Hz High-Efficiency Broadband Asymmetric Doherty Power Amplifier for 5G Applications. , 2018, , .		7
68	A C-band GaAs Doherty Power Amplifier MMIC with Compact Size and 1-GHz Bandwidth. , 2018, , .		4
69	A Compact and Broadband Ka-band Asymmetrical GaAs Doherty Power Amplifier MMIC for 5G Communications. , 2018, , .		17
70	Beam-Oriented Digital Predistortion for 5G Massive MIMO Hybrid Beamforming Transmitters. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 3419-3432.	4.6	120
71	An Energy-Efficient $\frac{P_{out}}{P_{in}}$ $\frac{P_{out}}{P_{in}}$ $\frac{P_{out}}{P_{in}}$ Dual-Band Power Amplifier MMIC in 0.1- μm GaAs Process. IEEE Microwave and Wireless Components Letters, 2018, 28, 530-532.	3.2	22
72	A robust and broadband digital predistortion utilizing negative feedback iteration. , 2018, , .		12

#	ARTICLE	IF	CITATIONS
73	Low Computational Complexity Digital Predistortion Based on Direct Learning With Covariance Matrix. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 4274-4284.	4.6	22
74	Novel Planar Compact Coupled-Line Single-Ended-to-Balanced Power Divider. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 2953-2963.	4.6	35
75	Concurrent dual-band digital predistortion implemented with reduced lookup tables. Electronics Letters, 2017, 53, 802-804.	1.0	6
76	Digital predistortion for 5G wideband power amplifiers using multiple band-limited feedback signals. , 2017, , .		7
77	A millimeter-wave sequential power amplifier. , 2017, , .		0
78	Systematic Crest Factor Reduction and Efficiency Enhancement of Dual-Band Power Amplifier Based Transmitters. IEEE Transactions on Broadcasting, 2017, 63, 111-122.	3.2	15
79	A Novel Design Method of RF Lens for Long-Range Wireless Power Transmission. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 3159-3162.	4.0	2
80	A 200 watt broadband continuous-mode doherty power amplifier for base-station applications. , 2017, , .		11
81	Switched-beam antenna array based on butler matrix for 5G wireless communication. , 2016, , .		12
82	Broadband doherty power amplifier and linearization. , 2016, , .		3
83	Single-PA-feedback digital predistortion for beamforming MIMO transmitter. , 2016, , .		42
84	Digital predistortion for concurrent multi-band PAs with inter-band IMD compensation. , 2016, , .		5
85	A 1.1GHz bandwidth, 46%~62% efficiency Continuous Mode Doherty Power Amplifier. , 2016, , .		6
86	A Broadband Doherty Power Amplifier Based on Continuous-Mode Technology. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 4505-4517.	4.6	125
87	A single feedback architecture for dual-band digital predistortion with under-sampling technique. , 2016, , .		9
88	Low Feedback Sampling Rate Digital Predistortion for Wideband Wireless Transmitters. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 3528-3539.	4.6	45
89	mmWave mobile communication under hypercellular architecture. Journal of Communications and Information Networks, 2016, 1, 62-76.	5.2	3
90	A Quad-Band Doherty Power Amplifier Based on T-Section Coupled Lines. IEEE Microwave and Wireless Components Letters, 2016, 26, 437-439.	3.2	23

#	ARTICLE	IF	CITATIONS
91	Recognizing a limitation of the TBLC-activated peroxide system on low-temperature cotton bleaching. Carbohydrate Polymers, 2016, 140, 1-5.	10.2	13
92	Digital Techniques for Multiband RF Transmitters. , 2016, , 203-242.		0
93	Multiband Power Amplifier Design. , 2016, , 157-201.		0
94	Multiband RF Transmitters. , 2016, , 59-79.		0
95	A 600W broadband three-way Doherty power amplifier for multi-standard wireless communications. , 2015, , .		3
96	MIMO Antenna Design and Channel Modeling 2014. International Journal of Antennas and Propagation, 2015, 2015, 1-1.	1.2	0
97	Low computational complexity digital pre-distortion for broadband power amplifiers. , 2015, , .		3
98	A Novel Doherty Transmitter Based on Antenna Active Load Modulation. IEEE Microwave and Wireless Components Letters, 2015, 25, 271-273.	3.2	13
99	A Band-Divided Memory Polynomial for Wideband Digital Predistortion With Limited Bandwidth Feedback. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 922-926.	3.0	18
100	A complexity-reduced band-limited memory polynomial behavioral model for wideband power amplifier. , 2015, , .		2
101	Compact coupled-line balun with complex impedances transformation and high isolation. IET Microwaves, Antennas and Propagation, 2015, 9, 1587-1594.	1.4	16
102	Design of a V-band power amplifier/combiner based on spatial power-combining technique. , 2014, , .		1
103	Design of a monopole ESPAR antenna using a novel sidelobe reduction algorithm. , 2014, , .		0
104	A Novel Harmonics-Suppression Coupled-Line Gysel Power Divider for Complex Terminated Impedances. Electromagnetics, 2014, 34, 633-658.	0.7	4
105	Concurrent Multi-Band Envelope Modulated Power Amplifier Linearized Using Extended Phase-Aligned DPD. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 3298-3308.	4.6	15
106	Energy-efficient power amplifier techniques for TD-SCDMA and TD-LTE multi-standard wireless communications. , 2014, , .		0
107	A concurrent dual-band 1.9–2.6-GHz Doherty power amplifier with Intermodulation impedance tuning. , 2014, , .		7
108	Dual-band predistortion linearization of an envelope modulated power amplifier operated in concurrent multi-standard mode. , 2014, , .		8

#	ARTICLE	IF	CITATIONS
109	A Concurrent Dual-Band Uneven Doherty Power Amplifier with Frequency-Dependent Input Power Division. IEEE Transactions on Circuits and Systems I: Regular Papers, 2014, 61, 552-561.	5.4	92
110	Efficient Pruning Technique of Memory Polynomial Models Suitable for PA Behavioral Modeling and Digital Predistortion. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 2290-2299.	4.6	27
111	A Robust Augmented Complexity-Reduced Generalized Memory Polynomial for Wideband RF Power Amplifiers. IEEE Transactions on Industrial Electronics, 2014, 61, 2389-2401.	7.9	71
112	Extraction of wideband behavioral model of power amplifier with multi groups of narrow band signals. , 2014, , .		4
113	Advanced power amplifier technologies for multistandard and broadband wireless communications. , 2014, , .		1
114	A robust and low sampling rate digital predistortion algorithm for broadband PA modeling and predistortion. , 2014, , .		13
115	â€Newâ€™ solutions of Classâ€™ power amplifier with finite dc feed inductor at any duty ratio. IET Circuits, Devices and Systems, 2014, 8, 311-321.	1.4	16
116	Transmitter Architecture for CA: Carrier Aggregation in LTE-Advanced Systems. IEEE Microwave Magazine, 2013, 14, 78-86.	0.8	62
117	An experiment to extract the dynamic nonlinear model of a millimeter wave communication system with ultra-wideband signal. , 2013, , .		0
118	A Time Misalignment Tolerant 2D-Memory Polynomials Predistorter for Concurrent Dual-Band Power Amplifiers. IEEE Microwave and Wireless Components Letters, 2013, 23, 501-503.	3.2	12
119	An iterative pruning of 2-D digital predistortion model based on normalized polynomial terms. , 2013, , .		13
120	Behavioral modeling for concurrent dual-band power amplifiers using 2D hammerstein/wiener models. International Journal of RF and Microwave Computer-Aided Engineering, 2013, 23, 646-654.	1.2	7
121	Enhanced Analysis and Design Method of Concurrent Dual-Band Power Amplifiers With Intermodulation Impedance Tuning. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 4544-4558.	4.6	58
122	High-efficient harmonic-tuned power amplifier with more than an octave bandwidth. , 2013, , .		0
123	Digital Predistortion for Concurrent Dual-Band Transmitters Using 2-D Modified Memory Polynomials. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 281-290.	4.6	153
124	Design of Compact Dual-Band Power Dividers With Frequency-Dependent Division Ratios Based on Multisection Coupled Line. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2013, 3, 467-475.	2.5	29
125	Twoâ€™dimensional crest factor reduction for performance improvement of concurrent dualâ€™band power amplifiers. Electronics Letters, 2013, 49, 1163-1165.	1.0	10
126	Resistive Second-Harmonic Impedance Continuous Class-F Power Amplifier With Over One Octave Bandwidth for Cognitive Radios. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2013, 3, 489-497.	3.6	40

#	ARTICLE	IF	CITATIONS
127	A novel design method of concurrent dual-band power amplifiers including impedance tuning at inter-band modulation frequencies. , 2013, , .		4
128	MIMO Antenna Design and Channel Modeling 2013. International Journal of Antennas and Propagation, 2013, 2013, 1-2.	1.2	0
129	A novel broadband Doherty power amplifier with post-matching structure. , 2012, , .		19
130	High efficiency and wide band CLASS-J power amplifier using 2 nd harmonic microstrip stub matching. , 2012, , .		4
131	Forward behavioral modeling of concurrent dual-band power amplifiers using extended real valued time delay neural networks. , 2012, , .		4
132	Joint predistortion of IQ impairments and PA nonlinearity in concurrent dual-band transmitters. , 2012, , .		10
133	Subsampling Feedback Loop Applicable to Concurrent Dual-Band Linearization Architecture. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 1990-1999.	4.6	36
134	A new envelope tracking technique for concurrent dual-band PAs. , 2012, , .		2
135	Design of dual-band multi-way Doherty power amplifiers. , 2012, , .		1
136	Low sampling rate digital predistortion of power amplifier assisted by bandpass RF filter. , 2012, , .		3
137	Modified Least Squares Extraction for Volterra-Series Digital Predistorter in the Presence of Feedback Measurement Errors. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 3559-3570.	4.6	17
138	Design of Compact Dual-Polarized Antennas for MIMO Handsets. International Journal of Antennas and Propagation, 2012, 2012, 1-8.	1.2	1
139	MIMO Antenna Design and Channel Modeling. International Journal of Antennas and Propagation, 2012, 2012, 1-2.	1.2	2
140	Stacked CP patch antenna with broad impedance and AR bandwidth. , 2011, , .		4
141	Linearization of Concurrent Dual-Band Power Amplifier Based on 2D-DPD Technique. IEEE Microwave and Wireless Components Letters, 2011, 21, 685-687.	3.2	122
142	Design and Linearization of Concurrent Dual-Band Doherty Power Amplifier With Frequency-Dependent Power Ranges. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 2537-2546.	4.6	147
143	DEVELOPMENT OF LOW COST MEASUREMENT SYSTEM FOR RADIATED EMISSION EVALUATION. Progress in Electromagnetics Research Letters, 2011, 20, 55-68.	0.7	2
144	A novel concurrent dual-mode class-E PA using dual-band stub tapped transformer. Microwave and Optical Technology Letters, 2011, 53, 171-174.	1.4	4

#	ARTICLE	IF	CITATIONS
145	A compact CPW-FED circular patch antenna with pattern and polarization diversities. Microwave and Optical Technology Letters, 2011, 53, 968-972.	1.4	8
146	A novel broadband VHF SiC MESFET class-E high power amplifier. Microwave and Optical Technology Letters, 2010, 52, 272-276.	1.4	3
147	Design of asymmetrical spurline filter for a high power sic MESFET class-E power amplifier. Microwave and Optical Technology Letters, 2010, 52, 1650-1652.	1.4	6
148	A compact DVBS antenna with varactor-tuned matching circuit. Microwave and Optical Technology Letters, 2010, 52, 1786-1789.	1.4	15
149	Hexagonal patch antenna with T-shaped slot for frequency switching and conical radiation. Microwave and Optical Technology Letters, 2010, 52, 2585-2588.	1.4	0
150	Development of low cost radiated emission measurement system. , 2010, , .		2
151	An Endfire Beam-Switchable Antenna Array Used in Vehicular Environment. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 195-198.	4.0	29
152	A TIS test solution for stand alone GPS phones. , 2010, , .		0
153	A Switchable Matching Circuit for Compact Wideband Antenna Designs. IEEE Transactions on Antennas and Propagation, 2010, 58, 3450-3457.	5.1	38
154	A Triband Shunt-Fed Omnidirectional Planar Dipole Array. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 850-853.	4.0	35
155	Polarization Reconfigurable Slot Antenna With a Novel Compact CPW-to-Slotline Transition for WLAN Application. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 252-255.	4.0	103
156	A novel class-E power amplifier with an asymmetrical spurline filter and its linearization. , 2010, , .		0
157	A novel broadband class E power amplifier with inductance feedback. , 2010, , .		0
158	A Dual-Polarization Slot Antenna Using a Compact CPW Feeding Structure. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 191-194.	4.0	158
159	A Novel Hybrid-Fed Patch Antenna With Pattern Diversity. IEEE Antennas and Wireless Propagation Letters, 2010, 9, 562-565.	4.0	92
160	Compact dual-polarized antenna combining printed monopole and half-slot antenna for MIMO applications. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	14
161	Analysis and design of tapered slot antenna for ultra-wideband applications. Tsinghua Science and Technology, 2009, 14, 1-6.	6.1	10
162	A high power SiC MESFET class-E power amplifier with an asymmetrical spurline resonator. , 2009, , .		1

#	ARTICLE	IF	CITATIONS
163	A Quadband Antenna With Reconfigurable Feedings. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 1069-1071.	4.0	22
164	A Tripolarization Antenna Fed by Proximity Coupling and Probe. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 465-467.	4.0	41
165	Novel planar tapered slot UWB antenna. Microwave and Optical Technology Letters, 2008, 50, 2280-2283.	1.4	3
166	A reconfigurable compact antenna for DVBH application. , 2008, , .		3
167	A hybrid slot and inverted L antenna. , 2008, , .		0
168	A conformal tri-polarization antenna. , 2008, , .		3
169	Investigation of wideband printed dipole arrays with parasitic elements for wireless mesh network (WMN) applications. , 2008, , .		0
170	Design of unsymmetrical anti-podal taper slot element for array antenna. , 2008, , .		0
171	Integrated Dual-Band Antenna System Design Incorporating Cell Phone Bezel. IEEE Antennas and Wireless Propagation Letters, 2008, 7, 585-587.	4.0	6
172	An endfire phased array used in Wireless Access for Vehicular Environments (WAVE). , 2008, , .		2
173	Design of Planar ESPAR Antenna by Using Sidelobe Reduction Algorithm. , 2007, , .		10
174	Extended MagPEEC Model Including Dispersive Medium. , 2007, , .		2
175	A novel compact reconfigurable polarization and pattern antenna. Microwave and Optical Technology Letters, 2007, 49, 2802-2805.	1.4	7
176	A novel switched-sector planar antenna using parasitic elements. , 2004, , .		9
177	Design of Triple-band Planar Inverted-F antenna. , 0, , .		1
178	On-demand digital predistortion for broadband transmitters with carrier aggregation. Microwave and Optical Technology Letters, 0, , .	1.4	0