

Ewoud Schuit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6964055/publications.pdf>

Version: 2024-02-01

151
papers

6,364
citations

147801

31
h-index

79698

73
g-index

161
all docs

161
docs citations

161
times ranked

12482
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines and quality criteria for artificial intelligence-based prediction models in healthcare: a scoping review. <i>Npj Digital Medicine</i> , 2022, 5, 2.	10.9	147
2	Performance of binary prediction models in high-correlation low-dimensional settings: a comparison of methods. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 1.	1.8	11
3	Detection of SARS-CoV-2 infection in the general population by three prevailing rapid antigen tests: cross-sectional diagnostic accuracy study. <i>BMC Medicine</i> , 2022, 20, 97.	5.5	11
4	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2952-e2961.	3.6	13
5	Timing of Delivery for Twins With Growth Discordance and Growth Restriction. <i>Obstetrics and Gynecology</i> , 2022, 139, 1155-1167.	2.4	4
6	When is it impractical to ask informed consent? A systematic review. <i>Clinical Trials</i> , 2022, 19, 545-560.	1.6	10
7	Text-mining in electronic healthcare records can be used as efficient tool for screening and data collection in cardiovascular trials: a multicenter validation study. <i>Journal of Clinical Epidemiology</i> , 2021, 132, 97-105.	5.0	23
8	Placenta Pathology From Term Born Neonates With Normal or Adverse Outcome. <i>Pediatric and Developmental Pathology</i> , 2021, 24, 121-130.	1.0	9
9	How can we build and maintain the resilience of our health care professionals during COVID-19? Recommendations based on a scoping review. <i>BMJ Open</i> , 2021, 11, e043718.	1.9	89
10	Timing of recurrence after surgery in pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2169-2176.	1.4	5
11	Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials. <i>Lancet, The</i> , 2021, 397, 1183-1194.	13.7	110
12	Comprehensive toxicity risk profiling in radiation therapy for head and neck cancer: A new concept for individually optimised treatment. <i>Radiotherapy and Oncology</i> , 2021, 157, 147-154.	0.6	54
13	Prognostic Models Predicting Mortality in Preterm Infants: Systematic Review and Meta-analysis. <i>Pediatrics</i> , 2021, 147, .	2.1	13
14	Change in cervical length after arrested preterm labor and risk of preterm birth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 750-756.	1.7	3
15	National Protocol for Model-Based Selection for Proton Therapy in Head and Neck Cancer. <i>International Journal of Particle Therapy</i> , 2021, 8, 354-365.	1.8	32
16	Impact of radiation-induced toxicities on quality of life of patients treated for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2021, 160, 47-53.	0.6	25
17	Development and validation of a risk prediction model of preterm birth for women with preterm labour symptoms (the QUIIDS study): A prospective cohort study and individual participant data meta-analysis. <i>PLoS Medicine</i> , 2021, 18, e1003686.	8.4	18
18	Diagnostic accuracy of rapid antigen tests in asymptomatic and presymptomatic close contacts of individuals with confirmed SARS-CoV-2 infection: cross sectional study. <i>BMJ, The</i> , 2021, 374, n1676.	6.0	73

#	ARTICLE	IF	CITATIONS
19	The Influence of Severe Radiation-Induced Lymphopenia on Overall Survival in Solid Tumors: A Systematic Review and Meta-Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 936-948.	0.8	53
20	The Importance of Radiation Dose to the Atherosclerotic Plaque in the Left Anterior Descending Coronary Artery for Radiation-Induced Cardiac Toxicity of Breast Cancer Patients?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1350-1359.	0.8	21
21	Evaluating Progestogens for Preventing Preterm Birth International Collaborative (EPPPIC): Meta-analysis of Individual Participant Data From Randomised Controlled Trials. <i>Obstetrical and Gynecological Survey</i> , 2021, 76, 464-466.	0.4	0
22	A prognostic model, including quantitative fetal fibronectin, to predict preterm labour: the QUIDS meta-analysis and prospective cohort study. <i>Health Technology Assessment</i> , 2021, 25, 1-168.	2.8	1
23	Can the mean linear energy transfer of organs be directly related to patient toxicities for current head and neck cancer intensity-modulated proton therapy practice?. <i>Radiotherapy and Oncology</i> , 2021, 165, 159-165.	0.6	7
24	The Duty to Support Learning Health Systems: A Broad Rather than a Narrow Interpretation. <i>American Journal of Bioethics</i> , 2021, 21, 14-16.	0.9	1
25	Added Value of Cognition in the Prediction of Survival in Low and High Grade Glioma. <i>Frontiers in Neurology</i> , 2021, 12, 773908.	2.4	5
26	Accuracy of approximations to recover incompletely reported logistic regression models depended on other available information. <i>Journal of Clinical Epidemiology</i> , 2021, , .	5.0	5
27	Multifactorial risk factors for mortality after chemotherapy and radiotherapy for non-small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2020, 152, 117-125.	0.6	19
28	Prediction models for COVID-19 clinical decision making. <i>The Lancet Digital Health</i> , 2020, 2, e496-e497.	12.3	16
29	793: A new prediction model for birth within 48 hours in women with preterm labour symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, S502.	1.3	1
30	Replacing physical with virtual genetic tests: The importance of conscious methodological decisions. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1637-1638.	1.8	0
31	Prediction models for diagnosis and prognosis of covid-19: systematic review and critical appraisal. <i>BMJ, The</i> , 2020, 369, m1328.	6.0	2,134
32	Key challenges in normal tissue complication probability model development and validation: towards a comprehensive strategy. <i>Radiotherapy and Oncology</i> , 2020, 148, 151-156.	0.6	24
33	An evaluation of the benefits and harms of antenatal corticosteroid treatment for women at risk of imminent preterm birth or prior to elective Caesarean-section: Study protocol for An individual participant data meta-analysis. <i>Wellcome Open Research</i> , 2020, 5, 38.	1.8	1
34	A systematic breakdown of the levels of evidence supporting the European Society of Cardiology guidelines. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1944-1952.	1.8	22
35	Inter- and intra-observer variability in fetal ductus venosus blood flow measurements in high-risk fetuses at 26-32 weeks. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 243, 67-71.	1.1	3
36	PV-0201 Development and validation of prediction models for salivary dysfunction in HN cancer patients. <i>Radiotherapy and Oncology</i> , 2019, 133, S104-S105.	0.6	0

#	ARTICLE	IF	CITATIONS
37	PO-0712 A new prediction model for patient reported xerostomia; external validation in postoperative setting. <i>Radiotherapy and Oncology</i> , 2019, 133, S365-S366.	0.6	0
38	EP-1914 A method to deal with highly correlated explanatory variables in the development of NTCP models. <i>Radiotherapy and Oncology</i> , 2019, 133, S1040.	0.6	1
39	Vaginal delivery in women with a low-lying placenta: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1118-1126.	2.3	20
40	Smoking Cessation Pharmacotherapy Based on Genetically-Informed Biomarkers: What is the Evidence?. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1289-1293.	2.6	5
41	Development and internal validation of a multinomial NTCP model for the severity of acute dyspnea after radiotherapy for lung cancer. <i>Radiotherapy and Oncology</i> , 2019, 136, 176-184.	0.6	9
42	Child outcomes after placement of a cervical pessary in women with a multiple pregnancy: A 4-year follow-up of the ProTWIN trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1292-1300.	2.8	12
43	555: Cervical pessary for preventing preterm birth in singletons: A dynamic systematic review and meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S371.	1.3	1
44	Cardiac Function After Radiation Therapy for Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 392-400.	0.8	22
45	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285.	1.9	47
46	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. <i>BMJ Open</i> , 2019, 9, e029101.	1.9	6
47	Amnioinfusion Compared With No Intervention in Women With Second-Trimester Rupture of Membranes. <i>Obstetrics and Gynecology</i> , 2019, 133, 129-136.	2.4	18
48	How often can meta-analyses of individual-level data individualize treatment? A meta-epidemiologic study. <i>International Journal of Epidemiology</i> , 2019, 48, 596-608.	1.9	19
49	Cardiovascular risk prediction models for women in the general population: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0210329.	2.5	35
50	Prognostic models for adverse pregnancy outcomes in low-income and middle-income countries: a systematic review. <i>BMJ Global Health</i> , 2019, 4, e001759.	4.7	11
51	Pharmacotherapy for smoking cessation: effects by subgroup defined by genetically informed biomarkers. <i>The Cochrane Library</i> , 2018, 2018, CD011823.	2.8	28
52	Pessary for prevention of preterm birth in twin pregnancy with short cervix: 3-year follow-up study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 621-628.	1.7	23
53	10: Pessary to prevent preterm birth after an episode of threatened preterm labor (APOSTEL VI): a randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S9-S10.	1.3	3
54	An overview of methods for network meta-analysis using individual participant data: when do benefits arise?. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1351-1364.	1.5	67

#	ARTICLE	IF	CITATIONS
55	Is the coronary artery calcium score associated with acute coronary events in breast cancer patients treated with radiotherapy?. Radiotherapy and Oncology, 2018, 126, 170-176.	0.6	40
56	747: Distribution of cervical length and risk of preterm birth in European women with a twin pregnancy: an individual patient data meta-analysis. American Journal of Obstetrics and Gynecology, 2018, 218, S448.	1.3	0
57	Correlation between neonatal outcomes of twins depends on the outcome: secondary analysis of twelve randomised controlled trials. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1406-1413.	2.3	8
58	OC-0091: Prognostic value of calcium score in breast cancer patients treated with radiotherapy. Radiotherapy and Oncology, 2018, 127, S48-S49.	0.6	0
59	Development and internal validation of a clinical prediction model for external cephalic version. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 228, 137-142.	1.1	12
60	Clinical Trial Strategies to Compare Protons With Photons. Seminars in Radiation Oncology, 2018, 28, 79-87.	2.2	71
61	Cervical Pessary After Arrested Preterm Labor. Obstetrics and Gynecology, 2018, 132, 741-749.	2.4	16
62	Behavioral and neurodevelopmental outcome of children after maternal allopurinol administration during suspected fetal hypoxia: 5-year follow up of the ALLO-trial. PLoS ONE, 2018, 13, e0201063.	2.5	9
63	Influence of cut-off value on prevalence of short cervical length. Ultrasound in Obstetrics and Gynecology, 2017, 49, 330-336.	1.7	10
64	87: Does amnioinfusion improve perinatal outcome in midtrimester rupture of membranes?: a randomized controlled trial (PPROMEXIL-III). American Journal of Obstetrics and Gynecology, 2017, 216, S62-S63.	1.3	0
65	Antiphospholipid antibody profile based obstetric outcomes of primary antiphospholipid syndrome: the APREGNANTS study. American Journal of Obstetrics and Gynecology, 2017, 216, 525.e1-525.e12.	1.3	131
66	Bladder wall thickness has no role in the diagnosis of detrusor overactivity. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1430-1430.	2.3	0
67	SECULAR TRENDS IN REPORTED SUCCESS RATES OF CATHETER ABLATION FOR NON-PAROXYSMAL ATRIAL FIBRILLATION: FINDINGS FROM THE SMASH-AF META-ANALYSIS STUDY COHORT. Journal of the American College of Cardiology, 2017, 69, 451.	2.8	1
68	Repeated cervical length measurements for the verification of short cervical length. International Journal of Gynecology and Obstetrics, 2017, 139, 318-323.	2.3	2
69	Does the effect of one-day simulation team training in obstetric emergencies decline within one year? A post-hoc analysis of a multicentre cluster randomised controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 216, 79-84.	1.1	26
70	Overlapping network meta-analyses on the same topic: survey of published studies. International Journal of Epidemiology, 2017, 46, 1999-2008.	1.9	43
71	Prospective Risk of Stillbirth and Neonatal Complications in Twin Pregnancies: Systematic Review and Meta-analysis. Obstetrical and Gynecological Survey, 2017, 72, 1-3.	0.4	1
72	Nifedipine Versus Atosiban for Threatened Preterm Birth (APOSTEL III): A Multicentre, Randomized Controlled Trial. Obstetric Anesthesia Digest, 2017, 37, 32-32.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Why STAN might not be dead. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2306-2308.	1.5	4
74	Simulation-based team training for multi-professional obstetric care teams to improve patient outcome: a multicentre, cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 641-650.	2.3	65
75	A multi-centre, non-inferiority, randomised controlled trial to compare a cervical pessary with a cervical cerclage in the prevention of preterm delivery in women with short cervical length and a history of preterm birth – PC study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 215.	2.4	15
76	Pessary or Progesterone to Prevent Preterm delivery in women with short cervical length: the Quadruple P randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 284.	2.4	8
77	Prospective risk of stillbirth and neonatal complications in twin pregnancies: systematic review and meta-analysis. <i>BMJ</i> , The, 2016, 354, i4353.	6.0	166
78	The effect of gestational age and cervical length measurements in the prediction of spontaneous preterm birth in twin pregnancies: an individual patient level meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 877-884.	2.3	54
79	A multivariable model to guide the decision for pessary placement to prevent preterm birth in women with a multiple pregnancy: a secondary analysis of the ProTWIN trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 48-55.	1.7	14
80	Cervical pessaries to prevent preterm birth in women with a multiple pregnancy: a per-protocol analysis of a randomized clinical trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 444-451.	2.8	9
81	Effectiveness of a cervical pessary for women who did not deliver 48h after threatened preterm labor (Assessment of perinatal outcome after specific treatment in early labor: Apostel VI trial). <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 154.	2.4	9
82	Predictors for failure of vacuum-assisted vaginal delivery: a case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 200, 29-34.	1.1	23
83	Nifedipine maintenance tocolysis and perinatal outcome: an individual participant data meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1753-1760.	2.3	29
84	Prediction models for cardiovascular disease risk in the general population: systematic review. <i>BMJ</i> , The, 2016, 353, i2416.	6.0	543
85	Network meta-analyses performed by contracting companies and commissioned by industry. <i>Systematic Reviews</i> , 2016, 5, 198.	5.3	19
86	Prediction of Escape Red Blood Cell Transfusion in Expectantly Managed Women With Acute Anaemia After Postpartum Haemorrhage. <i>Obstetric Anesthesia Digest</i> , 2016, 36, 204-205.	0.1	0
87	Pessary Placement in the Prevention of Preterm Birth in Multiple Pregnancies. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 335-336.	0.4	0
88	Nifedipine Versus Atosiban for Threatened Preterm Birth (APOSTEL III). <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 514-516.	0.4	0
89	Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1107-1114.	2.3	11
90	Prediction models in obstetrics: understanding the treatment paradox and potential solutions to the threat it poses. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1060-1064.	2.3	29

#	ARTICLE	IF	CITATIONS
91	531: Long-term effects of cervical pessary for preterm birth prevention in twin pregnancy with short cervix: a 3 years follow-up of the ProTwin trial. American Journal of Obstetrics and Gynecology, 2016, 214, S287.	1.3	2
92	Added Value of Female-Specific Factors Beyond Traditional Predictors for Future Cardiovascular Disease. Journal of the American College of Cardiology, 2016, 67, 2084-2086.	2.8	8
93	Electrocardiogram ST Analysis During Labor. Obstetrics and Gynecology, 2016, 127, 127-135.	2.4	40
94	17α-Hydroxyprogesterone caproate in triplet pregnancy: an individual patient data meta-analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 682-690.	2.3	15
95	Population differences and the effect of vaginal progesterone on preterm birth in women with threatened preterm labor. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3223-3228.	1.5	4
96	Pessary placement in the prevention of preterm birth in multiple pregnancies: a propensity score analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 197, 72-77.	1.1	5
97	Nifedipine versus atosiban for threatened preterm birth (APOSTEL III): a multicentre, randomised controlled trial. Lancet, The, 2016, 387, 2117-2124.	13.7	65
98	Prognostic models in obstetrics: available, but far from applicable. American Journal of Obstetrics and Gynecology, 2016, 214, 79-90.e36.	1.3	138
99	Predictive Factors for Delivery within 7 Days after Successful 48-Hour Treatment of Threatened Preterm Labor. AJP Reports, 2015, 05, e141-e149.	0.7	10
100	Impact of provision of cardiovascular disease risk estimates to healthcare professionals and patients: a systematic review. BMJ Open, 2015, 5, e008717.	1.9	60
101	The added predictive value of biphasic events in ST analysis of the fetal electrocardiogram for intrapartum fetal monitoring. Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 175-182.	2.8	5
102	Meta-analyses triggered by previous (false-)significant findings: problems and solutions. Systematic Reviews, 2015, 4, 57.	5.3	17
103	Prediction of escape red blood cell transfusion in expectantly managed women with acute anaemia after postpartum haemorrhage. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1789-1797.	2.3	4
104	Second-trimester cervical length as risk indicator for Cesarean delivery in women with twin pregnancy. Ultrasound in Obstetrics and Gynecology, 2015, 46, 579-584.	1.7	2
105	Preventing Preterm Birth with Progesterone in Women with a Short Cervical Length from a Low-Risk Population: A Multicenter Double-Blind Placebo-Controlled Randomized Trial. American Journal of Perinatology, 2015, 32, 993-1000.	1.4	28
106	Indicators for Cervical Length in Twin Pregnancies. American Journal of Perinatology, 2015, 32, 1151-1157.	1.4	0
107	Risk indicators for referral during labor from community midwife to gynecologist: a prospective cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 29, 1-8.	1.5	4
108	Preterm birth in singleton and multiple pregnancies: evaluation of costs and perinatal outcomes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 186, 34-41.	1.1	30

#	ARTICLE	IF	CITATIONS
109	At 15-20 weeks of pregnancy, various modifiable factors are associated with increased likelihood of a subsequent uncomplicated pregnancy. Evidence-based Nursing, 2015, 18, 25-25.	0.2	0
110	Effectiveness of progestogens to improve perinatal outcome in twin pregnancies: an individual participant data meta-analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 27-37.	2.3	187
111	Maternal allopurinol administration during suspected fetal hypoxia: a novel neuroprotective intervention? A multicentre randomised placebo controlled trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F216-F223.	2.8	44
112	Prediction of cardiovascular disease worldwide. Lancet Diabetes and Endocrinology, 2015, 3, 309-310.	11.4	3
113	Recurrence of hypertensive disorders of pregnancy: an individual patient data metaanalysis. American Journal of Obstetrics and Gynecology, 2015, 212, 624.e1-624.e17.	1.3	102
114	Risk stratification with cervical length and fetal fibronectin in women with threatened preterm labor before 34 weeks and not delivering within 7 days. Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 715-721.	2.8	14
115	798: Population differences influence effectiveness of progesterone in women with threatened preterm labor. American Journal of Obstetrics and Gynecology, 2015, 212, S386-S387.	1.3	1
116	153: Repeated measurement of short cervical length does not influence the risk of preterm delivery. American Journal of Obstetrics and Gynecology, 2015, 212, S93.	1.3	0
117	474: Cervical length and risk of preterm birth in European women with a twin pregnancy. American Journal of Obstetrics and Gynecology, 2015, 212, S241.	1.3	2
118	5: Nifedipine versus atosiban for tocolysis in preterm labour (Assessment of Perinatal Outcome after) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2015, 212, S4.	1.3	0
119	Birth Weight Ratio as an Alternative to Birth Weight Percentile to Express Infant Weight in Research and Clinical Practice: A Nationwide Cohort Study. Obstetrics and Gynecology International, 2014, 1-9.	1.3	9
120	Development and internal validation of a prognostic model for survival after debulking surgery for epithelial ovarian cancer. Gynecologic Oncology, 2014, 135, 13-18.	1.4	18
121	How to interpret a small increase in AUC with an additional risk prediction marker: decision analysis comes through. Statistics in Medicine, 2014, 33, 3946-3959.	1.6	53
122	Cervical Pessaries for Prevention of Preterm Birth in Women With a Multiple Pregnancy (ProTWIN). Obstetrical and Gynecological Survey, 2014, 69, 73-75.	0.4	1
123	291: Prediction of recurrence of hypertensive disorders of pregnancy in the term period, a retrospective cohort study. American Journal of Obstetrics and Gynecology, 2014, 210, S152-S153.	1.3	0
124	Nifedipine versus atosiban in the treatment of threatened preterm labour (Assessment of Perinatal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2014, 14, 93.	2.4	13
125	Development and internal validation of a prognostic model to predict recurrence free survival in patients with adult granulosa cell tumors of the ovary. Gynecologic Oncology, 2014, 134, 498-504.	1.4	20
126	820: Development and validation of a prediction tool to identify women with a multiple pregnancy who could benefit from cervical pessaries. American Journal of Obstetrics and Gynecology, 2014, 210, S399.	1.3	0

#	ARTICLE	IF	CITATIONS
127	Prediction of recurrence of hypertensive disorders of pregnancy in the term period, a retrospective cohort study. <i>Pregnancy Hypertension</i> , 2014, 4, 194-202.	1.4	17
128	Prediction of Preterm Birth in Multiple Pregnancies: Development of a Multivariable Model Including Cervical Length Measurement at 16 to 21 Weeksâ€™ Gestation. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014, 36, 309-319.	0.7	14
129	Cervical pessaries for prevention of preterm birth in women with a multiple pregnancy (ProTWIN): a multicentre, open-label randomised controlled trial. <i>Lancet, The</i> , 2013, 382, 1341-1349.	13.7	250
130	Effectiveness of electronic fetal monitoring with additional ST analysis in vertex singleton pregnancies at >36 weeks of gestation: an individual participant data metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 187.e1-187.e13.	1.3	38
131	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 394-395.	1.3	7
132	707: Suggestion of a novel clinical tool to support clinicians in the assessment of asphyxia and failure to progress. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S297.	1.3	0
133	1: Pessaries in multiple pregnancy as a prevention of preterm birth (ProTWIN): a randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S2.	1.3	10
134	20: Maternal allopurinol administration during term labor for neuroprotection in case of fetal asphyxia: a multicenter randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S14.	1.3	1
135	502: Is maintenance tocolysis with nifedipine effective in the reduction of adverse perinatal outcome: an individual participant data meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, S216-S217.	1.3	0
136	Board 334 - Research Abstract The Effect of Obstetric Team Training on Perinatal and Maternal Outcome. <i>Simulation in Healthcare</i> , 2013, 8, 535.	1.2	1
137	Effect of Maintenance Tocolysis With Nifedipine in Threatened Preterm Labor on Perinatal Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 41.	7.4	65
138	Unexpected predictorâ€™outcome associations in clinical prediction research: causes and solutions. <i>Cmaj</i> , 2013, 185, E499-E505.	2.0	33
139	Effect of Maintenance Tocolysis With Nifedipine in Threatened Preterm Labor on Perinatal Outcomes. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 342-344.	0.4	0
140	Prediction of Neonatal Metabolic Acidosis in Women with a Singleton Term Pregnancy in Cephalic Presentation: An External Validation Study. <i>American Journal of Perinatology</i> , 2012, 29, 681-686.	1.4	5
141	Prediction of Neonatal Metabolic Acidosis in Women with a Singleton Term Pregnancy in Cephalic Presentation. <i>American Journal of Perinatology</i> , 2012, 29, 167-174.	1.4	16
142	Prognostic Models for Stillbirth and Neonatal Death in Very Preterm Birth: A Validation Study. <i>Pediatrics</i> , 2012, 129, e120-e127.	2.1	12
143	17Î±-Hydroxyprogesterone Caproate for the Prevention of Adverse Neonatal Outcome in Multiple Pregnancies. <i>Obstetrics and Gynecology</i> , 2012, 119, 385-386.	2.4	0
144	A clinical prediction model to assess the risk of operative delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 915-923.	2.3	69

#	ARTICLE	IF	CITATIONS
145	Effect of 17 α -hydroxyprogesterone caproate on cervical length in twin pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 426-430.	1.7	17
146	27: Outcome after embryo reduction in triplet pregnancy compared to ongoing triplet pregnancies and primary twins. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S19.	1.3	2
147	Predictive value of the baseline T α -QRS ratio of the fetal electrocardiogram in intrapartum fetal monitoring: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 189-197.	2.8	8
148	Progestogens to prevent preterm birth in twin pregnancies: an individual participant data meta-analysis of randomized trials. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 13.	2.4	14
149	561: Perinatal asphyxia: geographical and temporal validation of a prognostic model. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, S225.	1.3	0
150	17 β -Hydroxyprogesterone Caproate for the Prevention of Adverse Neonatal Outcome in Multiple Pregnancies. <i>Obstetrics and Gynecology</i> , 2011, 118, 513-520.	2.4	80
151	Prognostic models for radiation-induced complications after radiotherapy in head and neck cancer patients. <i>The Cochrane Library</i> , 0, , .	2.8	1