

Heon-Jeong Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6969789/publications.pdf>

Version: 2024-02-01

213
papers

5,681
citations

71102

41
h-index

118850

62
g-index

221
all docs

221
docs citations

221
times ranked

7030
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829. | 21.4 | 629 |
| 2 | Influence of the serotonin transporter promoter gene polymorphism on susceptibility to posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2005, 21, 135-139. | 4.1 | 214 |
| 3 | Th1, Th2 and Th3 cytokine alteration in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1129-1134. | 4.8 | 164 |
| 4 | Advanced Circadian Phase in Mania and Delayed Circadian Phase in Mixed Mania and Depression Returned to Normal after Treatment of Bipolar Disorder. <i>EBioMedicine</i> , 2016, 11, 285-295. | 6.1 | 111 |
| 5 | Outdoor artificial light at night, obesity, and sleep health: Cross-sectional analysis in the KoGES study. <i>Chronobiology International</i> , 2016, 33, 301-314. | 2.0 | 108 |
| 6 | Increased levels of plasma brain-derived neurotrophic factor (BDNF) in children with attention deficit-hyperactivity disorder (ADHD). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1824-1828. | 4.8 | 105 |
| 7 | Mood Prediction of Patients With Mood Disorders by Machine Learning Using Passive Digital Phenotypes Based on the Circadian Rhythm: Prospective Observational Cohort Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11029. | 4.3 | 105 |
| 8 | Association between a G-protein $\beta 3$ subunit gene polymorphism and the symptomatology and treatment responses of major depressive disorders. <i>Pharmacogenomics Journal</i> , 2004, 4, 29-33. | 2.0 | 103 |
| 9 | Cognitive deterioration and changes of P300 during total sleep deprivation. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 490-496. | 1.8 | 96 |
| 10 | Comparison of Wearable Activity Tracker with Actigraphy for Sleep Evaluation and Circadian Rest-Activity Rhythm Measurement in Healthy Young Adults. <i>Psychiatry Investigation</i> , 2017, 14, 179. | 1.6 | 78 |
| 11 | Increased Plasma Nitric Oxide Metabolites in Suicide Attempters. <i>Neuropsychobiology</i> , 2006, 53, 127-132. | 1.9 | 74 |
| 12 | Delayed sleep phase syndrome is related to seasonal affective disorder. <i>Journal of Affective Disorders</i> , 2011, 133, 573-579. | 4.1 | 67 |
| 13 | Association between Norepinephrine Transporter Gene Polymorphism and Major Depression. <i>Neuropsychobiology</i> , 2004, 49, 174-177. | 1.9 | 66 |
| 14 | Weight gain associated with the $\beta 2$ -adrenergic receptor $\beta 1291$ C/G polymorphism and olanzapine treatment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 394-397. | 1.7 | 66 |
| 15 | Serotonin transporter promoter gene polymorphism and long-term outcome of antidepressant treatment. <i>Psychiatric Genetics</i> , 2004, 14, 111-115. | 1.1 | 65 |
| 16 | Exposure to dim artificial light at night increases REM sleep and awakenings in humans. <i>Chronobiology International</i> , 2016, 33, 117-123. | 2.0 | 65 |
| 17 | A Tryptophan Hydroxylase 2 Gene Polymorphism is Associated with Panic Disorder. <i>Behavior Genetics</i> , 2009, 39, 170-175. | 2.1 | 64 |
| 18 | Low serum cholesterol is correlated to suicidality in a Korean sample. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 141-148. | 4.5 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Localized surface plasmon resonance aptasensor for the highly sensitive direct detection of cortisol in human saliva. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127424. | 7.8 | 62 |
| 20 | Oxidative stress and tardive dyskinesia: Pharmacogenetic evidence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 207-213. | 4.8 | 60 |
| 21 | Serum lipid levels and suicide attempts. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 215-221. | 4.5 | 59 |
| 22 | Association between Major Depressive Disorder and the 1438A/G Polymorphism of the Serotonin 2A Receptor Gene. <i>Neuropsychobiology</i> , 2004, 49, 38-41. | 1.9 | 59 |
| 23 | Characteristics and clinical correlates of restless legs syndrome in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1078-1083. | 4.8 | 58 |
| 24 | Weekend catch-up sleep is independently associated with suicide attempts and self-injury in Korean adolescents. <i>Comprehensive Psychiatry</i> , 2014, 55, 319-325. | 3.1 | 58 |
| 25 | Association between the 5-HT ₆ receptor C267T polymorphism and response to antidepressant treatment in major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 140-145. | 1.8 | 57 |
| 26 | Plasma Levels of IL-23 and IL-17 before and after Antidepressant Treatment in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2013, 10, 294. | 1.6 | 56 |
| 27 | D2 and D4 dopamine receptor gene polymorphisms and personality traits in a young Korean population. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 44-49. | 2.4 | 55 |
| 28 | Depressive mood and quality of life in functional gastrointestinal disorders: differences between functional dyspepsia, irritable bowel syndrome and overlap syndrome. <i>General Hospital Psychiatry</i> , 2010, 32, 499-502. | 2.4 | 54 |
| 29 | Atypical antipsychotic drugs perturb AMPK-dependent regulation of hepatic lipid metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E624-E632. | 3.5 | 54 |
| 30 | Association of CLOCK, ARNTL, and NPAS2 gene polymorphisms and seasonal variations in mood and behavior. <i>Chronobiology International</i> , 2015, 32, 785-791. | 2.0 | 54 |
| 31 | Role of cytokines in atypical depression. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 183-188. | 1.3 | 51 |
| 32 | Possible association between the 2548A/G polymorphism of the leptin gene and olanzapine-induced weight gain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 160-163. | 4.8 | 50 |
| 33 | Neurocognitive function and quality of life in relation to hematocrit levels in chronic hemodialysis patients. <i>Journal of Psychosomatic Research</i> , 2004, 57, 5-10. | 2.6 | 49 |
| 34 | Genetics of Tardive Dyskinesia. <i>International Review of Neurobiology</i> , 2011, 98, 231-264. | 2.0 | 49 |
| 35 | Effects of season and climate on the first manic episode of bipolar affective disorder in Korea. <i>Psychiatry Research</i> , 2002, 113, 151-159. | 3.3 | 48 |
| 36 | Solar radiation increases suicide rate after adjusting for other climate factors in South Korea. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 219-227. | 4.5 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Auditory Event-Related Potentials and Psychological Changes during Sleep Deprivation. <i>Neuropsychobiology</i> , 2004, 50, 1-5. | 1.9 | 47 |
| 38 | Correlation of occupational stress with depression, anxiety, and sleep in Korean dentists: cross-sectional study. <i>BMC Psychiatry</i> , 2017, 17, 398. | 2.6 | 47 |
| 39 | The association between serotonin-related gene polymorphisms and panic disorder. <i>Journal of Anxiety Disorders</i> , 2008, 22, 1529-1534. | 3.2 | 45 |
| 40 | Restless legs syndrome and periodic limb movements during sleep probably associated with olanzapine. <i>Journal of Psychopharmacology</i> , 2009, 23, 597-601. | 4.0 | 45 |
| 41 | Brain-derived neurotrophic factor gene polymorphisms and mirtazapine responses in Koreans with major depression. <i>Journal of Psychopharmacology</i> , 2010, 24, 1755-1763. | 4.0 | 45 |
| 42 | PER2 Variation is Associated with Diurnal Preference in a Korean Young Population. <i>Behavior Genetics</i> , 2011, 41, 273-277. | 2.1 | 44 |
| 43 | Antipsychotics and dopamine transporter gene polymorphisms in delirium patients. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 183-188. | 1.8 | 42 |
| 44 | Cognitive Behavioral Therapy Using a Mobile Application Synchronizable With Wearable Devices for Insomnia Treatment: A Pilot Study. <i>Journal of Clinical Sleep Medicine</i> , 2017, 13, 633-640. | 2.6 | 42 |
| 45 | Lack of association between the $\text{rs}1759\text{C/T}$ polymorphism of the 5-HT _{2C} receptor gene and olanzapine-induced weight gain among Korean schizophrenic patients. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008, 33, 55-60. | 1.5 | 39 |
| 46 | Effect of Rifampin, an Inducer of CYP3A and P-glycoprotein, on the Pharmacokinetics of Risperidone. <i>Journal of Clinical Pharmacology</i> , 2008, 48, 66-72. | 2.0 | 39 |
| 47 | A genome-wide association study of seasonal pattern mania identifies NF1A as a possible susceptibility gene for bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 145, 200-207. | 4.1 | 39 |
| 48 | Circadian Rhythm Hypotheses of Mixed Features, Antidepressant Treatment Resistance, and Manic Switching in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2013, 10, 225. | 1.6 | 39 |
| 49 | No association between the tryptophan hydroxylase gene polymorphism and major depressive disorders and antidepressant response in a Korean population. <i>Psychiatric Genetics</i> , 2005, 15, 299-301. | 1.1 | 38 |
| 50 | No association between the brain-derived neurotrophic factor gene Val66Met polymorphism and post-traumatic stress disorder. <i>Stress and Health</i> , 2006, 22, 115-119. | 2.6 | 38 |
| 51 | TNF-alpha $\text{rs}308\text{G}$;A polymorphism is associated with suicide attempts in major depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 668-672. | 4.1 | 36 |
| 52 | Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multi-disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. <i>Bipolar Disorders</i> , 2022, 24, 232-263. | 1.9 | 36 |
| 53 | G protein $\beta 3$ subunit, interleukin-10, and tumor necrosis factor- α gene polymorphisms in Koreans with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2010, 22, 758-763. | 3.0 | 35 |
| 54 | Molecular circadian rhythm shift due to bright light exposure before bedtime is related to subthreshold bipolarity. <i>Scientific Reports</i> , 2016, 6, 31846. | 3.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | High insulin-like growth factor-1 in patients with bipolar I disorder: A trait marker?. <i>Journal of Affective Disorders</i> , 2013, 151, 738-743. | 4.1 | 34 |
| 56 | Bipolar Disorder Associated microRNA, miR-1908-5p, Regulates the Expression of Genes Functioning in Neuronal Glutamatergic Synapses. <i>Experimental Neurobiology</i> , 2016, 25, 296-306. | 1.6 | 34 |
| 57 | Allelic variants interaction of dopamine receptor D4 polymorphism correlate with personality traits in young Korean female population. <i>American Journal of Medical Genetics Part A</i> , 2003, 118B, 76-80. | 2.4 | 33 |
| 58 | Could Digital Therapeutics be a Game Changer in Psychiatry?. <i>Psychiatry Investigation</i> , 2019, 16, 97-98. | 1.6 | 33 |
| 59 | Effects of Korean Red Ginseng on Cognitive and Motor Function: A Double-blind, Randomized, Placebo-controlled Trial. <i>Journal of Ginseng Research</i> , 2012, 36, 190-197. | 5.7 | 32 |
| 60 | Reward dependence is related to norepinephrine transporter T-182C gene polymorphism in a Korean population. <i>Psychiatric Genetics</i> , 2005, 15, 145-147. | 1.1 | 29 |
| 61 | Seasonality associated with the serotonin 2A receptor α 1438 A/G polymorphism. <i>Journal of Affective Disorders</i> , 2006, 95, 145-148. | 4.1 | 28 |
| 62 | Allelic Variants Interaction of <i>CLOCK</i> Gene and β 3 Subunit Gene with Diurnal Preference. <i>Chronobiology International</i> , 2007, 24, 589-597. | 2.0 | 28 |
| 63 | Manganese superoxide dismutase gene Ala α 9Val polymorphism might be related to the severity of abnormal involuntary movements in Korean schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1844-1847. | 4.8 | 28 |
| 64 | Prevalence of idiopathic and secondary restless legs syndrome in Korean Women. <i>General Hospital Psychiatry</i> , 2010, 32, 164-168. | 2.4 | 28 |
| 65 | Association of the DAT1 polymorphism with attention deficit hyperactivity disorder (ADHD): A family-based approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 309-311. | 1.7 | 27 |
| 66 | Interaction between Brain-Derived Neurotrophic Factor Val66Met Polymorphism and Recent Negative Stressor in Harm Avoidance. <i>Neuropsychobiology</i> , 2010, 61, 19-26. | 1.9 | 27 |
| 67 | Association between restless legs syndrome and <i>CLOCK</i> and <i>NPAS2</i> gene polymorphisms in schizophrenia. <i>Chronobiology International</i> , 2014, 31, 838-844. | 2.0 | 27 |
| 68 | Effectiveness of a Participatory and Interactive Virtual Reality Intervention in Patients With Social Anxiety Disorder: Longitudinal Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e23024. | 4.3 | 27 |
| 69 | No Association between Dopamine D4 Receptor Gene α 521 C/T Polymorphism and Tardive Dyskinesia in Schizophrenia. <i>Neuropsychobiology</i> , 2007, 55, 47-51. | 1.9 | 26 |
| 70 | Decreased gray matter volume of the medial orbitofrontal cortex in panic disorder with agoraphobia: A preliminary study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 195-200. | 4.8 | 25 |
| 71 | Association of <i>CLOCK</i> , <i>ARNTL</i> , <i>PER2</i> , and <i>GNB3</i> polymorphisms with diurnal preference in a Korean population. <i>Chronobiology International</i> , 2016, 33, 1455-1463. | 2.0 | 25 |
| 72 | Evaluation of Two Circadian Rhythm Questionnaires for Screening for the Delayed Sleep Phase Disorder. <i>Psychiatry Investigation</i> , 2012, 9, 236. | 1.6 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Association Study between Antipsychotics- Induced Restless Legs Syndrome and Polymorphisms of Dopamine D1, D2, D3, and D4 Receptor Genes in Schizophrenia. <i>Neuropsychobiology</i> , 2008, 57, 49-54. | 1.9 | 24 |
| 74 | No association between the brain-derived neurotrophic factor gene Val66Met polymorphism and tardive dyskinesia in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1545-1548. | 4.8 | 23 |
| 75 | Association study between glutathione Sâ€transferase GSTâ€M1, GSTâ€T1, and GSTâ€P1 polymorphisms and tardive dyskinesia. <i>Human Psychopharmacology</i> , 2009, 24, 55-60. | 1.5 | 23 |
| 76 | Association study between antipsychoticâ€induced restless legs syndrome and polymorphisms of monoamine oxidase genes in schizophrenia. <i>Human Psychopharmacology</i> , 2010, 25, 397-403. | 1.5 | 22 |
| 77 | Increased Corticomuscular Coherence in Idiopathic REM Sleep Behavior Disorder. <i>Frontiers in Neurology</i> , 2012, 3, 60. | 2.4 | 22 |
| 78 | Gaba transporter<i>SLC6A11</i> gene polymorphism associated with tardive dyskinesia. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 123-128. | 1.3 | 22 |
| 79 | Individuals with Restless Legs Syndrome Tend to have Severe Depressive Symptoms: Findings from a Community-Based Cohort Study. <i>Psychiatry Investigation</i> , 2017, 14, 887. | 1.6 | 22 |
| 80 | Effectiveness of a Smartphone App With a Wearable Activity Tracker in Preventing the Recurrence of Mood Disorders: Prospective Case-Control Study. <i>JMIR Mental Health</i> , 2020, 7, e21283. | 3.3 | 22 |
| 81 | Circadian Polymorphisms in Night Owls, in Bipolars, and in Non-24-Hour Sleep Cycles. <i>Psychiatry Investigation</i> , 2014, 11, 345. | 1.6 | 22 |
| 82 | Evidence for Association between the Brain-Derived Neurotrophic Factor Gene and Panic Disorder: A Novel Haplotype Analysis. <i>Psychiatry Investigation</i> , 2015, 12, 112. | 1.6 | 22 |
| 83 | Genderâ€specific molecular heterosis of dopamine D2 receptor gene (DRD2) for smoking in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 593-597. | 2.4 | 21 |
| 84 | A Case of Risperidone-Induced Stuttering. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 115-116. | 1.4 | 20 |
| 85 | No association of serotonin transporter polymorphism (5-HTTVNTR and 5-HTTLPR) with characteristics and treatment response to atypical antipsychotic agents in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 276-280. | 4.8 | 20 |
| 86 | Impact of tryptophan hydroxylase 2 G-703T polymorphism on anger-related personality traits and orbitofrontal cortex. <i>Behavioural Brain Research</i> , 2012, 231, 105-110. | 2.2 | 20 |
| 87 | G-Protein β_3 Subunit C825T Polymorphism Tends to Be Associated with Seasonal Variation in Young Male College Students. <i>Neuropsychobiology</i> , 2005, 52, 135-139. | 1.9 | 19 |
| 88 | No evidence for an association between G protein β_3 subunit gene C825T polymorphism and tardive dyskinesia in schizophrenia. <i>Human Psychopharmacology</i> , 2007, 22, 501-504. | 1.5 | 19 |
| 89 | DRD3 Gene rs6280 Polymorphism May Be Associated with Alcohol Dependence Overall and with Lesch Type I Alcohol Dependence in Koreans. <i>Neuropsychobiology</i> , 2014, 69, 140-146. | 1.9 | 19 |
| 90 | DRD2 Genotypic and Haplotype Variation Is Associated With Improvements in Negative Symptoms After 6 Weeksâ€™ Amisulpride Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 158-162. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The quality of life of suspected obstructive sleep apnea patients is related to their subjective sleep quality rather than the apnea-hypopnea index. <i>Sleep and Breathing</i> , 2017, 21, 369-375. | 1.7 | 19 |
| 92 | Impact of Exposure to Dim Light at Night on Sleep in Female and Comparison with Male Subjects. <i>Psychiatry Investigation</i> , 2018, 15, 520-530. | 1.6 | 19 |
| 93 | High Altitude Remains Associated with Elevated Suicide Rates after Adjusting for Socioeconomic Status: A Study from South Korea. <i>Psychiatry Investigation</i> , 2014, 11, 492. | 1.6 | 19 |
| 94 | Val158Met Polymorphism in the Catechol-&O&-Methyltransferase (&COMT)& Gene Is Not Associated with Tardive Dyskinesia in Schizophrenia. <i>Neuropsychobiology</i> , 2008, 57, 22-25. | 1.9 | 18 |
| 95 | Gender-Specific Effects of Brain-Derived Neurotrophic Factor &Val66Met& Polymorphism and Childhood Maltreatment on Anxiety. <i>Neuropsychobiology</i> , 2013, 67, 6-13. | 1.9 | 18 |
| 96 | FMRI, circadian genes and depression: suggestive associations or false discovery?. <i>Journal of Circadian Rhythms</i> , 2014, 11, 3. | 1.3 | 18 |
| 97 | Circadian Misalignment and Bipolar Disorder. <i>Chronobiology in Medicine</i> , 2019, 1, 132-136. | 0.4 | 18 |
| 98 | No Evidence for an Association between Dopamine D2 Receptor Polymorphisms and Tardive Dyskinesia in Korean Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 49. | 1.6 | 18 |
| 99 | The <i>BTBD9</i> gene may be associated with antipsychotic-induced restless legs syndrome in schizophrenia. <i>Human Psychopharmacology</i> , 2013, 28, 117-123. | 1.5 | 17 |
| 100 | Association between weekend catch-up sleep and high-sensitivity C-reactive protein levels in adults: a population-based study. <i>Sleep</i> , 2020, 43, . | 1.1 | 17 |
| 101 | Virtual Reality-Based Psychotherapy in Social Anxiety Disorder: fMRI Study Using a Self-Referential Task. <i>JMIR Mental Health</i> , 2021, 8, e25731. | 3.3 | 17 |
| 102 | Association between norepinephrine transporter gene (SLC6A2) polymorphisms and suicide in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 158, 127-132. | 4.1 | 16 |
| 103 | Type-D Personality Can Predict Suicidality in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 232. | 1.6 | 16 |
| 104 | Satisfaction of immediate or delayed switch to paliperidone palmitate in patients unsatisfied with current oral atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2015, 30, 320-328. | 1.7 | 15 |
| 105 | Design and Methods of the Mood Disorder Cohort Research Consortium (MDCRC) Study. <i>Psychiatry Investigation</i> , 2017, 14, 100. | 1.6 | 15 |
| 106 | A Case of Delayed NMS Induced by Risperidone. <i>Psychiatric Services</i> , 2000, 51, 254-a-255. | 2.0 | 15 |
| 107 | Visuo-Haptic-Based Multimodal Feedback Virtual Reality Solution to Improve Anxiety Symptoms: A Proof-of-Concept Study. <i>Psychiatry Investigation</i> , 2019, 16, 167-171. | 1.6 | 15 |
| 108 | Resolution of Pregabalin and Mirtazapine Associated Restless Legs Syndrome by Bupropion in a Patient with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2009, 6, 313. | 1.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | CDH13andHCRTR2May Be Associated with Hypersomnia Symptom of Bipolar Depression: A Genome-Wide Functional Enrichment Pathway Analysis. <i>Psychiatry Investigation</i> , 2015, 12, 402. | 1.6 | 14 |
| 110 | The Impact of Celebrity Suicide on Subsequent Suicide Rates in the General Population of Korea from 1990 to 2010. <i>Journal of Korean Medical Science</i> , 2016, 31, 598. | 2.5 | 14 |
| 111 | Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018, 15, 1115-1120. | 1.6 | 14 |
| 112 | CLOCK gene 3111C/T polymorphism is not associated with seasonal variations in mood and behavior in Korean college students. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 124-126. | 1.8 | 13 |
| 113 | Hyperprolactinemia induced by low-dosage amisulpride in Korean psychiatric patients. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 69-73. | 1.8 | 13 |
| 114 | Why Do Mania and Suicide Occur Most Often in the Spring?. <i>Psychiatry Investigation</i> , 2018, 15, 232-234. | 1.6 | 13 |
| 115 | Association between Antipsychotics-Induced Restless Legs Syndrome and Tyrosine Hydroxylase Gene Polymorphism. <i>Psychiatry Investigation</i> , 2009, 6, 211. | 1.6 | 13 |
| 116 | Possible Association between Serotonin Transporter Gene Polymorphism and Suicide Behavior in Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2015, 12, 136. | 1.6 | 13 |
| 117 | Possible association between G-protein $\beta 3$ subunit C825T polymorphism and antipsychotic-induced restless legs syndrome in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2007, 19, 351-356. | 2.1 | 12 |
| 118 | Influence of the Interaction between the Serotonin 1A Receptor C-1019G Polymorphism and Negative Life Stressors on the Development of Depression. <i>Neuropsychobiology</i> , 2011, 64, 1-8. | 1.9 | 12 |
| 119 | A Comparison of Personality Characteristics and Psychiatric Symptomatology between Upper Airway Resistance Syndrome and Obstructive Sleep Apnea Syndrome. <i>Psychiatry Investigation</i> , 2015, 12, 183. | 1.6 | 12 |
| 120 | G-protein $\beta 3$ Subunit Gene 825C/T Polymorphism Is Not Associated with Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2009, 6, 39. | 1.6 | 12 |
| 121 | Association between BDNF Gene Polymorphisms and Serotonergic Activity Using Loudness Dependence of Auditory Evoked Potentials in Healthy Subjects. <i>PLoS ONE</i> , 2013, 8, e60340. | 2.5 | 11 |
| 122 | Temporal association between zolpidem medication and the risk of suicide: A 12-year population-based, retrospective cohort study. <i>Scientific Reports</i> , 2020, 10, 4875. | 3.3 | 11 |
| 123 | The withdrawal from TDF therapy could induce transient RLS. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 419-420. | 4.8 | 10 |
| 124 | Circadian disruption and increase of oxidative stress in male and female volunteers after bright light exposure before bed time. <i>Molecular and Cellular Toxicology</i> , 2019, 15, 221-229. | 1.7 | 10 |
| 125 | No Evidence for Association between Tyrosine Hydroxylase Gene Val81Met Polymorphism and Susceptibility to Tardive Dyskinesia in Schizophrenia. <i>Psychiatry Investigation</i> , 2009, 6, 108. | 1.6 | 10 |
| 126 | Duloxetine-Induced Liver Injury in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2011, 8, 269. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Decrease in fMRI brain activation during working memory performed after sleeping under 10 lux light. <i>Scientific Reports</i> , 2016, 6, 36731. | 3.3 | 9 |
| 128 | Liquid chromatography/mass spectrometry-based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. <i>Journal of Mass Spectrometry</i> , 2018, 53, 385-399. | 1.6 | 9 |
| 129 | Is Advancing Circadian Rhythm the Mechanism of Antidepressants?. <i>Psychiatry Investigation</i> , 2019, 16, 479-483. | 1.6 | 9 |
| 130 | Sleep Irregularity in the Previous Week Influences the First-Night Effect in Polysomnographic Studies. <i>Psychiatry Investigation</i> , 2016, 13, 203. | 1.6 | 9 |
| 131 | Atypical Neuroleptic Malignant Syndrome Associated With Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 534. | 1.4 | 8 |
| 132 | Clinical and temperamental differences between early- and late-onset alcoholism in Korean men. <i>Comprehensive Psychiatry</i> , 2008, 49, 94-97. | 3.1 | 8 |
| 133 | Tardive dyskinesia associated with long-term administration of escitalopram and itopride in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 380-381. | 4.8 | 8 |
| 134 | Paliperidone in the treatment of delirium: results of a prospective open-label pilot trial. <i>Acta Neuropsychiatrica</i> , 2011, 23, 179-183. | 2.1 | 8 |
| 135 | Cannabinoid type 1 receptor gene polymorphisms are not associated with olanzapine-induced weight gain. <i>Human Psychopharmacology</i> , 2011, 26, 332-337. | 1.5 | 8 |
| 136 | Cholestatic Jaundice Induced by Duloxetine in a Patient with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2010, 7, 228. | 1.6 | 8 |
| 137 | No Association between PAWR Gene Polymorphisms and Tardive Dyskinesia in Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2012, 9, 191. | 1.6 | 8 |
| 138 | RORA Polymorphism Interacts with Childhood Maltreatment in Determining Anxiety Sensitivity by Sex: A Preliminary Study in Healthy Young Adults. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 402-406. | 2.0 | 8 |
| 139 | Circadian Rhythm of Heart Rate Assessed by Wearable Devices Tends to Correlate with the Circadian Rhythm of Salivary Cortisol Concentration in Healthy Young Adults. <i>Chronobiology in Medicine</i> , 2020, 2, 109-114. | 0.4 | 8 |
| 140 | Borna disease virus and deficit schizophrenia. <i>Acta Neuropsychiatrica</i> , 2003, 15, 262-265. | 2.1 | 7 |
| 141 | Decreased thyroid function in Korean women with bipolar disorder receiving valproic acid. <i>General Hospital Psychiatry</i> , 2011, 33, 200.e13-200.e15. | 2.4 | 7 |
| 142 | There is no evidence for an association between the serotonin receptor 3A gene C178T polymorphism and tardive dyskinesia in Korean schizophrenia patients. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 214-218. | 1.3 | 7 |
| 143 | Apnea-related sleep fragmentation and poor vigilance in children with well-controlled asthma. <i>Journal of Sleep Research</i> , 2014, 23, 189-195. | 3.2 | 7 |
| 144 | Acute-Withdrawal Restless Legs Syndrome Following Abrupt Cessation of Short-Term Tramadol. <i>Psychiatry Investigation</i> , 2014, 11, 204. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Review of Cohort Studies for Mood Disorders. <i>Psychiatry Investigation</i> , 2016, 13, 265. | 1.6 | 7 |
| 146 | Persistent psychotic disorder in an adolescent with a past history of butane gas dependence. <i>European Psychiatry</i> , 2004, 19, 519-520. | 0.2 | 6 |
| 147 | Association of G-Protein $\beta 3$ Subunit C825T Polymorphism with Seasonal Variations in Mood and Behavior. <i>Psychiatry Investigation</i> , 2018, 15, 200-204. | 1.6 | 6 |
| 148 | Lack of Association between Glutathione S-Transferase-M1, -T1, and -P1 Polymorphisms and Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2010, 7, 147. | 1.6 | 6 |
| 149 | <i>MEIS1</i> , a Promising Candidate Gene, Is Not Associated with the Core Symptoms of Antipsychotic-Induced Restless Legs Syndrome in Korean Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2015, 12, 263. | 1.6 | 6 |
| 150 | Association of CACNA1C Variants with Bipolar Disorder in the Korean Population. <i>Psychiatry Investigation</i> , 2016, 13, 453. | 1.6 | 6 |
| 151 | Haplotype Association of the <i>MAP2K5</i> Gene with Antipsychotics-Induced Symptoms of Restless Legs Syndrome among Patients with Schizophrenia. <i>Psychiatry Investigation</i> , 2018, 15, 84-89. | 1.6 | 6 |
| 152 | Association of the Serotonin 2A Receptor rs6311 Polymorphism with Diurnal Preference in Koreans. <i>Psychiatry Investigation</i> , 2020, 17, 1137-1142. | 1.6 | 6 |
| 153 | Development of model based on clock gene expression of human hair follicle cells to estimate circadian time. <i>Chronobiology International</i> , 2020, 37, 993-1001. | 2.0 | 5 |
| 154 | Bipolar II disorder has the highest prevalence of seasonal affective disorder in early-onset mood disorders: Results from a prospective observational cohort study. <i>Depression and Anxiety</i> , 2021, 38, 661-670. | 4.1 | 5 |
| 155 | A Genome-Wide Association Study Identifies <i>UTRN</i> Gene Polymorphism for Restless Legs Syndrome in a Korean Population. <i>Psychiatry Investigation</i> , 2017, 14, 830. | 1.6 | 5 |
| 156 | Sleep and Circadian Rhythm Disturbances in Eating Disorders. <i>Chronobiology in Medicine</i> , 2020, 2, 141-147. | 0.4 | 5 |
| 157 | Association Study between Norepinephrine Transporter Gene Polymorphism and Schizophrenia in a Korean Population. <i>Psychiatry Investigation</i> , 2015, 12, 551. | 1.6 | 4 |
| 158 | Satisfaction of patients and caregivers with long-acting injectable risperidone and oral atypical antipsychotics. <i>Primary Care and Community Psychiatry</i> , 2005, 10, 119-124. | 0.4 | 4 |
| 159 | Impact of Dim Artificial Light at Night (dALAN) Exposure during Sleep on Human Fatigue. <i>Sleep Medicine and Psychophysiology</i> , 2016, 23, 53-60. | 0.3 | 4 |
| 160 | Similarities of Aspects of Biological Rhythms between Major Depression and Bipolar II Disorder Compared to Bipolar I Disorder: A Finding from the Early-Onset Mood Disorder Cohort. <i>Psychiatry Investigation</i> , 2019, 16, 829-835. | 1.6 | 4 |
| 161 | Association of the RORA Gene Polymorphism and Seasonal Variations in Mood and Behavior. <i>Sleep Medicine and Psychophysiology</i> , 2013, 20, 63-68. | 0.3 | 4 |
| 162 | Association Between CLOCK Gene Variants and Restless Legs Syndrome in Koreans. <i>Psychiatry Investigation</i> , 2021, 18, 1125-1130. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Mediation Effect of Insomnia Symptoms on Relation Between Stress and Quality of Life. <i>Psychiatry Investigation</i> , 2022, 19, 229-238. | 1.6 | 4 |
| 164 | Ziprasidone-Associated Mania in Korean Schizophrenic Patient. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 711-712. | 1.4 | 3 |
| 165 | Comments on "Novelty seeking and the dopamine D4 receptor gene (DRD4) revisited in Asians: Haplotype characterization and relevance of the 2-repeat allele" by C. Reist et al. <i>Am J Med Genet B Neuropsychiatr Genet</i> 2007;144(4):453-457. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 151-152. | 1.7 | 3 |
| 166 | There is no association between the serotonin receptor gene and bipolar I disorder in the Korean population. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 488-493. | 1.3 | 3 |
| 167 | Is the Circadian Rhythm Dysregulation a Core Pathogenetic Mechanism of Bipolar Disorder?. <i>Journal of Korean Neuropsychiatric Association</i> , 2018, 57, 276. | 0.5 | 3 |
| 168 | Psychological characteristics and associations between living kidney transplantation recipients and biologically related or unrelated donors. <i>BMC Nephrology</i> , 2020, 21, 355. | 1.8 | 3 |
| 169 | Applying Circadian Rhythm Concepts in Digital Healthcare. <i>Chronobiology in Medicine</i> , 2021, 3, 1-3. | 0.4 | 3 |
| 170 | Validation of the 6-item Evening Chronotype Scale (ECS): a modified version of Composite Scale Morningness. <i>Chronobiology International</i> , 2021, 38, 1640-1649. | 2.0 | 3 |
| 171 | Association between the IL10 rs1800896 Polymorphism and Tardive Dyskinesia in Schizophrenia. <i>Psychiatry Investigation</i> , 2020, 17, 1031-1036. | 1.6 | 3 |
| 172 | Association of the RORA Gene Polymorphism and Diurnal Preference in a Young Korean Population. <i>Sleep Medicine and Psychophysiology</i> , 2016, 23, 25-28. | 0.3 | 3 |
| 173 | Circadian Gene Variations Are Associated with Obsessive-Compulsive Behaviors in a Young Healthy Korean Population. <i>Chronobiology in Medicine</i> , 2019, 1, 115-120. | 0.4 | 3 |
| 174 | Human Circadian Rhythm and Social Distancing in the COVID-19 Crisis. <i>Chronobiology in Medicine</i> , 2020, 2, 45-46. | 0.4 | 3 |
| 175 | Poster #106 GABA TRANSPORTER SLC6A11 GENE POLYMORPHISM ASSOCIATED WITH TARDIVE DYSKINESIA. <i>Schizophrenia Research</i> , 2012, 136, S318. | 2.0 | 2 |
| 176 | Association analysis of ANK3 variants with bipolar disorder in the Korean population. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 245-249. | 1.3 | 2 |
| 177 | A Study on the Relationship Between Mental Health Variables and Physical Activity Variables in the Clinical Group of North Korean Defectors: A Pilot Study. <i>Journal of Korean Neuropsychiatric Association</i> , 2021, 60, 204. | 0.5 | 2 |
| 178 | Development and Validation of the Korean Dysfunctional Depression Scale. <i>Seuteureseu Yeon-gu</i> , 2018, 26, 103-114. | 0.4 | 2 |
| 179 | Is Advancing of Circadian Rhythm a Reason for the Rapid Treatment Effect of Electroconvulsive Therapy?. <i>Psychiatry Investigation</i> , 2018, 15, 655-655. | 1.6 | 2 |
| 180 | Impact of Exposure to Dim Artificial Light at Night during Sleep on Cognitive Function. <i>Chronobiology in Medicine</i> , 2020, 2, 160-165. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Mild Obstructive Sleep Apnea Tends to Be Associated with Sleep State Misperception. <i>Chronobiology in Medicine</i> , 2020, 2, 115-122. | 0.4 | 2 |
| 182 | Identification of Healthy and Unhealthy Lifestyles by a Wearable Activity Tracker in Type 2 Diabetes: A Machine Learning-Based Analysis. <i>Endocrinology and Metabolism</i> , 2022, 37, 547-551. | 3.0 | 2 |
| 183 | Latency of auditory P300 correlates with self-control as measured by the Sixteen Personality Factor Questionnaire. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 418-424. | 1.8 | 1 |
| 184 | Association between Antipsychotic-Related Restless Legs Syndrome and the RORA Gene Polymorphism in Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2013, 16, 93. | 0.3 | 1 |
| 185 | Association between Tardive Dyskinesia and Polymorphisms of TNF- α Gene in Korean Schizophrenia Patients. <i>Korean Journal of Schizophrenia Research</i> , 2013, 16, 38. | 0.3 | 1 |
| 186 | Schizophrenia Spectrum Disorder in DSM-5 : Is this a New Change?. <i>Korean Journal of Schizophrenia Research</i> , 2014, 17, 5. | 0.3 | 1 |
| 187 | Is It Advantageous To Be a Morning Person?. <i>Chronobiology in Medicine</i> , 2021, 3, 41-42. | 0.4 | 1 |
| 188 | No Association Between the 5-HTTLPR Polymorphism and Diurnal Preference in Koreans. <i>Chronobiology in Medicine</i> , 2021, 3, 107-111. | 0.4 | 1 |
| 189 | Development of Submodules of the Korean Dysfunctional Depression Scale: A Preliminary Study. <i>Seuteureseu Yeon-gu</i> , 2018, 26, 173-185. | 0.4 | 1 |
| 190 | A Genome-Wide Association Study of Bipolar Disorder Using a Subphenotype: Sleeplessness Symptom of Bipolar Mania. <i>Chronobiology in Medicine</i> , 2019, 1, 40-48. | 0.4 | 1 |
| 191 | Psychiatry Investigation: 15 Years of Challenges. <i>Psychiatry Investigation</i> , 2018, 15, 1-2. | 1.6 | 1 |
| 192 | Is It Unethical for Psychiatrists to Give an Opinion on a Public Figure's Mental State?. <i>Psychiatry Investigation</i> , 2018, 15, 101-101. | 1.6 | 1 |
| 193 | Development of a Modified Korean Version of the Epworth Sleepiness Scale Reflecting Korean Sociocultural Lifestyle. <i>Psychiatry Investigation</i> , 2018, 15, 687-694. | 1.6 | 1 |
| 194 | Maintaining Mental Illness Patients' Humanity while Respecting their Human Rights. <i>Psychiatry Investigation</i> , 2019, 16, 175-176. | 1.6 | 1 |
| 195 | How to Develop Psychiatry Investigation into a World Class Journal. <i>Psychiatry Investigation</i> , 2019, 16, 875-876. | 1.6 | 1 |
| 196 | Bright light exposure before bedtime impairs response inhibition the following morning: a non-randomized crossover study. <i>Chronobiology International</i> , 2018, 35, 1035-1044. | 2.0 | 1 |
| 197 | Association Study between Tryptophan Hydroxylase 2 Gene -703G/T Polymorphism and Tardive Dyskinesia. <i>Korean Journal of Schizophrenia Research</i> , 2012, 15, 34. | 0.3 | 0 |
| 198 | ThePTPRD(Protein Tyrosine Phosphatase Receptor Type Delta) Gene Polymorphism and Antipsychotic-Induced Restless Legs Syndrome in Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2014, 17, 43. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Looking for a New Paradigm on the Treatment of Depression. Journal of Korean Neuropsychiatric Association, 2018, 57, 107. | 0.5 | 0 |
| 200 | Solving the Puzzles of Bipolar Disorders. Journal of Korean Neuropsychiatric Association, 2018, 57, 275. | 0.5 | 0 |
| 201 | Treating Schizophrenia and Early Psychosis. Journal of Korean Neuropsychiatric Association, 2018, 57, 209. | 0.5 | 0 |
| 202 | Journal of Korean Neuropsychiatric Association Dreaming of Re-Leap. Journal of Korean Neuropsychiatric Association, 2018, 57, 1. | 0.5 | 0 |
| 203 | Comorbid Sleep and Wake Problems in Treatment-Resistant Psychiatric Conditions. , 2019, , 261-270. | | 0 |
| 204 | Taik-Won Kim, the First Korean Clinical Psychiatrist. Psychiatry Investigation, 2018, 15, 551-552. | 1.6 | 0 |
| 205 | Do We Use Artificial Light Appropriately?. Psychiatry Investigation, 2018, 15, 1099-1099. | 1.6 | 0 |
| 206 | How to Prevent Young People from Self-Harm. Psychiatry Investigation, 2019, 16, 255-255. | 1.6 | 0 |
| 207 | Is It Possible to Have Neuromodulation Therapies to Treat Insomnia through Circadian Process Activation?. Chronobiology in Medicine, 2019, 1, 49-50. | 0.4 | 0 |
| 208 | Why Do We Need a Simple and Practical Circadian Biomarker?. Chronobiology in Medicine, 2020, 2, 135-136. | 0.4 | 0 |
| 209 | Early Onset Depression Has Different Characteristics from Middle-Aged Depression in Terms of Circadian Rhythm. Chronobiology in Medicine, 2020, 2, 41-44. | 0.4 | 0 |
| 210 | Association Study between Serotonin 1A Receptor Gene rs6295 Polymorphism and Tardive Dyskinesia in Patients with Schizophrenia. Korean Journal of Schizophrenia Research, 2020, 23, 71-77. | 0.3 | 0 |
| 211 | Health Problems With Using Smartphones Late at Night. Chronobiology in Medicine, 2022, 4, 1-1. | 0.4 | 0 |
| 212 | Can Humans Live According to the Sun, Not the Clock, Like Other Creatures on Earth?. Chronobiology in Medicine, 2021, 3, 127-128. | 0.4 | 0 |
| 213 | Eveningness and Impulsivity in Euthymic Mood States Adversely Affect the Quality of Life of Major Depression and Bipolar Disorder Patients. Chronobiology in Medicine, 2022, 4, 86-90. | 0.4 | 0 |