Andree yeramian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6974292/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Arginine Transport via Cationic Amino Acid Transporter 2 Plays a Critical Regulatory Role in Classical or Alternative Activation of Macrophages. Journal of Immunology, 2006, 176, 5918-5924.	0.8	113
2	Macrophages require distinct arginine catabolism and transport systems for proliferation and for activation. European Journal of Immunology, 2006, 36, 1516-1526.	2.9	79
3	Autophagy orchestrates adaptive responses to targeted therapy in endometrial cancer. Autophagy, 2017, 13, 608-624.	9.1	65
4	Inhibition of WNT-CTNNB1 signaling upregulates SQSTM1 and sensitizes glioblastoma cells to autophagy blockers. Autophagy, 2018, 14, 619-636.	9.1	60
5	Endometrial Carcinoma: Specific Targeted Pathways. Advances in Experimental Medicine and Biology, 2017, 943, 149-207.	1.6	53
6	Antioxidants block proteasome inhibitor function in endometrial carcinoma cells. Anti-Cancer Drugs, 2008, 19, 115-124.	1.4	51
7	Signalling by neurotrophins and hepatocyte growth factor regulates axon morphogenesis by differential l²-catenin phosphorylation. Journal of Cell Science, 2008, 121, 2718-2730.	2.0	49
8	Deacetylase Activity Is Required for STAT5-Dependent GM-CSF Functional Activity in Macrophages and Differentiation to Dendritic Cells. Journal of Immunology, 2008, 180, 5898-5906.	0.8	47
9	A Novel Three-Dimensional Culture System of Polarized Epithelial Cells to Study Endometrial Carcinogenesis. American Journal of Pathology, 2010, 176, 2722-2731.	3.8	46
10	CK2β Is Expressed in Endometrial Carcinoma and Has a Role in Apoptosis Resistance and Cell Proliferation. American Journal of Pathology, 2009, 174, 287-296.	3.8	42
11	Arginine Transport Is Impaired in C57Bl/6 Mouse Macrophages as a Result of a Deletion in the Promoter of Slc7a2 (CAT2), and Susceptibility to Leishmania Infection Is Reduced. Journal of Infectious Diseases, 2013, 207, 1684-1693.	4.0	42
12	Promoter hypermethylation and expression of sprouty 2 in endometrial carcinoma. Human Pathology, 2011, 42, 185-193.	2.0	38
13	Inhibition of activated receptor tyrosine kinases by Sunitinib induces growth arrest and sensitizes melanoma cells to Bortezomib by blocking Akt pathway. International Journal of Cancer, 2012, 130, 967-978.	5.1	35
14	Nuclear factor-κB2/p100 promotes endometrial carcinoma cell survival under hypoxia in a HIF-1α independent manner. Laboratory Investigation, 2011, 91, 859-871.	3.7	33
15	KSR1 Is Overexpressed in Endometrial Carcinoma and Regulates Proliferation and TRAIL-Induced Apoptosis by Modulating FLIP Levels. American Journal of Pathology, 2011, 178, 1529-1543.	3.8	30
16	Blockade of NFκB activity by Sunitinib increases cell death in Bortezomibâ€ŧreated endometrial carcinoma cells. Molecular Oncology, 2012, 6, 530-541.	4.6	29
17	Hypoxia-independent gene expression signature associated with radiosensitisation of prostate cancer cell lines by histone deacetylase inhibition. British Journal of Cancer, 2016, 115, 929-939.	6.4	28
18	A Smad3-PTEN regulatory loop controls proliferation and apoptotic responses to TGF-Î ² in mouse endometrium. Cell Death and Differentiation, 2017, 24, 1443-1458.	11.2	24

ANDREE YERAMIAN

#	Article	IF	CITATIONS
19	Long-Term Estradiol Exposure Is a Direct Mitogen for Insulin/EGF-Primed Endometrial Cells and Drives PTEN Loss-Induced Hyperplasic Growth. American Journal of Pathology, 2013, 183, 277-287.	3.8	22
20	Arginine and Macrophage Activation. Methods in Molecular Biology, 2012, 844, 223-235.	0.9	18
21	Metabotyping human endometrioid endometrial adenocarcinoma reveals an implication of endocannabinoid metabolism. Oncotarget, 2016, 7, 52364-52374.	1.8	17
22	Combination of Vorinostat and caspaseâ€8 inhibition exhibits high antiâ€ŧumoral activity on endometrial cancer cells. Molecular Oncology, 2013, 7, 763-775.	4.6	16
23	Immunohistochemical features of postâ€radiation vaginal recurrences of endometrioid carcinomas of the endometrium: role for proteins involved in resistance to apoptosis and hypoxia. Histopathology, 2012, 60, 460-471.	2.9	12
24	2â€phenylethynesulphonamide (PFTâ€Î¼) enhances the anticancer effect of the novel hsp90 inhibitor NVPâ€AUY922 in melanoma, by reducing GSH levels. Pigment Cell and Melanoma Research, 2016, 29, 352-371.	3.3	11
25	Bioluminescence Imaging to Monitor the Effects of the Hsp90 Inhibitor NVP-AUY922 on NF-κB Pathway in Endometrial Cancer. Molecular Imaging and Biology, 2016, 18, 545-556.	2.6	9
26	Skin Autofluorescence Measurement in Subclinical Atheromatous Disease: Results from the ILERVAS Project. Journal of Atherosclerosis and Thrombosis, 2019, 26, 879-889.	2.0	9
27	Targeted therapies in gynecologic cancers and melanoma. Seminars in Diagnostic Pathology, 2008, 25, 262-273.	1.5	8
28	Randomized Clinical Trial to Evaluate the Morphological Changes in the Adventitial Vasa Vasorum Density and Biological Markers of Endothelial Dysfunction in Subjects with Moderate Obesity Undergoing a Very Low-Calorie Ketogenic Diet. Nutrients, 2022, 14, 33.	4.1	7
29	The influence of sleep apnea syndrome and intermittent hypoxia in carotid adventitial vasa vasorum. PLoS ONE, 2019, 14, e0211742.	2.5	6
30	Metabolomic Analysis Points to Bioactive Lipid Species and Acireductone Dioxygenase 1 (ADI1) as Potential Therapeutic Targets in Poor Prognosis Endometrial Cancer. Cancers, 2022, 14, 2842.	3.7	6
31	Influence of Morbid Obesity and Bariatric Surgery Impact on the Carotid Adventitial Vasa Vasorum Signal. Obesity Surgery, 2018, 28, 3935-3942.	2.1	5
32	Sympathetic Hyperactivity and Sleep Disorders in Individuals With Type 2 Diabetes. Frontiers in Endocrinology, 2019, 10, 752.	3.5	5
33	Antioxidants Impair Anti-Tumoral Effects of Vorinostat, but Not Anti-Neoplastic Effects of Vorinostat and Caspase-8 Downregulation. PLoS ONE, 2014, 9, e92764.	2.5	3