

Tracey Berry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6974378/publications.pdf>

Version: 2024-02-01

639
papers

42,765
citations

3531
90
h-index

4015
176
g-index

668
all docs

668
docs citations

668
times ranked

12858
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
2	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
3	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC RunÂ2. Journal of Instrumentation, 2022, 17, P01013. Search for Higgs boson decays into a pair of pseudoscalar particles in the mml:math $\text{display="inline"} <\text{mml:mi}b</\text{mml:mi}<\text{mml:mi}b</\text{mml:mi}<\text{mml:mi}b</\text{mml:mi}<\text{mml:mi}b</\text{mml:mi}<\text{mml:mi}b</\text{mml:mi}<\text{mml:mi}b</\text{mml:mi}<\text{mml:math}$ final state with the ATLAS detector in mml:math $\text{display="inline"} <\text{mml:mi}p</\text{mml:mi}<\text{mml:mi}p</\text{mml:mi}<\text{mml:math}$ collisions at mml:math $\text{display="inline"} <\text{mml:msqrt}<\text{mml:mi}s</\text{mml:math}$. Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.2	1
6	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	4.7	17
7	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
8	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
9	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+\pi^-$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
10	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
11	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at mml:math $\text{display="block"} <\text{mml:math} \text{altimg="s11.svg"} <\text{mml:msqrt}<\text{mml:mrow}<\text{mml:mi}s</\text{mml:mi}</\text{mml:mrow}</\text{mml:msqrt}<\text{mml:mo}$ TeV with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
12	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
13	A search for an unexpected asymmetry in the production of $\text{t}\bar{t}/\text{c}\bar{c}$ pairs in protonâ€“proton collisions recorded by the ATLAS detector at mml:math $\text{display="block"} <\text{mml:math} \text{altimg="s11.svg"} <\text{mml:msqrt}<\text{mml:mrow}<\text{mml:mi}s</\text{mml:mi}</\text{mml:mrow}</\text{mml:msqrt}<\text{mml:mo}$ TeV. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
14	Measurement of the energy asymmetry in $\text{t}\bar{t}$ production at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
15	Search for resonant pair production of Higgs bosons in the mml:math $\text{display="block"} <\text{mml:math} \text{altimg="s11.svg"} <\text{mml:msqrt}<\text{mml:mrow}<\text{mml:mi}s</\text{mml:mi}</\text{mml:mrow}</\text{mml:msqrt}<\text{mml:mo}$ TeV. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.7	10
16	Constraints on Higgs boson production with large transverse momentum using mml:math $\text{display="block"} <\text{mml:math} \text{altimg="s11.svg"} <\text{mml:msqrt}<\text{mml:mrow}<\text{mml:mi>H}</\text{mml:mi}<\text{mml:mo}$ decays in the ATLAS detector. Physical Review D, 2022, 105, .	4.7	5

#	ARTICLE	IF	CITATIONS
19	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
20	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	4.7	10
21	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
22	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
23	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
24	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
25	Medium-induced modification of Z-Tagged Charged Particle Yields in $\sqrt{s} = 13 \text{ TeV}$ Collisions at 5.02 TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
26	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
27	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
28	Measurements of WH and ZH production in the H decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
29	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
30	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
31	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
32	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. <i>ed. in Association with a Dark Higgs Boson Decaying into</i>	4.7	6
33	<i>$\sqrt{s} = 13 \text{ TeV}$</i> or $\sqrt{s} = 13 \text{ TeV}$ in Fully Hadronic Final States Longitudinal Flow D Correlations in $\sqrt{s} = 13 \text{ TeV}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ Physical Review Letters, 2021, 126, 122301.	7.8	6
34	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	17
35	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
36	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
37	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
38	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13TeV. European Physical Journal C, 2021, 81, .	3.9	13
39	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13TeV protonâ“proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
40	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow u\bar{u}$ final states using 139 fb^{-1} of protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
41	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
42	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ and $e^+e^- \rightarrow WW$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
43	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1. Search for new phenomena in events with an energetic jet and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS detector. Physical Review D, 2021, 103, .	4.7	23
44	Measurements of $W + \bar{W} \rightarrow 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	64
45	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
46	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
47	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\ell}_i$ -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
48	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
49	Search for Displaced Leptons in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS Detector. Physical Review Letters, 2021, 127, 051802.	7.8	17
50	Test of the universality of $\tilde{\ell}_i$ and $\tilde{\nu}_i$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
51	Two-particle azimuthal correlations in photonuclear ultraperipheral $\sqrt{s} = 13\text{TeV}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	4.7	12
52	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
53	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
55	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
56	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
57	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
58	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
59	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
60	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
61	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
62	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
63	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
64	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
65	Exclusive dimuon production in ultraperipheral Pb-Pb collisions at $\sqrt{s}=2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, 014902.	2.9	11
66	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
67	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
68	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
69	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
70	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
71	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s}=13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
72	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
73	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
74	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
75	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
76	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
77	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
78	Search for Lepton-Flavor Violation in $\text{Z} \rightarrow \text{e}^+ \text{e}^-$ -Boson Decays with Leptons with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 271801.	7.8	8
79	and missing transverse momentum in $\text{Z} \rightarrow \text{e}^+ \text{e}^-$ collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2021, 127, 271801.	4.7	25
80	Search for new phenomena in $\text{Z} \rightarrow \text{e}^+ \text{e}^-$ collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , 2021, 104, .	4.7	14
81	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
82	Combined measurements of Higgs boson production and decay using up to 21 of proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020, 101, .	4.7	21
83	Measurements of inclusive and differential cross-sections of combined $t\bar{t}$ and tW^3 production in the $e\ell\gamma$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
84	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
86	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
87	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}\ell\ell$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
88	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
89	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62
90	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34

#	ARTICLE	IF	CITATIONS
91	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
92	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
93	Properties of Higgs Boson Interactions with Top Quarks in the $\sqrt{s} = 13$ TeV ATLAS Run 2 Data. arXiv:1907.08007 [hep-ph]	7.8	40
94	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
95	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
96	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
97	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1. Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\sqrt{s}=13$ TeV ATLAS Run 2 Data. arXiv:1907.08007 [hep-ph]	3.9	28
98	Collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1. Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\sqrt{s}=13$ TeV ATLAS Run 2 Data. arXiv:1907.08007 [hep-ph]	7.8	97
99	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
100	Measurements of top-quark pair spin correlations in the $\ell\ell\mu\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
101	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
102	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
103	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $\sqrt{s}=13$ TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
104	Higgs boson production cross-section measurements and their EFT interpretation in the $\ell\ell\ell\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1. Search for heavy neutral Higgs bosons produced in association with $\sqrt{s}=13$ TeV ATLAS Run 2 Data. arXiv:1907.08007 [hep-ph]	3.9	41
105	-quarks and decaying into $\sqrt{s}=13$ TeV ATLAS Run 2 Data. arXiv:1907.08007 [hep-ph]	4.7	22
106	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
107	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
108	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s}=13$ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28

#	ARTICLE	IF	CITATIONS
109	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s} = 13\text{ TeV}$ Collisions at the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
110	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
111	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
112	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
113	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
114	Measurement of long-range two-particle azimuthal correlations in Z -boson tagged pp collisions at $\sqrt{s}=8\text{ TeV}$ and 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
115	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16\text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
116	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
117	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
118	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
119	Reconstruction and identification of boosted di- ℓ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Evidence for electroweak production of two jets in association with a $Z\gamma$ pair in pp collisions at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	4.7	8
120	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 125, 251802.	4.1	9
121	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	6
122	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
123	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13\text{ TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
124	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
125	Evidence for $t\bar{t}t\bar{t}$ production in the multilepton final state in proton+proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30

#	ARTICLE	IF	CITATIONS
127	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
128	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13\text{TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
129	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
130	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
131	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
132	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. <i>Comparison of Fragmentation Functions for jets Dominated by Light Quarks and Gluons from</i> <i><math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"></i> <i>display="block"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> and <mml:math</i> <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="block"><mml:mrow><mml:mi>Pb</mml:mi><mml:mo>+</mml:mo><mml:mi>Pb</mml:mi></mml:mrow></mml:math></i> <i>Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.</i>	4.7	49
133	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	7.8	23
134	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
135	Observation of Light-by-Light Scattering in Ultraperipheral $\langle mml:math$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"><mml:mrow><mml:mi>Pb</mml:mi><mml:mo>+</mml:mo><mml:mi>Pb</mml:mi></mml:mrow></mml:math>$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
136	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
137	Measurement of W^{\pm} production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
138	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801. <i>Measurement of the <math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"></i> <i>display="block"><mml:mi>t</mml:mi><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mi>t</mml:mi></mml:mover><mml:mo stretchy="false">~</mml:mo></mml:mover><mml:mi>Z</mml:mi></mml:math> and <mml:math</i> <i>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"><mml:mi>t</mml:mi><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mi>t</mml:mi></mml:mover><mml:mo stretchy="false">~</mml:mo></mml:mover><mml:mi>W</mml:mi></mml:math></i> cross sections in proton.	7.8	133
139	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
140	Search for scalar resonances decaying into $\tilde{l}_1\tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
141	Search for diboson resonances in hadronic final states in 139fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
142	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4

#	ARTICLE	IF	CITATIONS
145	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13TeV . European Physical Journal C, 2019, 79, .	3.9	21
146	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. <i>Observation of Electroweak Production of a Same-Sign $\ell^+\ell^-$ Pair in Association with Two Jets in proton-proton Collisions at $\sqrt{s}=13\text{TeV}$</i>	3.9	24
147	Boson Pair in Association with Two Jets in proton-proton Collisions at $\sqrt{s}=13\text{TeV}$	7.8	53
148	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
149	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
150	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
151	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1. <i>Observation of electroweak $W\Lambda\pm Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13\text{TeV}$</i>	3.9	22
152	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 409-412.	4.1	38
153	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	4.7	27
154	Combinations of single-top-quark production cross-section measurements and $ f_{WWtb} $ determinations at $\sqrt{s} = 7$ and 8TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
156	Search for top-quark decays $t \rightarrow t'$ Hq with 36fb^{-1} of pp collision data at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
157	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
158	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
159	Measurement of the four-lepton invariant mass spectrum in 13TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. <i>Cross-section measurements of the Higgs boson decaying into a pair of $\ell^+\ell^-$ leptons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$</i>	4.7	12
160	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02\text{TeV}$ with the ATLAS detector. Physical Review D, 2019, 99, .	4.7	63
161	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	17
162	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42

#	ARTICLE	IF	CITATIONS
163	Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
164	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13 \text{ TeV}$. Physical Review Letters, 2019, 122, 151801.		12
165	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
166	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in $\gamma\gamma$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2019, 99, 1.	4.7	13
167	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
168	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
169	In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
170	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
171	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
172	Measurement of the top quark mass in $t\bar{t}$. European Physical Journal C, 2019, 79, 1.	3.9	47
173	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
174	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $WW\rightarrow e^+e^- \mu^+\mu^-$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.1	46
175	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
176	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
177	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
178	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
179	Measurement of W^{pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
180	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9

#	ARTICLE	IF	CITATIONS
181	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
182	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
183	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
184	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
185	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
186	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
187	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
188	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
189	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. Search for High-Mass Resonances Decaying to $\mu\mu$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ > $\langle \text{mml:mi} \rangle \bar{t} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \bar{t} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ > $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ > $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle \sqrt{s} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$	3.9	4
190	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	7.8	50
191	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
192	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
193	Measurement of the W -boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
194	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
195	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
196	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.02 TeV . <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
197	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75

#	ARTICLE	IF	CITATIONS
199	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
200	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \nu\bar{\nu} \rightarrow l^+l^- \nu\bar{\nu}$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
201	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
202	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
203	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \nu\bar{\nu} \rightarrow l^+l^- \nu\bar{\nu}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
204	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
205	Search for WW/WZ resonance production in $\nu\bar{\nu} \rightarrow q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
206	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
207	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
208	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
209	Measurement of the $Z\gamma\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
210	Prompt and non-prompt J/psi elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
211	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^- l^+l^-$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
212	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	3.9	16
213	Angular analysis of $B_0 \rightarrow K^+ \pi^- \rightarrow l^+ l^- \nu\bar{\nu}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
214	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801. <small>Received via arXiv:1801.04450</small>	4.7	145
215	Scattering in $\gamma\gamma \rightarrow l^+l^- \nu\bar{\nu}$ at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2018, 121, 212301. <small>Received via arXiv:1801.04451</small>	4.7	41
216	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 401.	3.9	50

#	ARTICLE	IF	CITATIONS
217	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\gamma\gamma$ Decay Channel in $\gamma\gamma$ Events Collected by the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 191801.	7.8	70
218	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
219	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
220	Search for Higgs boson pair production in the $\gamma\gamma\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
221	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
222	Measurement of the azimuthal anisotropy of charged particles produced in $\text{NN} \rightarrow \text{NN}$ at $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
223	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903.	3.9	181
224	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995.	3.9	125
225	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
226	Measurements of Higgs boson properties in the diphoton decay channel with $\gamma\gamma \rightarrow \text{H} \rightarrow \text{bb}$. <i>Physical Review D</i> , 2018, 98, 115.	4.7	115
227	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
228	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
229	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
230	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	48
231	Combined measurement of differential and total cross sections in the $H \rightarrow t\bar{t}$ and the $H \rightarrow Z Z$ decay channels at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.1	138
232	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
233	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
234	Observation of $H \rightarrow b\bar{b}$ decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.1	138

#	ARTICLE	IF	CITATIONS
235	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\frac{1}{2}\sqrt{s} \cdot \frac{1}{2}\sqrt{s} \rightarrow H \rightarrow \text{final state}$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review D</i> , 2018, 98, 092001.	4.1	43
236	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
237	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \ell^\pm \nu_\ell$, in the $\ell_\pm + \text{jets}$ and $\ell_\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
238	Prompt and non-prompt J/ψ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
239	<i>Finding the quantum interference between Singly and Doubly Resonant Top Quark Production in Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector</i> . <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
240	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
241	Measurement of the Higgs boson mass in the $H \rightarrow \tau^+\tau^-$ and $H \rightarrow b\bar{b}$ channels with $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 345-366.	4.7	40
242	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^3$ and $\ell^3\ell$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
243	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
244	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
245	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
246	<i>Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector</i> . <i>Physical Review Letters</i> , 2018, 121, 092001.	4.7	26
247	<i>Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector</i> . <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	41
248	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	3.9	79
249	Physics potentials with the second Hyper-Kamiokande detector in Korea. <i>Progress of Theoretical and Experimental Physics</i> , 2018, 2018, .	6.6	77
250	<i>Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector</i> . <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	33
251	<i>Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector</i> . <i>European Physical Journal C</i> , 2018, 78, 625.	3.9	27
252	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211802.	7.8	53

#	ARTICLE	IF	CITATIONS
253	Search for a Structure in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:msubsup} \langle \text{mml:mi} \rangle B \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle \text{mml:mn} \rangle \langle / \text{mml:msubsup} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.		
254	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
255	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
256	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
257	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
258	Measurement of Z/γ polarisation in $Z \rightarrow l^+l^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
259	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $t\bar{t}$ and $1/2\tilde{l}_1 1/2\tilde{q}\bar{q}$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
260	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
261	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
262	Measurement of differential cross sections and W/W' cross-section ratios for W boson production in association with jets at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
263	Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
264	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
265	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{ TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
266	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{ TeV})$. , 2018, 78, 1.		1
267	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
268	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
269	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
270	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11

#	ARTICLE	IF	CITATIONS
271	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
272	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
273	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
274	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
275	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
276	Search for triboson $W^{pm} W^{pm} W^{mp} W \pm W \pm W \gamma$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
277	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
278	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
279	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
280	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
281	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
282	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
283	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\tau^+\tau^-$. Using $\tau^+\tau^-$ to search for dark matter produced in association with a Higgs boson decaying to $\tau^+\tau^-$. Physical Review Letters, 2017, 119, 181804.	7.8	49
284	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
285	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^*$ decay channel in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
286	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.7	15
287	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
288	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9

#	ARTICLE	IF	CITATIONS
289	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
290	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
291	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
292	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ $\rightarrow \ell^+ \ell^- \ell^+ \ell^-$ and ZZ $\rightarrow \ell^+ \ell^- \nu \bar{\nu}$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	1
293	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
294	Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi + \pi^+$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
295	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
296	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
297	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
298	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
299	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47
300	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
301	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 379.	3.9	51
302	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
303	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
304	Search for direct top squark pair production in final states with two leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
305	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
306	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19

#	ARTICLE	IF	CITATIONS
307	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
308	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
309	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 157.	4.7	157
310	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
311	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
312	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
313	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}' \rightarrow W W / W Z \rightarrow l^{\pm} q \bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
314	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
315	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
316	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
317	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
318	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow l^+l^-$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
319	Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
320	Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^-$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
321	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
322	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow l^+l^-$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
323	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
324	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
325	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
326	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
327	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
328	Measurement of the k t splitting scales in $Z \rightarrow l^+ l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
329	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
330	Evidence for the $H \rightarrow b \bar{b} \rightarrow b \bar{b} \rightarrow b \bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
331	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
332	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
333	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
334	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
335	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
336	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
337	Measurement of event-shape observables in $Z \rightarrow l^+ l^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
338	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
339	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
340	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
341	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
342	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73

#	ARTICLE	IF	CITATIONS
343	Measurement of the $\bar{b}b \bar{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
344	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
345	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
346	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
347	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
348	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
349	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
350	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
351	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
352	Search for flavour-changing neutral current top-quark decays to $q\bar{Z}q\bar{Z}$ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8\text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
353	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8\text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39
354	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
355	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
356	Measurement of W^{\pm} and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.		
357	Study of the rare decays of $B_s \rightarrow \mu^+\mu^-$ and $B_s \rightarrow \tau^+\tau^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
358	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
359	Search for resonances in diphoton events at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
360	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43

#	ARTICLE	IF	CITATIONS
361	Measurement of the top quark mass in the dilepton channel from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.1	52
362	Measurement of the relative width difference of the $B_0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
363	Search for Higgs and Z boson decays to Z with the ATLAS detector. <i>Physical Review Letters</i> , 2016, 116, 172301.	7.8	13
364	Measurement of the production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2016, 116, 172301.	7.8	31
365	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
366	Performance of pile-up mitigation techniques for jets in $p\bar{p}$ collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
367	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	7.8	185
368	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7$ TeV and 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	473
369	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
370	Measurement of jet activity in top quark events using the e^{\pm}/\sqrt{s} final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
371	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291.	3.9	154
372	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
373	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
374	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in pp collisions at $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
375	Identification of high transverse momentum top quarks in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
376	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
377	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11

#	ARTICLE	IF	CITATIONS
379	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8TeV with ATLAS. <i>Physical Review D</i> , 2016, 94, .	4.7	22
380	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
381	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
382	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
383	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
384	Addendum to "Measurement of the $t\bar{t}$ production cross-section using e^{\pm} events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
385	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
386	Searches for heavy diboson resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
387	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
388	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
389	Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ meson decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
390	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
391	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
392	A search for prompt lepton-jets in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
393	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
394	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
395	Measurement of the production cross-section of a single top quark in association with a W boson at 8TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
396	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
397	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
398	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
399	Search for new phenomena in events with at least three photons collected in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
400	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow \nu_\tau$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
401	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
402	Search for supersymmetry at $s = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
403	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	49
404	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
405	Searches for scalar leptoquarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	3.9	109
406	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $s = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
407	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
408	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40
409	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z \rightarrow 4l$ decay channel at $s = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	3.9	197
410	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
411	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(s = 8 \text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 1.	1	1
412	Observation and measurement of Higgs boson decays to $H \rightarrow 4l$. <i>Physical Review D</i> , 2015, 92, 072004. http://www.w3.org/1998/Math/MathML	4.7	110
413	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 221802. http://www.w3.org/1998/Math/MathML	7.8	48
414	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 221802. http://www.w3.org/1998/Math/MathML	7.8	27

#	ARTICLE or a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay$\rightarrow\text{H}^{\pm}\text{H}^{\mp}$	IF	CITATIONS
415	Search for a Heavy/Neutral Particle Decaying to $\text{H}^{\pm}\text{H}^{\mp}$ in pp Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	20
416	Search for a Heavy/Neutral Particle Decaying to $\text{H}^{\pm}\text{H}^{\mp}$ in pp Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	20
417	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	30
418	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Physical Review Letters</i> , 2015, 115, 262001.	7.8	49
420	Search for high-mass resonances decaying to $\tilde{\text{t}}, \tilde{\text{t}}^*, \tilde{\chi}^0$ in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
421	A search for high-mass resonances decaying to $\tilde{\text{t}}, \tilde{\text{t}}^*, \tilde{\chi}^0$ in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
422	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
423	Search for lepton-flavour-violating $\text{H} \rightarrow \tilde{\text{t}}\tilde{\text{t}}^*$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
424	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
425	A search for $t\bar{t} \rightarrow \text{toverline}{t} \text{ resonances}$ using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
426	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
427	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
428	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
429	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
430	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
431	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
432	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84

#	ARTICLE	IF	CITATIONS
433	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
434	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
435	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
436	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
437	Measurement of the $t\bar{t} \rightarrow W\bar{W}$ and $t\bar{t} \rightarrow Z\bar{Z}$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
438	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
439	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. Combined Measurement of the Higgs Boson Mass in mml:math $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at mml:math $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	4.7	36
440	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	1,062
441	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
442	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
443	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
444	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
445	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
446	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
447	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	3.9	27
448	Physics potential of a long-baseline neutrino oscillation experiment using a J-PARC neutrino beam and Hyper-Kamiokande. <i>Progress of Theoretical and Experimental Physics</i> , 2015, 2015, 53C02-0.	6.6	157
449	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	3.9	41

#	ARTICLE or Higgs and $\text{H} \rightarrow \text{Z} \rightarrow \text{WW}$ Boson Decays to W'^3	IF	CITATIONS
451	$\text{H} \rightarrow \text{Z} \rightarrow \text{WW} \rightarrow \text{W}'^3$	1.02	10

#	ARTICLE	IF	CITATIONS
469	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
470	Performance of the ATLAS muon trigger in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 120.	3.9	62
471	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
472	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
473	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+ e^- \mu^+ \mu^-$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
474	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
475	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+ e^- \mu^+ \mu^-$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
476	Measurement of three-jet production cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
477	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
478	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
479	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
480	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
481	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
482	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $p p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
483	Search for heavy long-lived multi-charged particles in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
484	Two-particle Bose-Einstein correlations in $p p$ collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
485	Measurement of the top quark mass in the $t\bar{t} \rightarrow l+jets$ and $t\bar{t} \rightarrow dilepton$ channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
486	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138

#	ARTICLE	IF	CITATIONS
487	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	
488	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. , 2015, 75, 1.	1	
489	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ($\sqrt{s}=8\sim$)TeV with the ATLAS detector. , 2015, 75, 1.	2	
490	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
491	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
492	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
493	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
494	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp p p collisions at $\sqrt{s}=7\text{TeV}$ $s = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
495	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
496	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
497	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
498	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
499	Measurement of the $t\bar{t}$ production cross-section using $e\bar{e}$ events with b-tagged jets in pp p p collisions at $\sqrt{s}=7\text{TeV}$ $s = 7 \text{ TeV}$ and 8TeV with the ATLAS detector. Search for Quantum Black Hole Production in High-Invariant-Mass $t\bar{t}$ Events, 2014, 3109.	3.9	143
500	Evidence for Electroweak Production of $t\bar{t}$ Final States Using $e\bar{e}$ Collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS Detector, 2014, 3110.	7.8	35
501	Evidence for Electroweak Production of $t\bar{t}$ Final States Using $e\bar{e}$ Collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS Detector, 2014, 3111.	7.8	51
502	Evidence for Electroweak Production of $t\bar{t}$ Final States Using $e\bar{e}$ Collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS Detector, 2014, 3112.	7.8	123
503	Collision Data at $\sqrt{s}=8\text{TeV}$ with the ATLAS Detector, 2014, 3113.	7.8	168
504	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS. Physical Review Letters, 2014, 112, .	7.8	130

#	ARTICLE	IF	CITATIONS
505	Search for Dark Matter in Events with a Hadronically Decaying WorZBoson and Missing Transverse Momentum in pp Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 112, 041802. ^{7,8}		129
506	Observation of an Excited B^{\pm} State with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 113, 212004.		
507	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
508	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $s = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
509	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	172
510	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	3.9	48
511	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
512	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
513	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
514	Measurement of the production cross-section of $t(2S) \rightarrow (t\bar{t}) + \gamma$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
515	Measurement of the $Z \rightarrow l^+l^-$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
516	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
517	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
518	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
519	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
520	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
521	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
522	The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13

#	ARTICLE	IF	CITATIONS
523	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
524	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
525	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
526	Light-quark and gluon jet discrimination in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
527	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
528	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
529	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
530	Measurement of dijet cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
531	Measurement of the production of a W boson in association with a charm quark in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
532	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
533	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
534	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
535	Search for direct top-squark pair production in final states with two leptons in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
536	Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
537	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
538	Search for new particles in events with one lepton and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
539	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
540	Measurement of the $(\overline{t}t)$ production cross-section using (emu) events with (b)-tagged jets in ($p p$) collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.	2	

#	ARTICLE	IF	CITATIONS
541	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
542	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
543	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
544	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	137
545	Measurement of ZZ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ $t\bar{t}$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
546	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
547	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
548	Measurement of k T splitting scales in $W^{\pm}l^{\pm}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
549	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow car^{\pm}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465.	3.9	119
550	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 726, 120-144.	4.1	307
551	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	102
552	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	71
553	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	31
554	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
555	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518.	3.9	362
556	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509.	3.9	105
557	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
558			

#	ARTICLE	IF	CITATIONS
559	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
560	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
561	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
562	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
563	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
564	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
565	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
566	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 220-241.	4.1	195
567	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	61
568	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	45
569	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
570	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
571	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
572	Measurement of the τ^+ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
573	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 232002.	7.8	57
574	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
575	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
576	Jet mass and substructure of inclusive jets in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88

#	ARTICLE	IF	CITATIONS
577	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
578	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
579	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	40
580	Search for the Standard Model Higgs boson in the $H \rightarrow t\bar{t}, + \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
581	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
582	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
583	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
584	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
585	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
586	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	48
587	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
588	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 1-29.	4.1	6,386
589	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248
590	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	100
591	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
592	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2043.	3.9	109
593	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
594	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37

#	ARTICLE	IF	CITATIONS
595	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
596	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
597	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
598	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{\text{mathbf}{s}}=7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
599	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
600	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
601	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
602			

ARTICLE

IF CITATIONS

613

#	ARTICLE	IF	CITATIONS
631	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
632	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ -TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
633	Measurement of W^{\pm} and Z^{\pm} production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
634	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
635	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
636	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
637	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
638	Measurement of the W^{\pm} , Z^{\pm} and Z/γ^* production cross sections in proton-proton collisions at $\sqrt{s} = 7$ -TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
639	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752