

Robert F Margolskee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6975576/publications.pdf>

Version: 2024-02-01

148
papers

17,660
citations

11651

70
h-index

13379

130
g-index

151
all docs

151
docs citations

151
times ranked

9320
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | RNF43/ZNF3 negatively regulates taste tissue homeostasis and positively regulates dorsal lingual epithelial tissue homeostasis. <i>Stem Cell Reports</i> , 2022, 17, 369-383. | 4.8 | 6 |
| 2 | Expression of taste signaling elements in jejunal tissue in subjects with obesity. <i>Journal of Oral Biosciences</i> , 2022, 64, 155-158. | 2.2 | 3 |
| 3 | Phosphatidylinositol-3 kinase mediates the sweet suppressive effect of leptin in mouse taste cells. <i>Journal of Neurochemistry</i> , 2021, 158, 233-245. | 3.9 | 6 |
| 4 | The Gustatory Sensory G-Protein GNAT3 Suppresses Pancreatic Cancer Progression in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 349-369. | 4.5 | 25 |
| 5 | Inhibition of Bitter Taste from Oral Tenofovir Alafenamide. <i>Molecular Pharmacology</i> , 2021, 99, 319-327. | 2.3 | 7 |
| 6 | Up-regulation of gasdermin C in mouse small intestine is associated with lytic cell death in enterocytes in worm-induced type 2 immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 33 |
| 7 | Nkx2-2 expressing taste cells in endoderm-derived taste papillae are committed to the type III lineage. <i>Developmental Biology</i> , 2021, 477, 232-240. | 2.0 | 3 |
| 8 | Evidence that human oral glucose detection involves a sweet taste pathway and a glucose transporter pathway. <i>PLoS ONE</i> , 2021, 16, e0256989. | 2.5 | 16 |
| 9 | R-spondin substitutes for neuronal input for taste cell regeneration in adult mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 19 |
| 10 | Sodium-glucose cotransporter 1 as a sugar taste sensor in mouse tongue. <i>Acta Physiologica</i> , 2020, 230, e13529. | 3.8 | 39 |
| 11 | Lipopolysaccharide-Induced Inflammatory Cytokine Expression in Taste Organoids. <i>Chemical Senses</i> , 2020, 45, 187-194. | 2.0 | 19 |
| 12 | Effects of insulin signaling on mouse taste cell proliferation. <i>PLoS ONE</i> , 2019, 14, e0225190. | 2.5 | 17 |
| 13 | Gingival solitary chemosensory cells are immune sentinels for periodontitis. <i>Nature Communications</i> , 2019, 10, 4496. | 12.8 | 40 |
| 14 | Metal Ions Activate the Human Taste Receptor TAS2R7. <i>Chemical Senses</i> , 2019, 44, 339-347. | 2.0 | 43 |
| 15 | Aggravated gut inflammation in mice lacking the taste signaling protein \hat{t} -gustducin. <i>Brain, Behavior, and Immunity</i> , 2018, 71, 23-27. | 4.1 | 23 |
| 16 | Bitter Taste Responses of Gustducin-positive Taste Cells in Mouse Fungiform and Circumvallate Papillae. <i>Neuroscience</i> , 2018, 369, 29-39. | 2.3 | 15 |
| 17 | Effects of Taste Signaling Protein Abolishment on Gut Inflammation in an Inflammatory Bowel Disease Mouse Model. <i>Journal of Visualized Experiments</i> , 2018, , . | 0.3 | 7 |
| 18 | Activation of intestinal tuft cell-expressed <i>Sucnr1</i> triggers type 2 immunity in the mouse small intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5552-5557. | 7.1 | 203 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Gli3 is a negative regulator of Tas1r3-expressing taste cells. <i>PLoS Genetics</i> , 2018, 14, e1007058. | 3.5 | 27 |
| 20 | Transcriptome analyses of taste organoids reveal multiple pathways involved in taste cell generation. <i>Scientific Reports</i> , 2017, 7, 4004. | 3.3 | 40 |
| 21 | Bacterial <i>scpd</i> -amino acids suppress sinonasal innate immunity through sweet taste receptors in solitary chemosensory cells. <i>Science Signaling</i> , 2017, 10, . | 3.6 | 89 |
| 22 | Whole transcriptome profiling of taste bud cells. <i>Scientific Reports</i> , 2017, 7, 7595. | 3.3 | 69 |
| 23 | Taste cell-expressed α -glucosidase enzymes contribute to gustatory responses to disaccharides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6035-6040. | 7.1 | 85 |
| 24 | Amiloride-Insensitive Salt Taste Is Mediated by Two Populations of Type III Taste Cells with Distinct Transduction Mechanisms. <i>Journal of Neuroscience</i> , 2016, 36, 1942-1953. | 3.6 | 98 |
| 25 | Tuft cells, taste-chemosensory cells, orchestrate parasite type 2 immunity in the gut. <i>Science</i> , 2016, 351, 1329-1333. | 12.6 | 707 |
| 26 | Sugar-induced cephalic-phase insulin release is mediated by a T1r2+T1r3-independent taste transduction pathway in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R552-R560. | 1.8 | 69 |
| 27 | Glucagon-like peptide-1 is specifically involved in sweet taste transmission. <i>FASEB Journal</i> , 2015, 29, 2268-2280. | 0.5 | 75 |
| 28 | Leptin Suppresses Mouse Taste Cell Responses to Sweet Compounds. <i>Diabetes</i> , 2015, 64, 3751-3762. | 0.6 | 53 |
| 29 | Characterization of the Binding Site of Aspartame in the Human Sweet Taste Receptor. <i>Chemical Senses</i> , 2015, 40, 577-586. | 2.0 | 64 |
| 30 | Functional Analyses of Bitter Taste Receptors in Domestic Cats (<i>Felis catus</i>). <i>PLoS ONE</i> , 2015, 10, e0139670. | 2.5 | 42 |
| 31 | Differential contribution of TRPM4 and TRPM5 nonselective cation channels to the slow afterdepolarization in mouse prefrontal cortex neurons. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 267. | 3.7 | 38 |
| 32 | Bitter and sweet taste receptors regulate human upper respiratory innate immunity. <i>Journal of Clinical Investigation</i> , 2014, 124, 1393-1405. | 8.2 | 340 |
| 33 | The Bamboo-Eating Giant Panda (<i>Ailuropoda melanoleuca</i>) Has a Sweet Tooth: Behavioral and Molecular Responses to Compounds That Taste Sweet to Humans. <i>PLoS ONE</i> , 2014, 9, e93043. | 2.5 | 12 |
| 34 | Endocrine taste cells. <i>British Journal of Nutrition</i> , 2014, 111, S23-S29. | 2.3 | 44 |
| 35 | Expression and nuclear translocation of glucocorticoid receptors in type 2 taste receptor cells. <i>Neuroscience Letters</i> , 2014, 571, 72-77. | 2.1 | 13 |
| 36 | Effects of Roux-en-Y gastric bypass on energy and glucose homeostasis are preserved in two mouse models of functional glucagon-like peptide-1 deficiency. <i>Molecular Metabolism</i> , 2014, 3, 191-201. | 6.5 | 153 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Single Lgr5- or Lgr6-expressing taste stem/progenitor cells generate taste bud cells ex vivo. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 16401-16406. | 7.1 | 171 |
| 38 | Mouse nasal epithelial innate immune responses to <i>Pseudomonas aeruginosa</i> quorum-sensing molecules require taste signaling components. Innate Immunity, 2014, 20, 606-617. | 2.4 | 93 |
| 39 | Lgr5-EGFP Marks Taste Bud Stem/Progenitor Cells in Posterior Tongue. Stem Cells, 2013, 31, 992-1000. | 3.2 | 124 |
| 40 | Angiotensin II Modulates Salty and Sweet Taste Sensitivities. Journal of Neuroscience, 2013, 33, 6267-6277. | 3.6 | 77 |
| 41 | Gustducin couples fatty acid receptors to GLP-1 release in colon. American Journal of Physiology - Endocrinology and Metabolism, 2013, 304, E651-E660. | 3.5 | 33 |
| 42 | Genetic loss or pharmacological blockade of testes-expressed taste genes causes male sterility. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12319-12324. | 7.1 | 61 |
| 43 | Impact of T1r3 and Trpm5 on Carbohydrate Preference and Acceptance in C57BL/6 Mice. Chemical Senses, 2013, 38, 421-437. | 2.0 | 37 |
| 44 | Reply to Zhao and Zhang: Loss of taste receptor function in mammals is directly related to feeding specializations. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, . | 7.1 | 5 |
| 45 | Targeted Taste Cell-specific Overexpression of Brain-derived Neurotrophic Factor in Adult Taste Buds Elevates Phosphorylated TrkB Protein Levels in Taste Cells, Increases Taste Bud Size, and Promotes Gustatory Innervation. Journal of Biological Chemistry, 2012, 287, 16791-16800. | 3.4 | 30 |
| 46 | A Conditioned Aversion Study of Sucrose and SC45647 Taste in TRPM5 Knockout Mice. Chemical Senses, 2012, 37, 391-401. | 2.0 | 18 |
| 47 | The role of T1r3 and Trpm5 in carbohydrate-induced obesity in mice. Physiology and Behavior, 2012, 107, 50-58. | 2.1 | 46 |
| 48 | Umami taste in mice uses multiple receptors and transduction pathways. Journal of Physiology, 2012, 590, 1155-1170. | 2.9 | 87 |
| 49 | Major taste loss in carnivorous mammals. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 4956-4961. | 7.1 | 237 |
| 50 | Glucose transporters and ATP-gated K ⁺ (K _{ATP}) metabolic sensors are present in type 1 taste receptor 3 (T1r3)-expressing taste cells. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5431-5436. | 7.1 | 181 |
| 51 | G Proteins in Gustatory Transduction. , 2010, , 1721-1726. | | 0 |
| 52 | Action Potentialâ€Enhanced ATP Release From Taste Cells Through Hemichannels. Journal of Neurophysiology, 2010, 104, 896-901. | 1.8 | 82 |
| 53 | REEP2 Enhances Sweet Receptor Function by Recruitment to Lipid Rafts. Journal of Neuroscience, 2010, 30, 13774-13783. | 3.6 | 49 |
| 54 | Loss of high-frequency glucose-induced Ca ²⁺ oscillations in pancreatic islets correlates with impaired glucose tolerance in <i>Trpm5</i> ^{Δ^Δ mice. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 5208-5213.} | 7.1 | 187 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Gustation Genetics: Sweet Gustducin!. <i>Chemical Senses</i> , 2010, 35, 549-550. | 2.0 | 8 |
| 56 | Gut T1R3 sweet taste receptors do not mediate sucrose-conditioned flavor preferences in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R1643-R1650. | 1.8 | 84 |
| 57 | Endocannabinoids selectively enhance sweet taste. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 935-939. | 7.1 | 177 |
| 58 | Contribution of the T1r3 Taste Receptor to the Response Properties of Central Gustatory Neurons. <i>Journal of Neurophysiology</i> , 2009, 101, 2459-2471. | 1.8 | 46 |
| 59 | Role of Olfaction in the Conditioned Sucrose Preference of Sweet-Ageusic T1R3 Knockout Mice. <i>Chemical Senses</i> , 2009, 34, 685-694. | 2.0 | 35 |
| 60 | T1R3 taste receptor is critical for sucrose but not Polycose taste. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R866-R876. | 1.8 | 113 |
| 61 | Multiple sweet receptors and transduction pathways revealed in knockout mice by temperature dependence and gurmarin sensitivity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R960-R971. | 1.8 | 76 |
| 62 | Taste signaling elements expressed in gut enteroendocrine cells regulate nutrient-responsive secretion of gut hormones. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 822S-825S. | 4.7 | 161 |
| 63 | Expression of the voltage-gated potassium channel KCNQ1 in mammalian taste bud cells and the effect of its null-mutation on taste preferences. <i>Journal of Comparative Neurology</i> , 2009, 512, 384-398. | 1.6 | 32 |
| 64 | Discrimination of taste qualities among mouse fungiform taste bud cells. <i>Journal of Physiology</i> , 2009, 587, 4425-4439. | 2.9 | 98 |
| 65 | Phenoxy Herbicides and Fibrates Potently Inhibit the Human Chemosensory Receptor Subunit T1R3. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 6931-6935. | 6.4 | 35 |
| 66 | Release of Endogenous Opioids From Duodenal Enteroendocrine Cells Requires Trpm5. <i>Gastroenterology</i> , 2009, 137, 598-606.e2. | 1.3 | 74 |
| 67 | T1r3 and δ -Gustducin in Gut Regulate Secretion of Glucagon-like Peptide-1. <i>Annals of the New York Academy of Sciences</i> , 2009, 1170, 91-94. | 3.8 | 94 |
| 68 | Transsynaptic transport of wheat germ agglutinin expressed in a subset of type II taste cells of transgenic mice. <i>BMC Neuroscience</i> , 2008, 9, 96. | 1.9 | 53 |
| 69 | Tonic activity of δ -Gustducin regulates taste cell responsivity. <i>FEBS Letters</i> , 2008, 582, 3783-3787. | 2.8 | 71 |
| 70 | TRPM5-Expressing Solitary Chemosensory Cells Respond to Odorous Irritants. <i>Journal of Neurophysiology</i> , 2008, 99, 1451-1460. | 1.8 | 129 |
| 71 | The taste transduction channel TRPM5 is a locus for bitter-sweet taste interactions. <i>FASEB Journal</i> , 2008, 22, 1343-1355. | 0.5 | 74 |
| 72 | Involvement of T1R3 in calcium-magnesium taste. <i>Physiological Genomics</i> , 2008, 34, 338-348. | 2.3 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Molecular Models of Sweet Taste Receptors Provide Insights into Function. ACS Symposium Series, 2008, , 117-132. | 0.5 | 3 |
| 74 | Making Sense of the Sweet Taste Receptor. ACS Symposium Series, 2008, , 48-64. | 0.5 | 1 |
| 75 | Taste Cells of the Gut and Gastrointestinal Chemosensation. Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics, 2008, 8, 78-81. | 3.4 | 93 |
| 76 | 1P-240 Hemichannels involved in ATP release from taste cells with action potentials(The 46th Annual) Tj ETQq0 0 0rgBT /Overlock 10 TF | 0.5 | 0 |
| 77 | T1R3 and gustducin in gut sense sugars to regulate expression of Na ⁺ -glucose cotransporter 1. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 15075-15080. | 7.1 | 770 |
| 78 | Olfactory neurons expressing transient receptor potential channel M5 (TRPM5) are involved in sensing semiochemicals. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2471-2476. | 7.1 | 151 |
| 79 | Gut-expressed gustducin and taste receptors regulate secretion of glucagon-like peptide-1. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 15069-15074. | 7.1 | 878 |
| 80 | Fat and carbohydrate preferences in mice: the contribution of δ -gustducin and Trpm5 taste-signaling proteins. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007, 293, R1504-R1513. | 1.8 | 95 |
| 81 | The Transduction Channel TRPM5 Is Gated by Intracellular Calcium in Taste Cells. Journal of Neuroscience, 2007, 27, 5777-5786. | 3.6 | 174 |
| 82 | Wnt signaling interacts with Shh to regulate taste papilla development. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2253-2258. | 7.1 | 148 |
| 83 | Intestinal glucose sensing and regulation of intestinal glucose absorption. Biochemical Society Transactions, 2007, 35, 1191-1194. | 3.4 | 76 |
| 84 | Afferent neurotransmission mediated by hemichannels in mammalian taste cells. EMBO Journal, 2007, 26, 657-667. | 7.8 | 288 |
| 85 | Perception of sweet taste is important for voluntary alcohol consumption in mice. Genes, Brain and Behavior, 2007, 7, 070321054409001-??? | 2.2 | 69 |
| 86 | Immuno-localization of vesicular acetylcholine transporter in mouse taste cells and adjacent nerve fibers: indication of acetylcholine release. Cell and Tissue Research, 2007, 330, 17-28. | 2.9 | 30 |
| 87 | Mouse taste cells with G protein-coupled taste receptors lack voltage-gated calcium channels and SNAP-25. BMC Biology, 2006, 4, 7. | 3.8 | 212 |
| 88 | Taste Responses to Sweet Stimuli in δ -Gustducin Knockout and Wild-Type Mice. Chemical Senses, 2006, 31, 573-580. | 2.0 | 43 |
| 89 | Trpm5 Null Mice Respond to Bitter, Sweet, and Umami Compounds. Chemical Senses, 2006, 31, 253-264. | 2.0 | 289 |
| 90 | G δ 13 Interacts with PDZ Domain-containing Proteins. Journal of Biological Chemistry, 2006, 281, 11066-11073. | 3.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Sucrose and Monosodium Glutamate Taste Thresholds and Discrimination Ability of T1R3 Knockout Mice. <i>Chemical Senses</i> , 2006, 31, 351-357. | 2.0 | 110 |
| 92 | Umami Responses in Mouse Taste Cells Indicate More than One Receptor. <i>Journal of Neuroscience</i> , 2006, 26, 2227-2234. | 3.6 | 130 |
| 93 | The Heterodimeric Sweet Taste Receptor has Multiple Potential Ligand Binding Sites. <i>Current Pharmaceutical Design</i> , 2006, 12, 4591-4600. | 1.9 | 155 |
| 94 | Heat activation of TRPM5 underlies thermal sensitivity of sweet taste. <i>Nature</i> , 2005, 438, 1022-1025. | 27.8 | 408 |
| 95 | Lactisole Interacts with the Transmembrane Domains of Human T1R3 to Inhibit Sweet Taste. <i>Journal of Biological Chemistry</i> , 2005, 280, 15238-15246. | 3.4 | 262 |
| 96 | Signal Transduction of Umami Taste: Insights from Knockout Mice. <i>Chemical Senses</i> , 2005, 30, i33-i34. | 2.0 | 9 |
| 97 | Identification of the Cyclamate Interaction Site within the Transmembrane Domain of the Human Sweet Taste Receptor Subunit T1R3. <i>Journal of Biological Chemistry</i> , 2005, 280, 34296-34305. | 3.4 | 191 |
| 98 | Contribution of $\hat{I}\pm$ -Gustducin to Taste-guided Licking Responses of Mice. <i>Chemical Senses</i> , 2005, 30, 299-316. | 2.0 | 95 |
| 99 | Sensory Systems: Taste Perception. <i>Science Signaling</i> , 2005, 2005, tr20-tr20. | 3.6 | 8 |
| 100 | Umami Taste Responses Are Mediated by \hat{A} -Transducin and \hat{A} -Gustducin. <i>Journal of Neuroscience</i> , 2004, 24, 7674-7680. | 3.6 | 139 |
| 101 | The Cysteine-rich Region of T1R3 Determines Responses to Intensely Sweet Proteins. <i>Journal of Biological Chemistry</i> , 2004, 279, 45068-45075. | 3.4 | 247 |
| 102 | Making sense with TRP channels: store-operated calcium entry and the ion channel Trpm5 in taste receptor cells. <i>Cell Calcium</i> , 2003, 33, 541-549. | 2.4 | 83 |
| 103 | G protein subunit $\hat{G}\hat{I}^313$ is coexpressed with $\hat{G}\hat{I}\pm\alpha$, $\hat{G}\hat{I}^23$, and $\hat{G}\hat{I}^24$ in retinal ON bipolar cells. <i>Journal of Comparative Neurology</i> , 2003, 455, 1-10. | 1.6 | 114 |
| 104 | Behavioral Evidence for a Role of \hat{A} -Gustducin in Glutamate Taste. <i>Chemical Senses</i> , 2003, 28, 573-579. | 2.0 | 78 |
| 105 | Detection of Sweet and Umami Taste in the Absence of Taste Receptor T1r3. <i>Science</i> , 2003, 301, 850-853. | 12.6 | 567 |
| 106 | Insights into Taste Transduction and Coding from Molecular, Biochemical, and Transgenic Studies. <i>ACS Symposium Series</i> , 2003, , 26-44. | 0.5 | 3 |
| 107 | Role of the G-Protein Subunit $\hat{I}\pm$ -Gustducin in Taste Cell Responses to Bitter Stimuli. <i>Journal of Neuroscience</i> , 2003, 23, 9947-9952. | 3.6 | 93 |
| 108 | Electrophysiological Characterization of Voltage-Gated Currents in Defined Taste Cell Types of Mice. <i>Journal of Neuroscience</i> , 2003, 23, 2608-2617. | 3.6 | 130 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | G Proteins Mediating Taste Transduction. , 2003, , 657-661. | | 1 |
| 110 | Molecular Physiology of Gustatory Transduction. , 2003, , . | | 0 |
| 111 | Partial Rescue of Taste Responses of alpha-Gustducin Null Mice by Transgenic Expression of alpha-Transducin. Chemical Senses, 2002, 27, 719-727. | 2.0 | 54 |
| 112 | Molecular mechanisms of taste transduction. Pure and Applied Chemistry, 2002, 74, 1125-1133. | 1.9 | 10 |
| 113 | Molecular Mechanisms of Bitter and Sweet Taste Transduction. Journal of Biological Chemistry, 2002, 277, 1-4. | 3.4 | 380 |
| 114 | Assaying G Protein-Phosphodiesterase Interactions in Sensory Systems. Methods in Enzymology, 2002, 345, 37-48. | 1.0 | 7 |
| 115 | Taste Receptor Cell Responses to the Bitter Stimulus Denatonium Involve Ca ²⁺ Influx Via Store-Operated Channels. Journal of Neurophysiology, 2002, 87, 3152-3155. | 1.8 | 66 |
| 116 | A transient receptor potential channel expressed in taste receptor cells. Nature Neuroscience, 2002, 5, 1169-1176. | 14.8 | 516 |
| 117 | Tas1r3, encoding a new candidate taste receptor, is allelic to the sweet responsiveness locus Sac. Nature Genetics, 2001, 28, 58-63. | 21.4 | 492 |
| 118 | Making Sense of Taste. Scientific American, 2001, 284, 32-39. | 1.0 | 128 |
| 119 | Immunocytochemical evidence for co-expression of Type III IP3 receptor with signaling components of bitter taste transduction. BMC Neuroscience, 2001, 2, 6. | 1.9 | 216 |
| 120 | Title is missing!. Nature Genetics, 2001, 28, 58-63. | 21.4 | 173 |
| 121 | Dominant loss of responsiveness to sweet and bitter compounds caused by a single mutation in Å-gustducin. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 8868-8873. | 7.1 | 74 |
| 122 | Ultrastructural localization of gustducin immunoreactivity in microvilli of type II taste cells in the rat. Journal of Comparative Neurology, 2000, 425, 139-151. | 1.6 | 134 |
| 123 | The molecular physiology of taste transduction. Current Opinion in Neurobiology, 2000, 10, 519-527. | 4.2 | 233 |
| 124 | Extracellular Matrix-Associated Protein Sc1 Is Not Essential for Mouse Development. Molecular and Cellular Biology, 2000, 20, 656-660. | 2.3 | 43 |
| 125 | Phototransduction in transgenic mice after targeted deletion of the rod transducin alpha -subunit. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 13913-13918. | 7.1 | 329 |
| 126 | Directing Gene Expression to Gustducin-Positive Taste Receptor Cells. Journal of Neuroscience, 1999, 19, 5802-5809. | 3.6 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | GÎ³13 colocalizes with gustducin in taste receptor cells and mediates IP3 responses to bitter denatonium. <i>Nature Neuroscience</i> , 1999, 2, 1055-1062. | 14.8 | 318 |
| 128 | An mRNA Encoding a Putative GABAâ€Gated Chloride Channel Is Expressed in the Human Cardiac Conduction System. <i>Journal of Neurochemistry</i> , 1997, 68, 1382-1389. | 3.9 | 33 |
| 129 | Mechanisms of taste transduction. <i>Current Opinion in Neurobiology</i> , 1996, 6, 506-513. | 4.2 | 175 |
| 130 | SC1: a marker for astrocytes in the adult rodent brain is upregulated during reactive astrocytosis. <i>Brain Research</i> , 1996, 709, 27-36. | 2.2 | 53 |
| 131 | Transduction of bitter and sweet taste by gustducin. <i>Nature</i> , 1996, 381, 796-800. | 27.8 | 647 |
| 132 | Coupling of bitter receptor to phosphodiesterase through transducin in taste receptor cells. <i>Nature</i> , 1995, 376, 80-85. | 27.8 | 210 |
| 133 | A cyclicâ€nucleotideâ€suppressible conductance activated by transducin in taste cells. <i>Nature</i> , 1995, 376, 85-88. | 27.8 | 128 |
| 134 | Biochemical analysis of the transducin-phosphodiesterase interaction. <i>Nature Structural Biology</i> , 1994, 1, 771-781. | 9.7 | 32 |
| 135 | Molecular cloning of G proteins and phosphodiesterases from rat taste cells. <i>Physiology and Behavior</i> , 1994, 56, 1157-1164. | 2.1 | 72 |
| 136 | Human taste cells express the G protein Î±-gustducin and neuron-specific enolase. <i>Molecular Brain Research</i> , 1994, 22, 193-203. | 2.3 | 47 |
| 137 | Gustducin and Transducin Are Present in Taste Cells. , 1994, , 60-64. | | 0 |
| 138 | The molecular biology of taste transduction. <i>BioEssays</i> , 1993, 15, 645-650. | 2.5 | 43 |
| 139 | The biochemistry and molecular biology of taste transduction. <i>Current Opinion in Neurobiology</i> , 1993, 3, 526-531. | 4.2 | 40 |
| 140 | Gustducin and Transducin: A Tale of two G Proteins. <i>Novartis Foundation Symposium</i> , 1993, 179, 186-200. | 1.1 | 16 |
| 141 | Isolation of a clone which induced expression of the gene encoding the human tumor necrosis factor receptor. <i>Gene</i> , 1992, 111, 215-222. | 2.2 | 12 |
| 142 | Gustducin is a taste-cell-specific G protein closely related to the transducins. <i>Nature</i> , 1992, 357, 563-569. | 27.8 | 661 |
| 143 | Cloning muscle isoforms of neural cell adhesion molecule using an episomal shuttle vector. <i>Somatic Cell and Molecular Genetics</i> , 1992, 18, 163-177. | 0.7 | 16 |
| 144 | Î± Gustducin: A Taste Cell Specific G Protein Subunit Closely Related to the Î± Transducins. , 1992, , 9-14. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | HLA class I-restricted human cytotoxic T cells recognize endogenously synthesized hepatitis B virus nucleocapsid antigen.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 10445-10449. | 7.1 | 294 |
| 146 | A highly efficient directional cDNA cloning method utilizing an asymmetrically tailed linker-primer plasmid. Nucleic Acids Research, 1991, 19, 7105-7111. | 14.5 | 2 |
| 147 | Alignment of the restriction map of mouse adenovirus FL with that of human adenovirus 2. Virology, 1979, 97, 406-414. | 2.4 | 36 |
| 148 | Mutational analysis of the simian virus 40 replicon: pseudorevertants of mutants with a defective replication origin.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 6128-6131. | 7.1 | 228 |