Ashley B. Irish

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6978022/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A comparison of arteriovenous fistula failure between Malaysian and Australian and New Zealand participants enrolled in the FAVOURED trial. Journal of Vascular Access, 2024, 25, 193-202. | 0.9 | 2 |
| 2 | The extrapyramidal syndromes of chronic kidney disease and dialysis (EPS-CKDD): diagnostic criteria, risk factors and prognosis. QJM - Monthly Journal of the Association of Physicians, 2022, 115, 359-366. | 0.5 | 6 |
| 3 | Dietary habits in Australian, New Zealand and Malaysian patients with end stage kidney failure: A preâ€specified crossâ€sectional study of the FAVOURED trial participants. Journal of Human Nutrition and Dietetics, 2022, 35, 1178-1191. | 2.5 | 0 |
| 4 | mTOR Inhibitors Induce Erythropoietin Resistance in Renal Transplant Recipients. Frontiers in Medicine, 2022, 9, 722058. | 2.6 | 1 |
| 5 | Which NK cell populations mark the high burden of CMV present in all HIV patients beginning ART in Indonesia?. AIDS Research and Therapy, 2022, 19, 16. | 1.7 | 2 |
| 6 | The effect of radiological imaging on treatment delay and hospitalisation in patients with peritoneal dialysis-related peritonitis: A secondary analysis of the PROMPT study. Peritoneal Dialysis International, 2022, 42, 154-161. | 2.3 | 2 |
| 7 | Sequencing of the Viral UL111a Gene Directly from Clinical Specimens Reveals Variants of HCMV-Encoded IL-10 That Are Associated with Altered Immune Responses to HCMV. International Journal of Molecular Sciences, 2022, 23, 4644. | 4.1 | 3 |
| 8 | A TNF Block Genotype may Influence CMV Retinitis in HIV Patients without Affecting Systemic Viral Replication. Current HIV Research, 2021, 19, 96-99. | 0.5 | 1 |
| 9 | Center-Effect of Incident Hemodialysis Vascular Access Use: Analysis of a Bi-national Registry. Kidney360, 2021, 2, 674-683. | 2.1 | 2 |
| 10 | Understanding the effects of CMV on Î ³ Î [~] T-cell populations in HIV patients starting antiretroviral therapy. Clinical Immunology, 2021, 226, 108696. | 3.2 | 2 |
| 11 | Neurocognitive outcomes in indonesians living with HIV are influenced by polymorphisms in the gene encoding purinergic P2X receptor 7. Brain, Behavior, & Immunity - Health, 2021, 13, 100220. | 2.5 | 1 |
| 12 | Immunohistochemical evidence of P2X7R, P2X4R and CaMKK2 in pyramidal neurons of frontal cortex does not align with Alzheimer's disease. Experimental and Molecular Pathology, 2021, 120, 104636. | 2.1 | 4 |
| 13 | Nephritis and Hearing Loss—Not All Roads Lead to Alport Syndrome. Kidney International Reports, 2021, 6, 2922-2925. | 0.8 | 0 |
| 14 | Polymorphisms in CAMKK2 may influence domain-specific neurocognitive function in HIV+ Indonesians receiving ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, Publish Ahead of Print, 115-119. | 2.1 | 0 |
| 15 | Sequencing Directly from Clinical Specimens Reveals Genetic Variations in HCMV-Encoded Chemokine Receptor US28 That May Influence Antibody Levels and Interactions with Human Chemokines. Microbiology Spectrum, 2021, 9, e0002021. | 3.0 | 4 |
| 16 | Challenging the Conventional Interpretation of HCMV Seronegativity. Microorganisms, 2021, 9, 2382. | 3.6 | 2 |
| 17 | Cytomegalovirus may influence vascular endothelial health in Indonesian HIV-infected patients after 5Ayears on ART. AIDS Research and Therapy, 2021, 18, 83. | 1.7 | 1 |
| 18 | Determinants of cognitive health in Indonesian HIV patients beginning antiretroviral therapy. Journal of NeuroVirology, 2020, 26, 32-40. | 2.1 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Identifying critically important vascular access outcomes for trials in haemodialysis: an international survey with patients, caregivers and health professionals. Nephrology Dialysis Transplantation, 2020, 35, 657-668. | 0.7 | 22 |
| 20 | Allograft and Patient Outcomes Between Indigenous and Nonindigenous Kidney Transplant Recipients. Transplantation, 2020, 104, 847-855. | 1.0 | 7 |
| 21 | Predictors of Arteriovenous Fistula Failure: A Post Hoc Analysis of the FAVOURED Study. Kidney360, 2020, 1, 1259-1269. | 2.1 | 8 |
| 22 | P152â€Epidemiology and practice patterns in the management of lupus nephritis in Australia. , 2020, , . | | 0 |
| 23 | Periodontitis and Cytomegalovirus Associate With Atherosclerosis Among HIV Patients After 5 Years on ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 195-200. | 2.1 | 3 |
| 24 | Human Cytomegalovirus-Encoded microRNAs Can Be Found in Saliva Samples from Renal Transplant Recipients. Non-coding RNA, 2020, 6, 50. | 2.6 | 6 |
| 25 | The role of CAMKK2 polymorphisms in HIV-associated sensory neuropathy in South Africans. Journal of the Neurological Sciences, 2020, 416, 116987. | 0.6 | 7 |
| 26 | TNF-Block Genotypes Influence Susceptibility to HIV-Associated Sensory Neuropathy in Indonesians and South Africans. International Journal of Molecular Sciences, 2020, 21, 380. | 4.1 | 3 |
| 27 | Cytomegalovirus burden improves a predictive model identifying measures of vascular risk in renal transplant recipients and healthy adults. Journal of Medical Virology, 2020, 92, 3650-3657. | 5.0 | 7 |
| 28 | Polymorphisms in CAMKK2 associate with susceptibility to sensory neuropathy in HIV patients treated without stavudine. Journal of NeuroVirology, 2019, 25, 814-824. | 2.1 | 8 |
| 29 | The Detection of CMV in Saliva Can Mark a Systemic Infection with CMV in Renal Transplant Recipients. International Journal of Molecular Sciences, 2019, 20, 5230. | 4.1 | 12 |
| 30 | Deciphering Effects of Uncontrolled Cytomegalovirus Replication on Immune Responses in Cytomegalovirus DNA-Positive Renal Transplant Recipients. Viral Immunology, 2019, 32, 355-360. | 1.3 | 2 |
| 31 | Infectious Disease Transmission in Solid Organ Transplantation: Donor Evaluation, Recipient Risk, and Outcomes of Transmission. Transplantation Direct, 2019, 5, e416. | 1.6 | 56 |
| 32 | Fish oil and aspirin effects on arteriovenous fistula function: Secondary outcomes of the randomised omega-3 fatty acids (Fish oils) and Aspirin in Vascular access OUtcomes in REnal Disease (FAVOURED) trial. PLoS ONE, 2019, 14, e0213274. | 2.5 | 8 |
| 33 | Immunogenicity and protective potential of Bordetella pertussis biofilm and its associated antigens in a murine model. Cellular Immunology, 2019, 337, 42-47. | 3.0 | 9 |
| 34 | A high burden of cytomegalovirus marks poor vascular health in transplant recipients more clearly than in the general population. Clinical and Translational Immunology, 2019, 8, e1043. | 3.8 | 16 |
| 35 | The Effects of OMEGA-3 Fatty Acid Supplementation Upon Interleukin-12 and Interleukin-18 in Chronic Kidney Disease Patients. , 2019, 29, 377-385. | | 6 |
| 36 | Characterization of Natural Killer Cells in HIV Patients Beginning Therapy with a High Burden of Cytomegalovirus. Immunological Investigations, 2019, 48, 345-354. | 2.0 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Functional and clinical consequences of changes to natural killer cell phenotypes driven by chronic cytomegalovirus infections. Journal of Medical Virology, 2019, 91, 1120-1127. | 5.0 | 8 |
| 38 | P6244Cytomegalovirus (CMV) burden may be used to enhance algorithms to predict future cardiovascular health in renal transplant recipients and healthy controls. European Heart Journal, 2019, 40, . | 2.2 | 0 |
| 39 | Omega-3 Polyunsaturated Fatty Acid Supplementation toÂPrevent Arteriovenous Fistula and Graft Failure: AÂSystematic Review and Meta-analysis of RandomizedÂControlled Trials. American Journal of Kidney Diseases, 2018, 72, 50-61. | 1.9 | 13 |
| 40 | The effect of n-3 fatty acids and coenzyme Q10 supplementation on neutrophil leukotrienes, mediators of inflammation resolution and myeloperoxidase in chronic kidney disease. Prostaglandins and Other Lipid Mediators, 2018, 136, 1-8. | 1.9 | 41 |
| 41 | The pathogenesis of hemodialysis vascular access failure and systemic therapies for its prevention: Optimism unfulfilled. Seminars in Dialysis, 2018, 31, 244-257. | 1.3 | 45 |
| 42 | Vascular Access Outcomes Reported in Maintenance Hemodialysis Trials: A Systematic Review. American Journal of Kidney Diseases, 2018, 71, 382-391. | 1.9 | 41 |
| 43 | HIV patients, healthy aging and transplant recipients can reveal the hidden footprints of CMV. Clinical Immunology, 2018, 187, 107-112. | 3.2 | 11 |
| 44 | Comparison of the Incidence, Risk Factors and Types of Acute Rejection between Indigenous and Non-Indigenous Australians with Kidney Transplants. Transplantation, 2018, 102, S324. | 1.0 | 0 |
| 45 | FP555EFFECTS OF FISH OIL SUPPLEMENTATION AND ASPIRIN USE ON NEED FOR ARTERIOVENOUS FISTULA INTERVENTIONS AND CENTRAL VENOUS CATHETERS IN PATIENTS REQUIRING HAEMODIALYSIS. Nephrology Dialysis Transplantation, 2018, 33, i227-i227. | 0.7 | 2 |
| 46 | Changing survival of people with myeloma and end stage kidney disease: A cohort study using Australian and New Zealand dialysis and transplant registry 1963–2013. Nephrology, 2018, 23, 217-225. | 1.6 | 6 |
| 47 | Correlation and agreement between eplet mismatches calculated using serological, low-intermediate and high resolution molecular human leukocyte antigen typing methods. Oncotarget, 2018, 9, 13116-13124. | 1.8 | 12 |
| 48 | Insulin resistance and vascular dysfunction in chronic kidney disease: mechanisms and therapeutic interventions. Nephrology Dialysis Transplantation, 2017, 32, gfv326. | 0.7 | 14 |
| 49 | Updates on baseline characteristics of the omega-3 fatty acids (Fish oils) and Aspirin in Vascular access OUtcomes in REnal Disease (FAVOURED) study. Nephrology, 2017, 22, 823-824. | 1.6 | 3 |
| 50 | Cytomegalovirus antibody and vascular pathology in renal transplant recipients. Journal of Medical Virology, 2017, 89, 177-181. | 5.0 | 18 |
| 51 | Cytomegalovirus infection alters phenotypes of different γδTâ€cell subsets in renal transplant recipients with longâ€ŧerm stable graft function. Journal of Medical Virology, 2017, 89, 1442-1452. | 5.0 | 20 |
| 52 | Infectious complications in indigenous renal transplant recipients in Western Australia. Internal Medicine Journal, 2017, 47, 648-655. | 0.8 | 11 |
| 53 | CMV drives the expansion of highly functional memory T cells expressing NKâ€cell receptors in renal transplant recipients. European Journal of Immunology, 2017, 47, 1324-1334. | 2.9 | 27 |
| 54 | The dynamics of HCV-specific antibody responses in HIV/HCV patients on long-term antiretroviral therapy. Clinical Immunology, 2017, 179, 54-63. | 3.2 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of Fish Oil Supplementation and Aspirin Use on Arteriovenous Fistula Failure in Patients Requiring Hemodialysis. JAMA Internal Medicine, 2017, 177, 184. | 5.1 | 77 |
| 56 | The effect of genetic variants affecting NK cell function on cardiovascular health and the burden of CMV. Human Immunology, 2017, 78, 747-751. | 2.4 | 8 |
| 57 | Impact of early conversion from cyclosporin to everolimus on left ventricular mass index: A randomized controlled trial. Clinical Transplantation, 2017, 31, e13043. | 1.6 | 1 |
| 58 | Persistence of Activated and Adaptive-Like NK Cells in HIV+ Individuals despite 2 Years of Suppressive Combination Antiretroviral Therapy. Frontiers in Immunology, 2017, 8, 731. | 4.8 | 24 |
| 59 | Factors affecting affect cardiovascular health in Indonesian HIV patients beginning ART. AIDS Research and Therapy, 2017, 14, 52. | 1.7 | 18 |
| 60 | n-3 Fatty Acid Supplementation and Leukocyte Telomere Length in Patients with Chronic Kidney Disease. Nutrients, 2016, 8, 175. | 4.1 | 32 |
| 61 | Baseline characteristics of the omegaâ€3 fatty acids (<scp>F</scp> ish oils) and <scp>A</scp> spirin in <scp>V</scp> ascular access <scp>OU</scp> tcomes in <scp>RE</scp> nal <scp>D</scp> isease (<scp>FAVOURED</scp>) study. Nephrology, 2016, 21, 217-228. | 1.6 | 10 |
| 62 | Graft nephrectomy for people with a failed kidney transplant. The Cochrane Library, 2016, , . | 2.8 | 0 |
| 63 | Optimal use of plasma and urine BK viral loads for screening and predicting BK nephropathy. BMC Infectious Diseases, 2016, 16, 342. | 2.9 | 35 |
| 64 | The Relationship Between Presentation and the Time of Initial Administration of Antibiotics With Outcomes of Peritonitis in Peritoneal Dialysis Patients: The PROMPT Study. Kidney International Reports, 2016, 1, 65-72. | 0.8 | 37 |
| 65 | Asymptomatic CMV infections in longâ€term renal transplant recipients are associated with the loss of FcRγ from LIRâ€I ⁺ NK cells. European Journal of Immunology, 2016, 46, 2597-2608. | 2.9 | 20 |
| 66 | Is Pulmonary non-Tuberculous Mycobacterial Disease Linked with a High Burden of Latent Cytomegalovirus?. Journal of Clinical Immunology, 2016, 36, 113-116. | 3.8 | 8 |
| 67 | A randomized controlled trial of the effects of n-3 fatty acids on resolvins in chronic kidney disease. Clinical Nutrition, 2016, 35, 331-336. | 5.0 | 55 |
| 68 | The immunological footprint of CMV in HIV-1 patients stable on long-term ART. Immunity and Ageing, 2015, 12, 14. | 4.2 | 15 |
| 69 | n-3 fatty acids reduce plasma 20-hydroxyeicosatetraenoic acid and blood pressure in patients with chronic kidney disease. Journal of Hypertension, 2015, 33, 1947-1953. | 0.5 | 23 |
| 70 | An NK Cell Population Lacking FcRÎ ³ Is Expanded in Chronically Infected HIV Patients. Journal of Immunology, 2015, 194, 4688-4697. | 0.8 | 70 |
| 71 | When Thoracic Organ Recipients Become Abdominal Organ Donors: Sharing the Risks and Benefits of Transplantation: A Case Report. Transplantation Proceedings, 2015, 47, 201-203. | 0.6 | 1 |
| 72 | The Omega-3 fatty acids (Fish Oils) and Aspirin in Vascular access OUtcomes in REnal Disease (FAVOURED) study: the updated final trial protocol and rationale of post-initiation trial modifications. BMC Nephrology, 2015, 16, 89. | 1.8 | 21 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | A case of iatrogenic <scp>C</scp> ushing syndrome and apparent mineralocorticoid excess presenting with accelerated hypertension and proteinuria. Internal Medicine Journal, 2014, 44, 932-934. | 0.8 | 1 |
| 74 | A consensus statement on the renal monitoring of Australian patients receiving tenofovir based antiviral therapy for HIV/HBV infection. AIDS Research and Therapy, 2014, 11, 35. | 1.7 | 16 |
| 75 | Patients co-infected with hepatitis C virus (HCV) and human immunodeficiency virus recover genotype cross-reactive neutralising antibodies to HCV during antiretroviral therapy. Clinical Immunology, 2014, 155, 149-159. | 3.2 | 10 |
| 76 | Modeling the Benefits and Costs of Integrating an Acceptable HLA Mismatch Allocation Model for Highly Sensitized Patients. Transplantation, 2014, 97, 769-774. | 1.0 | 20 |
| 77 | Our experience with rituximab therapy for adult-onset primary glomerulonephritis and review of literature. International Urology and Nephrology, 2013, 45, 795-802. | 1.4 | 31 |
| 78 | Peri-operative third party red blood cell transfusion in renal transplantation and the risk of antibody-mediated rejection and graft loss. Transplant Immunology, 2013, 29, 22-27. | 1.2 | 36 |
| 79 | Pre-transplant donor specific anti-HLA antibody is associated with antibody-mediated rejection, progressive graft dysfunction and patient death. Transplant Immunology, 2013, 28, 148-153. | 1.2 | 52 |
| 80 | Entericâ€coated mycophenolate sodium in combination with full dose or reduced dose cyclosporine, basiliximab and corticosteroids in Australian de novo kidney transplant patients. Nephrology, 2013, 18, 63-70. | 1.6 | 5 |
| 81 | Bardoxolone Methyl in Type 2 Diabetes and Stage 4 Chronic Kidney Disease. New England Journal of Medicine, 2013, 369, 2492-2503. | 27.0 | 844 |
| 82 | Insulin Resistance and the Metabolic Syndrome Are Associated With Arterial Stiffness in Patients With Chronic Kidney Disease. American Journal of Hypertension, 2013, 26, 1155-1161. | 2.0 | 22 |
| 83 | 178 20-HETE CONTRIBUTES TO THE BLOOD PRESSURE REDUCTION FOLLOWING OMEGA-3 FATTY ACID SUPPLEMENTATION IN PATIENTS WITH CHRONIC KIDNEY DISEASE. Journal of Hypertension, 2012, 30, e54. | 0.5 | 0 |
| 84 | Third-Party Red-Cell Transfusion in the First 30 Days after Renal Transplantation in Patients with Donor Specific Antibodies Is Associated with Antibody-Mediated Rejection. Transplantation, 2012, 94, 180. | 1.0 | 0 |
| 85 | Dysproteinemias or light chain diseases. , 2012, , 251-264. | | 1 |
| 86 | Can immune-related genotypes illuminate the immunopathogenesis of cytomegalovirus disease in human immunodeficiency virus–infected patients?. Human Immunology, 2012, 73, 168-174. | 2.4 | 8 |
| 87 | Acute irreversible oxalate nephropathy in a lung transplant recipient treated successfully with a renal transplant. Nephrology, 2012, 17, 12-15. | 1.6 | 5 |
| 88 | Incidence, risk factors and prognosis of acute kidney injury after transcatheter aortic valve implantation. Nephrology, 2012, 17, 445-451. | 1.6 | 48 |
| 89 | Lupus mastitis: a mimicker of breast carcinoma. BMJ Case Reports, 2011, 2011, bcr1120115066-bcr1120115066. | 0.5 | 13 |
| 90 | Rosiglitazone does not improve vascular function in subjects with chronic kidney disease. Nephrology Dialysis Transplantation, 2011, 26, 3543-3549. | 0.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Plasma apolipoprotein C-III metabolism in patients with chronic kidney disease. Journal of Lipid Research, 2011, 52, 794-800. | 4.2 | 53 |
| 92 | Pre-transplant pharmacokinetic profiling and tacrolimus requirements post-transplant. Nephrology, 2010, 15, 714-719. | 1.6 | 4 |
| 93 | Maintenance of elevated versus physiological iron indices in non-anaemic patients with chronic kidney disease: a randomized controlled trial. Nephrology Dialysis Transplantation, 2010, 25, 920-926. | 0.7 | 13 |
| 94 | Myeloma and the Kidney. , 2010, , 761-769. | | 2 |
| 95 | Study of Heart and Renal Protection (SHARP): Randomized trial to assess the effects of lowering low-density lipoprotein cholesterol among 9,438 patients with chronic kidney disease. American Heart Journal, 2010, 160, 785-794.e10. | 2.7 | 257 |
| 96 | Estimation of glomerular filtration rate: does haemoglobin discriminate between ageing and true CKD?. Nephrology Dialysis Transplantation, 2009, 24, 1828-1833. | 0.7 | 13 |
| 97 | Chronic kidney disease delays VLDL-apoB-100 particle catabolism: potential role of apolipoprotein C-III. Journal of Lipid Research, 2009, 50, 2524-2531. | 4.2 | 62 |
| 98 | Preventing AVF thrombosis: the rationale and design of the Omega-3 fatty acids (Fish Oils) and Aspirin in Vascular access OUtcomes in REnal Disease (FAVOURED) study. BMC Nephrology, 2009, 10, 1. | 1.8 | 58 |
| 99 | The effects of ω3 fatty acids and coenzyme Q10 on blood pressure and heart rate in chronic kidney disease: a randomized controlled trial. Journal of Hypertension, 2009, 27, 1863-1872. | 0.5 | 87 |
| 100 | Hypercoagulability in chronic kidney disease is associated with coagulation activation but not endothelial function. Thrombosis Research, 2008, 123, 374-380. | 1.7 | 78 |
| 101 | Dyslipidaemia and cardiorenal disease: mechanisms, therapeutic opportunities and clinical trials. Atherosclerosis, 2008, 196, 823-834. | 0.8 | 57 |
| 102 | Post-Transplant HLA class II Antibodies and High Soluble CD30 Levels are Independently Associated with Poor Kidney Graft Survival. American Journal of Transplantation, 2007, 7, 847-856. | 4.7 | 64 |
| 103 | Anemia After Kidney Transplantation Is Not Completely Explained by Reduced Kidney Function. American Journal of Kidney Diseases, 2007, 49, 301-309. | 1.9 | 62 |
| 104 | A Randomized Trial of the Effect of Statin and Fibrate Therapy on Arterial Function in CKD. American Journal of Kidney Diseases, 2007, 49, 776-785. | 1.9 | 49 |
| 105 | Insulin Resistance, Inflammation, and Blood Pressure Determine Vascular Dysfunction in CKD. American Journal of Kidney Diseases, 2006, 48, 926-934. | 1.9 | 74 |
| 106 | Effect of ascorbic acid supplementation on plasma isoprostanes in haemodialysis patients. Nephrology Dialysis Transplantation, 2006, 21, 234-235. | 0.7 | 22 |
| 107 | HLA antibodies and soluble CD30 are associated with poor renal graft outcome: updated results of a single-center cross-sectional study. Clinical Transplants, 2006, , 219-25. | 0.2 | 1 |
| 108 | HLA donor-specific antibody detected by solid phase assay identifies high-risk transplantation pairs irrespective of CDC crossmatch results: case reports and literature review. Clinical Transplants, 2006, , 497-501. | 0.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Efficacy and safety of oral versus intravenous ascorbic acid for anaemia in haemodialysis patients. Nephrology, 2005, 10, 336-340. | 1.6 | 34 |
| 110 | A Review of the Current Treatment of Renal Artery Stenosis. European Journal of Vascular and Endovascular Surgery, 2005, 29, 479-488. | 1.5 | 22 |
| 111 | Diagnostic challenges associated with a complex case of cystic phaeochromocytoma presenting with malignant hypertension, microangiopathic haemolysis and acute renal failure. Nephrology Dialysis Transplantation, 2005, 20, 1014-1014. | 0.7 | 8 |
| 112 | Foreword from the organisers. Nephrology, 2004, 9, S107-S108. | 1.6 | 0 |
| 113 | Hypercoagulability in Renal Transplant Recipients. American Journal of Cardiovascular Drugs, 2004, 4, 139-149. | 2.2 | 80 |
| 114 | A prisoner with acute renal failure. Lancet, The, 2004, 363, 126. | 13.7 | 2 |
| 115 | Recommendations for the use of icodextrin in peritoneal dialysis patients. Review Article. Nephrology, 2003, 8, 1-7. | 1.6 | 36 |
| 116 | Insulin resistance, dyslipidaemia, inflammation and endothelial function in nephrotic syndrome. Nephrology Dialysis Transplantation, 2002, 17, 2220-2225. | 0.7 | 45 |
| 117 | Prevention of Tunneled Hemodialysis Catheter-Related Infections Using Catheter-Restricted Filling with Gentamicin and Citrate. Journal of the American Society of Nephrology: JASN, 2002, 13, 2133-2139. | 6.1 | 255 |
| 118 | Statin therapy improves brachial artery endothelial function in nephrotic syndrome. Kidney International, 2002, 62, 550-557. | 5.2 | 45 |
| 119 | PREVENTION OF TUNNELED HAEMODIALYSIS CATHETER (TC) RELATED INFECTIONS USING CATHETER RESTRICTED FILLING WITH GENTAMICIN AND CITRATE. Nephrology, 2002, 7, A54-A54. | 1.6 | 6 |
| 120 | How hot is homocysteine?. Nephrology, 2002, 7, S56-S57. | 1.6 | 0 |
| 121 | How hot is homocysteine?. Nephrology, 2002, 7, S56-S57. | 1.6 | 0 |
| 122 | Homocysteine and nephrotic syndrome. Nephrology Dialysis Transplantation, 2001, 16, 1720-1721. | 0.7 | 9 |
| 123 | Vascular function of the peripheral circulation in patients with nephrosis. Kidney International, 2001, 60, 182-189. | 5.2 | 37 |
| 124 | Oxidant stress in nephrotic syndrome: comparison of F2â€isoprostanes and plasma antioxidant potential. Nephrology Dialysis Transplantation, 2001, 16, 1626-1630. | 0.7 | 36 |
| 125 | Renal allograft thrombosis: can thrombophilia explain the inexplicable?. Nephrology Dialysis Transplantation, 1999, 14, 2297-2303. | 0.7 | 34 |
| 126 | Cardiovascular disease, fibrinogen and the acute phase response Associations with lipids and blood pressure in patients with chronic renal disease. Atherosclerosis, 1998, 137, 133-139. | 0.8 | 107 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Factor VII coagulant activity (VIIc) and hypercoagulability in chronic renal disease and dialysis: relationship with dyslipidaemia, inflammation, and factor VII genotype. Nephrology Dialysis Transplantation, 1998, 13, 679-684. | 0.7 | 40 |
| 128 | The factor V Leiden mutation and risk of renal vein thrombosis in patients with nephrotic syndrome. Nephrology Dialysis Transplantation, 1997, 12, 1680-1683. | 0.7 | 14 |
| 129 | Presentation and survival of patients with severe renal failure and myeloma. QJM - Monthly Journal of the Association of Physicians, 1997, 90, 773-780. | 0.5 | 59 |
| 130 | Environmental and genetic determinants of the hypercoagulable state and cardiovascular disease in renal transplant recipients. Nephrology Dialysis Transplantation, 1997, 12, 167-173. | 0.7 | 53 |
| 131 | Plasminogen activator inhibitor-1 activity in chronic renal disease and dialysis. Metabolism: Clinical and Experimental, 1997, 46, 36-40. | 3.4 | 29 |
| 132 | Intracelluiar Free Magnesium Concentrations in Skeletal Muscle in Chronic Uraemia. Nephron, 1997, 76, 20-25. | 0.6 | 7 |
| 133 | Chronic renal disease and cardiovascular complications: inevitable or preventable? Now is the time for some intervention studies. Australian and New Zealand Journal of Medicine, 1997, 27, 273-274. | 0.5 | 0 |
| 134 | THE FACTOR V LEIDEN (R506Q) MUTATION AND RISK OF THROMBOSIS IN RENAL TRANSPLANT RECIPIENTS1. Transplantation, 1997, 64, 604-607. | 1.0 | 62 |
| 135 | The effect of propionyl L-carnitine on skeletal muscle metabolism in renal failure. Clinical Nephrology, 1997, 47, 372-8. | 0.7 | 16 |
| 136 | Long term effect of renal transplantation on dialysis-related amyloid deposits and symptomatology. Kidney International, 1996, 50, 282-289. | 5.2 | 56 |
| 137 | The effects of gemfibrozil upon the hypercoagulable state in dyslipidaemic patients with chronic renal failure. Nephrology Dialysis Transplantation, 1996, 11, 2223-2228. | 0.7 | 17 |
| 138 | Skeletal muscle metabolism before and after gemfibrozil treatment in dialysed patients with chronic renal failure. Clinical Nephrology, 1996, 45, 386-9. | 0.7 | 6 |
| 139 | Aerobic and Anaerobic ATP Synthesis in Exercising Muscle of Patients with Chronic Renal Failure (CRF). Clinical Science, 1995, 89, 27P-27P. | 0.0 | 0 |
| 140 | Cyclosporin and serum lipids in renal transplant recipients. Lancet, The, 1993, 341, 765-767. | 13.7 | 31 |
| 141 | Cyclosporin and serum lipids in renal transplant recipients. Lancet, The, 1993, 341, 766; author reply 767. | 13.7 | 0 |
| 142 | Supplementing renal function with CAPD in a patient with chronic renal failure and pregnancy. Peritoneal Dialysis International, 1993, 13, 155-6. | 2.3 | 3 |
| 143 | Late presentation and development of nephrocalcinosis in primary hyperoxaluria. Australian and New Zealand Journal of Medicine, 1992, 22, 48-50. | 0.5 | 4 |
| 144 | Lipoprotein(a) levels in chronic renal disease states, dialysis and transplantation. Australian and New Zealand Journal of Medicine, 1992, 22, 243-248. | 0.5 | 53 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Lipoprotein(a) concentration in diabetes: relationship to proteinuria and diabetes control. Australian and New Zealand Journal of Medicine, 1992, 22, 329-333. | 0.5 | 13 |
| 146 | Simultaneous Presentation of Gastric Carcinoma and Crescentic Glomerulonephritis. Nephron, 1992, 60, 254-254. | 1.8 | 4 |
| 147 | Heat stroke following Rugby League football. Medical Journal of Australia, 1991, 155, 636-639. | 1.7 | 19 |
| 148 | Levels of CMV-reactive antibodies correlate with the induction of CD28null T cells and systemic inflammation in chronic obstructive pulmonary disease (COPD). Cellular and Molecular Immunology, 0, , . | 10.5 | 3 |
| 149 | Graft nephrectomy for people with a failed kidney transplant. The Cochrane Library, 0, , . | 2.8 | Ο |
| 150 | γδT-cell subpopulations associate with recovery of memory function in Indonesian HIV patients starting ART. AIDS Research and Human Retroviruses, 0, , . | 1.1 | 0 |