

# R Graham Cooks

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6980187/publications.pdf>

Version: 2024-02-01

1,091  
papers

67,180  
citations

701

121  
h-index

2332

199  
g-index

1135  
all docs

1135  
docs citations

1135  
times ranked

18426  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mass Spectrometry Sampling Under Ambient Conditions with Desorption Electrospray Ionization. <i>Science</i> , 2004, 306, 471-473.	12.6	2,886
2	Ambient Mass Spectrometry. <i>Science</i> , 2006, 311, 1566-1570.	12.6	1,291
3	The Orbitrap: a new mass spectrometer. <i>Journal of Mass Spectrometry</i> , 2005, 40, 430-443.	1.6	1,091
4	Ambient mass spectrometry using desorption electrospray ionization (DESI): instrumentation, mechanisms and applications in forensics, chemistry, and biology. <i>Journal of Mass Spectrometry</i> , 2005, 40, 1261-1275.	1.6	773
5	Low-Temperature Plasma Probe for Ambient Desorption Ionization. <i>Analytical Chemistry</i> , 2008, 80, 9097-9104.	6.5	638
6	Paper Spray for Direct Analysis of Complex Mixtures Using Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 877-880.	13.8	620
7	Development, Characterization, and Application of Paper Spray Ionization. <i>Analytical Chemistry</i> , 2010, 82, 2463-2471.	6.5	599
8	Tissue Imaging at Atmospheric Pressure Using Desorption Electrospray Ionization (DESI) Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7188-7192.	13.8	530
9	Thermochemical determinations by the kinetic method. <i>Mass Spectrometry Reviews</i> , 1994, 13, 287-339.	5.4	496
10	Ambient desorption ionization mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 284-290.	11.4	492
11	Instrumentation, applications, and energy deposition in quadrupole ion-trap tandem mass spectrometry. <i>Analytical Chemistry</i> , 1987, 59, 1677-1685.	6.5	476
12	Extractive electrospray ionization for direct analysis of undiluted urine, milk and other complex mixtures without sample preparation. <i>Chemical Communications</i> , 2006, , 2042.	4.1	434
13	Mass spectrometry imaging under ambient conditions. <i>Mass Spectrometry Reviews</i> , 2013, 32, 218-243.	5.4	406
14	Proton affinities from dissociations of proton-bound dimers. <i>Journal of the American Chemical Society</i> , 1981, 103, 1313-1317.	13.7	404
15	Desorption electrospray ionization mass spectrometry: Imaging drugs and metabolites in tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18120-18125.	7.1	400
16	Orbitrap mass spectrometry: Instrumentation, ion motion and applications. <i>Mass Spectrometry Reviews</i> , 2008, 27, 661-699.	5.4	390
17	Direct, trace level detection of explosives on ambient surfaces by desorption electrospray ionization mass spectrometry. <i>Chemical Communications</i> , 2005, , 1950-1952.	4.1	382
18	Majority Rules in the Copolymerization of Mirror Image Isomers. <i>Journal of the American Chemical Society</i> , 1995, 117, 4181-4182.	13.7	357

#	ARTICLE	IF	CITATIONS
19	Latent Fingerprint Chemical Imaging by Mass Spectrometry. <i>Science</i> , 2008, 321, 805-805.	12.6	353
20	Desorption electrospray ionization and other ambient ionization methods: current progress and preview. <i>Analyst</i> , 2010, 135, 669.	3.5	344
21	Desorption Electrospray Ionization of Explosives on Surfaces: A Sensitivity and Selectivity Enhancement by Reactive Desorption Electrospray Ionization. <i>Analytical Chemistry</i> , 2005, 77, 6755-6764.	6.5	332
22	Intrinsic basicity determination using metastable ions. <i>Journal of the American Chemical Society</i> , 1977, 99, 1279-1281.	13.7	330
23	Organic Reactions in Microdroplets: Reaction Acceleration Revealed by Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 12960-12972.	13.8	329
24	Kinetic Method of Making Thermochemical Determinations: A Review of Advances and Applications. <i>Accounts of Chemical Research</i> , 1998, 31, 379-386.	15.6	328
25	Desorption Electrospray Ionization Mass Spectrometry for High-Throughput Analysis of Pharmaceutical Samples in the Ambient Environment. <i>Analytical Chemistry</i> , 2005, 77, 6915-6927.	6.5	326
26	Miniature and Fieldable Mass Spectrometers: Recent Advances. <i>Analytical Chemistry</i> , 2016, 88, 2-29.	6.5	319
27	Droplet Dynamics and Ionization Mechanisms in Desorption Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2006, 78, 8549-8555.	6.5	312
28	Collisions of polyatomic ions with surfaces. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 100, 209-265.	1.8	290
29	Accelerated bimolecular reactions in microdroplets studied by desorption electrospray ionization mass spectrometry. <i>Chemical Science</i> , 2011, 2, 501-510.	7.4	278
30	Miniature Mass Spectrometers. <i>Annual Review of Analytical Chemistry</i> , 2009, 2, 187-214.	5.4	276
31	Classifying Human Brain Tumors by Lipid Imaging with Mass Spectrometry. <i>Cancer Research</i> , 2012, 72, 645-654.	0.9	273
32	Preparing Protein Microarrays by Soft-Landing of Mass-Selected Ions. <i>Science</i> , 2003, 301, 1351-1354.	12.6	261
33	Accelerated Reaction Kinetics in Microdroplets: Overview and Recent Developments. <i>Annual Review of Physical Chemistry</i> , 2020, 71, 31-51.	10.8	261
34	Mini 12, Miniature Mass Spectrometer for Clinical and Other Applications—Introduction and Characterization. <i>Analytical Chemistry</i> , 2014, 86, 2909-2916.	6.5	258
35	Ambient mass spectrometry for the intraoperative molecular diagnosis of human brain tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1611-1616.	7.1	251
36	Electrosonic Spray Ionization. A Gentle Technique for Generating Folded Proteins and Protein Complexes in the Gas Phase and for Studying Ion-Molecule Reactions at Atmospheric Pressure. <i>Analytical Chemistry</i> , 2004, 76, 4050-4058.	6.5	250

#	ARTICLE	IF	CITATIONS
37	Development of capabilities for imaging mass spectrometry under ambient conditions with desorption electrospray ionization (DESI). <i>International Journal of Mass Spectrometry</i> , 2007, 259, 8-15.	1.5	243
38	Chiroselective Self-Directed Octamerization of Serine: Implications for Homochirogenesis. <i>Analytical Chemistry</i> , 2001, 73, 3646-3655.	6.5	236
39	Rectilinear Ion Trap: Concepts, Calculations, and Analytical Performance of a New Mass Analyzer. <i>Analytical Chemistry</i> , 2004, 76, 4595-4605.	6.5	234
40	Miniature mass analyzers. <i>Journal of Mass Spectrometry</i> , 2000, 35, 659-671.	1.6	233
41	Handheld Rectilinear Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2006, 78, 5994-6002.	6.5	232
42	Intraoperative mass spectrometry mapping of an onco-metabolite to guide brain tumor surgery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11121-11126.	7.1	230
43	Operation of a quadrupole ion trap mass spectrometer to achieve high mass/charge ratios. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 106, 79-115.	1.8	228
44	Mass Spectrometric Profiling of Intact Biological Tissue by Using Desorption Electrospray Ionization. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7094-7097.	13.8	224
45	Surface-induced dissociation of molecular ions. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 67, 285-294.	1.8	222
46	Breaking the Pumping Speed Barrier in Mass Spectrometry: Discontinuous Atmospheric Pressure Interface. <i>Analytical Chemistry</i> , 2008, 80, 4026-4032.	6.5	222
47	Leaf Spray: Direct Chemical Analysis of Plant Material and Living Plants by Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 7608-7613.	6.5	219
48	Rapid, Direct Analysis of Cholesterol by Charge Labeling in Reactive Desorption Electrospray Ionization. <i>Analytical Chemistry</i> , 2009, 81, 7618-7624.	6.5	218
49	Membrane introduction Mass Spectrometry: Trends and applications. <i>Mass Spectrometry Reviews</i> , 2000, 19, 1-37.	5.4	216
50	Direct Analysis of Biological Tissue by Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 1197-1201.	6.5	216
51	Copper(II)-Assisted Enantiomeric Analysis of $\alpha$ -Amino Acids Using the Kinetic Method: Chiral Recognition and Quantification in the Gas Phase. <i>Journal of the American Chemical Society</i> , 2000, 122, 10598-10609.	13.7	212
52	Internal energy distributions of isolated ions after activation by various methods. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987, 75, 181-208.	1.8	210
53	Desorption electrospray ionization mass spectrometry for lipid characterization and biological tissue imaging. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 946-960.	2.4	210
54	Mechanisms in molecular SIMS. <i>Chemical Reviews</i> , 1987, 87, 647-669.	47.7	204

#	ARTICLE	IF	CITATIONS
55	Collisions of ions with surfaces at chemically relevant energies: Instrumentation and phenomena. Review of Scientific Instruments, 2001, 72, 3149-3179.	1.3	203
56	Soft-Landing of Polyatomic Ions at Fluorinated Self-Assembled Monolayer Surfaces. Science, 1997, 275, 1447-1450.	12.6	202
57	Quantitative Analysis of Therapeutic Drugs in Dried Blood Spot Samples by Paper Spray Mass Spectrometry: An Avenue to Therapeutic Drug Monitoring. Journal of the American Society for Mass Spectrometry, 2011, 22, 1501-1507.	2.8	197
58	Molecular secondary ion mass spectrometry. Analytical Chemistry, 1980, 52, 557-572.	6.5	193
59	Rapid in situ detection of alkaloids in plant tissue under ambient conditions using desorption electrospray ionization. Analyst, The, 2005, 130, 1624.	3.5	193
60	Systematic delineation of scan modes in multidimensional mass spectrometry. Analytical Chemistry, 1990, 62, 1809-1818.	6.5	188
61	Accelerated Carbon-Carbon Bond-Forming Reactions in Preparative Electrospray. Angewandte Chemie - International Edition, 2012, 51, 11832-11835.	13.8	186
62	Reactions of ions with organic surfaces. Accounts of Chemical Research, 1994, 27, 316-323.	15.6	185
63	Rapid Screening of Anabolic Steroids in Urine by Reactive Desorption Electrospray Ionization. Analytical Chemistry, 2007, 79, 8327-8332.	6.5	185
64	Simulated splashes: Elucidating the mechanism of desorption electrospray ionization mass spectrometry. Chemical Physics Letters, 2008, 464, 1-8.	2.6	183
65	Lipid and metabolite profiles of human brain tumors by desorption electrospray ionization-MS. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1486-1491.	7.1	183
66	Forensic analysis of inks by imaging desorption electrospray ionization (DESI) mass spectrometry. Analyst, The, 2007, 132, 461.	3.5	180
67	Silica Coated Paper Substrate for Paper-Spray Analysis of Therapeutic Drugs in Dried Blood Spots. Analytical Chemistry, 2012, 84, 931-938.	6.5	180
68	Accelerated Hantzsch electrospray synthesis with temporal control of reaction intermediates. Chemical Science, 2015, 6, 397-401.	7.4	180
69	Design and Characterization of a Multisource Hand-Held Tandem Mass Spectrometer. Analytical Chemistry, 2008, 80, 7198-7205.	6.5	177
70	Paper spray ionization devices for direct, biomedical analysis using mass spectrometry. International Journal of Mass Spectrometry, 2012, 312, 201-207.	1.5	171
71	Serine Octamers: Cluster Formation, Reactions, and Implications for Biomolecule Homochirality. Angewandte Chemie - International Edition, 2006, 45, 554-569.	13.8	170
72	Three-Dimensional Visualization of Mouse Brain by Lipid Analysis Using Ambient Ionization Mass Spectrometry. Angewandte Chemie - International Edition, 2010, 49, 873-876.	13.8	170

#	ARTICLE	IF	CITATIONS
73	Cholesterol Sulfate Imaging in Human Prostate Cancer Tissue by Desorption Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2010, 82, 3430-3434.	6.5	170
74	Ambient Ionization Mass Spectrometry for Point-of-Care Diagnostics and Other Clinical Measurements. <i>Clinical Chemistry</i> , 2016, 62, 99-110.	3.2	169
75	Oxygen and methylene adducts of C60 and C70. <i>Journal of the American Chemical Society</i> , 1991, 113, 5907-5908.	13.7	167
76	In Situ Trace Detection of Peroxide Explosives by Desorption Electrospray Ionization and Desorption Atmospheric Pressure Chemical Ionization. <i>Analytical Chemistry</i> , 2008, 80, 1512-1519.	6.5	167
77	Reaction of fullerenes and benzyne. <i>Journal of Organic Chemistry</i> , 1992, 57, 5069-5071.	3.2	164
78	Forensic applications of ambient ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 1995-2008.	3.7	164
79	Assessment of paper spray ionization for quantitation of pharmaceuticals in blood spots. <i>International Journal of Mass Spectrometry</i> , 2011, 300, 123-129.	1.5	164
80	Paper Spray and Extraction Spray Mass Spectrometry for the Direct and Simultaneous Quantification of Eight Drugs of Abuse in Whole Blood. <i>Analytical Chemistry</i> , 2014, 86, 7712-7718.	6.5	161
81	Mass Spectrometric Quantitation of Chiral Drugs by the Kinetic Method. <i>Analytical Chemistry</i> , 2001, 73, 1692-1698.	6.5	160
82	Desorption electrospray ionization (DESI) mass spectrometry and tandem mass spectrometry (MS/MS) of phospholipids and sphingolipids: ionization, adduct formation, and fragmentation. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 531-543.	2.8	160
83	Ambient molecular imaging by desorption electrospray ionization mass spectrometry. <i>Nature Protocols</i> , 2008, 3, 517-524.	12.0	155
84	Detection of Explosives and Related Compounds by Low-Temperature Plasma Ambient Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 1084-1092.	6.5	152
85	Ion isolation and sequential stages of mass spectrometry in a quadrupole ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 96, 117-137.	1.8	151
86	Desorption electrospray ionization mass spectrometry for the analysis of pharmaceuticals and metabolites. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 387-392.	1.5	147
87	Multiple reaction monitoring in mass spectrometry/mass spectrometry for direct analysis of complex mixtures. <i>Analytical Chemistry</i> , 1978, 50, 2017-2021.	6.5	145
88	Principal component analysis of urine metabolites detected by NMR and DESI-MS in patients with inborn errors of metabolism. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 539-549.	3.7	145
89	Autonomous in Situ Analysis and Real-Time Chemical Detection Using a Backpack Miniature Mass Spectrometer: Concept, Instrumentation Development, and Performance. <i>Analytical Chemistry</i> , 2014, 86, 2900-2908.	6.5	145
90	Intraoperative assessment of tumor margins during glioma resection by desorption electrospray ionization-mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6700-6705.	7.1	145

#	ARTICLE	IF	CITATIONS
91	Rapid trace detection of triacetone triperoxide (TATP) by complexation reactions during desorption electrospray ionization. <i>Chemical Communications</i> , 2006, , 953.	4.1	142
92	Desorption Electrospray Ionization then MALDI Mass Spectrometry Imaging of Lipid and Protein Distributions in Single Tissue Sections. <i>Analytical Chemistry</i> , 2011, 83, 8366-8371.	6.5	142
93	Desorption Electrospray Ionization Mass Spectrometry for Trace Analysis of Agrochemicals in Food. <i>Analytical Chemistry</i> , 2009, 81, 820-829.	6.5	141
94	High-throughput trace melamine analysis in complex mixtures. <i>Chemical Communications</i> , 2009, , 556-558.	4.1	141
95	Spray mechanism in paper spray ionization. <i>International Journal of Mass Spectrometry</i> , 2012, 325-327, 167-171.	1.5	141
96	A Quadrupole Ion Trap with Cylindrical Geometry Operated in the Mass-Selective Instability Mode. <i>Analytical Chemistry</i> , 1998, 70, 438-444.	6.5	140
97	Matrix effects, internal energies and MS/MS spectra of molecular ions sputtered from surfaces. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 53, 111-124.	1.3	137
98	Membrane Introduction Mass Spectrometry. <i>Analytical Chemistry</i> , 1991, 63, 875A-883A.	6.5	137
99	Kinetic Resolution of $\alpha$ -Amino Acids Based on Gas-Phase Dissociation of Copper(II) Complexes. <i>Analytical Chemistry</i> , 1999, 71, 4427-4429.	6.5	137
100	Amino Acid Clusters Formed by Sonic Spray Ionization. <i>Analytical Chemistry</i> , 2003, 75, 1514-1523.	6.5	137
101	Multivariate statistical differentiation of renal cell carcinomas based on lipidomic analysis by ambient ionization imaging mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2969-2978.	3.7	137
102	Mass Spectrometry of Large, Fragile, and Involatile Molecules. <i>Science</i> , 1982, 218, 247-254.	12.6	135
103	Combining desorption electrospray ionization mass spectrometry and nuclear magnetic resonance for differential metabolomics without sample preparation. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 1577-1584.	1.5	133
104	Mass spectrometric imaging of lipids using desorption electrospray ionization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2883-2889.	2.3	133
105	Structure and fragmentation mechanisms of organic ions in the mass spectrometer. <i>Organic Mass Spectrometry</i> , 1969, 2, 137-156.	1.3	132
106	Desorption ionization mass spectrometry: sample preparation for secondary ion mass spectrometry, laser desorption, and field desorption. <i>Journal of the American Chemical Society</i> , 1982, 104, 1507-1511.	13.7	132
107	Soft landing of ions as a means of surface modification. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1977, 23, 29-35.	1.3	131
108	Simulation of atmospheric transport and droplet-thin film collisions in desorption electrospray ionization. <i>Chemical Communications</i> , 2007, , 3915.	4.1	131

#	ARTICLE	IF	CITATIONS
109	Rapid analysis of whole blood by paper spray mass spectrometry for point-of-care therapeutic drug monitoring. <i>Analyst</i> , The, 2012, 137, 2344.	3.5	131
110	Ion Trap Mass Spectrometry. <i>Chemical &amp; Engineering News</i> , 1991, 69, 26-41.	0.1	129
111	cis-Diol functional group recognition by reactive desorption electrospray ionization (DESI). <i>Chemical Communications</i> , 2006, , 597.	4.1	128
112	Secondary ion mass spectrometry. Cationization of organic molecules with metals. <i>Journal of the American Chemical Society</i> , 1978, 100, 5615-5621.	13.7	127
113	Injection of ions into a quadrupole ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 88, 97-111.	1.8	127
114	Quadrupole ion trap mass spectrometry. <i>Accounts of Chemical Research</i> , 1990, 23, 213-219.	15.6	127
115	Ion/surface collisions at functionalized self-assembled monolayer surfaces. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1992, 122, 181-217.	1.8	127
116	Miniature Cylindrical Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2002, 74, 6145-6153.	6.5	126
117	Direct Plant Tissue Analysis and Imprint Imaging by Desorption Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 5754-5761.	6.5	126
118	Improved spatial resolution in the imaging of biological tissue using desorption electrospray ionization. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 389-398.	3.7	126
119	Gas-phase basicities and proton affinities of lysine and histidine measured from the dissociation of proton-bound dimers. <i>Rapid Communications in Mass Spectrometry</i> , 1994, 8, 777-780.	1.5	125
120	Ion/surface reactions and ion soft-landing. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 1490.	2.8	125
121	Handheld Miniature Ion Trap Mass Spectrometers. <i>Analytical Chemistry</i> , 2009, 81, 2421-2425.	6.5	125
122	Nondestructive, Histologically Compatible Tissue Imaging by Desorption Electrospray Ionization Mass Spectrometry. <i>ChemBioChem</i> , 2011, 12, 2129-2132.	2.6	125
123	Mixture analysis by mass-analyzed ion kinetic energy spectrometry. <i>Analytical Chemistry</i> , 1976, 48, 2113-2119.	6.5	124
124	High throughput reaction screening using desorption electrospray ionization mass spectrometry. <i>Chemical Science</i> , 2018, 9, 1647-1653.	7.4	124
125	Matrix-assisted secondary ion mass spectra of biological compounds. <i>Analytical Chemistry</i> , 1981, 53, 109-113.	6.5	123
126	Towards the hand-held mass spectrometer: design considerations, simulation, and fabrication of micrometer-scaled cylindrical ion traps. <i>International Journal of Mass Spectrometry</i> , 2004, 236, 91-104.	1.5	123



#	ARTICLE	IF	CITATIONS
127	Quantitative analysis of small molecules by desorption electrospray ionization mass spectrometry from polytetrafluoroethylene surfaces. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 503-510.	1.5	123
128	Cationization of organic molecules in secondary ion mass spectrometry. <i>Journal of the American Chemical Society</i> , 1977, 99, 7725-7726.	13.7	122
129	Peer Reviewed: Chiral analysis by MS. <i>Analytical Chemistry</i> , 2003, 75, 25 A-31 A.	6.5	122
130	Polyhydroxyanthraquinones as Quorum Sensing Inhibitors from the Guttates of <i>Penicillium restrictum</i> and Their Analysis by Desorption Electrospray Ionization Mass Spectrometry. <i>Journal of Natural Products</i> , 2014, 77, 1351-1358.	3.0	122
131	Extending the mass range of the quadrupole ion trap using axial modulation. <i>Rapid Communications in Mass Spectrometry</i> , 1989, 3, 225-229.	1.5	121
132	Kinetic energy effects in mass spectrometry/mass spectrometry using a sector/quadrupole tandem instrument. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1981, 39, 219-230.	1.3	120
133	Lipid Profiles of Canine Invasive Transitional Cell Carcinoma of the Urinary Bladder and Adjacent Normal Tissue by Desorption Electrospray Ionization Imaging Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 8758-8764.	6.5	119
134	Elucidation of Reaction Mechanisms Responsible for Afterglow and Reagent-Ion Formation in the Low-Temperature Plasma Probe Ambient Ionization Source. <i>Analytical Chemistry</i> , 2011, 83, 3675-3686.	6.5	118
135	Chiral Transmission between Amino Acids: Chirally Selective Amino Acid Substitution in the Serine Octamer as a Possible Step in Homochirogenesis. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 1721-1724.	13.8	117
136	Internal energy distributions acquired through collisional activation at low and high energies. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 64, 79-83.	1.8	116
137	Coupling Desorption Electrospray Ionization with Ion Mobility/Mass Spectrometry for Analysis of Protein Structure: A Evidence for Desorption of Folded and Denatured States. <i>Journal of Physical Chemistry B</i> , 2006, 110, 5045-5051.	2.6	116
138	Discrimination of Human Astrocytoma Subtypes by Lipid Analysis Using Desorption Electrospray Ionization Imaging Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5953-5956.	13.8	116
139	Quantitative paper spray mass spectrometry analysis of drugs of abuse. <i>Analyst, The</i> , 2013, 138, 4443.	3.5	116
140	Rapid analysis of metabolites and drugs of abuse from urine samples by desorption electrospray ionization-mass spectrometry. <i>Analyst, The</i> , 2007, 132, 868.	3.5	115
141	Induced Nanoelectrospray Ionization for Matrix-Tolerant and High-Throughput Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9907-9910.	13.8	115
142	Imaging of Lipids in Atheroma by Desorption Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 8702-8707.	6.5	112
143	Analysis of drugs of abuse in biofluids by low temperature plasma (LTP) ionization mass spectrometry. <i>Analyst, The</i> , 2010, 135, 927.	3.5	112
144	Non-proximate detection of explosives and chemical warfare agent simulants by desorption electrospray ionization mass spectrometry. <i>Chemical Communications</i> , 2006, , 2968-2970.	4.1	111

#	ARTICLE	IF	CITATIONS
145	A Miniature Cylindrical Quadrupole Ion Trap: A Simulation and Experiment. <i>Analytical Chemistry</i> , 1998, 70, 4896-4901.	6.5	110
146	Detection of explosives on skin using ambient ionization mass spectrometry. <i>Chemical Communications</i> , 2007, , 2142.	4.1	110
147	New ionization methods and miniature mass spectrometers for biomedicine: DESI imaging for cancer diagnostics and paper spray ionization for therapeutic drug monitoring. <i>Faraday Discussions</i> , 2011, 149, 247-267.	3.2	110
148	Desorption electrospray ionization with a portable mass spectrometer: in situ analysis of ambient surfaces. <i>Chemical Communications</i> , 2006, , 1709.	4.1	109
149	Monitoring Diet Effects via Biofluids and Their Implications for Metabolomics Studies. <i>Analytical Chemistry</i> , 2007, 79, 89-97.	6.5	109
150	Ambient Mass Spectrometry with a Handheld Mass Spectrometer at High Pressure. <i>Analytical Chemistry</i> , 2007, 79, 7734-7739.	6.5	109
151	Membrane interface for selective introduction of volatile compounds directly into the ionization chamber of a mass spectrometer. <i>Analytical Chemistry</i> , 1987, 59, 597-601.	6.5	108
152	Direct analysis of Stevia leaves for diterpene glycosides by desorption electrospray ionization mass spectrometry. <i>Analyst, The</i> , 2009, 134, 867.	3.5	108
153	Low-Energy Ionic Collisions at Molecular Solids. <i>Chemical Reviews</i> , 2012, 112, 5356-5411.	47.7	107
154	Chemical Aspects of the Extractive Methods of Ambient Ionization Mass Spectrometry. <i>Annual Review of Physical Chemistry</i> , 2013, 64, 481-505.	10.8	107
155	Metastable loss of nitrosyl radical from aromatic nitro compounds. <i>Journal of the American Chemical Society</i> , 1973, 95, 1739-1745.	13.7	106
156	Non-Proximate Detection of Small and Large Molecules by Desorption Electrospray Ionization and Desorption Atmospheric Pressure Chemical Ionization Mass Spectrometry: A Instrumentation and Applications in Forensics, Chemistry, and Biology. <i>Analytical Chemistry</i> , 2007, 79, 7069-7077.	6.5	106
157	Paper spray: a simple and efficient means of analysis of different contaminants in foodstuffs. <i>Analyst, The</i> , 2012, 137, 2556.	3.5	106
158	Special feature: Historical. Collision-induced dissociation: Readings and commentary. <i>Journal of Mass Spectrometry</i> , 1995, 30, 1215-1221.	1.6	102
159	Serine Octamer Reactions: Indicators of Prebiotic Relevance. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 3521-3523.	13.8	100
160	In situ analysis of agrochemical residues on fruit using ambient ionization on a handheld mass spectrometer. <i>Analyst, The</i> , 2011, 136, 4392.	3.5	100
161	Accelerated Chemical Reactions and Organic Synthesis in Leidenfrost Droplets. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10478-10482.	13.8	100
162	Chemical ionization in an ion trap mass spectrometer. <i>Analytical Chemistry</i> , 1987, 59, 1278-1285.	6.5	99

#	ARTICLE	IF	CITATIONS
163	Paper spray ionization of polar analytes using non-polar solvents. <i>Chemical Communications</i> , 2011, 47, 2811.	4.1	99
164	Multivariate Statistical Identification of Human Bladder Carcinomas Using Ambient Ionization Imaging Mass Spectrometry. <i>Chemistry - A European Journal</i> , 2011, 17, 2897-2902.	3.3	99
165	Internal energy distributions in desorption electrospray ionization (DESI). <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 420-427.	2.8	98
166	Fabric analysis by ambient mass spectrometry for explosives and drugs. <i>Analyst, The</i> , 2008, 133, 1532.	3.5	98
167	Rapid ambient mass spectrometric profiling of intact, untreated bacteria using desorption electrospray ionization. <i>Chemical Communications</i> , 2007, , 61-63.	4.1	97
168	High-throughput quantitative analysis by desorption electrospray ionization mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2009, 20, 321-325.	2.8	97
169	Screening of agrochemicals in foodstuffs using low-temperature plasma (LTP) ambient ionization mass spectrometry. <i>Analyst, The</i> , 2010, 135, 971.	3.5	97
170	Mass spectrometry. XXIV. A study of the reactions induced in triphenylphosphine, triphenylphosphine oxide, and related substances upon electron impact. <i>Journal of the American Chemical Society</i> , 1968, 90, 966-972.	13.7	96
171	Direct analysis of melamine in complex matrices using a handheld mass spectrometer. <i>Analyst, The</i> , 2010, 135, 705-711.	3.5	96
172	Accelerated C-N Bond Formation in Dropcast Thin Films on Ambient Surfaces. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 1461-1468.	2.8	96
173	Handheld Low-Temperature Plasma Probe for Portable "Point-and-Shoot" Ambient Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2013, 85, 6545-6552.	6.5	95
174	Interfacial chemical reactions accompanying desorption ionization mass spectrometry. <i>Mass Spectrometry Reviews</i> , 1988, 7, 465-502.	5.4	94
175	New surfaces for desorption electrospray ionization mass spectrometry: porous silicon and ultra-thin layer chromatography plates. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 2143-2150.	1.5	94
176	Ion soft-landing into liquids: Protein identification, separation, and purification with retention of biological activity. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 1874-1884.	2.8	93
177	Salt tolerance of desorption electrospray ionization (DESI). <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 2218-2225.	2.8	93
178	Ambient analysis of saturated hydrocarbons using discharge-induced oxidation in desorption electrospray ionization. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 261-267.	2.8	93
179	Rapid direct lipid profiling of bacteria using desorption electrospray ionization mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2011, 301, 37-44.	1.5	92
180	Detection of Explosives as Negative Ions Directly from Surfaces Using a Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , 2010, 82, 5313-5316.	6.5	91

#	ARTICLE	IF	CITATIONS
181	Rapid Discrimination of Bacteria by Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2014, 86, 7500-7507.	6.5	91
182	The Role of the Interface in Thin Film and Droplet Accelerated Reactions Studied by Competitive Substituent Effects. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3433-3437.	13.8	91
183	Mass shifts and local space charge effects observed in the quadrupole ion trap at higher resolution. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 144, 47-65.	1.8	90
184	Laser-desorption mass spectrometry/mass spectrometry and the mechanism of desorption ionization. <i>Journal of the American Chemical Society</i> , 1981, 103, 1295-1297.	13.7	89
185	Epimer distinction and structural effects on gas-phase acidities of alcohols measured using the kinetic method. <i>Journal of the American Chemical Society</i> , 1992, 114, 2897-2903.	13.7	89
186	Broad-band excitation in the quadrupole ion trap mass spectrometer using shaped pulses created with the inverse Fourier transform. <i>Analytical Chemistry</i> , 1993, 65, 1827-1833.	6.5	89
187	Analytical Performance of a Miniature Cylindrical Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2002, 74, 6154-6162.	6.5	89
188	Quantitative Chiral Analysis of Sugars by Electrospray Ionization Tandem Mass Spectrometry Using Modified Amino Acids as Chiral Reference Compounds. <i>Analytical Chemistry</i> , 2002, 74, 3458-3462.	6.5	89
189	Molecular imaging of adrenal gland by desorption electrospray ionization mass spectrometry. <i>Analyst</i> , 2010, 135, 28-32.	3.5	89
190	Aspects of recent developments in ion-trap mass spectrometry. <i>Analytica Chimica Acta</i> , 1990, 228, 1-21.	5.4	88
191	Serine sublimates with spontaneous chiral amplification. <i>Chemical Communications</i> , 2007, , 1071-1073.	4.1	88
192	Synthesis and Catalytic Reactions of Nanoparticles formed by Electrospray Ionization of Coinage Metals. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 3147-3150.	13.8	88
193	Consecutive reactions in triple analyzer mass spectrometry and applications to mixture analysis. <i>Analytical Chemistry</i> , 1982, 54, 295-299.	6.5	87
194	Energy deposition in $[\text{Fe}(\text{CO})_5]^+\text{E}^{\text{TM}}$ upon collision with a metal surface. <i>Organic Mass Spectrometry</i> , 1986, 21, 193-195.	1.3	87
195	Chiral Analysis Using the Kinetic Method with Optimized Fixed Ligands: Applications to Some Antibiotics. <i>Analytical Chemistry</i> , 2003, 75, 678-684.	6.5	87
196	Online Reaction Monitoring and Mechanistic Studies by Mass Spectrometry: Negishi Cross-Coupling, Hydrogenolysis, and Reductive Amination. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 5931-5935.	13.8	87
197	Surface reactions and surface-induced dissociation of polyatomic ions at self-assembled organic monolayer surfaces. <i>Journal of the American Chemical Society</i> , 1991, 113, 8967-8969.	13.7	86
198	Atmospheric pressure ion/molecule reactions for the selective detection of nitroaromatic explosives using acetonitrile and air as reagents. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3130-3138.	1.5	86

#	ARTICLE	IF	CITATIONS
199	Bond formation upon electron impact. <i>Organic Mass Spectrometry</i> , 1969, 2, 481-519.	1.3	85
200	Desorption Electrospray Ionization in a Small Pressure-Tight Enclosure. <i>Analytical Chemistry</i> , 2007, 79, 6398-6403.	6.5	85
201	Mass spectrometry imaging as a tool for surgical decision-making. <i>Journal of Mass Spectrometry</i> , 2013, 48, 1178-1187.	1.6	85
202	Molecular Ionization from Carbon Nanotube Paper. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 5936-5940.	13.8	85
203	Direct Determination of Organic Compounds in Water at Parts-per-Quadrillion Levels by Membrane Introduction Mass Spectrometry. <i>Analytical Chemistry</i> , 1995, 67, 1409-1412.	6.5	84
204	Thermal Production and Reactions of Organic Ions at Atmospheric Pressure. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 3656-3660.	13.8	84
205	Direct detection of benzene, toluene, and ethylbenzene at trace levels in ambient air by atmospheric pressure chemical ionization using a handheld mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 132-135.	2.8	84
206	Instantaneous chemical profiles of banknotes by ambient mass spectrometry. <i>Analyst, The</i> , 2010, 135, 2533.	3.5	84
207	Chemical Reactivity Assessment Using Reactive Paper Spray Ionization Mass Spectrometry: The Katritzky Reaction. <i>ChemPlusChem</i> , 2013, 78, 1142-1148.	2.8	84
208	Energy partitioning data as an ion structure probe. Substituted anisoles. <i>Journal of the American Chemical Society</i> , 1973, 95, 1732-1739.	13.7	83
209	New scan modes accessed with a hybrid mass spectrometer. <i>Analytical Chemistry</i> , 1985, 57, 2918-2924.	6.5	83
210	Polar Acetalization and Transacetalization in the Gas Phase: The Eberlin Reaction. <i>Chemical Reviews</i> , 2006, 106, 188-211.	47.7	83
211	Biological Tissue Diagnostics Using Needle Biopsy and Spray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 9221-9225.	6.5	83
212	Long-lived states of rare gas ions. Ion kinetic energy study. <i>Journal of the American Chemical Society</i> , 1972, 94, 6611-6621.	13.7	82
213	Matrix effects in secondary ion mass spectrometry. <i>Analytical Chemistry</i> , 1983, 55, 1157-1160.	6.5	82
214	Site of gas-phase cation attachment. Protonation, methylation, and ethylation of aniline, phenol, and thiophenol. <i>Journal of Organic Chemistry</i> , 1983, 48, 5236-5242.	3.2	82
215	In vivo mass spectrometric determination of organic compounds in blood with a membrane probe. <i>Analytical Chemistry</i> , 1987, 59, 454-458.	6.5	82
216	Parallel Reactions for Enantiomeric Quantification of Peptides by Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 757-760.	13.8	82

#	ARTICLE	IF	CITATIONS
217	Ion structure determination through collisions of ions of high kinetic energy. <i>Organic Mass Spectrometry</i> , 1975, 10, 503-506.	1.3	81
218	Chiral resolution of d- and l-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes. <i>International Journal of Mass Spectrometry</i> , 2001, 204, 159-169.	1.5	81
219	Clustering of nucleosides in the presence of alkali metals: Biologically relevant quartets of guanosine, deoxyguanosine and uridine observed by ESI-MS/MS. <i>Journal of Mass Spectrometry</i> , 2003, 38, 87-97.	1.6	81
220	Geometry optimization for the cylindrical ion trap: field calculations, simulations and experiments. <i>International Journal of Mass Spectrometry</i> , 2005, 241, 119-132.	1.5	81
221	Proton Affinities of N-Heterocyclic Carbene Super Bases. <i>Organic Letters</i> , 2005, 7, 3949-3952.	4.6	81
222	Mapping Lipid Alterations in Traumatically Injured Rat Spinal Cord by Desorption Electrospray Ionization Imaging Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 207-215.	6.5	81
223	Desorption Electrospray Ionization Mass Spectrometry Analysis of Lipids after Two-Dimensional High-Performance Thin-Layer Chromatography Partial Separation. <i>Analytical Chemistry</i> , 2010, 82, 1744-1750.	6.5	80
224	The doubly-charged ion mass spectra of hydrocarbons. <i>Organic Mass Spectrometry</i> , 1972, 6, 749-763.	1.3	79
225	A tandem quadrupole mass spectrometer for the study of surface-induced dissociation. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987, 77, 31-47.	1.8	79
226	Resonance Ejection Ion Trap Mass Spectrometry and Nonlinear Field Contributions: The Effect of Scan Direction on Mass Resolution. <i>Analytical Chemistry</i> , 1994, 66, 725-729.	6.5	79
227	Direct Quantitative Analysis of Nicotine Alkaloids from Biofluid Samples using Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2013, 85, 11540-11544.	6.5	78
228	Direct insertion membrane probe for selective introduction of organic compounds into a mass spectrometer. <i>Analytica Chimica Acta</i> , 1990, 231, 175-190.	5.4	77
229	Ambient Ion Soft Landing. <i>Analytical Chemistry</i> , 2011, 83, 2648-2654.	6.5	77
230	Direct and quantitative analysis of underivatized acylcarnitines in serum and whole blood using paper spray mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 1389-1397.	3.7	77
231	Touch spray mass spectrometry for in situ analysis of complex samples. <i>Analyst, The</i> , 2014, 139, 2714-2720.	3.5	77
232	A hybrid BEQQ mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 65, 125-140.	1.8	76
233	Excitation and dissociation of isolated ions derived from polycyclic aromatic hydrocarbons. <i>Journal of the American Chemical Society</i> , 1988, 110, 657-665.	13.7	76
234	On-line monitoring of bioreactions of <i>Bacillus polymyxa</i> and <i>Klebsiella oxytoca</i> by membrane introduction tandem mass spectrometry with flow injection analysis sampling. <i>Analytical Chemistry</i> , 1990, 62, 1798-1804.	6.5	76

#	ARTICLE	IF	CITATIONS
235	Conformer selection of protein ions by ion mobility in a triple quadrupole mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 127-136.	2.8	76
236	Identification of quaternary alkaloids in mushroom by chromatography/secondary ion mass spectrometry. <i>Analytical Chemistry</i> , 1981, 53, 976-981.	6.5	75
237	A new "hybrid" sector/quadrupole mass spectrometer for mass spectrometry/mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1982, 41, 157-177.	1.3	75
238	Accelerated reactions of amines with carbon dioxide driven by superacid at the microdroplet interface. <i>Chemical Science</i> , 2021, 12, 2242-2250.	7.4	75
239	Secondary ion mass spectra of diquaternary ammonium salts. <i>Analytical Chemistry</i> , 1980, 52, 2054-2057.	6.5	74
240	Clustering of nucleobases with alkali metals studied by electrospray ionization tandem mass spectrometry: implications for mechanisms of multistrand DNA stabilization. <i>Journal of Mass Spectrometry</i> , 2002, 37, 676-686.	1.6	74
241	Birch Reduction of Benzene in a Low-Temperature Plasma. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 2017-2019.	13.8	74
242	Facile Determination of Double Bond Position in Unsaturated Fatty Acids and Esters by Low Temperature Plasma Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 4738-4744.	6.5	74
243	Energy-resolved tandem and fourier-transform mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1982, 44, 215-229.	1.3	72
244	A tandem time-of-flight mass spectrometer for surface-induced dissociation. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987, 77, 49-61.	1.8	72
245	Reactions of Microsolvated Organic Compounds at Ambient Surfaces: Droplet Velocity, Charge State, and Solvent Effects. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 1077-1084.	2.8	72
246	Accelerated microdroplet synthesis of benzimidazoles by nucleophilic addition to protonated carboxylic acids. <i>Chemical Science</i> , 2020, 11, 12686-12694.	7.4	72
247	Electron impact studies. XII. Mass spectra of substituted imidazoles. <i>Australian Journal of Chemistry</i> , 1967, 20, 1613.	0.9	71
248	Kinetic energy release in ionic fragmentations: Use as an ion structure probe. <i>Organic Mass Spectrometry</i> , 1973, 7, 185-192.	1.3	71
249	Direct olive oil analysis by low-temperature plasma (LTP) ambient ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 3057-3062.	1.5	71
250	Desorption electrospray ionization imaging mass spectrometry of lipids in rat spinal cord. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 1177-1189.	2.8	71
251	Differentiation of prostate cancer from normal tissue in radical prostatectomy specimens by desorption electrospray ionization and touch spray ionization mass spectrometry. <i>Analyst</i> , 2015, 140, 1090-1098.	3.5	71
252	Preparative Linear Ion Trap Mass Spectrometer for Separation and Collection of Purified Proteins and Peptides in Arrays Using Ion Soft Landing. <i>Analytical Chemistry</i> , 2004, 76, 6293-6305.	6.5	70

#	ARTICLE	IF	CITATIONS
253	Monitoring of Toxic Compounds in Air Using a Handheld Rectilinear Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2008, 80, 734-741.	6.5	70
254	Non-aqueous spray solvents and solubility effects in desorption electrospray ionization. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 572-579.	2.8	70
255	Desorption Electrospray Ionization Mass Spectrometry Reveals Lipid Metabolism of Individual Oocytes and Embryos. <i>PLoS ONE</i> , 2013, 8, e74981.	2.5	70
256	Surface-induced dissociation of molecular ions in a quadrupole ion trap mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 1991, 2, 487-491.	2.8	69
257	A Parallel Miniature Cylindrical Ion Trap Array. <i>Analytical Chemistry</i> , 2000, 72, 3291-3297.	6.5	69
258	Enhanced detection of olefins using ambient ionization mass spectrometry: Ag <sup>+</sup> adducts of biologically relevant alkenes. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 367-376.	3.7	69
259	Desorption due to charge exchange in low-energy collisions of organofluorine ions at solid surfaces. <i>Organic Mass Spectrometry</i> , 1988, 23, 317-326.	1.3	68
260	Hybrid BEEQ tandem mass spectrometer for the study of ion/surface collision processes. <i>Review of Scientific Instruments</i> , 1992, 63, 5613-5625.	1.3	68
261	Structures and mechanisms of reactions of isomeric C <sub>2</sub> H <sub>3</sub> O <sup>+</sup> and C <sub>2</sub> H <sub>3</sub> S <sup>+</sup> ions revealed through ion/molecule reactions in conjunction with 2D and 3D mass spectrometry. <i>Journal of the American Chemical Society</i> , 1992, 114, 2884-2896.	13.7	68
262	Gas-Phase Cl <sup>+</sup> Affinities of Pyridines Determined by the Kinetic Method Using Multiple-Stage (MS <sup>3</sup> ) Mass Spectrometry. <i>Journal of the American Chemical Society</i> , 1994, 116, 2457-2465.	13.7	68
263	In vivo recognition of <i>Bacillus subtilis</i> by desorption electrospray ionization mass spectrometry (DESI-MS). <i>Analyst</i> , 2009, 134, 838.	3.5	68
264	Direct drug analysis from oral fluid using medical swab touch spray mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 861, 47-54.	5.4	68
265	Forensic Sampling and Analysis from a Single Substrate: Surface-Enhanced Raman Spectroscopy Followed by Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 10973-10979.	6.5	68
266	Direct mixture analysis by mass-analyzed ion kinetic energy spectrometry using negative chemical ionization. <i>Journal of the American Chemical Society</i> , 1978, 100, 6045-6051.	13.7	67
267	Mass spectrometry: analytical capabilities and potentials. <i>Science</i> , 1983, 222, 273-291.	12.6	67
268	Tautomer characterization by energy resolved mass spectrometry. Dimethyl phosphite and dimethyl phosphonate ions. <i>Journal of the American Chemical Society</i> , 1985, 107, 1881-1886.	13.7	67
269	A penta-quadrupole instrument for reaction intermediate scans and other MS-MS-MS experiments. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 101, 1-20.	1.8	67
270	Windows version of the ion trap simulation program ITSIM: a powerful heuristic and predictive tool in ion trap mass spectrometry. <i>Journal of Mass Spectrometry</i> , 1998, 33, 297-304.	1.6	67



#	ARTICLE	IF	CITATIONS
271	Chemical Mass Shifts in Ion Trap Mass Spectrometry: Experiments and Simulations. <i>Analytical Chemistry</i> , 1999, 71, 3405-3415.	6.5	67
272	Doubly charged cluster ions $[(\text{NaCl})_m(\text{Na})_2]^{2+}$ : magic numbers, dissociation, and structure. <i>International Journal of Mass Spectrometry</i> , 2000, 195-196, 667-684.	1.5	67
273	Beyond the flask: Reactions on the fly in ambient mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 57, 135-146.	11.4	67
274	Analysis on the Go: Quantitation of Drugs of Abuse in Dried Urine with Digital Microfluidics and Miniature Mass Spectrometry. <i>Analytical Chemistry</i> , 2014, 86, 6121-6129.	6.5	67
275	Thermochemistry and energy partitioning in the charge separation reactions of doubly charged triatomic ions. <i>Journal of Chemical Physics</i> , 1974, 61, 1208-1213.	3.0	66
276	Direct determination of chlorination products of organic amines using membrane introduction mass spectrometry. <i>Analytical Chemistry</i> , 1991, 63, 1794-1801.	6.5	66
277	Proton affinity determinations using the kinetic method in an ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 106, 249-272.	1.8	66
278	Polar $[4 + 2+]$ Diels-Alder cycloadditions of acylium ions in the gas phase. <i>Journal of the American Chemical Society</i> , 1993, 115, 9226-9233.	13.7	66
279	Detection of strep throat causing bacterium directly from medical swabs by touch spray-mass spectrometry. <i>Analyst, The</i> , 2014, 139, 4785-4789.	3.5	66
280	Membrane introduction mass spectrometry. <i>Analytica Chimica Acta</i> , 1997, 350, 257-271.	5.4	65
281	Soft landing of polyatomic ions for selective modification of fluorinated self-assembled monolayer surfaces. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1998, 174, 193-217.	1.8	65
282	Thermal Formation of Homochiral Serine Clusters and Implications for the Origin of Homochirality. <i>Journal of the American Chemical Society</i> , 2006, 128, 17074-17086.	13.7	65
283	Collision-induced dissociation mass spectrometry: target gas effects upon scattering and charge exchange. <i>Journal of the American Chemical Society</i> , 1981, 103, 12-17.	13.7	64
284	Mass range extension in a quadrupole ion-trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1989, 3, 50-53.	1.5	64
285	Collisionally activated dissociation of peptides using a quadrupole ion-trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1990, 4, 30-33.	1.5	64
286	Selective Injection and Isolation of Ions in Quadrupole Ion Trap Mass Spectrometry Using Notched Waveforms Created Using the Inverse Fourier Transform. <i>Analytical Chemistry</i> , 1994, 66, 2488-2496.	6.5	64
287	Direct monitoring of toxic compounds in air using a portable mass spectrometer. <i>Analyst, The</i> , 2006, 131, 556.	3.5	64
288	Desorption electrospray ionization and electrosonic spray ionization for solid- and solution-phase analysis of industrial polymers. <i>Chemical Communications</i> , 2006, , 888.	4.1	64

#	ARTICLE	IF	CITATIONS
289	Organic Reactions of Ionic Intermediates Promoted by Atmospheric-Pressure Thermal Activation. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 3422-3425.	13.8	64
290	Proton Affinities of Free Radicals Measured by the Kinetic Method. <i>Journal of the American Chemical Society</i> , 1994, 116, 4888-4892.	13.7	63
291	Estimation of the electron affinities of C <sub>60</sub> , corannulene, and coronene by using the kinetic method. <i>Journal of the American Society for Mass Spectrometry</i> , 1996, 7, 619-627.	2.8	63
292	High-Throughput Miniature Cylindrical Ion Trap Array Mass Spectrometer. <i>Analytical Chemistry</i> , 2003, 75, 5656-5664.	6.5	63
293	Chiral enrichment of serine via formation, dissociation, and soft-landing of octameric cluster ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 1360-1365.	2.8	63
294	Targeted metabolomic analysis of <i>Escherichia coli</i> by desorption electrospray ionization and extractive electrospray ionization mass spectrometry. <i>Analytical Biochemistry</i> , 2008, 375, 272-281.	2.4	63
295	Surface effects and electrochemical cell capacitance in desorption electrospray ionization. <i>Analyst, The</i> , 2008, 133, 525.	3.5	63
296	Perspectives in imaging using mass spectrometry. <i>Chemical Communications</i> , 2011, 47, 2741-2746.	4.1	63
297	Zero Volt Paper Spray Ionization and Its Mechanism. <i>Analytical Chemistry</i> , 2015, 87, 6786-6793.	6.5	63
298	Rapid enantiomeric determination of $\hat{\pm}$ -hydroxy acids by electrospray ionization tandem mass spectrometry. <i>Chemical Communications</i> , 2000, , 2023-2024.	4.1	62
299	Differentiation and quantitation of isomeric dipeptides by low-energy dissociation of copper(II)-bound complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2001, 12, 490-496.	2.8	62
300	Direct analysis of 4-methylimidazole in foods using paper spray mass spectrometry. <i>Analyst, The</i> , 2013, 138, 4624.	3.5	62
301	Stripping reactions of gaseous ions in the mass spectrometer. <i>Journal of the American Chemical Society</i> , 1972, 94, 1004-1006.	13.7	61
302	High mass-resolution using a quadrupole ion-trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1991, 5, 327-329.	1.5	61
303	Quadrupole ion trap mass spectrometry: Current applications and future directions for peptide analysis. <i>Biological Mass Spectrometry</i> , 1992, 21, 226-241.	0.5	61
304	Thermochemical Determinations by the Kinetic Method with Direct Entropy Correction. <i>Journal of Physical Chemistry A</i> , 2002, 106, 9939-9946.	2.5	61
305	Imaging of human lens lipids by desorption electrospray ionization mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 2095-2104.	2.8	61
306	Mass Spectrometry in the Home and Garden. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 224-230.	2.8	61

#	ARTICLE	IF	CITATIONS
307	The Fischer indole synthesis and pinacol rearrangement in the mass spectrometer. <i>Journal of the American Chemical Society</i> , 1978, 100, 6720-6725.	13.7	60
308	Fragmentation of even electron ions. Protonated ketones and ethers. <i>Organic Mass Spectrometry</i> , 1979, 14, 273-280.	1.3	60
309	Silver ion affinities of alcohols as ordered by mass spectrometry/mass spectrometry. <i>Journal of the American Chemical Society</i> , 1982, 104, 848-850.	13.7	60
310	Internal energy requirements for remote site fragmentation. <i>Organic Mass Spectrometry</i> , 1988, 23, 627-633.	1.3	60
311	Quotient Ratio Method for Quantitative Enantiomeric Determination by Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 3783-3789.	6.5	60
312	Meisenheimer complexes bonded at carbon and at oxygen. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 998-1004.	2.8	60
313	Atmospheric Pressure Ionization in a Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , 2005, 77, 2928-2939.	6.5	60
314	High-resolution tissue imaging on an orbitrap mass spectrometer by desorption electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2010, 45, 223-226.	1.6	60
315	Design of Portable Mass Spectrometers with Handheld Probes: Aspects of the Sampling and Miniature Pumping Systems. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 240-247.	2.8	60
316	Reaction Acceleration in Electrospray Droplets: Size, Distance, and Surfactant Effects. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 2022-2030.	2.8	60
317	Differential Lipid Profiles of Normal Human Brain Matter and Gliomas by Positive and Negative Mode Desorption Electrospray Ionization " Mass Spectrometry Imaging. <i>PLoS ONE</i> , 2016, 11, e0163180.	2.5	60
318	Determination of relative gas-phase basicities by the proton-transfer equilibrium technique and the kinetic method in a quadrupole ion-trap. <i>Talanta</i> , 1989, 36, 255-260.	5.5	59
319	Kinetic method for the simultaneous chiral analysis of different amino acids in mixtures. <i>Journal of Mass Spectrometry</i> , 2003, 38, 386-393.	1.6	59
320	Preparation and in Situ Characterization of Surfaces Using Soft Landing in a Fourier Transform Ion Cyclotron Resonance Mass Spectrometer. <i>Analytical Chemistry</i> , 2005, 77, 3452-3460.	6.5	59
321	Reactive desorption electrospray ionization for selective detection of the hydrolysis products of phosphonate esters. <i>Journal of Mass Spectrometry</i> , 2007, 42, 1086-1092.	1.6	59
322	Rapid analysis of synthetic cannabinoids using a miniature mass spectrometer with ambient ionization capability. <i>Talanta</i> , 2015, 142, 190-196.	5.5	59
323	Ionization of quaternary nitrogen compounds by secondary ion mass spectrometry. <i>Journal of the American Chemical Society</i> , 1979, 101, 501-502.	13.7	58
324	Relative gas-phase acidities from triple quadrupole mass spectrometers. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1982, 42, 115-124.	1.3	58

#	ARTICLE	IF	CITATIONS
325	Photodissociation in a quadrupole ion trap mass spectrometer using a fiber optic interface. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987, 75, 345-352.	1.8	58
326	Multiparticle simulation of ion motion in the ion trap mass spectrometer: Resonant and direct current pulse excitation. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 57-70.	2.8	58
327	Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps. <i>International Journal of Mass Spectrometry</i> , 2003, 228, 237-267.	1.5	58
328	Peptide Fragmentation Assisted by Surfaces Treated with a Low-Temperature Plasma in NanoESI. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8646-8649.	13.8	58
329	Reaction Acceleration in Thin Films with Continuous Product Deposition for Organic Synthesis. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 9386-9390.	13.8	58
330	Electron impact studies. XXII. <i>Tetrahedron</i> , 1968, 24, 1875-1888.	1.9	57
331	Surface modified mass spectrometry. <i>Journal of the American Chemical Society</i> , 1975, 97, 1583-1585.	13.7	57
332	A versatile method of simulation of the operation of ion trap mass spectrometers. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1992, 121, 49-63.	1.8	57
333	Spectroscopic plasma diagnostics on a low-temperature plasma probe for ambient mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1434.	3.0	57
334	Analysis of Polycyclic Aromatic Hydrocarbons Using Desorption Atmospheric Pressure Chemical Ionization Coupled to a Portable Mass Spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 271-280.	2.8	57
335	Direct analysis of mixtures by mass spectrometry. <i>Analytical Chemistry</i> , 1978, 50, 81A-92A.	6.5	57
336	Gas-phase thermochemical information from triple quadrupole mass spectrometers: Relative proton affinities of amines. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 52, 165-174.	1.3	56
337	Laser photodissociation probe for ion tomography studies in a quadrupole ion-trap mass spectrometer. <i>Chemical Physics Letters</i> , 1992, 191, 405-410.	2.6	56
338	Gas-phase oxirane addition to acylium ions on reaction with 1,3-dioxolanes elucidated by tandem and triple stage mass spectrometric experiments. <i>Organic Mass Spectrometry</i> , 1993, 28, 679-687.	1.3	56
339	Arginine clusters generated by electrospray ionization and identified by tandem mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 1999, 5, 353.	0.7	56
340	Fast analysis of high-energy compounds and agricultural chemicals in water with desorption electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 3729-3736.	1.5	56
341	High-Throughput Label-Free Enzymatic Assays Using Desorption Electrospray Ionization Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20459-20464.	13.8	56
342	Surface-Induced dissociation from a liquid surface. <i>Journal of the American Society for Mass Spectrometry</i> , 1993, 4, 769-773.	2.8	55

#	ARTICLE	IF	CITATIONS
343	Serine octamer metaclusters: formation, structure elucidation and implications for homochiral polymerization. <i>Chemical Communications</i> , 2001, , 1854-1855.	4.1	55
344	Lipid characterization of individual porcine oocytes by dual mode DESI-MS and data fusion. <i>Analytica Chimica Acta</i> , 2014, 848, 51-60.	5.4	55
345	Positive and negative secondary ion mass spectra and mass-analyzed ion kinetic energy spectra of some amides, amines and related compounds: Mechanisms in molecular sims. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1981, 39, 231-255.	1.3	54
346	Electrophilic aromatic chlorine cation (Cl <sup>+</sup> ) addition and CO <sub>2</sub> substitution in the gas phase. <i>Journal of the American Chemical Society</i> , 1993, 115, 1004-1014.	13.7	54
347	Chiral Morphing and Enantiomeric Quantification in Mixtures by Mass Spectrometry. <i>Analytical Chemistry</i> , 2004, 76, 663-671.	6.5	54
348	Direct analysis of steviol glycosides from Stevia leaves by ambient ionization mass spectrometry performed on whole leaves. <i>Analyst, The</i> , 2012, 137, 3091.	3.5	54
349	Developmental phases of individual mouse preimplantation embryos characterized by lipid signatures using desorption electrospray ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2915-2926.	3.7	54
350	Studies in mass spectrometry. XXXI. Comparison of reaction rates in common ions generated via fragmentation and direct ionization. <i>Journal of the American Chemical Society</i> , 1968, 90, 6759-6763.	13.7	53
351	Reactive collisions of polyatomic ions at solid surfaces. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988, 82, 131-150.	1.8	53
352	Internal energy distributions deposited in doubly and singly charged tungsten hexacarbonyl ions generated by charge stripping, electron impact, and charge exchange. <i>Journal of the American Society for Mass Spectrometry</i> , 1990, 1, 16-27.	2.8	53
353	Energy disposal and target effects in hyperthermal collisions of ferrocene molecular ions at surfaces. <i>The Journal of Physical Chemistry</i> , 1994, 98, 245-251.	2.9	53
354	Reactions of Metal Ions at Fluorinated SAM (Self-Assembled Monolayer) Surfaces: Formation of MF <sub>n</sub> <sup>+</sup> (M = Ti, Cr, Fe, Mo, and W; n = 1-5). <i>Journal of the American Chemical Society</i> , 1994, 116, 8658-8665.	13.7	53
355	Atmospheric Pressure Gas-Phase H/D Exchange of Serine Octamers. <i>Analytical Chemistry</i> , 2003, 75, 6147-6154.	6.5	53
356	Redox transformations in desorption electrospray ionization. <i>International Journal of Mass Spectrometry</i> , 2009, 280, 235-240.	1.5	53
357	Interactive hyperspectral approach for exploring and interpreting DESI-MS images of cancerous and normal tissue sections. <i>Analyst, The</i> , 2012, 137, 2374.	3.5	53
358	Energy partitioning by mass spectrometry: Chloroalkanes and chloroalkenes. <i>Journal of Chemical Physics</i> , 1974, 61, 1305-1314.	3.0	52
359	Selective isotopic exchange of polyfunctional ions in tandem mass spectrometry: Methodology, applications and mechanism. <i>Organic Mass Spectrometry</i> , 1992, 27, 77-88.	1.3	52
360	Desorption electrospray ionization using an Orbitrap mass spectrometer: exact mass measurements on drugs and peptides. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 3403-3408.	1.5	52

#	ARTICLE	IF	CITATIONS
361	Neutral Fragment Mass Spectra via Ambient Thermal Dissociation of Peptide and Protein Ions. <i>Journal of the American Chemical Society</i> , 2007, 129, 5880-5886.	13.7	52
362	Plasma Induced Oxidative Cleavage of Disulfide Bonds in Polypeptides during Nanoelectrospray Ionization. <i>Analytical Chemistry</i> , 2010, 82, 2856-2864.	6.5	52
363	Data quality in tissue analysis using desorption electrospray ionization. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 1949-1961.	3.7	52
364	Synchronized Inductive Desorption Electrospray Ionization Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2503-2506.	13.8	52
365	Angle-resolved mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1979, 31, 333-343.	1.3	51
366	Rapid Enantiomeric Quantification of an Antiviral Nucleoside Agent (d,l-FMAU). <i>Journal of Analytical Chemistry</i> , 2001, 44, 3541-3544.	6.4	51
367	Miniaturization of Mass Spectrometry Analysis Systems. <i>Journal of the Association for Laboratory Automation</i> , 2010, 15, 433-439.	2.8	51
368	Vapors from Ionic Liquids: Reconciling Simulations with Mass Spectrometric Data. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 3435-3441.	4.6	51
369	Single oocyte and single embryo lipid analysis by desorption electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2012, 47, 29-33.	1.6	51
370	Direct identification of prohibited substances in cosmetics and foodstuffs using ambient ionization on a miniature mass spectrometry system. <i>Analytica Chimica Acta</i> , 2016, 912, 65-73.	5.4	51
371	Alkaloids in Whole Plant Material: Direct Analysis by Kinetic Energy Spectrometry. <i>Science</i> , 1978, 199, 978-980.	12.6	50
372	Miniature mass spectrometer equipped with electrospray and desorption electrospray ionization for direct analysis of organics from solids and solutions. <i>International Journal of Mass Spectrometry</i> , 2011, 306, 187-195.	1.5	50
373	Analysis of pesticide residues by leaf spray mass spectrometry. <i>Analytical Methods</i> , 2012, 4, 1913.	2.7	50
374	Reaction Acceleration Promoted by Partial Solvation at the Gas/Solution Interface. <i>ChemPlusChem</i> , 2021, 86, 1362-1365.	2.8	50
375	An exceedingly simple mass spectrometer interface with application to reaction monitoring and environmental analysis. <i>Analytical Chemistry</i> , 1985, 57, 1153-1155.	6.5	49
376	Stereoisomeric Distinction By the Kinetic Method: 2,3-Butanediol. , 1997, 11, 71-74.		49
377	Characterization of a serial array of miniature cylindrical ion trap mass analyzers. , 1999, 13, 2444-2449.		49
378	Rectilinear Ion Trap Mass Spectrometer with Atmospheric Pressure Interface and Electrospray Ionization Source. <i>Analytical Chemistry</i> , 2006, 78, 718-725.	6.5	49

#	ARTICLE	IF	CITATIONS
379	Distinctive Glycerophospholipid Profiles of Human Seminoma and Adjacent Normal Tissues by Desorption Electrospray Ionization Imaging Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2011, 22, 1326-1333.	2.8	49
380	On-Demand Ambient Ionization of Picoliter Samples Using Charge Pulses. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6893-6895.	13.8	49
381	Studies in mass spectrometry. XXIX. Hydrogen scrambling in some bicyclic aromatic systems. Randomization over two rings. <i>Journal of the American Chemical Society</i> , 1968, 90, 4064-4069.	13.7	48
382	Energy-resolved collisional activation of dimethyl phosphonate and dimethyl phosphite ions in a quadrupole ion trap and a triple quadrupole mass spectrometer. <i>Organic Mass Spectrometry</i> , 1988, 23, 6-9.	1.3	48
383	Ion/surface collisions for distinction of isomeric $[C_6H_6]^{+}$ and $[C_6H_6]^{2+}$ ions. <i>Journal of the American Chemical Society</i> , 1988, 110, 1343-1346.	13.7	48
384	Tissue imprint imaging by desorption electrospray ionization mass spectrometry. <i>Analytical Methods</i> , 2011, 3, 1910.	2.7	48
385	Gas-flow assisted ion transfer for mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2012, 47, 201-207.	1.6	48
386	Emerging capabilities of mass spectrometry for natural products. <i>Natural Product Reports</i> , 2014, 31, 730-738.	10.3	48
387	Ligand and metal-ion effects in metal-ion clusters used for chiral analysis of $\pm$ -hydroxy acids by the kinetic method. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 373, 618-627.	3.7	47
388	Miniaturization and Geometry Optimization of a Polymer-Based Rectilinear Ion Trap. <i>Analytical Chemistry</i> , 2007, 79, 8076-8082.	6.5	47
389	Chemical Synthesis Accelerated by Paper Spray: The Haloform Reaction. <i>Journal of Chemical Education</i> , 2016, 93, 340-344.	2.3	47
390	The mass spectra of some alkyl and aryl oxazoles. <i>Organic Mass Spectrometry</i> , 1968, 1, 13-29.	1.3	46
391	Identification of protonated $\beta$ -hydroxycarbonyl compounds by reactive collisions in tandem mass spectrometry. <i>Journal of the American Chemical Society</i> , 1989, 111, 4122-4123.	13.7	46
392	Direct detection and identification of volatile organic compounds dissolved in organic solvents by reversed-phase membrane introduction tandem mass spectrometry. <i>Analytical Chemistry</i> , 1992, 64, 1205-1211.	6.5	46
393	Mass-spectrometric evidence for the formation of bromochloramine and N-bromo-N-chloromethylamine in aqueous solution. <i>Environmental Science &amp; Technology</i> , 1993, 27, 557-561.	10.0	46
394	Direct Characterization of Enzyme-Substrate Complexes by Using Electrosonic Spray Ionization Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 913-916.	13.8	46
395	Identification and Confirmation of Fentanyls on Paper using Portable Surface Enhanced Raman Spectroscopy and Paper Spray Ionization Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 735-741.	2.8	46
396	Studies in mass spectrometry. XXVI. Hydrogen scrambling in some $C_6H_5X^{+}$ and $C_6H_5^{+}$ ions generated upon electron impact. Comparison of the spectra of diphenyl ether and diphenyl carbonate. <i>Journal of the American Chemical Society</i> , 1968, 90, 2150-2155.	13.7	45

#	ARTICLE	IF	CITATIONS
397	Kinetic Energy Release in Unimolecular Ionic Reactions. Thermochemical Aspects. Journal of Chemical Physics, 1972, 57, 2652-2658.	3.0	45
398	-E Mass spectra. Journal of the American Chemical Society, 1973, 95, 1695-1697.	13.7	45
399	Characterization of organic dyes by secondary ion mass spectrometry. Analytical Chemistry, 1983, 55, 2260-2266.	6.5	45
400	Occurrence and fragmentation of high-mass fullerenes. Chemical Physics Letters, 1991, 183, 149-152.	2.6	45
401	Collisional activation of pyrene and anthracene in an ion-trap mass spectrometer. Journal of the American Chemical Society, 1992, 114, 2010-2016.	13.7	45
402	Jet separator/membrane introduction mass spectrometry for on-line quantitation of volatile organic compounds in aqueous solutions. Rapid Communications in Mass Spectrometry, 1993, 7, 935-942.	1.5	45
403	Relative carbonyl isocyanate cation [OCNCO] <sup>+</sup> affinities of pyridines determined by the kinetic method using multiple-stage (MS3) mass spectrometry. Journal of Mass Spectrometry, 1995, 30, 807-816.	1.6	45
404	Determination of the Gas-Phase Basicity of Betaine and Related Compounds Using the Kinetic Method. Journal of the American Chemical Society, 1996, 118, 231-232.	13.7	45
405	Ion Soft Landing Using a Rectilinear Ion Trap Mass Spectrometer. Analytical Chemistry, 2008, 80, 6640-6649.	6.5	45
406	Facility monitoring of chemical warfare agent simulants in air using an automated, field-deployable, miniature mass spectrometer. Rapid Communications in Mass Spectrometry, 2011, 25, 1437-1444.	1.5	45
407	Using Ambient Ion Beams to Write Nanostructured Patterns for Surface Enhanced Raman Spectroscopy. Angewandte Chemie - International Edition, 2014, 53, 12528-12531.	13.8	45
408	Oseltamivir-Resistant Influenza A(H1N1)pdm09 Viruses, United States, 2013-14. Emerging Infectious Diseases, 2015, 21, 136-141.	4.3	45
409	Rapid On-Demand Synthesis of Lomustine under Continuous Flow Conditions. Organic Process Research and Development, 2019, 23, 334-341.	2.7	45
410	Broad-Band Fourier Transform Quadrupole Ion Trap Mass Spectrometry. Analytical Chemistry, 1996, 68, 3314-3320.	6.5	44
411	Radial Distributions and Ejection Times of Molecular Ions in an Ion Trap Mass Spectrometer: A Laser Tomography Study of Effects of Ion Density and Molecular Type. The Journal of Physical Chemistry, 1996, 100, 40-46.	2.9	44
412	Gentle Protein Ionization Assisted by High-Velocity Gas Flow. Analytical Chemistry, 2005, 77, 6174-6183.	6.5	44
413	Data Processing for 3D Mass Spectrometry Imaging. Journal of the American Society for Mass Spectrometry, 2012, 23, 1147-1156.	2.8	44
414	Comparison of paper spray mass spectrometry analysis of dried blood spots from devices used for in-field collection of clinical samples. Analytical and Bioanalytical Chemistry, 2017, 409, 121-131.	3.7	44



#	ARTICLE	IF	CITATIONS
415	High-yield gram-scale organic synthesis using accelerated microdroplet/thin film reactions with solvent recycling. <i>Chemical Science</i> , 2020, 11, 2356-2361.	7.4	44
416	The enolic [C <sub>5</sub> H <sub>10</sub> O] <sup>+</sup> and [C <sub>3</sub> H <sub>6</sub> O] <sup>+</sup> ions formed from aliphatic ketones. <i>Organic Mass Spectrometry</i> , 1974, 9, 1-11.	1.3	43
417	Desorption ionization mass spectrometry: secondary ion and laser desorption mass spectra of transition-metal complexes of .beta.-diketones. <i>Inorganic Chemistry</i> , 1982, 21, 2597-2602.	4.0	43
418	Tandem mass spectrometry of prostaglandins: A comparison of an ion trap and a reversed geometry sector instrument. <i>Rapid Communications in Mass Spectrometry</i> , 1988, 2, 105-109.	1.5	43
419	Ion-molecule reactions and collision-activated dissociation of C <sub>4</sub> H <sub>4</sub> <sup>+</sup> isomers: A case study in the use of the MS <sup>3</sup> capabilities of a pentaquadrupole mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 1992, 3, 518-534.	2.8	43
420	Formation of Nanometer-Scale Serine Clusters by Sonic Spray. <i>Journal of Physical Chemistry B</i> , 2004, 108, 6105-6111.	2.6	43
421	Ambient ionization mass spectrometric analysis of human surgical specimens to distinguish renal cell carcinoma from healthy renal tissue. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5407-5414.	3.7	43
422	Mass Spectrometry for Synthesis and Analysis. <i>Annual Review of Analytical Chemistry</i> , 2018, 11, 1-28.	5.4	43
423	Collision-induced dissociation of the lower alcohols. A thermochemical study. <i>Organic Mass Spectrometry</i> , 1975, 10, 625-638.	1.3	42
424	Ion internal energy selection through angle-resolved mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1980, 33, 231-241.	1.3	42
425	Performance of a hybrid mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 65, 141-157.	1.8	42
426	Chemical modification of fluorinated self-assembled monolayer surfaces by low energy reactive ion bombardment. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 187-194.	2.8	42
427	Characterization of electrode surface roughness and its impact on ion trap mass analysis. <i>Journal of Mass Spectrometry</i> , 2009, 44, 353-360.	1.6	42
428	Hand-Held Portable Desorption Atmospheric Pressure Chemical Ionization Ion Source for <i>in Situ</i> Analysis of Nitroaromatic Explosives. <i>Analytical Chemistry</i> , 2015, 87, 10047-10055.	6.5	42
429	Accelerated hydrazone formation in charged microdroplets. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1875-1878.	1.5	42
430	Comprehensive lipid profiling of early stage oocytes and embryos by MRM profiling. <i>Journal of Mass Spectrometry</i> , 2018, 53, 1247-1252.	1.6	42
431	High yield accelerated reactions in nonvolatile microthin films: chemical derivatization for analysis of single-cell intracellular fluid. <i>Chemical Science</i> , 2018, 9, 7779-7786.	7.4	42
432	The measurement of appearance potentials of gaseous ions. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1975, 18, 87-99.	1.3	41

#	ARTICLE	IF	CITATIONS
433	Metastable methane ions. Temperature dependence of the translational energy release. <i>The Journal of Physical Chemistry</i> , 1975, 79, 859-862.	2.9	41
434	Selected fragment scans of mass spectrometers in direct mixture analysis. <i>Journal of the American Chemical Society</i> , 1979, 101, 6781-6783.	13.7	41
435	Ultrasonic appearances associated with prostatic inflammation: A preliminary study. <i>Clinical Radiology</i> , 1984, 35, 343-345.	1.1	41
436	Rapid screening for taxanes by tandem mass spectrometry. <i>Analytical Chemistry</i> , 1992, 64, 2313-2315.	6.5	41
437	Large scale simulation of mass spectra recorded with a quadrupole ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 123, 85-96.	1.8	41
438	A Rapid Screening Method for Artemisinin and Its Congeners Using Ms/Ms: Search for New Analogues in <i>Artemisia annua</i> . <i>Journal of Natural Products</i> , 1993, 56, 552-563.	3.0	41
439	Electron affinities of polycyclic aromatic hydrocarbons determined by the kinetic method. <i>Journal of Mass Spectrometry</i> , 1995, 30, 1167-1173.	1.6	41
440	Recognition and quantification of binary and ternary mixtures of isomeric peptides by the kinetic method: metal ion and ligand effects on the dissociation of metal-bound complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2003, 14, 152-160.	2.8	41
441	Direct analysis of camptothecin from <i>Nothapodytes nimmoniana</i> by desorption electrospray ionization mass spectrometry (DESI-MS). <i>Analyst, The</i> , 2011, 136, 3066.	3.5	41
442	Multistep Mass Spectrometry Methodology for Direct Characterization of Polar Lipids in Green Microalgae using Paper Spray Ionization. <i>Analytical Chemistry</i> , 2012, 84, 10576-10585.	6.5	41
443	Mass Spectrometry in Organic Synthesis: Claisen-Schmidt Base-Catalyzed Condensation and Hammett Correlation of Substituent Effects. <i>Journal of Chemical Education</i> , 2014, 91, 1985-1989.	2.3	41
444	Accelerated Forced Degradation of Pharmaceuticals in Levitated Microdroplet Reactors. <i>Chemistry - A European Journal</i> , 2018, 24, 7349-7353.	3.3	41
445	Collisions of fluorocarbon ions at solid surfaces: Electronic excitation, surface-induced dissociation and chemical sputtering. <i>Organic Mass Spectrometry</i> , 1993, 28, 1021-1033.	1.3	40
446	Surface Modification and Patterning Using Low-Energy Ion Beams: Si-O Bond Formation at the Vacuum/Adsorbate Interface. <i>Analytical Chemistry</i> , 2002, 74, 317-323.	6.5	40
447	Isomeric differentiation and quantification of $\hat{1}\pm$ , $\hat{1}^2$ -amino acid-containing tripeptides by the kinetic method: alkali metal-bound dimeric cluster ions. <i>International Journal of Mass Spectrometry</i> , 2004, 231, 103-111.	1.5	40
448	Glow discharge electron impact ionization source for miniature mass spectrometers. <i>Journal of Mass Spectrometry</i> , 2007, 42, 675-680.	1.6	40
449	In Situ Explosive Detection Using a Miniature Plasma Ion Source and a Portable Mass Spectrometer. <i>Analytical Letters</i> , 2012, 45, 1440-1446.	1.8	40
450	In situ analysis of corrosion inhibitors using a portable mass spectrometer with paper spray ionization. <i>Analyst, The</i> , 2013, 138, 3740.	3.5	40

#	ARTICLE	IF	CITATIONS
451	The shapes of metastable peaks. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1975, 16, 225-242.	1.3	39
452	Chlorine isotope effects in mass spectrometry by multiple reaction monitoring. <i>The Journal of Physical Chemistry</i> , 1978, 82, 2359-2362.	2.9	39
453	Fragmentation of even electron ions: Protonated amines and esters. <i>Organic Mass Spectrometry</i> , 1979, 14, 556-561.	1.3	39
454	Ion/surface collision phenomena in an improved tandem time-of-flight instrument. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 94, 1-14.	1.8	39
455	Tandem mass spectrometry using an in-line ion-surface collision device. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 103, 1-19.	1.8	39
456	Direct analysis of volatile organic compounds in human breath using a miniaturized cylindrical ion trap mass spectrometer with a membrane inlet. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 2370-2373.	1.5	39
457	Membrane introduction mass spectrometry. <i>Analytical Chemistry</i> , 1991, 63, 875A-883A.	6.5	39
458	An investigation into the mechanism of gas-phase tautomerism using mass spectrometry. <i>Tetrahedron</i> , 1971, 27, 4407-4415.	1.9	38
459	Ion structural studies by ion kinetic energy spectrometry: $[C_7H_7]^+$ , $[C_7H_8]^+ \dot{E}^{\text{TM}}$ , $[C_7H_7OCH_3]^+ \dot{E}^{\text{TM}}$ . <i>Organic Mass Spectrometry</i> , 1973, 7, 1303-1312.	1.3	38
460	Ion kinetic energy spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1976, 19, 107-137.	1.3	38
461	Detection limits for organic salts in secondary ion mass spectrometry. <i>Analytica Chimica Acta</i> , 1980, 118, 169-174.	5.4	38
462	Control of energy deposition by impact parameter in polyatomic ion collisions. <i>Journal of the American Chemical Society</i> , 1980, 102, 3997-4000.	13.7	38
463	Single-sided membrane introduction mass spectrometry for on-line determination of semi-volatile organic compounds in air. <i>Analyst, The</i> , 2001, 126, 1980-1984.	3.5	38
464	Analysis of gaseous toxic industrial compounds and chemical warfare agent simulants by atmospheric pressure ionization mass spectrometry. <i>Analyst, The</i> , 2006, 131, 579.	3.5	38
465	Peptide Cross-Linking at Ambient Surfaces by Reactions of Nanosprayed Molecular Cations. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9417-9421.	13.8	38
466	Analysis of human gliomas by swab touch spray-mass spectrometry: applications to intraoperative assessment of surgical margins and presence of oncometabolites. <i>Analyst, The</i> , 2017, 142, 4058-4066.	3.5	38
467	Novel Selectivity-Based Forensic Toxicological Validation of a Paper Spray Mass Spectrometry Method for the Quantitative Determination of Eight Amphetamines in Whole Blood. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 2665-2676.	2.8	38
468	The benzoyl ion. Thermochemistry and kinetic energy release. <i>Organic Mass Spectrometry</i> , 1976, 11, 415-422.	1.3	37

#	ARTICLE	IF	CITATIONS
469	Excitation in ion-molecule collisions. A study of protonated aromatic molecules by ion kinetic energy spectrometry. <i>Organic Mass Spectrometry</i> , 1978, 13, 106-110.	1.3	37
470	Rapid analysis of complex mixtures by mass spectrometry/mass spectrometry. <i>Analytical Chemistry</i> , 1980, 52, 165-167.	6.5	37
471	Secondary ion mass spectra of coordination compounds and organometallics. <i>Journal of the American Chemical Society</i> , 1981, 103, 2583-2588.	13.7	37
472	Pulsed axial activation in the ion trap: A new method for performing tandem mass spectroscopy (MS/MS). <i>Rapid Communications in Mass Spectrometry</i> , 1992, 6, 528-530.	1.5	37
473	Control of Chemical Mass Shifts in the Quadrupole Ion Trap through Selection of Resonance Ejection Working Point and rf Scan Direction. <i>Analytical Chemistry</i> , 2000, 72, 2677-2683.	6.5	37
474	Cylindrical Ion Trap Array with Mass Selection by Variation in Trap Dimensions. <i>Analytical Chemistry</i> , 2000, 72, 5079-5086.	6.5	37
475	Quantitative determination of the enantiomeric composition of thalidomide solutions by electrospray ionization tandem mass spectrometry. <i>Chemical Communications</i> , 2002, , 2242-2243.	4.1	37
476	Characterization of a discontinuous atmospheric pressure interface. Multiple ion introduction pulses for improved performance. <i>International Journal of Mass Spectrometry</i> , 2009, 283, 30-34.	1.5	37
477	Enhanced ion signals in desorption electrospray ionization using surfactant spray solutions. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 1423-1431.	2.8	37
478	Direct detection of fatty acid ethyl esters using low temperature plasma (LTP) ambient ionization mass spectrometry for rapid bacterial differentiation. <i>Analyst, The</i> , 2011, 136, 3091.	3.5	37
479	Real-Time Sample Analysis Using a Sampling Probe and Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , 2015, 87, 8867-8873.	6.5	37
480	Anomalous metastable peaks. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1975, 16, 348-352.	1.3	36
481	Experimental study of the potential energy surface of the protonated cyclohexene oxide/cyclohexanone system. Isomerization, dissociation, and ion-molecule reactions of the isolated ions in the gas phase. <i>Journal of the American Chemical Society</i> , 1989, 111, 1654-1665.	13.7	36
482	Effects of primary ion polyatomicity and kinetic energy on secondary ion yield and internal energy in sims. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 97, 35-45.	1.8	36
483	Theoretical analysis of probe dynamics in flow injection/membrane introduction mass spectrometry. <i>Analytical Chemistry</i> , 1991, 63, 2460-2465.	6.5	36
484	Aromatic hydrocarbon derivatives of fullerenes. <i>Rapid Communications in Mass Spectrometry</i> , 1991, 5, 472-474.	1.5	36
485	Direct Analysis of Semivolatile Organic Compounds in Air by Atmospheric Pressure Chemical Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2001, 73, 5061-5065.	6.5	36
486	Ion trajectory simulation for electrode configurations with arbitrary geometries. <i>Journal of the American Society for Mass Spectrometry</i> , 2006, 17, 1216-1228.	2.8	36

#	ARTICLE	IF	CITATIONS
487	Facility monitoring of toxic industrial compounds in air using an automated, fieldable, miniature mass spectrometer. <i>Analyst, The</i> , 2010, 135, 994.	3.5	36
488	Reactions of Organic Ions at Ambient Surfaces in a Solvent-Free Environment. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 842-849.	2.8	36
489	The characteristics of oxime ethers upon electron-impact. <i>Organic Mass Spectrometry</i> , 1971, 5, 687-696.	1.3	35
490	Analysis of coal liquids by mass-analyzed ion kinetic energy spectrometry. <i>Analytical Chemistry</i> , 1979, 51, 1849-1852.	6.5	35
491	Competitive dehydration and deamination of .alpha.,.omega.-amino alcohols and .alpha.,.omega.-amino acids in the gas phase. <i>Journal of Organic Chemistry</i> , 1985, 50, 1287-1291.	3.2	35
492	Ion/surface interactions as a tool for characterizing isomers: [C <sub>2</sub> H <sub>4</sub> O].cndot.+ ions. <i>Journal of the American Chemical Society</i> , 1987, 109, 7597-7602.	13.7	35
493	On-line monitoring of chloramine reactions by membrane introduction mass spectrometry. <i>Talanta</i> , 1991, 38, 195-200.	5.5	35
494	Low-Energy Collisions of Group IIIA, IVA, VA, VIA, and VIIA Ions with fluoroalkyl SAM Surfaces: Reactions, Chemical Sputtering, and Mechanistic Implications. <i>The Journal of Physical Chemistry</i> , 1994, 98, 9301-9311.	2.9	35
495	Mass shifts due to ion/ion interactions in a quadrupole ion-trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1994, 8, 451-454.	1.5	35
496	Proton affinity of deuterated acetonitrile estimated by the kinetic method with full entropy analysis. <i>International Journal of Mass Spectrometry</i> , 2001, 210-211, 133-146.	1.5	35
497	Enhanced desorption ionization using oxidizing electrosprays. <i>Journal of the American Society for Mass Spectrometry</i> , 2006, 17, 1091-1095.	2.8	35
498	Charge retention by peptide ions soft-landed onto self-assembled monolayer surfaces. <i>International Journal of Mass Spectrometry</i> , 2007, 265, 237-243.	1.5	35
499	Trace detection of non-uniformly distributed analytes on surfaces using mass transfer and large-area desorption electrospray ionization (DESI) mass spectrometry. <i>Analyst, The</i> , 2010, 135, 1953.	3.5	35
500	Arrays of low-temperature plasma probes for ambient ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 135-142.	1.5	35
501	Enabling Quantitative Analysis in Ambient Ionization Mass Spectrometry: Internal Standard Coated Capillary Samplers. <i>Analytical Chemistry</i> , 2013, 85, 5632-5636.	6.5	35
502	Quantitative Swab Touch Spray Mass Spectrometry for Oral Fluid Drug Testing. <i>Analytical Chemistry</i> , 2019, 91, 7450-7457.	6.5	35
503	The mass spectra of acridones. <i>Australian Journal of Chemistry</i> , 1967, 20, 1179.	0.9	34
504	Metastable transitions in the mass spectra of ketals and ketones. Competition between loss of small and large radicals. <i>Organic Mass Spectrometry</i> , 1969, 2, 985-995.	1.3	34

#	ARTICLE	IF	CITATIONS
505	Substituent effects in mass spectrometry. Mass spectra of substituted phenyl benzyl ethers. <i>Journal of the American Chemical Society</i> , 1969, 91, 2727-2732.	13.7	34
506	Identification of barbiturates by chemical ionization and mass-analyzed ion kinetic energy spectrometry. <i>Analytical Chemistry</i> , 1977, 49, 435-442.	6.5	34
507	Determination of polycyclic aromatic hydrocarbons in solvent-refined coal by negative chemical ionization-charge inversion mass spectrometry/mass spectrometry. <i>Analytical Chemistry</i> , 1981, 53, 723-726.	6.5	34
508	Utilization of natural isotopic abundance ratios in tandem mass spectrometry. <i>Analytical Chemistry</i> , 1983, 55, 762-764.	6.5	34
509	Surface-enhanced Raman scattering from sputter-deposited silver surfaces. <i>Analytical Chemistry</i> , 1986, 58, 1290-1294.	6.5	34
510	Charge stripping and the site of cationization of substituted aromatic compounds. <i>Organic Mass Spectrometry</i> , 1986, 21, 1-5.	1.3	34
511	Low-energy collisional activation of polyatomic ions with different target gases. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 90, 71-83.	1.8	34
512	Microporous membrane introduction mass spectrometry with solvent chemical ionization and glow discharge for the direct detection of volatile organic compounds in aqueous solution. <i>Analytica Chimica Acta</i> , 1992, 266, 1-12.	5.4	34
513	Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces. <i>International Journal of Mass Spectrometry</i> , 1999, 182-183, 423-435.	1.5	34
514	Chiral quantification of D-, L-, and meso-tartaric acid mixtures using a mass spectrometric kinetic method. <i>Chemical Communications</i> , 2003, , 136-137.	4.1	34
515	Chiral and Isomeric Analysis by Electrospray Ionization and Sonic Spray Ionization Using the Fixed-Ligand Kinetic Method. <i>European Journal of Mass Spectrometry</i> , 2005, 11, 231-242.	1.0	34
516	Ion trap mass analysis at high pressure: an experimental characterization. <i>Journal of Mass Spectrometry</i> , 2010, 45, 26-34.	1.6	34
517	Redox chemistry in thin layers of organometallic complexes prepared using ion soft landing. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 267-275.	2.8	34
518	Carbon- <sup>13</sup> C Carbon Bond Activation in Saturated Hydrocarbons by Field-Assisted Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1040-1043.	13.8	34
519	Experimental Characterization of Secular Frequency Scanning in Ion Trap Mass Spectrometers. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1243-1255.	2.8	34
520	Modified bases characterized in intact DNA by mass-analyzed ion kinetic energy spectrometry. <i>Science</i> , 1979, 203, 1249-1251.	12.6	33
521	Angular dependence of internal energy distributions of activated Fe(CO) <sub>5</sub> and W(CO) <sub>6</sub> ions. The contributions of vibrational and electronic excitation mechanisms in kiloelectron volt collisions. <i>Journal of the American Chemical Society</i> , 1990, 112, 119-126.	13.7	33
522	Membrane Introduction Mass Spectrometry in a Pilot Plant: On-line Monitoring of Fermentation Broths. , 1997, 11, 363-367.		33

#	ARTICLE	IF	CITATIONS
523	Proton Affinity and Gas-Phase Basicity of Urea. <i>Journal of Physical Chemistry A</i> , 1998, 102, 2988-2994.	2.5	33
524	Chemical modification of fluorinated self-assembled monolayer surfaces using low-energy ion beams for halogen and pseudohalogen transfer. , 1999, 34, 354-363.		33
525	Ion-Ion Collisions Leading to Formation of C-C Bonds at Surfaces: An Interfacial Kolbe Reaction. <i>Journal of the American Chemical Society</i> , 1999, 121, 9762-9763.	13.7	33
526	Organic Chloramine Analysis and Free Chlorine Quantification by Electrospray and Atmospheric Pressure Chemical Ionization Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2001, 73, 4522-4529.	6.5	33
527	Ambient Eberlin reactions via desorption electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2006, 41, 1242-1246.	1.6	33
528	Can Accelerated Reactions in Droplets Guide Chemistry at Scale?. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 5480-5484.	2.4	33
529	Quantum Mechanical Modeling of Reaction Rate Acceleration in Microdroplets. <i>Journal of Physical Chemistry A</i> , 2020, 124, 4984-4989.	2.5	33
530	Identification of alkaloids in crude extracts by mass-analyzed ion kinetic energy spectrometry. <i>Journal of Organic Chemistry</i> , 1977, 42, 4161-4162.	3.2	32
531	Mapping of cocaine and cinnamoylcocaine in whole coca plant tissues by MIKES. <i>Journal of the American Chemical Society</i> , 1979, 101, 3400-3402.	13.7	32
532	Formation of metal chelates in secondary ion mass spectrometry. Comparisons with solution chemistry. <i>Journal of the American Chemical Society</i> , 1979, 101, 499-501.	13.7	32
533	Angle-resolved mass spectrometry. Target effects upon energy deposition. <i>The Journal of Physical Chemistry</i> , 1981, 85, 2335-2340.	2.9	32
534	Direct characterization of nutmeg constituents by mass spectrometry-mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 1982, 30, 495-504.	5.2	32
535	Direct detection of organic compounds in water at parts-per-billion levels using a simple membrane probe and a quadrupole ion trap. <i>Biomedical &amp; Environmental Mass Spectrometry</i> , 1989, 18, 1063-1070.	1.6	32
536	Building mass spectrometers and a philosophy of research. <i>Journal of the American Society for Mass Spectrometry</i> , 1990, 1, 119-128.	2.8	32
537	On-Line Monitoring of the Photolysis of Benzyl Acetate and 3,5-Dimethoxybenzyl Acetate by Membrane Introduction Mass Spectrometry. <i>Journal of Organic Chemistry</i> , 1996, 61, 6627-6632.	3.2	32
538	SiCl <sub>3</sub> <sup>+</sup> and SiCl <sub>2</sub> <sup>+</sup> affinities for pyridines determined by using the kinetic method with multiple stage mass spectrometry: Agostic effects in the gas phase. <i>Journal of the American Society for Mass Spectrometry</i> , 1996, 7, 198-204.	2.8	32
539	Thermal formation of serine octamer ions. <i>Chemical Communications</i> , 2004, , 444-445.	4.1	32
540	Improved detection of low vapor pressure compounds in air by serial combination of single-sided membrane introduction with fiber introduction mass spectrometry (SS-MIMS-FIMS). <i>Analyst, The</i> , 2005, 130, 679-686.	3.5	32

#	ARTICLE	IF	CITATIONS
541	In situ Raman spectroscopy of surfaces modified by ion soft landing. <i>Analyst, The</i> , 2012, 137, 1363.	3.5	32
542	Organische Reaktionen in Mikrotr�pfchen: Analyse von Reaktionsbeschleunigungen durch Massenspektrometrie. <i>Angewandte Chemie</i> , 2016, 128, 13152-13166.	2.0	32
543	Rapid discrimination of bacteria using a miniature mass spectrometer. <i>Analyst, The</i> , 2016, 141, 1633-1636.	3.5	32
544	Multiple reaction monitoring (MRM)�profiling for biomarker discovery applied to human polycystic ovarian syndrome. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1462-1470.	1.5	32
545	Ion Mobility�Mass Spectrometry Using a Dual-Gated 3D Printed Ion Mobility Spectrometer. <i>Analytical Chemistry</i> , 2018, 90, 13265-13272.	6.5	32
546	High-throughput screening of organic reactions in microdroplets using desorption electrospray ionization mass spectrometry (DESI-MS): hardware and software implementation. <i>Analytical Methods</i> , 2020, 12, 3654-3669.	2.7	32
547	Isomeric structure distinction using energy and angular resolution: C <sub>3</sub> H <sub>6</sub> O+�. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1984, 62, 219-225.	1.8	31
548	Characterization of organic cations of synthetic interest by desorption ionization and tandem mass spectrometry. <i>Journal of Organic Chemistry</i> , 1984, 49, 764-769.	3.2	31
549	Analysis of natural products by tandem mass spectrometry employing reactive collisions with ethyl vinyl ether. <i>Organic Mass Spectrometry</i> , 1988, 23, 10-15.	1.3	31
550	Mass spectrometry and its use in tandem with laser spectroscopy. <i>Science</i> , 1990, 250, 61-68.	12.6	31
551	Determination of Positions, Velocities, and Kinetic Energies of Resonantly Excited Ions in the Quadrupole Ion Trap Mass Spectrometer by Laser Photodissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 1993, 4, 792-797.	2.8	31
552	Affinity membrane introduction mass spectrometry. <i>Analytical Chemistry</i> , 1995, 67, 724-728.	6.5	31
553	Multiparticle Simulation of Ion Injection into the Quadrupole Ion Trap Under the Influence of Helium Buffer Gas Using Short Injection Times and DC Pulse Potentials. , 1996, 10, 742-750.		31
554	Development of a Mass Spectrometry Sampling Probe for Chemical Analysis in Surgical and Endoscopic Procedures. <i>Analytical Chemistry</i> , 2013, 85, 11843-11850.	6.5	31
555	Biogenic aldehyde determination by reactive paper spray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 860, 37-42.	5.4	31
556	Ambient ionisation mass spectrometry for lipid profiling and structural analysis of mammalian oocytes, preimplantation embryos and stem cells. <i>Reproduction, Fertility and Development</i> , 2015, 27, 621.	0.4	31
557	Spontaneous Oxidation of Aromatic Sulfones to Sulfonic Acids in Microdroplets. <i>Journal of the American Society for Mass Spectrometry</i> , 2022, 33, 1362-1367.	2.8	31
558	Spontaneous Water Radical Cation Oxidation at Double Bonds in Microdroplets. <i>Frontiers in Chemistry</i> , 2022, 10, 903774.	3.6	31



#	ARTICLE	IF	CITATIONS
559	Charge Localization: Doubly-Charged Ion Reactions in Toluene. <i>Organic Mass Spectrometry</i> , 1972, 6, 741-747.	1.3	30
560	Polar [4+2+] diels-alder cycloaddition to nitrilium and immonium ions in the gas phase: Applications of multiple stage mass spectrometry in a pentaquadrupole instrument. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 1-10.	2.8	30
561	Clinical Mass Spectrometry—Achieving Prominence in Laboratory Medicine. <i>Clinical Chemistry</i> , 2016, 62, 1-3.	3.2	30
562	Mass spectrometric directed system for the continuous-flow synthesis and purification of diphenhydramine. <i>Chemical Science</i> , 2017, 8, 4363-4370.	7.4	30
563	From DESI to the MasSpec Pen: Ambient Ionization Mass Spectrometry for Tissue Analysis and Intra-surgical Cancer Diagnosis. <i>Clinical Chemistry</i> , 2018, 64, 628-630.	3.2	30
564	Studies in mass spectrometry—XX. <i>Tetrahedron</i> , 1967, 23, 3173-3181.	1.9	29
565	Mass spectrometry/mass spectrometry: capabilities and applications to fuel-related materials. <i>Fuel</i> , 1983, 62, 829-834.	6.4	29
566	Trace level analysis of volatile and semi-volatile organic compounds in water using a membrane/jet separator interfaced to an ion trap mass spectrometer. <i>Analytica Chimica Acta</i> , 1995, 310, 387-398.	5.4	29
567	On-line monitoring with feedback control of bioreactors using a high ethanol tolerance yeast by membrane introduction mass spectrometry. <i>Analytica Chimica Acta</i> , 1995, 316, 269-276.	5.4	29
568	Synthesis of B- and P-Heterocycles by Reaction of Cyclic Acetals and Ketals with Borinium and Phosphonium Ions. <i>Journal of Organic Chemistry</i> , 1999, 64, 3213-3223.	3.2	29
569	External interface for trap-and-release membrane introduction mass spectrometry applied to the detection of inorganic chloramines and chlorobenzenes in water. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 2290-2295.	1.5	29
570	A model for energy transfer in inelastic molecular collisions applicable at steady state or non-steady state and for an arbitrary distribution of collision energies. <i>Journal of the American Society for Mass Spectrometry</i> , 2003, 14, 1348-1359.	2.8	29
571	Solid phase micro-extraction in a miniature ion trap mass spectrometer. <i>Analyst, The</i> , 2003, 128, 1119.	3.5	29
572	Miniature Monolithic Rectilinear Ion Trap Arrays by Stereolithography on Printed Circuit Board. <i>Journal of Microelectromechanical Systems</i> , 2010, 19, 951-960.	2.5	29
573	Rapid detection of urushiol allergens of <i>Toxicodendron</i> genus using leaf spray mass spectrometry. <i>Analyst, The</i> , 2012, 137, 1082.	3.5	29
574	Resonance methods in quadrupole ion traps. <i>Chemical Physics Letters</i> , 2017, 668, 69-89.	2.6	29
575	Alkane elimination in mass spectrometry. A counterpart to the McLafferty rearrangement. <i>Journal of the American Chemical Society</i> , 1976, 98, 2011-2013.	13.7	28
576	High and low energy collision mass spectrometry/mass spectrometry of aza and amino polynuclear aromatic compounds in coal-derived liquids. <i>Analytical Chemistry</i> , 1982, 54, 2215-2219.	6.5	28

#	ARTICLE	IF	CITATIONS
577	Desorption ionization mass spectrometry. <i>Tetrahedron</i> , 1983, 39, 591-597.	1.9	28
578	Alkali metal-cationized serine clusters studied by sonic spray ionization tandem mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 856-868.	2.8	28
579	Improvements in quantitative chiral determinations using the mass spectrometric kinetic method. <i>International Journal of Mass Spectrometry</i> , 2007, 267, 199-204.	1.5	28
580	Rapid hydrocarbon analysis using a miniature rectilinear ion trap mass spectrometer. <i>Analyst, The</i> , 2008, 133, 1064.	3.5	28
581	Pharmaceutical cleaning validation using non-approximate large-area desorption electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 131-137.	1.5	28
582	Circular arrays of polymer-based miniature rectilinear ion traps. <i>Analyst, The</i> , 2009, 134, 1338.	3.5	28
583	Imaging of Surface Charge and the Mechanism of Desorption Electrospray Ionization Mass Spectrometry. <i>Journal of Physical Chemistry C</i> , 2010, 114, 5331-5337.	3.1	28
584	Ion Separation in Air Using a Three-Dimensional Printed Ion Mobility Spectrometer. <i>Analytical Chemistry</i> , 2017, 89, 5058-5065.	6.5	28
585	Electrophoretic Desalting To Improve Performance in Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2018, 90, 3856-3862.	6.5	28
586	Screening of the Suzuki Cross-Coupling Reaction Using Desorption Electrospray Ionization in High-Throughput and in Leidenfrost Droplet Experiments. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 2144-2151.	2.8	28
587	Multiple reaction monitoring profiling (MRM profiling): Small molecule exploratory analysis guided by chemical functionality. <i>Chemistry and Physics of Lipids</i> , 2021, 235, 105048.	3.2	28
588	Kinetic Energy Release in the Dissociation of Some Simple Molecular Ions. Water and Hydrogen Sulfide. <i>Journal of Chemical Physics</i> , 1972, 57, 3207-3212.	3.0	27
589	Charge exchange of rare gas ions: An ion kinetic energy study. <i>Journal of Chemical Physics</i> , 1975, 62, 3855-3863.	3.0	27
590	Characterization of the chemical ionization condensation products for the benzyl acetate system using mass-analyzed ion kinetic energy spectrometry. <i>Journal of the American Chemical Society</i> , 1979, 101, 3162-3168.	13.7	27
591	Chemical modification of nucleic acids. Methylation of calf thymus DNA investigated by mass spectrometry and liquid chromatography. <i>Biological Mass Spectrometry</i> , 1985, 12, 309-318.	0.5	27
592	Characterization of an alkylated dinucleotide by desorption chemical ionization and tandem mass spectrometry. <i>Biomedical &amp; Environmental Mass Spectrometry</i> , 1987, 14, 17-22.	1.6	27
593	A sector/ion trap hybrid mass spectrometer of BE/trap configuration. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 98, 209-224.	1.8	27
594	Efficient trapping and collision-induced dissociation of high-mass cluster ions using mixed target gases in the quadrupole ion trap. <i>Rapid Communications in Mass Spectrometry</i> , 1992, 6, 520-523.	1.5	27

#	ARTICLE	IF	CITATIONS
595	On-line flow injection analysis of volatile organic compounds in seawater by membrane introduction mass spectrometry. <i>Talanta</i> , 1995, 42, 1325-1334.	5.5	27
596	Ionization Energy Determination by the Kinetic Method. <i>Analytical Chemistry</i> , 1996, 68, 4254-4256.	6.5	27
597	Gas-Phase Molecular, Molecular Pair, and Molecular Triplet Fe+ Affinities of Pyridines. <i>Journal of the American Chemical Society</i> , 1996, 118, 6010-6019.	13.7	27
598	Ketalization of phosphonium ions by 1,4-dioxane: Selective detection of the chemical warfare agent simulant DMMP in mixtures using ion/molecule reactions. <i>Journal of the American Society for Mass Spectrometry</i> , 2003, 14, 182-188.	2.8	27
599	Sampling Wand for an Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2011, 83, 1857-1861.	6.5	27
600	High-Throughput Experimentation and Continuous Flow Evaluation of Nucleophilic Aromatic Substitution Reactions. <i>ACS Combinatorial Science</i> , 2020, 22, 184-196.	3.8	27
601	Electron impact studies of $\text{C}_2\text{H}_3^+$ . <i>Tetrahedron</i> , 1967, 23, 3743-3752.	1.9	26
602	Identification of modified nucleosides by secondary-ion and laser-desorption mass spectrometry. <i>Journal of Organic Chemistry</i> , 1981, 46, 4765-4769.	3.2	26
603	Enhanced ionization of organic salts in secondary-ion mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 51, 225-233.	1.3	26
604	Energetics of retro-Diels-Alder fragmentation in limonene as characterized by surface-induced dissociation, and energy- and angle-resolved mass spectrometry. <i>Organic Mass Spectrometry</i> , 1988, 23, 585-593.	1.3	26
605	Fragmentation and structure of $\text{C}_2\text{H}_3\text{S}^+$ ions. <i>Journal of the American Chemical Society</i> , 1989, 111, 859-865.	13.7	26
606	Pulsed gas introduction into quadrupole ion traps. <i>Journal of the American Society for Mass Spectrometry</i> , 1990, 1, 308-311.	2.8	26
607	Improved accuracy of mass measurement with a quadrupole ion-trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1992, 6, 524-527.	1.5	26
608	Determination of Taxanes in <i>Taxus brevifolia</i> Extracts by Tandem Mass Spectrometry and High-Performance Liquid Chromatography. <i>Journal of Natural Products</i> , 1994, 57, 277-286.	3.0	26
609	Ion/surface reactions, surface-induced dissociation and surface modification resulting from hyperthermal collisions of $\text{OCNCO}^+$ , $\text{OCNCS}^+$ , $(\text{CH}_3)_2\text{SiNCO}^+$ , and $(\text{CH}_3)_2\text{SiNCS}^+$ with a fluorinated self-assembled monolayer surface. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 160, 83-105.	1.8	26
610	Collisions of Silylium Cations with Hydroxyl-Terminated and Other Self-Assembled Monolayer Surfaces: $\text{A}^+$ Reactions, Dissociation, and Surface Characterization. <i>Journal of Physical Chemistry B</i> , 2000, 104, 11230-11237.	2.6	26
611	Silylation of an OH-terminated self-assembled monolayer surface through low-energy collisions of ions: a novel route to synthesis and patterning of surfaces. <i>Journal of Mass Spectrometry</i> , 2002, 37, 591-602.	1.6	26
612	Ion/molecule reactions performed in a miniature cylindrical ion trap mass spectrometer. <i>Analyst</i> , The, 2003, 128, 1112.	3.5	26

#	ARTICLE	IF	CITATIONS
613	Mass spectra of proteins and other biomolecules recorded using a handheld instrument. <i>International Journal of Mass Spectrometry</i> , 2008, 278, 166-169.	1.5	26
614	In situ SIMS analysis and reactions of surfaces prepared by soft landing of mass-selected cations and anions using an ion trap mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2009, 20, 949-956.	2.8	26
615	Discrimination of <i>Candida</i> species by paper spray mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2015, 378, 288-293.	1.5	26
616	Multiple Reaction Monitoring Profiling (MRM-Profilng) of Lipids To Distinguish Strain-Level Differences in Microbial Resistance in <i>Escherichia coli</i> . <i>Analytical Chemistry</i> , 2019, 91, 11349-11354.	6.5	26
617	High Throughput Experimentation Using DESI-MS to Guide Continuous-Flow Synthesis. <i>Scientific Reports</i> , 2019, 9, 14745.	3.3	26
618	Electron impact studies. XI. Mass spectra of aromatic azoxy compounds. Skeletal rearrangement upon electron impact. <i>Australian Journal of Chemistry</i> , 1967, 20, 1601.	0.9	25
619	Imaging detector for mass spectrometry. <i>Analytical Chemistry</i> , 1975, 47, 1734-1738.	6.5	25
620	MINDO/3 calculation of the potential energy surface for $C_3H_5^+ + C_3H_3 + H_2$ as applied to understanding energy partitioning accompanying fragmentation. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1978, 27, 227-237.	1.3	25
621	Direct mass spectrometric mixture analysis by negative chemical ionization/mass-analyzed ion kinetic energy spectrometry. <i>Analytical Chemistry</i> , 1978, 50, 1222-1223.	6.5	25
622	Energy partitioning accompanying fragmentation of protonated methanol. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1979, 30, 83-92.	1.3	25
623	The effects of primary ion energy on the extent of fragmentation in desorption ionization mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988, 84, 89-100.	1.8	25
624	Non-destructive detection of ions in a quadrupole ion trap using a d.c. pulse to force coherent ion motion: a simulation study. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 146-147, 147-163.	1.8	25
625	Characteristics of a broad-band Fourier transform ion trap mass spectrometer. <i>International Journal of Mass Spectrometry</i> , 1998, 177, 91-104.	1.5	25
626	Chiral recognition by proton transfer reactions with optically active amines and alcohols. <i>Chemical Communications</i> , 2004, , 2740.	4.1	25
627	Negatively-Charged Halide Adducts of Homochiral Serine Octamers. <i>Journal of Physical Chemistry B</i> , 2005, 109, 4748-4753.	2.6	25
628	Resonant ac Dipolar Excitation for Ion Motion Control in the Orbitrap Mass Analyzer. <i>Journal of Physical Chemistry A</i> , 2006, 110, 2682-2689.	2.5	25
629	Atmospheric pressure Eberlin transacetalization reactions in the heterogeneous liquid/gas phase. <i>International Journal of Mass Spectrometry</i> , 2006, 253, 281-287.	1.5	25
630	Carbohydrate and steroid analysis by desorption electrospray ionization mass spectrometry. <i>Chemical Communications</i> , 2008, , 2674.	4.1	25

#	ARTICLE	IF	CITATIONS
631	Development of miniature mass spectrometry systems for bioanalysis outside the conventional laboratories. <i>Bioanalysis</i> , 2014, 6, 1497-1508.	1.5	25
632	Single analyzer precursor scans using an ion trap. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 800-804.	1.5	25
633	Linear mass scans in quadrupole ion traps using the inverse Mathieu q scan. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 2369-2378.	1.5	25
634	Utility of neurological smears for intrasurgical brain cancer diagnostics and tumour cell percentage by DESI-MS. <i>Analyst</i> , The, 2017, 142, 449-454.	3.5	25
635	Reaction acceleration at air-liquid interfaces: Anisotropic rate constants for Katritzky transamination. <i>Journal of Mass Spectrometry</i> , 2021, 56, e4585.	1.6	25
636	Automated High-Throughput System Combining Small-Scale Synthesis with Bioassays and Reaction Screening. <i>SLAS Technology</i> , 2021, 26, 555-571.	1.9	25
637	Kinetic energy release in metastable ion transitions. A study by ion kinetic energy spectrometry and rrm theory. <i>Organic Mass Spectrometry</i> , 1975, 10, 273-288.	1.3	24
638	Angle resolved mass spectrometry with a reversed geometry spectrometer. <i>Analytical Chemistry</i> , 1980, 52, 679-682.	6.5	24
639	Identification of naturally occurring quaternary compounds by combined laser desorption and tandem mass spectrometry. <i>Analytical Chemistry</i> , 1983, 55, 1302-1305.	6.5	24
640	Applications of linked scan procedures in investigating polyatomic ion/surface interactions. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 67, 295-303.	1.8	24
641	Thermochemical vs. kinetic control of reactions in an ion trap mass spectrometer. <i>Organic Mass Spectrometry</i> , 1988, 23, 54-56.	1.3	24
642	Observation of sequence-specific peptide fragmentation using extended tandem mass spectrometry experiments. <i>Rapid Communications in Mass Spectrometry</i> , 1989, 3, 305-309.	1.5	24
643	XeF+, IF+, and other unusual ions generated by reactions of hyperthermal ion beams at self-assembled monolayer surfaces. <i>Journal of the American Society for Mass Spectrometry</i> , 1993, 4, 938-942.	2.8	24
644	Serine Octamer Reactions: Indicators of Prebiotic Relevance. <i>Angewandte Chemie</i> , 2003, 115, 3645-3647.	2.0	24
645	Novel linear ion trap mass analyzer composed of four planar electrodes. <i>Journal of the American Society for Mass Spectrometry</i> , 2006, 17, 631-639.	2.8	24
646	Characteristic lipid profiles of canine non-Hodgkin's lymphoma from surgical biopsy tissue sections and fine needle aspirate smears by desorption electrospray ionization mass spectrometry. <i>Analyst</i> , The, 2015, 140, 6321-6329.	3.5	24
647	Cholesterol Sulfonation Enzyme, SULT2B1b, Modulates AR and Cell Growth Properties in Prostate Cancer. <i>Molecular Cancer Research</i> , 2016, 14, 776-786.	3.4	24
648	Fischer Indole Synthesis in the Gas Phase, the Solution Phase, and at the Electrospray Droplet Interface. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 1359-1364.	2.8	24

#	ARTICLE	IF	CITATIONS
649	Analysis of Residual Explosives by Swab Touch Spray Ionization Mass Spectrometry. Propellants, Explosives, Pyrotechnics, 2018, 43, 1139-1144.	1.6	24
650	Multiple reaction monitoring (MRM)-profiling with biomarker identification by LC-QTOF to characterize coronary artery disease. Analyst, The, 2018, 143, 5014-5022.	3.5	24
651	Metabolites and Lipids Associated with Fetal Swine Anatomy via Desorption Electrospray Ionization " Mass Spectrometry Imaging. Scientific Reports, 2019, 9, 7247.	3.3	24
652	High-Throughput Screening of Reductive Amination Reactions Using Desorption Electrospray Ionization Mass Spectrometry. Organic Process Research and Development, 2020, 24, 1647-1657.	2.7	24
653	Miniature mass analyzers. Journal of Mass Spectrometry, 2000, 35, 659.	1.6	24
654	Abundant Production of Reactive Water Radical Cations under Ambient Conditions. CCS Chemistry, 2022, 4, 1224-1231.	7.8	24
655	Thiophen chemistry. Part XIII. Mass spectra of substituted thiophens. Journal of the Chemical Society B, Physical Organic, 1967, , 616.	0.2	23
656	Use of metastable peak shapes in determining ring size in cyclic rearrangements in the mass spectrometer. Organic Mass Spectrometry, 1973, 7, 785-794.	1.3	23
657	Charge inversion of the halogen ions. International Journal of Mass Spectrometry and Ion Physics, 1975, 16, 417-429.	1.3	23
658	Site of protonation and bifunctional group interactions in $\hat{1}\pm,\hat{1}\%$ -hydroxyalkylamines. Organic Mass Spectrometry, 1981, 16, 176-179.	1.3	23
659	Scanning a triple quadrupole mass spectrometer for doubly charged ions. Organic Mass Spectrometry, 1983, 18, 561-567.	1.3	23
660	MS/MS spectra of organic ions generated by secondary ion mass spectrometry. International Journal of Mass Spectrometry and Ion Processes, 1984, 56, 177-192.	1.8	23
661	Matrix enhanced laser desorption in mass spectrometry and tandem mass spectrometry. Biological Mass Spectrometry, 1985, 12, 159-162.	0.5	23
662	Thermospray liquid chromatography" mass spectrometry with a quadrupole ion trap mass spectrometer. Biomedical Applications, 1991, 562, 3-11.	1.7	23
663	Mass spectrometers: instrumentation. International Journal of Mass Spectrometry and Ion Processes, 1992, 118-119, 1-36.	1.8	23
664	Performance of an ion trap mass spectrometer modified to accept a direct insertion membrane probe in analysis of low level pollutants in water. Talanta, 1993, 40, 1031-1039.	5.5	23
665	Relative cyanide cation (+CN) affinities of pyridines determined by the kinetic method using multiple-stage (MS3) mass spectrometry. Journal of Mass Spectrometry, 1995, 30, 184-193.	1.6	23
666	Sulfur trifluoride cation (SF3 +) affinities of pyridines determined by the kinetic method: Stereoelectronic effects in the gas phase. Journal of the American Society for Mass Spectrometry, 1997, 8, 68-75.	2.8	23

#	ARTICLE	IF	CITATIONS
667	High surface area membrane introduction mass spectrometry for analysis of volatile and semi-volatile organic compounds in air. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 1520-1524.	1.5	23
668	Hand-Held Mass Spectrometer for Environmentally Relevant Analytes Using a Variety of Sampling and Ionization Methods. <i>European Journal of Mass Spectrometry</i> , 2010, 16, 11-20.	1.0	23
669	Vibrational Spectroscopy and Mass Spectrometry for Characterization of Soft Landed Polyatomic Molecules. <i>Analytical Chemistry</i> , 2011, 83, 5114-5121.	6.5	23
670	Chemical analysis and chemical imaging of fragrances and volatile compounds by low-temperature plasma ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 1828-1836.	1.5	23
671	Calibration procedure for secular frequency scanning in ion trap mass spectrometers. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1190-1196.	1.5	23
672	Single Analyzer Precursor Ion Scans in a Linear Quadrupole Ion Trap Using Orthogonal Double Resonance Excitation. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 1929-1938.	2.8	23
673	Paper spray ionization mass spectrometry for rapid quantification of illegal beverage dyes. <i>Analytical Methods</i> , 2017, 9, 6273-6279.	2.7	23
674	Multistep Flow Synthesis of Diazepam Guided by Droplet-Accelerated Reaction Screening with Mechanistic Insights from Rapid Mass Spectrometry Analysis. <i>Organic Process Research and Development</i> , 2017, 21, 1566-1570.	2.7	23
675	Ferrocenylboranes. II. Ferrocenyl boric acids and related compounds. Mass spectral and hydrogen-bonding studies. <i>Inorganic Chemistry</i> , 1970, 9, 1670-1677.	4.0	22
676	Energy partition in the fragmentation of organic ions. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1971, 7, 493-496.	1.3	22
677	Isotope effects upon hydrogen atom loss from molecular ions. <i>Organic Mass Spectrometry</i> , 1973, 7, 193-201.	1.3	22
678	Small kinetic energy releases by predissociating metastable ions. <i>Chemical Physics Letters</i> , 1974, 26, 131-133.	2.6	22
679	Simulated MIKE spectra from a conventional double focusing mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1976, 21, 93-101.	1.3	22
680	Phenanthroline cationization by various metals in secondary ion mass spectrometry. <i>Analytical Chemistry</i> , 1980, 52, 353-354.	6.5	22
681	Negative and positive secondary ion mass spectra of organic acids. <i>Tetrahedron</i> , 1981, 37, 1067-1073.	1.9	22
682	Surface modification by soft landing of reagent beams. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 53, 323-326.	1.3	22
683	Characterization of Alkaloids and Other Secondary Metabolites by Multiple Stage Mass Spectrometry. <i>Journal of Natural Products</i> , 1984, 47, 197-214.	3.0	22
684	The reaction intermediate spectrum. A new type of experiment in tandem mass spectrometry. <i>Organic Mass Spectrometry</i> , 1987, 22, 348-358.	1.3	22

#	ARTICLE	IF	CITATIONS
685	Information on the location of carbon-carbon double bonds in C <sub>6</sub> -C <sub>23</sub> linear alkenes from carbon addition reactions in a quadrupole ion trap equipped with a pulsed sample-inlet system. <i>Journal of the American Society for Mass Spectrometry</i> , 1991, 2, 305-313.	2.8	22
686	A tandem quadrupole-ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 105, 13-29.	1.8	22
687	Ion-molecule chemistry of pyrene in an ion-trap mass spectrometer. <i>Organic Mass Spectrometry</i> , 1992, 27, 453-462.	1.3	22
688	Determination of Ion Frequencies in a Quadrupole Ion Trap By Using a Fast Direct Current Pulse as Pump and a Laser Probe. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 29-36.	2.8	22
689	Differentiation of isomeric C <sub>3</sub> H <sub>4</sub> <sup>+</sup> ions and T <sup>+</sup> V energy partitioning in surface-induced dissociation. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 167-168, 525-539.	1.8	22
690	Replacement of C=O by P=O in Cyclic Acetals and Ketals. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 386-389.	13.8	22
691	On-Line Monitoring of Reactions of Epichlorohydrin in Water Using Liquid Membrane Introduction Mass Spectrometry. <i>Industrial &amp; Engineering Chemistry Research</i> , 1999, 38, 343-351.	3.7	22
692	Reactivity of acetonide anion with nitroaromatics: an atmospheric pressure chemical ionization study. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 3493-3499.	1.5	22
693	A Desorption Electrospray Ionization Mass Spectrometry Study of Aging Products of Diphenylamine Stabilizer in Double-Base Propellants. <i>Propellants, Explosives, Pyrotechnics</i> , 2006, 31, 472-476.	1.6	22
694	Ion creation, ion focusing, ion/molecule reactions, ion separation, and ion detection in the open air in a small plastic device. <i>Analyst</i> , 2015, 140, 696-700.	3.5	22
695	Studies in mass spectroscopy. <i>Tetrahedron</i> , 1968, 24, 3289-3298.	1.9	21
696	A double quadrupole for mass spectrometry/mass spectrometry. <i>Analytica Chimica Acta</i> , 1980, 119, 129-135.	5.4	21
697	Angle-resolved mass spectrometry by z-deflected scanning. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1982, 43, 327-330.	1.3	21
698	Energy deposition during electron-induced dissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 1993, 4, 145-151.	2.8	21
699	Fourier Transform Detection in a Cylindrical Quadrupole Ion Trap. <i>Analytical Chemistry</i> , 1998, 70, 3545-3547.	6.5	21
700	Covalent chemical modification of self-assembled fluorocarbon monolayers by low-energy CH <sub>2</sub> Br <sub>2</sub> <sup>+</sup> ions: a combined ion/surface scattering and X-ray photoelectron spectroscopic investigation. <i>Journal of Physical Chemistry B</i> , 1999, 13, 986-993.		21
701	Adsorbate Geometry Distinction in Arenethiols by Ion/Surface Reactive Collisions. <i>Journal of Physical Chemistry B</i> , 1999, 103, 5304-5310.	2.6	21
702	Ion Mobility Measurement by Dc Tomography in an Rf Quadrupole Ion Trap. <i>Journal of Physical Chemistry A</i> , 2000, 104, 5059-5065.	2.5	21



#	ARTICLE	IF	CITATIONS
703	Esterification and Ether Formation at a Hydroxyl-Terminated Self-Assembled Monolayer Surface Using Low-Energy Collisions of Polyatomic Cations. <i>Langmuir</i> , 2002, 18, 4799-4808.	3.5	21
704	Chemical mass shifts in resonance ejection experiments in the quadrupole ion trap. <i>Journal of Mass Spectrometry</i> , 2002, 37, 1051-1058.	1.6	21
705	Alkali chloride cluster ion dissociation examined by the kinetic method: Heterolytic bond dissociation energies, effective temperatures, and entropic effects. <i>Journal of the American Society for Mass Spectrometry</i> , 2002, 13, 1388-1395.	2.8	21
706	Gas-phase reactions for selective detection of the explosives TNT and RDX. <i>Chemical Communications</i> , 2004, , 40.	4.1	21
707	Ion/molecule reactions in a miniature RIT mass spectrometer. <i>Journal of Mass Spectrometry</i> , 2005, 40, 1403-1411.	1.6	21
708	Chiral purity assay for Flindokalner using tandem mass spectrometry: Method development, validation, and benchmarking. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 1602-1608.	2.8	21
709	Hydrocarbon analysis using desorption atmospheric pressure chemical ionization. <i>International Journal of Mass Spectrometry</i> , 2013, 345-347, 80-88.	1.5	21
710	Multigenerational Collision-Induced Dissociation for Characterization of Organic Compounds. <i>Analytical Chemistry</i> , 2016, 88, 9572-9581.	6.5	21
711	Distributions of kinetic energy release in benzoyl ion formation. <i>Organic Mass Spectrometry</i> , 1976, 11, 423-428.	1.3	20
712	Charge stripping and $E/2$ mass spectra. <i>Organic Mass Spectrometry</i> , 1976, 11, 857-866.	1.3	20
713	Chemotaxonomy of Columnar Mexican Cacti by Mass Spectrometry/Mass Spectrometry. <i>Journal of Natural Products</i> , 1980, 43, 288-293.	3.0	20
714	Unimolecular dissociations at short times. A comparison of angle-resolved mass spectrometry and field ionization kinetics. <i>Journal of the American Chemical Society</i> , 1981, 103, 465-467.	13.7	20
715	Dissociative excitation of gas-phase ions. A comparison of techniques utilizing ion cyclotron resonance spectroscopy and angle-resolved mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1981, 39, 55-64.	1.3	20
716	Angular distribution of fragment ions arising from the collision-induced decomposition of polyatomic primary ions. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 48, 423-426.	1.3	20
717	Secondary-ion mass spectra of nonvolatile silver complexes. <i>Inorganic Chemistry</i> , 1983, 22, 2492-2494.	4.0	20
718	Surface-induced dissociation of isomeric $[C_5H_6]^+ \dot{E}^{\text{TM}}$ ions. <i>Organic Mass Spectrometry</i> , 1987, 22, 418-420.	1.3	20
719	Internal energy deposition in doubly charged tungsten hexacarbonyl on low-energy Charge exchange with organic targets. <i>Organic Mass Spectrometry</i> , 1992, 27, 667-676.	1.3	20
720	Reduction of space-charging in the quadrupole ion trap by sequential injection and simultaneous storage of positively and negatively charged ions. <i>Rapid Communications in Mass Spectrometry</i> , 1993, 7, 380-382.	1.5	20

#	ARTICLE	IF	CITATIONS
721	Thin Pervaporation Membranes for Improved Performance in On-line Flow Injection Analysis Membrane Introduction Mass Spectrometry. , 1996, 10, 751-756.		20
722	Chiral Preferences in the Dissociation of Homogeneous Amino Acid/Metal Ion Clusters. European Journal of Mass Spectrometry, 2002, 8, 107-115.	1.0	20
723	Generation of arylnitrenium ions by nitro-reduction and gas-phase synthesis of N-Heterocycles. Journal of the American Society for Mass Spectrometry, 2004, 15, 1675-1688.	2.8	20
724	High-Throughput Mass Spectrometer Using Atmospheric Pressure Ionization and a Cylindrical Ion Trap Array. Analytical Chemistry, 2005, 77, 459-470.	6.5	20
725	Detection of explosives on solid surfaces by thermal desorption and ambient ion/molecule reactions. Chemical Communications, 2005, , 1953.	4.1	20
726	Multiplexed Rectilinear Ion Trap Mass Spectrometer for High-Throughput Analysis. Analytical Chemistry, 2006, 78, 4830-4838.	6.5	20
727	The Role of the Interface in Thin Film and Droplet Accelerated Reactions Studied by Competitive Substituent Effects. Angewandte Chemie, 2016, 128, 3494-3498.	2.0	20
728	Feasibility of desorption electrospray ionization mass spectrometry for diagnosis of oral tongue squamous cell carcinoma. Rapid Communications in Mass Spectrometry, 2018, 32, 133-141.	1.5	20
729	Intraoperative assessment of isocitrate dehydrogenase mutation status in human gliomas using desorption electrospray ionization mass spectrometry. Journal of Neurosurgery, 2020, 132, 180-187.	1.6	20
730	Kinetic energy release and ion structure: [C <sub>6</sub> H <sub>6</sub> O] <sup>+</sup> E <sup>TM</sup> . Organic Mass Spectrometry, 1980, 15, 131-133.	1.3	19
731	Direct analysis of mixtures by double quadrupole mass spectrometry. Analytica Chimica Acta, 1980, 119, 145-148.	5.4	19
732	Gas-phase Dieckmann ester condensation characterized by mass spectrometry/mass spectrometry. Journal of Organic Chemistry, 1982, 47, 4864-4869.	3.2	19
733	Cactus Alkaloids. XLIX. New Trace Alkaloids (Dehydrosalsolidine and Heliamine) From the Saguaro, Carnegiea gigantea, and Confirmation by Mikes (MS/MS). Journal of Natural Products, 1982, 45, 277-282.	3.0	19
734	Identification of New Cactus Alkaloids in Backebergia militaris by Tandem Mass Spectrometry. Journal of Natural Products, 1984, 47, 839-845.	3.0	19
735	Mass spectrometric investigation of silver ion promoted carbon-carbon bond scission. Inorganic Chemistry, 1984, 23, 4093-4097.	4.0	19
736	Product distributions and their relation with coal liquefaction conditions. Fuel, 1987, 66, 74-82.	6.4	19
737	Measurement of kinetic energies of ions ejected from a quadrupole ion trap. International Journal of Mass Spectrometry and Ion Processes, 1991, 106, 237-247.	1.8	19
738	Time persistence of monochloramine in human saliva and stomach fluid. Environmental Science & Technology, 1992, 26, 302-306.	10.0	19

#	ARTICLE	IF	CITATIONS
739	Effect of Olefin Pyramidalization on the Proton Affinity of Tricyclo[3.3.3.0 <sup>3,7</sup> ]undec-3(7)-ene as Determined by ab Initio Calculations and Kinetic Method Measurements. <i>Journal of the American Chemical Society</i> , 1996, 118, 10872-10878.	13.7	19
740	Cleavage of C-C and C-F Bonds by Xe <sup>+</sup> and I <sup>+</sup> Ions in Reactions at a Fluorinated Self-Assembled Monolayer Surface: Collision Energy Dependence and Mechanisms. <i>Journal of the American Chemical Society</i> , 1998, 120, 8189-8198.	13.7	19
741	Novel Rare Gas Ions BXe <sup>+</sup> , BKr <sup>+</sup> , and BAr <sup>+</sup> Formed in a Halogen/Rare Gas Exchange Reaction. <i>Journal of Physical Chemistry A</i> , 1999, 103, 9565-9568.	2.5	19
742	Reactive Ion Scattering from Surfaces Bearing Isomeric Chlorinated Adsorbates. <i>Analytical Chemistry</i> , 1999, 71, 3311-3317.	6.5	19
743	Two-Dimensional Tandem Mass Spectrometry in a Single Scan on a Linear Quadrupole Ion Trap. <i>Analytical Chemistry</i> , 2019, 91, 13752-13762.	6.5	19
744	High-Throughput Bioassays using Diplo- and Go- Multiplexed Electrospray Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17594-17598.	13.8	19
745	Intraoperative detection of isocitrate dehydrogenase mutations in human gliomas using a miniature mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7929-7933.	3.7	19
746	Process Analytical Technology for Online Monitoring of Organic Reactions by Mass Spectrometry and UV-Vis Spectroscopy. <i>Journal of Chemical Education</i> , 2019, 96, 124-131.	2.3	19
747	The structure of the benzene molecular ion. <i>Organic Mass Spectrometry</i> , 1973, 7, 245-247.	1.3	18
748	A tandem flowing afterglow-triple quadrupole instrument. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1985, 64, 185-191.	1.8	18
749	Modification of calf thymus DNA by methyl methanesulfonate. Quantitative determination of 7-methyldeoxyguanosine by mass spectrometry. <i>Chemico-Biological Interactions</i> , 1986, 57, 295-300.	4.0	18
750	Focal Points in Mass Spectrometry. <i>Science</i> , 1987, 235, 545-553.	12.6	18
751	Energetics of activation of tetracarbonylferrate(1-) and pentacarbonylchromate(1-) in gaseous collisions. <i>The Journal of Physical Chemistry</i> , 1988, 92, 6465-6469.	2.9	18
752	Characterization of isomeric dimethylfuranocoumarins by electron impact ionization and surface and gaseous collision activation mass spectrometry. <i>Biomedical &amp; Environmental Mass Spectrometry</i> , 1989, 18, 927-934.	1.6	18
753	Reduction induced by ion beams: hydrogenation of nitrogen-containing heterocycles and quinones in molecular secondary ion mass spectrometry. <i>Journal of the American Chemical Society</i> , 1989, 111, 5577-5583.	13.7	18
754	Resonance effects during ion injection into an ion trap mass spectrometer. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 108, 199-219.	1.8	18
755	Detection of low molecular weight aldehydes in aqueous solution by membrane introduction mass spectrometry. <i>Talanta</i> , 1992, 39, 573-580.	5.5	18
756	Stereoelectronic effects and gas phase Co <sup>+</sup> , Ni <sup>+</sup> , CpFe <sup>+</sup> , CpCo <sup>+</sup> and CpNi <sup>+</sup> affinities of pyridines studied by the kinetic method. <i>Journal of Organometallic Chemistry</i> , 1997, 539, 131-139.	1.8	18

#	ARTICLE	IF	CITATIONS
757	Denitration of nitroaromatic compounds by aryl nitrile radical cations. <i>Journal of the American Society for Mass Spectrometry</i> , 2000, 11, 33-39.	2.8	18
758	Surface Modification Using a Commercial Triple Quadrupole Mass Spectrometer. <i>Analytical Chemistry</i> , 2000, 72, 5798-5803.	6.5	18
759	Evaluation of a differential mobility spectrometer/miniature mass spectrometer system. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 1477-1481.	2.8	18
760	Nucleophilic Addition of Nitrogen to Aryl Cations: Mimicking Titan Chemistry. <i>Journal of the American Society for Mass Spectrometry</i> , 2013, 24, 1745-1754.	2.8	18
761	Uncatalyzed, Regioselective Oxidation of Saturated Hydrocarbons in an Ambient Corona Discharge. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 769-773.	13.8	18
762	Rapid determination of isocitrate dehydrogenase mutation status of human gliomas by extraction nanoelectrospray using a miniature mass spectrometer. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1503-1508.	3.7	18
763	Electron impact studies. Part VIII. Mass spectra of substituted azobenzenes; aryl migration on electron impact. <i>Journal of the Chemical Society B, Physical Organic</i> , 1967, , 621.	0.2	17
764	Electron impact-induced rearrangements in compounds having the P=C=S bond. <i>Journal of the Chemical Society B, Physical Organic</i> , 1968, .	0.2	17
765	Mass spectrometric studies using compounds isotopically labeled at natural abundance. Development from ion kinetic energy spectrometry. <i>Analytical Chemistry</i> , 1974, 46, 1299-1302.	6.5	17
766	Ion kinetic energy spectrometry. <i>Journal of Physics E: Scientific Instruments</i> , 1974, 7, 10-18.	0.7	17
767	Identification of individual steroids in biological matrices by mass-analyzed ion kinetic energy spectrometry. <i>Analytical Biochemistry</i> , 1979, 96, 104-112.	2.4	17
768	Secondary ion mass spectra of quaternary pyridine aldoximes. <i>Analytica Chimica Acta</i> , 1982, 136, 143-153.	5.4	17
769	Secondary ion mass spectrometry of nonvolatile isocyanide complexes of silver(I) and copper(I). <i>Inorganica Chimica Acta</i> , 1986, 115, 55-63.	2.4	17
770	Antineoplastic Agents from Higher Plants: Application of Tandem Mass Spectrometry to Xanthenes from <i>Psorospermum febrifugum</i> . <i>Journal of Natural Products</i> , 1986, 49, 412-423.	3.0	17
771	Enhanced silver cationization of polycyclic aromatic hydrocarbons containing bay regions in molecular secondary ion mass spectrometry. <i>Biomedical &amp; Environmental Mass Spectrometry</i> , 1989, 18, 83-85.	1.6	17
772	Dissociative charge transfer of singly- and doubly-charged rare gas ions with W(CO) <sub>6</sub> . <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 110, 1-29.	1.8	17
773	Supercritical fluid chromatography/mass spectrometry using a quadrupole mass filter/quadrupole ion trap hybrid mass spectrometer with external ion source. <i>Analytical Chemistry</i> , 1992, 64, 1571-1577.	6.5	17
774	Electrophilic bromination of gaseous aromatic compounds: Mechanism and linear free energy effects on reaction rates. <i>Organic Mass Spectrometry</i> , 1993, 28, 1313-1322.	1.3	17

#	ARTICLE	IF	CITATIONS
775	Proton affinity of the stable free radical 2,2,6,6-tetramethyl-1-piperidinyloxy measured by the kinetic method. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 151, 69-75.	1.8	17
776	Electron inity of 1,3,5,7-cyclooctatetraene determined by the kinetic method. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 1141-1145.	2.8	17
777	Estimation of ionization energies of substituted anilines by the kinetic method. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1998, 175, 205-213.	1.8	17
778	Single Analyzer Neutral Loss Scans in a Linear Quadrupole Ion Trap Using Orthogonal Double Resonance Excitation. <i>Analytical Chemistry</i> , 2017, 89, 8148-8155.	6.5	17
779	Direct quantitation of tenofovir diphosphate in human blood with mass spectrometry for adherence monitoring. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 1243-1249.	3.7	17
780	Reaction Acceleration at Solid/Solution Interfaces: Katritzky Reaction Catalyzed by Glass Particles. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 2929-2933.	13.8	17
781	High-energy ion-molecule reactions at nonzero scattering angles. <i>The Journal of Physical Chemistry</i> , 1975, 79, 708-711.	2.9	16
782	Detection of high mass cluster ions sputtered from Bi surfaces. <i>Chemical Physics Letters</i> , 1976, 44, 371-373.	2.6	16
783	Temperature effects in mass-spectrometric fragmentations. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1976, 19, 179-183.	1.3	16
784	Dissociation of protonated 2,2,6-trimethylcyclohexanone and related compounds upon high and low energy collisional activation. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1988, 86, 253-272.	1.8	16
785	Isomer distinction by ion/molecule reactions in an ion trap: The case of C <sub>5</sub> H <sub>8</sub> . <i>Analytica Chimica Acta</i> , 1988, 215, 223-232.	5.4	16
786	Differential non-destructive image current detection in a fourier transform quadrupole ion trap. , 1999, 34, 889-894.		16
787	Synthesis of B, N, O-containing heterocycles via reaction of an aminoborinium ion with cyclic acetals and ketals. <i>Journal of Mass Spectrometry</i> , 2000, 35, 1215-1221.	1.6	16
788	Collisions of organic ions at surfaces. <i>Applied Surface Science</i> , 2004, 231-232, 13-21.	6.1	16
789	Performance of a multiplexed chemical ionization miniature cylindrical ion trap array mass spectrometer. <i>Analyst, The</i> , 2004, 129, 323.	3.5	16
790	Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap. <i>International Journal of Mass Spectrometry</i> , 2006, 254, 53-62.	1.5	16
791	Dual-Source Mass Spectrometer with MALDI-LIT-ESI Configuration. <i>Journal of Proteome Research</i> , 2007, 6, 837-845.	3.7	16
792	Phase-enhanced selective ion ejection in an orbitrap mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 980-983.	2.8	16

#	ARTICLE	IF	CITATIONS
793	Multiplexed Four-Channel Rectilinear Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 2009, 81, 1570-1579.	6.5	16
794	Perspectives and Retrospectives in Mass Spectrometry: One View. <i>European Journal of Mass Spectrometry</i> , 2010, 16, 283-300.	1.0	16
795	Skin molecule maps using mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 5261-5262.	7.1	16
796	Anisotropic Molecular Ionization at 1 V from Tellurium Nanowires (Te NWs). <i>Analytical Chemistry</i> , 2015, 87, 10792-10798.	6.5	16
797	Analysis of bacteria using zero volt paper spray. <i>Analytical Methods</i> , 2016, 8, 1770-1773.	2.7	16
798	Ambient Ionization Mass Spectrometry Measurement of Aminotransferase Activity. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 1175-1181.	2.8	16
799	Simultaneous Online Monitoring of Multiple Reactions Using a Miniature Mass Spectrometer. <i>Analytical Chemistry</i> , 2017, 89, 6969-6975.	6.5	16
800	Simultaneous and Sequential MS/MS Scan Combinations and Permutations in a Linear Quadrupole Ion Trap. <i>Analytical Chemistry</i> , 2017, 89, 11053-11060.	6.5	16
801	Two-dimensional MS/MS scans on a linear ion trap mass analyzer: Identification of V-series chemical warfare agents. <i>International Journal of Mass Spectrometry</i> , 2019, 444, 116171.	1.5	16
802	2D MS/MS Spectra Recorded in the Time Domain Using Repetitive Frequency Sweeps in Linear Quadrupole Ion Traps. <i>Analytical Chemistry</i> , 2020, 92, 10016-10023.	6.5	16
803	Glass surface as strong base, "green" heterogeneous catalyst and degradation reagent. <i>Chemical Science</i> , 2021, 12, 9816-9822.	7.4	16
804	Intraoperative Mass Spectrometry Platform for IDH Mutation Status Prediction, Glioma Diagnosis, and Estimation of Tumor Cell Infiltration. <i>Journal of Applied Laboratory Medicine</i> , 2021, 6, 902-916.	1.3	16
805	Late-Stage Functionalization and Characterization of Drugs by High-Throughput Desorption Electrospray Ionization Mass Spectrometry. <i>ChemPlusChem</i> , 2022, 87, e202100449.	2.8	16
806	Desorption Electrospray Ionization Mass Spectrometry Assay for Label-Free Characterization of SULT2B1b Enzyme Kinetics. <i>ChemMedChem</i> , 2022, 17, .	3.2	16
807	Rhizophoraceae alkaloids. Part III. Cassipourine. <i>Journal of the Chemical Society C, Organic</i> , 1967, , 286.	0.2	15
808	Peracetylated 1-phenylflavazoles as carbohydrate derivatives for mass spectrometry. <i>Carbohydrate Research</i> , 1971, 18, 243-249.	2.3	15
809	Modification of a double focusing mass spectrometer for angular resolution. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1978, 26, 353-358.	1.3	15
810	Mass-analyzed ion kinetic energy (MIKE) spectrometry and the direct analysis of coca. <i>Journal of Ethnopharmacology</i> , 1981, 3, 299-312.	4.1	15

#	ARTICLE	IF	CITATIONS
811	The identification of choline and its esters by secondary ion mass spectrometry. <i>Surface and Interface Analysis</i> , 1981, 3, 12-15.	1.8	15
812	Improved performance in angle-resolved mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1983, 52, 311-318.	1.3	15
813	Hydroxylation of aromatic hydrocarbons in mass spectrometer ion sources under atmospheric pressure ionization and chemical ionization conditions. <i>Analytical Chemistry</i> , 1983, 55, 2272-2275.	6.5	15
814	Bimolecular condensation reactions in the gas phase. The Schiff base synthesis. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1984, 62, 303-315.	1.8	15
815	Long chain alkyl heteroaromatics in coal identified by tandem mass spectrometry. <i>Organic Geochemistry</i> , 1984, 7, 169-172.	1.8	15
816	Organic reactions at surfaces: A study of carnitine by secondary ion mass spectrometry. <i>Organic Mass Spectrometry</i> , 1988, 23, 16-25.	1.3	15
817	Structural studies on alkylisocyanate polymers by thermal degradation tandem mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1991, 2, 130-148.	2.8	15
818	Analysis of acrolein and acrylonitrile in aqueous solution by membrane introduction mass spectrometry. <i>Talanta</i> , 1992, 39, 1113-1120.	5.5	15
819	Abstraction of multiple surface atoms by pyrazine, pyrene and HC <sub>2</sub> N ions on low-energy collisions with self-assembled monolayer surfaces. <i>Journal of Mass Spectrometry</i> , 1995, 30, 241-246.	1.6	15
820	Normal and inverse electron demand Diels-Alder cycloaddition of protonated and methylated carbonyl compounds in the gas phase. <i>Journal of Mass Spectrometry</i> , 1995, 30, 581-594.	1.6	15
821	Microstructure of Alkyl Isocyanate Copolymers Comprised of Enantiomeric Monomers Determined by Desorption Chemical Ionization Mass Spectrometry. <i>Macromolecules</i> , 1995, 28, 2955-2960.	4.8	15
822	Stereoelectronic effects in phosphorus dichloride cation/pyridine complexes. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 163, 89-99.	1.8	15
823	Estimation of heterolytic bond dissociation energies by the kinetic method. , 1997, 32, 1258-1261.		15
824	An evaluation of low vapor pressure liquids for membrane introduction mass spectrometry. , 1997, 32, 1299-1304.		15
825	Resolution of Isobaric and Isomeric Ions Using Chemical Shifts in an Ion Trap Mass Spectrometer. <i>Analytical Chemistry</i> , 1998, 70, 4448-4452.	6.5	15
826	Determination of Melatonin in Commercially Available Products by LCEC and LC/MS/MS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1998, 21, 1273-1282.	1.0	15
827	Thermal formation of mixed-metal inorganic complexes at atmospheric pressure. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 3540-3548.	1.5	15
828	Ion transport and focal properties of an ellipsoidal electrode operated at atmospheric pressure. <i>International Journal of Mass Spectrometry</i> , 2012, 330-332, 277-284.	1.5	15

#	ARTICLE	IF	CITATIONS
829	Ambient preparation and reactions of gas phase silver cluster cations and anions. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 18364-18373.	2.8	15
830	Accelerated Chemical Reactions and Organic Synthesis in Leidenfrost Droplets. <i>Angewandte Chemie</i> , 2016, 128, 10634-10638.	2.0	15
831	Peracetylated 1-phenylflavazoles as carbohydrate derivatives for mass spectrometry. <i>Carbohydrate Research</i> , 1971, 18, 233-242.	2.3	14
832	Non-benzenoid aromatic systems. IX. Aryl participation in mass spectrometry. Mechanisms and comparisons with solvolytic data for some azulene, pyridine, and benzene derivatives. <i>Journal of Organic Chemistry</i> , 1973, 38, 1114-1118.	3.2	14
833	Fragmentation d'azoles sous l'impact électronique. Xê”étude de rearrangements cycliques en serie alkylamino-1,2,4-triazole. <i>Organic Mass Spectrometry</i> , 1975, 10, 946-957.	1.3	14
834	Gas phase methylation of the dihydroxybenzenes. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1984, 62, 73-87.	1.8	14
835	Molecular Secondary Ion Mass Spectrometry. <i>ACS Symposium Series</i> , 1985, , 1-42.	0.5	14
836	The functional relationship scan in tandem mass spectrometry. <i>Organic Mass Spectrometry</i> , 1988, 23, 579-584.	1.3	14
837	Comparative study of energy deposition in gaseous organic ions performed using limonene as a model compound. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1990, 101, 219-243.	1.8	14
838	Internal energy deposition in doubly charged tungsten hexacarbonyl on charge exchange at high energy with atomic and molecular targets. <i>Organic Mass Spectrometry</i> , 1992, 27, 769-776.	1.3	14
839	Notched broad-band excitation of ions in a bench-top ion trap mass spectrometer. <i>Analytica Chimica Acta</i> , 1995, 303, 149-162.	5.4	14
840	Gas-phase C-F bond cleavage in perfluorohexane using W-, Si-, P-, Br-, and I-containing ions: Comparisons with reactions at fluorocarbon surfaces. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 1158-1167.	2.8	14
841	Deamination of protonated amines to yield protonated imines. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 1146-1157.	2.8	14
842	Correlations of chemical mass shifts of para-substituted acetophenones and benzophenones with brownâ€™s Îfp+ constants. <i>Journal of the American Society for Mass Spectrometry</i> , 2002, 13, 623-629.	2.8	14
843	Quadrupole Ion Traps and Trap Arrays: Geometry, Material, Scale, Performance. <i>European Journal of Mass Spectrometry</i> , 2007, 13, 13-18.	1.0	14
844	Atmospheric pressure thermal dissociation of phospho- and sulfopeptides. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 1897-1905.	2.8	14
845	Mass Selection of Ions from Beams Using Waveform Isolation in Radiofrequency Quadrupoles. <i>Analytical Chemistry</i> , 2009, 81, 1833-1840.	6.5	14
846	On-Line Synthesis and Analysis by Mass Spectrometry. <i>Journal of Chemical Education</i> , 2015, 92, 2146-2151.	2.3	14



#	ARTICLE	IF	CITATIONS
847	Reaction Acceleration in Thin Films with Continuous Product Deposition for Organic Synthesis. <i>Angewandte Chemie</i> , 2017, 129, 9514-9518.	2.0	14
848	The role of "frequency factors" in determining the difference between low- and high-voltage mass spectra. <i>Chemical Communications / Chemical Society, London</i> , 1968, .	0.1	13
849	The $\beta^2$ -cleavage reaction in ethers. <i>Organic Mass Spectrometry</i> , 1970, 3, 127-129.	1.3	13
850	Kinetic energy loss in collision-induced fragmentations: asymmetric metastable peaks in mass spectra. <i>Journal of the Chemical Society Chemical Communications</i> , 1972, , 341.	2.0	13
851	Ion-molecule reactions studied at non-zero scattering angles in a mass spectrometer. <i>Chemical Physics Letters</i> , 1973, 23, 190-193.	2.6	13
852	Internal solvation, entropy, and energy effects on alternative channels for a single reaction. Methoxyl vs. methyl migration in the (M-methyl) <sup>+</sup> ion from methoxymethyl isopropyl ether. <i>Journal of the American Chemical Society</i> , 1975, 97, 4415-4416.	13.7	13
853	Charge exchange mass spectrometry at high energy. <i>Organic Mass Spectrometry</i> , 1976, 11, 975-983.	1.3	13
854	Dissociative double electron capture, dynamics of fragmentation of the water and hydrogen sulfide negative ions. <i>Chemical Physics</i> , 1976, 12, 191-198.	1.9	13
855	Energy deposition in polyatomic ions upon high energy collision by angle-resolved mass spectrometry. <i>Journal of the American Chemical Society</i> , 1979, 101, 6460-6462.	13.7	13
856	Fragmentation from an isolated electronic state of ionized perfluoropropylene. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1984, 56, 223-227.	1.8	13
857	Combination of chemical reduction and tandem mass spectrometry for the characterization of sulfur-containing fuel constituents. <i>Analytical Chemistry</i> , 1985, 57, 692-694.	6.5	13
858	Reactions of isolated bicyclic hydrocarbon ions excited by different methods. <i>Journal of the American Chemical Society</i> , 1987, 109, 3187-3194.	13.7	13
859	Interfacial reactions and counterion effects in the secondary ion mass spectra of perhenate salts. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1987, 78, 131-146.	1.8	13
860	Partitioning of kinetic energy to internal energy in the low energy collision-induced dissociations of proton-bound dimers of polypeptides. <i>International Journal of Mass Spectrometry</i> , 1999, 185-187, 75-90.	1.5	13
861	Chemical mass shifts in quadrupole ion traps as analytical characteristics of nitro-aromatic compounds. <i>International Journal of Mass Spectrometry</i> , 2003, 222, 481-491.	1.5	13
862	Trace Analysis of Organics in Air by Corona Discharge Atmospheric Pressure Ionization Using an Electrospray Ionization Interface. <i>European Journal of Mass Spectrometry</i> , 2004, 10, 197-204.	1.0	13
863	Performance of a low voltage ion trap. <i>International Journal of Mass Spectrometry</i> , 2011, 305, 69-73.	1.5	13
864	Direct analysis of complex mixtures by mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2015, 377, 709-718.	1.5	13

#	ARTICLE	IF	CITATIONS
865	Nuclear Magnetic Resonance Structure Elucidation of Peptide $\langle i \rangle^2 \langle /i \rangle$ Ions. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1547-1550.	13.8	13
866	On-line chiral analysis using the kinetic method. <i>Analyst</i> , The, 2016, 141, 2441-2446.	3.5	13
867	Reaction screening and optimization of continuous-flow atropine synthesis by preparative electrospray mass spectrometry. <i>Analyst</i> , The, 2017, 142, 2836-2845.	3.5	13
868	Implementation of Precursor and Neutral Loss Scans on a Miniature Ion Trap Mass Spectrometer and Performance Comparison to a Benchtop Linear Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1355-1364.	2.8	13
869	Sizing sub-diffraction limit electrosprayed droplets by structured illumination microscopy. <i>Analyst</i> , The, 2018, 143, 232-240.	3.5	13
870	Nebulization Prior to Isolation, Ionization, and Dissociation of the Neutral Serine Octamer Allows Its Characterization. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 17141-17145.	13.8	13
871	Accelerated Chemical Synthesis: Three Ways of Performing the Katritzky Transamination Reaction. <i>Journal of Chemical Education</i> , 2019, 96, 360-365.	2.3	13
872	High-Throughput Label-Free Enzymatic Assays Using Desorption Electrospray-Ionization Mass Spectrometry. <i>Angewandte Chemie</i> , 2020, 132, 20639-20644.	2.0	13
873	Bond-forming reactions occurring in azines upon electron impact. <i>Organic Mass Spectrometry</i> , 1968, 1, 583-592.	1.3	12
874	Gaseous bivalent boron cations: stability and structure. <i>Challenge</i> , 1970, , 923.	0.4	12
875	A tandem mass spectrometric investigation of hydroxy-aromatic constituents in coal liquids. <i>Analytica Chimica Acta</i> , 1985, 173, 117-127.	5.4	12
876	Estimation of Free Radical Ionization Energies by the Kinetic Method and the Relationship between the Kinetic Method and the Hammett Equation. <i>Analytical Chemistry</i> , 1997, 69, 3641-3645.	6.5	12
877	Stereoelectronic Effects and Gas-phase Affinities of Dicoordinated Borinium Cations. , 1997, 32, 159-166.		12
878	C-F Bond Cleavage by Mass-Selected Free Radicals at Fluorinated Self-Assembled Monolayer Surfaces. <i>Journal of the American Chemical Society</i> , 1998, 120, 4254-4255.	13.7	12
879	Axial ion motion within the quadrupole ion trap elucidated by dc pulse tomography. <i>International Journal of Mass Spectrometry</i> , 2000, 194, 225-234.	1.5	12
880	Comments on "Proton Affinities of Primary Alkanols: An Appraisal of the Kinetic Method". <i>Journal of Physical Chemistry A</i> , 2000, 104, 1359-1361.	2.5	12
881	Gas-phase SN2 reactivity of dicoordinated borinium cations using pentaquadrupole mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2001, 12, 948-955.	2.8	12
882	Translational to Vibrational Energy Conversion during Surface-Induced Dissociation of N-Butylbenzene Molecular Ions Colliding at Self-Assembled Monolayer Surfaces. <i>European Journal of Mass Spectrometry</i> , 2003, 9, 237-244.	1.0	12

#	ARTICLE	IF	CITATIONS
883	Meerwein reaction of phosphonium ions with epoxides and thioepoxides in the gas phase. <i>Journal of the American Society for Mass Spectrometry</i> , 2004, 15, 398-405.	2.8	12
884	Hydrogen/chlorine exchange reactions of gaseous carbanions. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 2045-2051.	2.8	12
885	Co-occurrence of boundary and resonance ejection in a multiplexed rectilinear ion trap mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , 2006, 17, 56-59.	2.8	12
886	Analysis and modification of surfaces using molecular ions in the ambient environment. <i>Current Opinion in Chemical Biology</i> , 2011, 15, 741-747.	6.1	12
887	Online Inductive Electrospray Ionization Mass Spectrometry as a Process Analytical Technology Tool To Monitor the Synthetic Route to Anagliptin. <i>Organic Process Research and Development</i> , 2016, 20, 940-947.	2.7	12
888	Tumor Cell Detection by Mass Spectrometry Using Signal Ion Emission Reactive Release Amplification. <i>Analytical Chemistry</i> , 2016, 88, 6971-6975.	6.5	12
889	State-of-the-art mass spectrometry for point-of-care and other applications: A hands-on intensive short course for undergraduate students. <i>International Journal of Mass Spectrometry</i> , 2017, 417, 22-28.	1.5	12
890	N-Acetylaspartate and 2-Hydroxyglutarate Assessed in Human Brain Tissue by Mass Spectrometry as Neuronal Markers of Oncogenesis. <i>Clinical Chemistry</i> , 2017, 63, 1766-1767.	3.2	12
891	Extending the mass range of a miniature ion trap mass spectrometer using the inverse Mathieu q scan. <i>International Journal of Mass Spectrometry</i> , 2017, 422, 154-161.	1.5	12
892	Direct ion generation from swabs. <i>Talanta</i> , 2018, 184, 356-363.	5.5	12
893	Ion Manipulation in Open Air Using 3D-Printed Electrodes. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 2584-2593.	2.8	12
894	Metabolic profiles of human brain parenchyma and glioma for rapid tissue diagnosis by targeted desorption electrospray ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6213-6224.	3.7	12
895	Complex mixture analysis by two-dimensional mass spectrometry using a miniature ion trap. <i>Talanta Open</i> , 2021, 3, 100028.	3.7	12
896	Bacterial growth monitored by two-dimensional tandem mass spectrometry. <i>Analyst, The</i> , 2022, 147, 940-946.	3.5	12
897	The mass spectra of substituted imides. <i>Tetrahedron</i> , 1968, 24, 1051-1061.	1.9	11
898	Substituent scrambling in the thiophene molecular ion. <i>Journal of the American Chemical Society</i> , 1972, 94, 4985-4990.	18.7	11
899	Kinetic energy distributions in the fragmentations of metastable H <sub>2</sub> S, HDS and D <sub>2</sub> S ions. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1975, 18, 43-56.	1.3	11
900	Stereochemical assignment by mass spectrometry. Metastable ion characteristics for dehydrohalogenation. <i>Journal of Organic Chemistry</i> , 1975, 40, 511-513.	3.2	11

#	ARTICLE	IF	CITATIONS
901	Search for new alkaloids in <i>Pachycereus weberi</i> by tandem mass spectrometry. <i>Analytical Chemistry</i> , 1985, 57, 109-114.	6.5	11
902	The [C <sub>5</sub> H <sub>8</sub> ] <sup>+</sup> radical cation: Structural studies by energy-resolved mass spectrometry. <i>Organic Mass Spectrometry</i> , 1985, 20, 727-732.	1.3	11
903	Binding of first and subsequent glycerol molecules to organic and inorganic cations studied by desolvation in the mass spectrometer. <i>Analytical Chemistry</i> , 1986, 58, 1218-1221.	6.5	11
904	Tandem mass spectrometry for on-line fermentation monitoring. <i>Biotechnology Letters</i> , 1989, 3, 361-364.	0.5	11
905	Chemical modification of DNA: quantitation of O <sup>6</sup> -methyldeoxyguanosine by tandem mass spectrometry. <i>Biological Mass Spectrometry</i> , 1991, 20, 503-504.	0.5	11
906	Proton affinity of peroxyacetyl nitrate sampled by membrane introduction mass spectrometry. , 1998, 12, 328-334.		11
907	Metal-assisted esterification: glutaric acid-iron(II) complexes in the gas phase. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 484-488.	1.5	11
908	Axial CID and high pressure resonance CID in a miniature ion trap mass spectrometer using a discontinuous atmospheric pressure interface. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 209-214.	2.8	11
909	Molecular ion yield enhancement in static secondary ion mass spectrometry by soft landing of protonated water clusters. <i>Surface and Interface Analysis</i> , 2011, 43, 498-501.	1.8	11
910	Successive Resonances for Ion Ejection at Arbitrary Frequencies in an Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1922-1928.	2.8	11
911	Effects of long-term dietary supplementation with conjugated linoleic acid on bovine oocyte lipid profile. <i>Reproduction, Fertility and Development</i> , 2016, 28, 1326.	0.4	11
912	Functionalization of saturated hydrocarbons using nitrogen ion insertion reactions in mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2017, 418, 79-85.	1.5	11
913	Accelerated multi-reagent copper catalysed coupling reactions in micro droplets and thin films. <i>Reaction Chemistry and Engineering</i> , 2018, 3, 206-209.	3.7	11
914	Logical MS/MS scans: a new set of operations for tandem mass spectrometry. <i>Analyst</i> , 2018, 143, 5438-5452.	3.5	11
915	Accelerated reactions in field desorption mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2018, 53, 942-946.	1.6	11
916	Raman spectroscopy coupled with ambient ionization mass spectrometry: A forensic laboratory investigation into rapid and simple dual instrumental analysis techniques. <i>International Journal of Mass Spectrometry</i> , 2020, 452, 116326.	1.5	11
917	Inter-platform assessment of performance of high-throughput desorption electrospray ionization mass spectrometry. <i>Talanta Open</i> , 2021, 4, 100046.	3.7	11
918	Miniature mass spectrometer-based point-of-care assay for cabotegravir and rilpivirine in whole blood. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 3387-3395.	3.7	11

#	ARTICLE	IF	CITATIONS
919	Electron-impact studies. Part XXI. The mass spectra of sulphonamides and sulphonyl chlorides: the formation of C=O and C=N bonds upon electron impact. <i>Journal of the Chemical Society B, Physical Organic</i> , 1968, .	0.2	10
920	The mass and ion kinetic energy spectra of H <sub>2</sub> , HD and D <sub>2</sub> . <i>Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences</i> , 1972, 327, 1-11.	1.4	10
921	Unexpected course of olefin loss from some alkylcyclopentanone ions. Gaseous ion structure by ion cyclotron resonance spectrometry, mass-analyzed ion kinetic energy spectrometry and collision-induced dissociation. <i>Organic Mass Spectrometry</i> , 1976, 11, 697-711.	1.3	10
922	Beam-induced reactions in molecular secondary ion mass spectrometry. Nitryne and methyne transfer at interfaces. <i>Analytical Chemistry</i> , 1985, 57, 2925-2927.	6.5	10
923	The effect of ion source temperature on the fragmentation of 2-pentanone. <i>Organic Mass Spectrometry</i> , 1986, 21, 11-14.	1.3	10
924	Chemical modification of deoxyribonucleic acids: Quantitation of 3-methylthymidine and O4-methylthymidine by tandem mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1991, 111, 381-394.	1.8	10
925	Quadrupole ion trap mass spectrometry of fullerenes. <i>Organic Mass Spectrometry</i> , 1992, 27, 284-288.	1.3	10
926	Reactions of low-energy ions with ferrocene self-assembled monolayer surfaces. <i>Rapid Communications in Mass Spectrometry</i> , 1993, 7, 711-713.	1.5	10
927	Electron affinities and C <sub>60</sub> anion clusters of certain bowl-shaped polycyclic aromatic hydrocarbons. , 1997, 32, 1305-1309.		10
928	Gas-phase acidity of urea. , 1998, 33, 943-949.		10
929	Instrumentation and methods for ion and reaction monitoring using a non-scanning rectilinear ion trap. <i>International Journal of Mass Spectrometry</i> , 2006, 255-256, 1-10.	1.5	10
930	Rephasing ion packets in the orbitrap mass analyzer to improve resolution and peak shape. <i>Journal of the American Society for Mass Spectrometry</i> , 2009, 20, 1397-1404.	2.8	10
931	Ion/molecule reactions for detecting ammonia using miniature cylindrical ion trap mass spectrometers. <i>Analyst</i> , The, 2011, 136, 120-127.	3.5	10
932	Atmospheric pressure neutral reionization mass spectrometry for structural analysis. <i>Chemical Science</i> , 2017, 8, 6499-6507.	7.4	10
933	Precursor and Neutral Loss Scans in an RF Scanning Linear Quadrupole Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1345-1354.	2.8	10
934	Accelerated tert-butyloxycarbonyl deprotection of amines in microdroplets produced by a pneumatic spray. <i>International Journal of Mass Spectrometry</i> , 2018, 430, 98-103.	1.5	10
935	Differential Rapid Screening of Phytochemicals by Leaf Spray Mass Spectrometry. <i>Bulletin of the Korean Chemical Society</i> , 2014, 35, 919-924.	1.9	10
936	Novel Ion Trap Scan Modes to Develop Criteria for On-Site Detection of Sulfonamide Antibiotics. <i>Analytical Chemistry</i> , 2021, 93, 13904-13911.	6.5	10

#	ARTICLE	IF	CITATIONS
937	Studies in mass spectrometry. Part XXI. Migrations to carbonium ion centres generated upon electron impact. <i>Journal of the Chemical Society C, Organic</i> , 1967, , 2601.	0.2	9
938	Mass spectra of substituted thioglycolic acids and esters. Skeletal rearrangement upon electron-impact. <i>Organic Mass Spectrometry</i> , 1969, 2, 413-424.	1.3	9
939	Neighboring-Group Participation Reactions in the Mass Spectral Fragmentations of Some Azulenes. Comparisons with Solvolytic Processes. <i>Journal of Organic Chemistry</i> , 1970, 35, 4048-4054.	3.2	9
940	Functional group screening of complex mixtures with a double quadrupole mass spectrometer. <i>Analytica Chimica Acta</i> , 1980, 119, 149-152.	5.4	9
941	Chemical modification of polynucleotides. Quantitative studies of polycytidylic acid by nuclear magnetic resonance spectroscopy and secondary-ion mass spectrometry. <i>Journal of Organic Chemistry</i> , 1981, 46, 4770-4773.	3.2	9
942	Cactus Alkaloids. LIII. Coryphanthine and O-Methyl-Candicine, Two New Quaternary Alkaloids from <i>Coryphantha greenwoodii</i> . <i>Journal of Natural Products</i> , 1983, 46, 688-693.	3.0	9
943	Stereoisomeric effects on mass spectral fragmentations of chloronorbornanones. <i>Organic Mass Spectrometry</i> , 1985, 20, 757-764.	1.3	9
944	Cactus Alkaloids, LXI. Identification of Mescaline and Related Compounds in Eight Additional Species Using Tlc and Ms/ms. <i>Journal of Natural Products</i> , 1986, 49, 735-737.	3.0	9
945	Nature of methyl cation bonding to dihydroxybenzenes elucidated using an ion trap mass spectrometer. <i>Organic Mass Spectrometry</i> , 1991, 26, 575-582.	1.3	9
946	Mass spectrometer systems and products. A directory of manufacturers and suppliers. <i>Rapid Communications in Mass Spectrometry</i> , 1991, 5, 425-432.	1.5	9
947	C60 inflation: production of C62, C64, $\hat{a}E $ . <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1994, 135, 243-247.	1.8	9
948	Process engineering of high-ethanol-tolerance yeast for the manufacture of ethanol. <i>Applied Biochemistry and Biotechnology</i> , 1995, 51-52, 479-493.	2.9	9
949	Concerted Hydrogen Rearrangement in Nickelocenium Cation and the Formation of NiH <sub>2</sub> .bul.+ . <i>The Journal of Physical Chemistry</i> , 1995, 99, 2941-2945.	2.9	9
950	Online, in situ analysis with membrane introduction MS. <i>Environmental Science &amp; Technology</i> , 1995, 29, 215A-218A.	10.0	9
951	<i>JMS Letters</i> . , 1997, 32, 333-335.		9
952	Structural Characterization of Clusters Formed from Alkyl Nitriles and the Methyl Cation. <i>Journal of Physical Chemistry A</i> , 2000, 104, 11290-11296.	2.5	9
953	A multiquadrupole tandem mass spectrometer for the study of ion/surface collision processes. <i>Review of Scientific Instruments</i> , 2002, 73, 2375-2391.	1.3	9
954	Determination of pentachlorophenol by negative ion chemical ionization with membrane introduction mass spectrometry. <i>Analyst, The</i> , 2002, 127, 1463-1466.	3.5	9

#	ARTICLE	IF	CITATIONS
955	Fragmentation of Polyfunctional Compounds Recorded Using Automated High-Throughput Desorption Electrospray Ionization. <i>Journal of the American Society for Mass Spectrometry</i> , 2021, 32, 2261-2273.	2.8	9
956	Parallel Reactions for Enantiomeric Quantification of Peptides by Mass Spectrometry This work was supported by the U.S. Department of Energy, Office of Energy Research. W.A.T. acknowledges fellowship support from Triangle Pharmaceuticals.. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 757-760.	13.8	9
957	Changes in mold damaged wheat flours stored at various temperatures. Fluorescent compounds: 4,6,8(14),22-ergostatetraen-3-one and its C24-ethyl analog. <i>Journal of Agricultural and Food Chemistry</i> , 1970, 18, 620-623.	5.2	8
958	Fine structure in "metastable peak" shapes in mass spectra. <i>Challenge</i> , 1971, .	0.4	8
959	Optical fiber interface between a laser and a tandem mass spectrometer. <i>Analytical Chemistry</i> , 1987, 59, 1069-1071.	6.5	8
960	Structural characterization and sequence distributions of polysiloxanes using pyrolysis MS/MS. <i>Talanta</i> , 1993, 40, 1233-1243.	5.5	8
961	Diels-Alder reactions of mass-selected ions in an ion trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1995, 9, 911-915.	1.5	8
962	Affinity liquid membrane introduction mass spectrometry. <i>Analytica Chimica Acta</i> , 1999, 395, 239-249.	5.4	8
963	Reduction of nitroaromatics to arylnitrenium ions by vinyl halide cations Electronic Supplementary Information (ESI) available: supplementary spectra and B3LYP/6-31G(d) optimized geometry and energy of molecules and ions. See <a href="http://www.rsc.org/suppdata/cc/b3/b314713d/">http://www.rsc.org/suppdata/cc/b3/b314713d/</a> . <i>Chemical Communications</i> , 2004, , 688.	4.1	8
964	Inverse Heavy-Atom Kinetic Isotope Effects in Chloroalkanes. <i>Journal of Physical Chemistry A</i> , 2004, 108, 10039-10043.	2.5	8
965	Novel CFCs-substitutes recommended by EPA (hydrofluorocarbon-245fa and hydrofluoroether-7100): Ion chemistry in air plasma and reactions with atmospheric ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 1081-1092.	2.8	8
966	Ion Soft Landing: Instrumentation, Phenomena, and Applications. , 2006, , 433-474.		8
967	Origin of chiral selectivity in gas-phase serine tetramers. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 877-885.	2.8	8
968	Trace detection of inorganic oxidants using desorption electrospray ionization (DESI) mass spectrometry. <i>Open Chemistry</i> , 2011, 9, 790-797.	1.9	8
969	Ion isolation and multigenerational collision-induced dissociation using the inverse Mathieu q scan. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 200-206.	1.5	8
970	Aldol Reactions of Biorenewable Triacetic Acid Lactone Precursor Evaluated Using Desorption Electrospray Ionization Mass Spectrometry High-Throughput Experimentation and Validated by Continuous Flow Synthesis. <i>ACS Combinatorial Science</i> , 2020, 22, 796-803.	3.8	8
971	Temporal distribution of ions in ambient pressure drift tubes with turns. <i>International Journal of Mass Spectrometry</i> , 2020, 456, 116391.	1.5	8
972	Fourier Transform-Ion Mobility Linear Ion Trap Mass Spectrometer Using Frequency Encoding for Recognition of Related Compounds in a Single Acquisition. <i>Analytical Chemistry</i> , 2020, 92, 5107-5115.	6.5	8

#	ARTICLE	IF	CITATIONS
973	Fluorescent metabolites in mold-damaged wheat flour. <i>Experientia</i> , 1970, 26, 1056-1057.	1.2	7
974	Doubly charged ions from labeled toluenes. Isotope effects, preference factors, and hydrogen randomization. <i>Journal of the American Chemical Society</i> , 1972, 94, 1834-1836.	13.7	7
975	[C] <sup>+</sup> and [CH] <sup>+</sup> from doubly charged ions formed from malononitrile. <i>Organic Mass Spectrometry</i> , 1975, 10, 824-830.	1.3	7
976	Ion kinetic energy losses and excited state population in ion-molecule reactions. <i>Chemical Physics</i> , 1976, 15, 295-301.	1.9	7
977	Charge exchange using a double quadrupole mass spectrometer. <i>Analytica Chimica Acta</i> , 1980, 119, 153-156.	5.4	7
978	Hydrogen elimination from the butyl cation. Energy partitioning and transition-state geometry. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1980, 35, 293-298.	1.3	7
979	Mass spectrometer systems and products. An expanded directory of manufacturers and suppliers. <i>Rapid Communications in Mass Spectrometry</i> , 1992, 6, 75-84.	1.5	7
980	Block microstructural characterization of copolymers formed from fluorinated and non-fluorinated alkyl polyisocyanates using desorption chemical ionization mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 165-166, 391-404.	1.8	7
981	Sampling of aryl diazonium, anilino, and aryl radicals by membrane introduction mass spectrometry: Thermolysis of aromatic diazoamino compounds. <i>Journal of the American Society for Mass Spectrometry</i> , 1998, 9, 234-241.	2.8	7
982	C-F and C-C bond activation by transition metals in low energy atomic ion/surface collisions. , 1999, 13, 172-178.		7
983	Synthesis of silicon heterocycles via gas-phase silylium ion reactions with cyclic acetals and ketals. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 2325-2332.	0.9	7
984	Eberlin reaction of arenosulfonylium cations with cyclic acetals and ketals: ring contraction and cycloreversion. <i>Perkin Transactions II RSC</i> , 2001, , 350-355.	1.1	7
985	Analysis of nucleotides and oligonucleotides immobilized as self-assembled monolayers by static secondary ion mass spectrometry. <i>Biological Mass Spectrometry</i> , 2005, 23, 653-659.	0.5	7
986	Desorption Electrospray Ionization (DESI) Analysis of Intact Proteins/Oligopeptides. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.prot4992-pdb.prot4992.	0.3	7
987	Multigenerational Broadband Collision-Induced Dissociation of Precursor Ions in a Linear Quadrupole Ion Trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1914-1921.	2.8	7
988	Fatty Acid Patterns Detected By Ambient Ionization Mass Spectrometry in Canine Invasive Urothelial Carcinoma From Dogs of Different Breeds. <i>Bladder Cancer</i> , 2018, 4, 283-291.	0.4	7
989	Accelerated Forced Degradation of Therapeutic Peptides in Levitated Microdroplets. <i>Pharmaceutical Research</i> , 2020, 37, 138.	3.5	7
990	Cluster ion structures formed by positive and negative chemical ionization of lactic and other hydroxyacids. <i>Organic Mass Spectrometry</i> , 1982, 17, 519-523.	1.3	6



#	ARTICLE	IF	CITATIONS
991	Desorption ionization/tandem mass spectrometry with a caesium ion source and a triple quadrupole mass spectrometer. <i>Talanta</i> , 1986, 33, 1001-1007.	5.5	6
992	Characterization of and energy deposition in $[C_2H_4O_2]^+E^+$ ions using energy-resolved mass spectrometry. <i>Organic Mass Spectrometry</i> , 1986, 21, 101-103.	1.3	6
993	Hybrid mass spectrometers: Versatile research instruments. <i>TrAC - Trends in Analytical Chemistry</i> , 1986, 5, 236-240.	11.4	6
994	Depth profiling of multilayered samples and comparisons of secondary ion and laser desorption mass spectra in the same instrument. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 90, 97-118.	1.8	6
995	Determination of ammonia, ethanol and acetic acid in solution using membrane introduction mass spectrometry. <i>Talanta</i> , 1994, 41, 1237-1245.	5.5	6
996	Ion/Molecule Reactions of Titanium and Titanium Dichloride Cations with Pyridine: Activation of the Pyridine Ring in the Gas Phase. , 1996, 10, 927-931.		6
997	Selective Photodissociation of Trapped Ions after Ion Cloud Manipulation with an Impulsive Quadrupolar Electric Field. <i>The Journal of Physical Chemistry</i> , 1996, 100, 5205-5209.	2.9	6
998	Comparison of Tandem Mass Spectrometric Techniques Using Ion-trap and Hybrid Mass Spectrometers for Studies of the Degradation of a Herbicide by Biofilm. , 1997, 11, 24-30.		6
999	Microstructure of alkoxy and alkyl substituted isocyanate copolymers determined by desorption chemical ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 1997, 356, 149-154.	5.4	6
1000	Activation of Dioxygen by Halocarbon Ions. <i>Journal of Physical Chemistry A</i> , 2000, 104, 6804-6808.	2.5	6
1001	Reactions of $BBn^+$ ( $n = 0-2$ ) at fluorinated and hydrocarbon self-assembled monolayer surfaces: observations of chemical selectivity in ion-surface scattering. <i>Journal of Mass Spectrometry</i> , 2001, 36, 717-725.	1.6	6
1002	Ion Isolation in a Linear Ion Trap Using Dual Resonance Frequencies. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1906-1913.	2.8	6
1003	Improving mass assignments in quadrupole ion traps operated using ac scans: Theory and experimental validation. <i>International Journal of Mass Spectrometry</i> , 2017, 417, 1-7.	1.5	6
1004	Chiral Analysis by Tandem Mass Spectrometry Using the Kinetic Method, by Polarimetry, and by $^1H$ NMR Spectroscopy. <i>Journal of Chemical Education</i> , 2017, 94, 1329-1333.	2.3	6
1005	High-Throughput Bioassays using $^{60}Ni$ -Multiplexed Electrospray Mass Spectrometry. <i>Angewandte Chemie</i> , 2019, 131, 17758-17762.	2.0	6
1006	Electron impact studies. VI. Mass spectra of esters and thioesters. Skeletal rearrangement on electron impact. <i>Australian Journal of Chemistry</i> , 1967, 20, 689.	0.9	5
1007	The effects of stray magnetic fields upon mass and ion kinetic energy spectra. <i>International Journal of Mass Spectrometry and Ion Physics</i> , 1975, 16, 343-347.	1.3	5
1008	Insights into coal structure from degradation with ruthenium tetroxide and tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 1985, 174, 211-223.	5.4	5

#	ARTICLE	IF	CITATIONS
1009	Nucleophilic reactions between biological conjugates and tetraalkylammonium ion pair reagents during desorption chemical ionization. <i>Biomedical &amp; Environmental Mass Spectrometry</i> , 1988, 15, 571-576.	1.6	5
1010	Pyrolytic and gas phase fullerene derivatization reactions. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1994, 138, 209-219.	1.8	5
1011	Fluorinated methyl cation (CF <sub>3</sub> <sup>+</sup> , CFH <sub>2</sub> <sup>+</sup> )-alkyl nitrile cluster ions. <i>Journal of Mass Spectrometry</i> , 2000, 35, 1407-1415.	1.6	5
1012	Differentiation of isomeric oxygenated adsorbates using low-energy ion/surface collisions. <i>International Journal of Mass Spectrometry</i> , 2003, 230, 151-159.	1.5	5
1013	Through a Glass Darkly: Glimpses into the Future of Mass Spectrometry. <i>Mass Spectrometry</i> , 2013, 2, S0001-S0001.	0.6	5
1014	Fiducial Markers for Distribution of Drug and Excipient on Tablet Surfaces by Multimodal Desorption Electrospray Ionization-MS Imaging. <i>Analytical Letters</i> , 2014, 47, 91-101.	1.8	5
1015	Unique capabilities of AC frequency scanning and its implementation on a Mars Organic Molecule Analyzer linear ion trap. <i>Analyst, The</i> , 2017, 142, 2109-2117.	3.5	5
1016	Ambient Lipidomic Analysis of Single Mammalian Oocytes and Preimplantation Embryos Using Desorption Electrospray Ionization (DESI) Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2020, 2064, 159-179.	0.9	5
1017	Immediate and sensitive detection of sporulated <i>Bacillus subtilis</i> by microwave release and tandem mass spectrometry of dipicolinic acid. <i>Analyst, The</i> , 2021, 146, 7104-7108.	3.5	5
1018	Multiple reaction monitoring profiling as an analytical strategy to investigate lipids in extracellular vesicles. <i>Journal of Mass Spectrometry</i> , 2021, 56, e4681.	1.6	5
1019	Pd Reaction Intermediates in Suzuki-Miyaura Cross-Coupling Characterized by Mass Spectrometry. <i>ChemPlusChem</i> , 2022, , e202100545.	2.8	5
1020	Skeletal rearrangement on electron impact. <i>Chemical Communications / Chemical Society, London</i> , 1966, , 539.	0.1	4
1021	The question of hydrogen and randomization in phenyl isocyanide. <i>Organic Mass Spectrometry</i> , 1968, 1, 910-912.	1.3	4
1022	The relative rates of fragmentation of benzoyl ions generated upon electron impact from different precursors. <i>Chemical Communications / Chemical Society, London</i> , 1968, , 627.	0.1	4
1023	The reactions with amines of disulphides derived from thiazolium salts. Part I. Primary and secondary amines. <i>Journal of the Chemical Society C, Organic</i> , 1968, , 2864.	0.2	4
1024	Studies in mass spectrometry. Part XXVIII. Hydrogen scrambling between phenyl rings of diphenylmethanol and diphenylmethyl chloride. <i>Journal of the Chemical Society B, Physical Organic</i> , 1968, , 522.	0.2	4
1025	THE ANALYSIS OF METALLOPORPHYRINS IN PETROLEUM USING TANDEM MASS SPECTROMETRY. <i>Petroleum Science and Technology</i> , 1986, 4, 683-698.	0.2	4
1026	International Mass Spectrometry Society (IMSS). <i>Journal of Mass Spectrometry</i> , 2001, 36, 119-123.	1.6	4

#	ARTICLE	IF	CITATIONS
1027	Membrane introduction mass spectrometry for monitoring complexation equilibria of $\beta$ -cyclodextrin with substituted benzenes. <i>Analyst</i> , The, 2003, 128, 61-64.	3.5	4
1028	Kinetic Isotope and Collision Energy Effects in the Dissociation of Chloride and Bromide Adducts of Aliphatic Alcohols, Benzaldehyde, and 2,4-Pentanedione. <i>Australian Journal of Chemistry</i> , 2003, 56, 415.	0.9	4
1029	Dissociation of ionized benzophenones investigated by the kinetic method: effective temperature, steric effects and gas-phase CO+ $\alpha$ affinities of phenyl radicals. <i>Journal of Mass Spectrometry</i> , 2004, 39, 558-564.	1.6	4
1030	Mass spectral methods of chiral analysis. , 2006, , 595-659.		4
1031	Desorption Electrospray Ionization: Proteomics Studies by a Method That Bridges ESI and MALDI. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.top37.	0.3	4
1032	Ambient Lipidomic Analysis of Brain Tissue Using Desorption Electrospray Ionization (DESI) Mass Spectrometry. <i>Neuromethods</i> , 2017, , 187-210.	0.3	4
1033	High-throughput, low-cost reaction screening using a modified 3D printer. <i>Analyst</i> , The, 2019, 144, 4978-4984.	3.5	4
1034	Collection and Characterization by Mass Spectrometry of the Neutral Serine Octamer Generated upon Sublimation. <i>Analytical Chemistry</i> , 2021, 93, 1092-1099.	6.5	4
1035	Exploratory analysis using MRM profiling mass spectrometry of a candidate metabolomics sample for testing system suitability. <i>International Journal of Mass Spectrometry</i> , 2021, 468, 116663.	1.5	4
1036	The structures of some products from the electrolysis of cyclohexane-1,3-dione and related compounds. <i>Journal of the Chemical Society C, Organic</i> , 1968, , 2199.	0.2	3
1037	Patient-Determined Glycosylated Hemoglobin Measurements: An Aid to Patient Education. <i>Diabetes Care</i> , 1981, 4, 480-483.	8.6	3
1038	Tandem mass spectrometry at low kinetic energy. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 1987, 29, 427-436.	1.4	3
1039	Dissociative charge exchange of C <sub>3</sub> F <sub>6</sub> . <i>Organic Mass Spectrometry</i> , 1991, 26, 1008-1016.	1.3	3
1040	Special Feature on Electrospray Ionization. <i>Journal of Mass Spectrometry</i> , 2000, 35, 761-761.	1.6	3
1041	John Beynon at Purdue. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 7-10.	1.5	3
1042	Gas-Phase Halide Affinity of Aliphatic Alcohols Estimated by the Kinetic Method. <i>European Journal of Mass Spectrometry</i> , 2004, 10, 847-855.	1.0	3
1043	Direct Characterization of Enzyme-Substrate Complexes by Using Electrosonic Spray Ionization Mass Spectrometry. <i>Angewandte Chemie</i> , 2005, 117, 935-938.	2.0	3
1044	<b>Molecular recognition of emerald ash borer infestation using leaf spray mass spectrometry</b>. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1304-1312.	1.5	3

#	ARTICLE	IF	CITATIONS
1045	Detection of Neutral CO Lost During Ionic Dissociation Using Atmospheric Pressure Thermal Dissociation Mass Spectrometry (APTD-MS). <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 2317-2326.	2.8	3
1046	Triple Resonance Methods to Improve Performance of Ion Trap Precursor and Neutral Loss Scans. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 1123-1131.	2.8	3
1047	Cutting-edge developments in mass spectrometry: A hands-on workshop. <i>International Journal of Mass Spectrometry</i> , 2020, 452, 116337.	1.5	3
1048	Reaction Acceleration at Solid/Solution Interfaces: Katritzky Reaction Catalyzed by Glass Particles. <i>Angewandte Chemie</i> , 2021, 133, 2965-2969.	2.0	3
1049	The mass spectra of hydroxyl compounds. , 0, , 1045-1085.		3
1050	Skeletal rearrangement processes of aromatic azoxy-compounds on electron impact. <i>Chemical Communications / Chemical Society, London</i> , 1967, , 284.	0.1	2
1051	Substituent effects in mass spectrometry. <i>Chemical Communications / Chemical Society, London</i> , 1968, , 837.	0.1	2
1052	The reactions with amines of disulphides derived from thiazolium salts. Part II. Tertiary and aromatic amines and the thiolation reaction. <i>Journal of the Chemical Society C, Organic</i> , 1968, , 2871.	0.2	2
1053	Effects of vacuum on tetrakis-isocyanide complexes of silver(I) and copper(I): Implications for sims analyses. <i>Talanta</i> , 1986, 33, 917-918.	5.5	2
1054	Determination of the valence band offset at a HgTe/CdTe heterojunction by magnetooptics. <i>Superlattices and Microstructures</i> , 1988, 4, 559-563.	3.1	2
1055	Organic reactions at interfaces: charge minimization in desorption ionization of Zwitterionic compounds. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 88, 113-132.	1.8	2
1056	Chemical reactions at interfaces: Hydrogen-deuterium exchange using a solid ND <sub>4</sub> Cl matrix in molecular secondary ion mass spectrometry. <i>Organic Mass Spectrometry</i> , 1993, 28, 176-184.	1.3	2
1057	Dependence on scattering angle of the internal energy distribution of products of charge-changing collisions. <i>Organic Mass Spectrometry</i> , 1993, 28, 382-389.	1.3	2
1058	Structural characterization of poly(N-alkyl-4-vinylpyridinium) triflates using pyrolysis/tandem mass spectrometry. <i>Talanta</i> , 1993, 40, 363-379.	5.5	2
1059	In Situ Desorption Electrospray Ionization (DESI) Analysis of Tissue Sections. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.prot4994-pdb.prot4994.	0.3	2
1060	Correction for Wiseman et al., <i>Mass Spectrometry Across the Sciences Special Feature: Desorption electrospray ionization mass spectrometry: Imaging drugs and metabolites in tissues</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6022-6022.	7.1	2
1061	Desorption Electrospray Ionization: Methodology and Applications. , 2017, , 401-408.		2
1062	Uncatalyzed, Regioselective Oxidation of Saturated Hydrocarbons in an Ambient Corona Discharge. <i>Angewandte Chemie</i> , 2018, 130, 777-781.	2.0	2

#	ARTICLE	IF	CITATIONS
1063	Atmospheric Pressure Drift Tube Ion Mobility Spectrometry Coupled with Two-Dimensional Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2021, 32, 2105-2109.	2.8	2
1064	Hydrogen randomisation in alkyl chains upon electron impact. <i>Chemical Communications / Chemical Society, London</i> , 1968, , 1269.	0.1	1
1065	The ratio of $\tilde{m}$ metastable peak <sup>TM</sup> abundances in relation to the question of decomposition from isolated electronic states in electron-impact mass spectra. <i>Journal of the Chemical Society B, Physical Organic</i> , 1969, .	0.2	1
1066	On-Line, In Situ Analysis with Membrane Introduction MS. <i>Environmental Science &amp; Technology</i> , 1995, 29, 215A-218A.	10.0	1
1067	Organizations in Mass Spectrometry: Past, Present and Future. <i>Journal of Mass Spectrometry</i> , 1996, 31, 951-954.	1.6	1
1068	Innenr¼cktitelbild: Accelerated Carbon-13; Carbon Bond-Forming Reactions in Preparative Electrospray (Angew. Chem. 47/2012). <i>Angewandte Chemie</i> , 2012, 124, 12075-12075.	2.0	1
1069	Jonathan W. Amy and the Amy Facility for Instrumentation Development. <i>Analytical Chemistry</i> , 2017, 89, 5171-5173.	6.5	1
1070	Nebulization Prior to Isolation, Ionization, and Dissociation of the Neutral Serine Octamer Allows Its Characterization. <i>Angewandte Chemie</i> , 2018, 130, 17387-17391.	2.0	1
1071	Space charge compensation in air by counterion flow in 3D printed electrode structure. <i>International Journal of Mass Spectrometry</i> , 2021, 468, 116637.	1.5	1
1072	C-F and C-C bond activation by transition metals in low energy atomic ion/surface collisions. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 172-178.	1.5	1
1073	Characterization of a serial array of miniature cylindrical ion trap mass analyzers. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 2444-2449.	1.5	1
1074	Discovery and Chemistry of Naturally-Occurring Anticancer Agents. , 1988, , 291-304.		1
1075	Migrations to carbonium-ion centres generated upon electron impact. <i>Chemical Communications / Chemical Society, London</i> , 1967, , 51.	0.1	0
1076	Skeletal rearrangement of mercapto-esters upon electron impact. <i>Chemical Communications / Chemical Society, London</i> , 1967, , 346.	0.1	0
1077	Skeletal-rearrangement fragments in the mass spectra of substituted thioglycollic acids and esters. <i>Chemical Communications / Chemical Society, London</i> , 1968, , 698.	0.1	0
1078	2-(1-Azulyl)ethyl tosylate methylene scrambling in the gas phase. Similarities to solution chemistry. <i>Organic Mass Spectrometry</i> , 1971, 5, 785-788.	1.3	0
1079	CONSIDER TEACHING It's Been Good to Us. <i>Analytical Chemistry</i> , 1986, 58, 1399A-1410A.	6.5	0
1080	In memory of Ben S. Freiser (1951-1997). <i>Rapid Communications in Mass Spectrometry</i> , 1998, 12, 276-277.	1.5	0

#	ARTICLE	IF	CITATIONS
1081	People: Ben S. Freiser 1951-1997. <i>Analytical Chemistry</i> , 1998, 70, 177A-177A.	6.5	0
1082	There are no new scans: comment on "a new scan mode for the identification of multiply charged ions"™ by Bruce A. Thomson and Igor V. Chernushevich, <i>Rapid Commun. Mass Spectrom.</i> 12, 1323 (1998). <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 752-754.	1.5	0
1083	John Beynon: the Purdue years. <i>International Journal of Mass Spectrometry</i> , 2003, 230, xv-xviii.	1.5	0
1084	Connecting health, environment and security: The Analyst and the science of detection. <i>Analyst</i> , The, 2006, 131, 865.	3.5	0
1085	In the news at Pittcon 2012. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 35, v-xv.	11.4	0
1086	Titelbild: Molecular Ionization from Carbon Nanotube Paper ( <i>Angew. Chem.</i> 23/2014). <i>Angewandte Chemie</i> , 2014, 126, 6120-6120.	2.0	0
1087	Selective Gas-Phase Mass Tagging via Ion/Molecule Reactions Combined with Single Analyzer Neutral Loss Scans to Probe Pharmaceutical Mixtures. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 1092-1101.	2.8	0
1088	70 INCORPORATING MULTIPLE STAGES OF MASS SPECTROMETRY INTO LIPID PROFILING OF OOCYTES AND PRE-IMPLANTATION EMBRYOS. <i>Reproduction, Fertility and Development</i> , 2015, 27, 128.	0.4	0
1089	Ion traps and Piero Traldi: A brief appreciation. <i>Mass Spectrometry Reviews</i> , 2021, , e21753.	5.4	0
1090	Applications of the reaction interface mass-spectrometer technique to the analysis of selected elements and nuclides from submicrogram quantities of biological macromolecules and xenobiotics. <i>Journal of Research of the National Bureau of Standards (United States)</i> , 1988, 93, 419.	0.4	0
1091	Synthesis of B, N, O-containing heterocycles via reaction of an aminoborinium ion with cyclic acetals and ketals. <i>Journal of Mass Spectrometry</i> , 2000, 35, 1215.	1.6	0