

# Michela Gallagher

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6981977/publications.pdf>

Version: 2024-02-01

197  
papers

25,063  
citations

7251

80  
h-index

8627

151  
g-index

203  
all docs

203  
docs citations

203  
times ranked

19745  
citing authors

#	ARTICLE	IF	CITATIONS
1	Individual differences in neurocognitive aging in outbred male and female long-evans rats.. Behavioral Neuroscience, 2022, 136, 13-18.	0.6	4
2	Lateral entorhinal cortex dysfunction in amnesic mild cognitive impairment. Neurobiology of Aging, 2022, 112, 151-160.	1.5	13
3	Loss of functional heterogeneity along the CA3 transverse axis in aging. Current Biology, 2022, 32, 2681-2693.e4.	1.8	5
4	Heterogeneity of Age-Related Neural Hyperactivity along the CA3 Transverse Axis. Journal of Neuroscience, 2021, 41, 663-673.	1.7	18
5	Decreased investigatory head scanning during exploration in learning-impaired, aged rats. Neurobiology of Aging, 2021, 98, 1-9.	1.5	1
6	Spatial learning in male and female Long-Evans rats.. Behavioral Neuroscience, 2021, 135, 4-7.	0.6	29
7	Effect of aging differs for memory of object identity and object position within a spatial context. Learning and Memory, 2021, 28, 239-247.	0.5	5
8	All-or-none disconnection of pyramidal inputs onto parvalbumin-positive interneurons gates ocular dominance plasticity. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	9
9	Afterhyperpolarization amplitude in CA1 pyramidal cells of aged Long-Evans rats characterized for individual differences. Neurobiology of Aging, 2020, 96, 43-48.	1.5	2
10	Using internal memory representations in associative learning to study hallucination-like phenomenon. Neurobiology of Learning and Memory, 2020, 175, 107319.	1.0	5
11	Engagement of the Lateral Habenula in the Association of a Conditioned Stimulus with the Absence of an Unconditioned Stimulus. Neuroscience, 2020, 444, 136-148.	1.1	5
12	Comparison of male and female patients with amnesic mild cognitive impairment: Hippocampal hyperactivity and pattern separation memory performance. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12043.	1.2	2
13	Probing for Conditioned Hallucinations Through Neural Activation in a Ketamine Mouse Model of Schizophrenia. Neuroscience Bulletin, 2020, 36, 937-941.	1.5	4
14	Significance of inhibitory recruitment in aging with preserved cognition: limiting gamma-aminobutyric acid type A $\text{1}\pm\text{5}$ function produces memory impairment. Neurobiology of Aging, 2020, 91, 1-4.	1.5	16
15	What are the threats to successful brain and cognitive aging?. Neurobiology of Aging, 2019, 83, 130-134.	1.5	20
16	Reduced cognitive performance in aged rats correlates with increased excitation/inhibition ratio in the dentate gyrus in response to lateral entorhinal input. Neurobiology of Aging, 2019, 82, 120-127.	1.5	20
17	Cortical thickness atrophy in the transentorhinal cortex in mild cognitive impairment. NeuroImage: Clinical, 2019, 21, 101617.	1.4	46
18	Aged rats with preserved memory dynamically recruit hippocampal inhibition in a local/global cue mismatch environment. Neurobiology of Aging, 2019, 76, 151-161.	1.5	21

#	ARTICLE	IF	CITATIONS
19	Aged rats with intact memory show distinctive recruitment in cortical regions relative to young adults in a cue mismatch task.. Behavioral Neuroscience, 2019, 133, 537-544.	0.6	4
20	Treatment with levetiracetam improves cognition in a ketamine rat model of schizophrenia. Schizophrenia Research, 2018, 193, 119-125.	1.1	23
21	Enhanced postsynaptic inhibitory strength in hippocampal principal cells in high-performing aged rats. Neurobiology of Aging, 2018, 70, 92-101.	1.5	22
22	A greater tendency for representation mediated learning in a ketamine mouse model of schizophrenia.. Behavioral Neuroscience, 2018, 132, 106-113.	0.6	9
23	Increased hippocampal activation in ApoE-4 carriers and non-carriers with amnesic mild cognitive impairment. NeuroImage: Clinical, 2017, 13, 237-245.	1.4	41
24	Heightened cortical excitability in aged rodents with memory impairment. Neurobiology of Aging, 2017, 54, 144-151.	1.5	70
25	Targeting Neural Hyperactivity as a Treatment to Stem Progression of Late-Onset Alzheimer's Disease. Neurotherapeutics, 2017, 14, 662-676.	2.1	77
26	Entorhinal and transentorhinal atrophy in mild cognitive impairment using longitudinal diffeomorphometry. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 9, 41-50.	1.2	24
27	Dimensional assessment of behavioral changes in the cuprizone short-term exposure model for psychosis. Neuroscience Research, 2016, 107, 70-74.	1.0	12
28	Metabotropic Glutamate Receptors Induce a Form of LTP Controlled by Translation and Arc Signaling in the Hippocampus. Journal of Neuroscience, 2016, 36, 1723-1729.	1.7	62
29	Severity of spatial learning impairment in aging: Development of a learning index for performance in the Morris water maze.. Behavioral Neuroscience, 2015, 129, 540-548.	0.6	309
30	Neuroanatomical and behavioral deficits in mice haploinsufficient for Pericentriolar material 1 (Pcm1). Neuroscience Research, 2015, 98, 45-49.	1.0	17
31	Head west or left, east or right: interactions between memory systems in neurocognitive aging. Neurobiology of Aging, 2015, 36, 3067-3078.	1.5	36
32	Response of the medial temporal lobe network in amnesic mild cognitive impairment to therapeutic intervention assessed by fMRI and memory task performance. NeuroImage: Clinical, 2015, 7, 688-698.	1.4	229
33	Basal forebrain neuronal inhibition enables rapid behavioral stopping. Nature Neuroscience, 2015, 18, 1501-1508.	7.1	20
34	Proactive and reactive inhibitory control in rats. Frontiers in Neuroscience, 2014, 8, 104.	1.4	25
35	Age-associated changes in hippocampal-dependent cognition in diversity outbred mice. Hippocampus, 2014, 24, 1300-1307.	0.9	33
36	A fine balance: Regulation of hippocampal Arc/Arg3.1 transcription, translation and degradation in a rat model of normal cognitive aging. Neurobiology of Learning and Memory, 2014, 115, 58-67.	1.0	38

#	ARTICLE	IF	CITATIONS
37	Cognitive and motivational deficits together with prefrontal oxidative stress in a mouse model for neuropsychiatric illness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 12462-12467.	3.3	88
38	Integrity of mGluR-LTD in the Associative/Commissural Inputs to CA3 Correlates with Successful Aging in Rats. <i>Journal of Neuroscience</i> , 2013, 33, 12670-12678.	1.7	29
39	CREB-binding protein levels in the rat hippocampus fail to predict chronological or cognitive aging. <i>Neurobiology of Aging</i> , 2013, 34, 832-844.	1.5	12
40	Selective GABA <sub>A</sub> $\hat{\pm}$ 5 positive allosteric modulators improve cognitive function in aged rats with memory impairment. <i>Neuropharmacology</i> , 2013, 64, 145-152.	2.0	107
41	Hilar interneuron vulnerability distinguishes aged rats with memory impairment. <i>Journal of Comparative Neurology</i> , 2013, 521, 3508-3523.	0.9	110
42	Selective immunotoxic lesions of basal forebrain cholinergic cells: Effects on learning and memory in rats.. <i>Behavioral Neuroscience</i> , 2013, 127, 619-627.	0.6	113
43	Inositol polyphosphate multikinase is a transcriptional coactivator required for immediate early gene induction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16181-16186.	3.3	33
44	Behaviorally Activated mRNA Expression Profiles Produce Signatures of Learning and Enhanced Inhibition in Aged Rats with Preserved Memory. <i>PLoS ONE</i> , 2013, 8, e83674.	1.1	34
45	Characterization of CpG island DNA methylation of impairment-related genes in a rat model of cognitive aging. <i>Epigenetics</i> , 2012, 7, 1008-1019.	1.3	48
46	Clinical Trials: New Opportunities. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 773-780.	1.7	4
47	Reduction of Hippocampal Hyperactivity Improves Cognition in Amnestic Mild Cognitive Impairment. <i>Neuron</i> , 2012, 74, 467-474.	3.8	736
48	Age-Related Memory Impairment Is Associated with Disrupted Multivariate Epigenetic Coordination in the Hippocampus. <i>PLoS ONE</i> , 2012, 7, e33249.	1.1	70
49	Aging reduces total neuron number in the dorsal component of the rodent prefrontal cortex. <i>Journal of Comparative Neurology</i> , 2012, 520, 1318-1326.	0.9	52
50	Pattern separation deficits associated with increased hippocampal CA3 and dentate gyrus activity in nondemented older adults. <i>Hippocampus</i> , 2011, 21, 968-979.	0.9	444
51	Prominent hippocampal CA3 gene expression profile in neurocognitive aging. <i>Neurobiology of Aging</i> , 2011, 32, 1678-1692.	1.5	78
52	Interference with reelin signaling in the lateral entorhinal cortex impairs spatial memory. <i>Neurobiology of Learning and Memory</i> , 2011, 96, 150-155.	1.0	31
53	Assessment of cognition in early dementia. <i>Alzheimer's and Dementia</i> , 2011, 7, e60-e76.	0.4	75
54	Episodic memory on the path to Alzheimer's disease. <i>Current Opinion in Neurobiology</i> , 2011, 21, 929-934.	2.0	114

#	ARTICLE	IF	CITATIONS
55	Greater effort boosts the affective taste properties of food. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1450-1456.	1.2	39
56	Mindspan: Lessons from Rat Models of Neurocognitive Aging. <i>ILAR Journal</i> , 2011, 52, 32-40.	1.8	46
57	Cognitive Decline Is Associated with Reduced Reelin Expression in the Entorhinal Cortex of Aged Rats. <i>Cerebral Cortex</i> , 2011, 21, 392-400.	1.6	85
58	Differences in hippocampal CREB phosphorylation in trace fear conditioning of two inbred mouse strains. <i>Brain Research</i> , 2010, 1345, 156-163.	1.1	11
59	The central amygdala projection to the substantia nigra reflects prediction error information in appetitive conditioning. <i>Learning and Memory</i> , 2010, 17, 531-538.	0.5	55
60	Bridging Neurocognitive Aging and Disease Modification: Targeting Functional Mechanisms of Memory Impairment. <i>Current Alzheimer Research</i> , 2010, 7, 197-199.	0.7	26
61	Treatment Strategies Targeting Excess Hippocampal Activity Benefit Aged Rats with Cognitive Impairment. <i>Neuropsychopharmacology</i> , 2010, 35, 1016-1025.	2.8	146
62	High-resolution structural and functional MRI of hippocampal CA3 and dentate gyrus in patients with amnesic Mild Cognitive Impairment. <i>NeuroImage</i> , 2010, 51, 1242-1252.	2.1	436
63	Painful stimuli evoke potentials recorded from the medial temporal lobe in humans. <i>Neuroscience</i> , 2010, 165, 1402-1411.	1.1	32
64	An analysis of licking microstructure in three strains of mice. <i>Appetite</i> , 2010, 54, 320-330.	1.8	43
65	Associatively Learned Representations of Taste Outcomes Activate Taste-Encoding Neural Ensembles in Gustatory Cortex. <i>Journal of Neuroscience</i> , 2009, 29, 15386-15396.	1.7	52
66	Central, But Not Basolateral, Amygdala Is Critical for Control of Feeding by Aversive Learned Cues. <i>Journal of Neuroscience</i> , 2009, 29, 15205-15212.	1.7	96
67	The Basolateral Amygdala Is Critical to the Expression of Pavlovian and Instrumental Outcome-Specific Reinforcer Devaluation Effects. <i>Journal of Neuroscience</i> , 2009, 29, 696-704.	1.7	125
68	Hippocampal lesions interfere with long-trace taste aversion conditioning. <i>Physiology and Behavior</i> , 2009, 98, 103-107.	1.0	19
69	Assessing the role of the growth hormone secretagogue receptor in motivational learning and food intake. <i>Behavioral Neuroscience</i> , 2009, 123, 1058-1065.	0.6	16
70	A role for alpha-amino-3-hydroxy-5-methylisoxazole-4-propionic acid GluR1 phosphorylation in the modulatory effects of appetitive reward cues on goal-directed behavior. <i>European Journal of Neuroscience</i> , 2008, 27, 3284-3291.	1.2	28
71	Age-related spatial learning impairment is unrelated to spinophilin immunoreactive spine number and protein levels in rat hippocampus. <i>Neurobiology of Aging</i> , 2008, 29, 1256-1264.	1.5	17
72	A necessary role for GluR1 serine 831 phosphorylation in appetitive incentive learning. <i>Behavioural Brain Research</i> , 2008, 191, 178-183.	1.2	40

#	ARTICLE	IF	CITATIONS
73	The brain-derived neurotrophic factor receptor TrkB is critical for the acquisition but not expression of conditioned incentive value. <i>European Journal of Neuroscience</i> , 2008, 28, 997-1002.	1.2	20
74	Potential Adaptive Function for Altered Long-Term Potentiation Mechanisms in Aging Hippocampus. <i>Journal of Neuroscience</i> , 2008, 28, 8034-8039.	1.7	95
75	Cognitive Aging: A Common Decline of Episodic Recollection and Spatial Memory in Rats. <i>Journal of Neuroscience</i> , 2008, 28, 8945-8954.	1.7	90
76	Learning strategy selection in the water maze and hippocampal CREB phosphorylation differ in two inbred strains of mice. <i>Learning and Memory</i> , 2008, 15, 183-188.	0.5	38
77	Rapid encoding of new information alters the profile of plasticity-related mRNA transcripts in the hippocampal CA3 region. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10601-10606.	3.3	21
78	Rat Orbitofrontal Cortex Separately Encodes Response and Outcome Information during Performance of Goal-Directed Behavior. <i>Journal of Neuroscience</i> , 2008, 28, 5127-5138.	1.7	54
79	Medial Prefrontal Cortex Is Necessary for an Appetitive Contextual Conditioned Stimulus to Promote Eating in Sated Rats. <i>Journal of Neuroscience</i> , 2007, 27, 6436-6441.	1.7	105
80	Dominant-negative DISC1 transgenic mice display schizophrenia-associated phenotypes detected by measures translatable to humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14501-14506.	3.3	394
81	Learned contextual cue potentiates eating in rats. <i>Physiology and Behavior</i> , 2007, 90, 362-367.	1.0	85
82	Control of food consumption by learned cues: A forebrain hypothalamic network. <i>Physiology and Behavior</i> , 2007, 91, 397-403.	1.0	74
83	Muscarinic receptor-mediated GTP <sup>γ</sup> S binding in the hippocampus and prefrontal cortex is correlated with spatial memory impairment in aged rats. <i>Neurobiology of Aging</i> , 2007, 28, 619-626.	1.5	31
84	Genetic background differences and nonassociative effects in mouse trace fear conditioning. <i>Learning and Memory</i> , 2007, 14, 597-605.	0.5	43
85	Neural Encoding in the Orbitofrontal Cortex Related to Goal-Directed Behavior. <i>Annals of the New York Academy of Sciences</i> , 2007, 1121, 193-215.	1.8	28
86	Role of Substantia Nigra-Amygdala Connections in Surprise-Induced Enhancement of Attention. <i>Journal of Neuroscience</i> , 2006, 26, 6077-6081.	1.7	75
87	Neurocognitive aging: prior memories hinder new hippocampal encoding. <i>Trends in Neurosciences</i> , 2006, 29, 662-670.	4.2	286
88	Encoding Changes in Orbitofrontal Cortex in Reversal-Impaired Aged Rats. <i>Journal of Neurophysiology</i> , 2006, 95, 1509-1517.	0.9	98
89	Aging causes partial loss of basal forebrain but no loss of pontine reticular cholinergic neurons. <i>NeuroReport</i> , 2006, 17, 1819-1823.	0.6	37
90	A specific amyloid- $\beta$ protein assembly in the brain impairs memory. <i>Nature</i> , 2006, 440, 352-357.	13.7	2,662

#	ARTICLE	IF	CITATIONS
91	Individual differences in neurocognitive aging of the medial temporal lobe. <i>Age</i> , 2006, 28, 221-233.	3.0	49
92	Different Roles for Amygdala Central Nucleus and Substantia Innominata in the Surprise-Induced Enhancement of Learning. <i>Journal of Neuroscience</i> , 2006, 26, 3791-3797.	1.7	93
93	Amygdala Central Nucleus Function Is Necessary for Learning, but Not Expression, of Conditioned Auditory Orienting.. <i>Behavioral Neuroscience</i> , 2005, 119, 202-212.	0.6	33
94	Orbitofrontal Lesions Impair Use of Cue-Outcome Associations in a Devaluation Task.. <i>Behavioral Neuroscience</i> , 2005, 119, 317-322.	0.6	171
95	NMDA receptor-independent long-term depression correlates with successful aging in rats. <i>Nature Neuroscience</i> , 2005, 8, 1657-1659.	7.1	111
96	Spatial memory in middle-aged female rats: Assessment of estrogen replacement after ovariectomy. <i>Brain Research</i> , 2005, 1052, 163-173.	1.1	34
97	Amygdalar and Prefrontal Pathways to the Lateral Hypothalamus Are Activated by a Learned Cue That Stimulates Eating. <i>Journal of Neuroscience</i> , 2005, 25, 8295-8302.	1.7	176
98	Multiple Receptors Coupled to Phospholipase C Gate Long-Term Depression in Visual Cortex. <i>Journal of Neuroscience</i> , 2005, 25, 11433-11443.	1.7	88
99	Lesions of Orbitofrontal Cortex Impair Rats' Differential Outcome Expectancy Learning But Not Conditioned Stimulus-Potentiated Feeding. <i>Journal of Neuroscience</i> , 2005, 25, 4626-4632.	1.7	74
100	Age-Associated Alterations of Hippocampal Place Cells Are Subregion Specific. <i>Journal of Neuroscience</i> , 2005, 25, 6877-6886.	1.7	251
101	Role of Amygdalo-Nigral Circuitry in Conditioning of a Visual Stimulus Paired with Food. <i>Journal of Neuroscience</i> , 2005, 25, 3881-3888.	1.7	99
102	Place cells of aged rats in two visually identical compartments. <i>Neurobiology of Aging</i> , 2005, 26, 1099-1106.	1.5	16
103	Rapid Associative Encoding in Basolateral Amygdala Depends on Connections with Orbitofrontal Cortex. <i>Neuron</i> , 2005, 46, 321-331.	3.8	201
104	More Is Less: Neurogenesis and Age-Related Cognitive Decline in Long-Evans Rats. <i>Science of Aging Knowledge Environment: SAGE KE</i> , 2005, 2005, re2-re2.	0.9	28
105	Cognitive Aging and the Hippocampus: How Old Rats Represent New Environments. <i>Journal of Neuroscience</i> , 2004, 24, 3870-3878.	1.7	91
106	Reduction in Size of Perforated Postsynaptic Densities in Hippocampal Axospinous Synapses and Age-Related Spatial Learning Impairments. <i>Journal of Neuroscience</i> , 2004, 24, 7648-7653.	1.7	182
107	Amygdala central nucleus function is necessary for learning but not expression of conditioned visual orienting. <i>European Journal of Neuroscience</i> , 2004, 20, 240-248.	1.2	46
108	Amygdala-frontal interactions and reward expectancy. <i>Current Opinion in Neurobiology</i> , 2004, 14, 148-155.	2.0	353

#	ARTICLE	IF	CITATIONS
109	Transcriptional mechanisms of hippocampal aging. <i>Experimental Gerontology</i> , 2004, 39, 1613-1622.	1.2	19
110	SGS742: the first GABAB receptor antagonist in clinical trials. <i>Biochemical Pharmacology</i> , 2004, 68, 1479-1487.	2.0	167
111	Effects of aging on the hippocampal formation in a naturally occurring animal model of mild cognitive impairment. <i>Experimental Gerontology</i> , 2003, 38, 71-77.	1.2	95
112	Lesions of basolateral amygdala impair extinction of CS motivational value, but not of explicit conditioned responses, in Pavlovian appetitive second-order conditioning. <i>European Journal of Neuroscience</i> , 2003, 17, 160-166.	1.2	37
113	Double dissociation of the effects of lesions of basolateral and central amygdala on conditioned stimulus-potentiated feeding and Pavlovian-instrumental transfer. <i>European Journal of Neuroscience</i> , 2003, 17, 1680-1694.	1.2	194
114	Phosphorylation of the AMPA Receptor GluR1 Subunit Is Required for Synaptic Plasticity and Retention of Spatial Memory. <i>Cell</i> , 2003, 112, 631-643.	13.5	699
115	Neural Encoding in Ventral Striatum during Olfactory Discrimination Learning. <i>Neuron</i> , 2003, 38, 625-636.	3.8	196
116	Encoding Predicted Outcome and Acquired Value in Orbitofrontal Cortex during Cue Sampling Depends upon Input from Basolateral Amygdala. <i>Neuron</i> , 2003, 39, 855-867.	3.8	425
117	Lesions of Orbitofrontal Cortex and Basolateral Amygdala Complex Disrupt Acquisition of Odor-Guided Discriminations and Reversals. <i>Learning and Memory</i> , 2003, 10, 129-140.	0.5	270
118	Different Roles for Orbitofrontal Cortex and Basolateral Amygdala in a Reinforcer Devaluation Task. <i>Journal of Neuroscience</i> , 2003, 23, 11078-11084.	1.7	417
119	Amygdala Subsystems and Control of Feeding Behavior by Learned Cues. <i>Annals of the New York Academy of Sciences</i> , 2003, 985, 251-262.	1.8	76
120	The effects of amygdala lesions on conditioned stimulus-potentiated eating in rats. <i>Physiology and Behavior</i> , 2002, 76, 117-129.	1.0	105
121	Teaching old rats new tricks: age-related impairments in olfactory reversal learning. <i>Neurobiology of Aging</i> , 2002, 23, 555-564.	1.5	117
122	Amygdalo-Hypothalamic Circuit Allows Learned Cues to Override Satiety and Promote Eating. <i>Journal of Neuroscience</i> , 2002, 22, 8748-8753.	1.7	176
123	Individual differences in spatial memory among aged rats are related to hippocampal PKC? immunoreactivity. <i>Hippocampus</i> , 2002, 12, 285-289.	0.9	57
124	Cholinergic system regulation of spatial representation by the hippocampus. <i>Hippocampus</i> , 2002, 12, 386-397.	0.9	80
125	The basolateral complex of the amygdala is necessary for acquisition but not expression of CS motivational value in appetitive Pavlovian second-order conditioning. <i>European Journal of Neuroscience</i> , 2002, 15, 1841-1853.	1.2	106
126	Decreased glucocorticoid receptor mRNA and dysfunction of HPA axis in rats after removal of the cholinergic innervation to hippocampus.. <i>European Journal of Neuroscience</i> , 2002, 16, 1399-1404.	1.2	32



#	ARTICLE	IF	CITATIONS
127	Disconnection of the basolateral amygdala complex and nucleus accumbens impairs appetitive pavlovian second-order conditioned responses. <i>Behavioral Neuroscience</i> , 2002, 116, 267-75.	0.6	96
128	Hypothalamic-pituitary-adrenal axis function and corticosterone receptor expression in behaviourally characterized young and aged Long-Evans rats. <i>European Journal of Neuroscience</i> , 2001, 14, 1739-1751.	1.2	94
129	Hippocampal dependent learning ability correlates with N-methyl-D-aspartate (NMDA) receptor levels in CA3 neurons of young and aged rats. <i>Journal of Comparative Neurology</i> , 2001, 432, 230-243.	0.9	104
130	Visualization of muscarinic receptor-mediated phosphoinositide turnover in the hippocampus of young and aged, learning-impaired Long Evans rats. <i>Hippocampus</i> , 2001, 11, 741-746.	0.9	20
131	Circuit-Specific Alterations in Hippocampal Synaptophysin Immunoreactivity Predict Spatial Learning Impairment in Aged Rats. <i>Journal of Neuroscience</i> , 2000, 20, 6587-6593.	1.7	360
132	Changes in Functional Connectivity in Orbitofrontal Cortex and Basolateral Amygdala during Learning and Reversal Training. <i>Journal of Neuroscience</i> , 2000, 20, 5179-5189.	1.7	208
133	Lesions of the Amygdala Central Nucleus Alter Performance on a Selective Attention Task. <i>Journal of Neuroscience</i> , 2000, 20, 6701-6706.	1.7	111
134	Metabotropic Glutamate Receptor-Mediated Hippocampal Phosphoinositide Turnover Is Blunted in Spatial Learning-Impaired Aged Rats. <i>Journal of Neuroscience</i> , 1999, 19, 9604-9610.	1.7	84
135	Neural Encoding in Orbitofrontal Cortex and Basolateral Amygdala during Olfactory Discrimination Learning. <i>Journal of Neuroscience</i> , 1999, 19, 1876-1884.	1.7	539
136	Orbitofrontal Cortex and Representation of Incentive Value in Associative Learning. <i>Journal of Neuroscience</i> , 1999, 19, 6610-6614.	1.7	579
137	Functions of the Amygdala and Related Forebrain Areas in Attention and Cognition. <i>Annals of the New York Academy of Sciences</i> , 1999, 877, 397-411.	1.8	62
138	Hippocampal lesions interfere with Pavlovian negative occasion setting. , 1999, 9, 143-157.		87
139	Morphometric studies of the aged hippocampus: I. Volumetric analysis in behaviorally characterized rats. <i>Journal of Comparative Neurology</i> , 1999, 403, 459-470.	0.9	84
140	Amygdala circuitry in attentional and representational processes. <i>Trends in Cognitive Sciences</i> , 1999, 3, 65-73.	4.0	571
141	Thalamic and basal forebrain cholinergic connections of the rat posterior parietal cortex. <i>NeuroReport</i> , 1999, 10, 941-945.	0.6	33
142	Selective removal of cholinergic neurons in the basal forebrain alters cued target detection. <i>NeuroReport</i> , 1999, 10, 3119-3123.	0.6	71
143	Morphometric studies of the aged hippocampus: I. Volumetric analysis in behaviorally characterized rats. <i>Journal of Comparative Neurology</i> , 1999, 403, 459-470.	0.9	2
144	Orbitofrontal cortex and basolateral amygdala encode expected outcomes during learning. <i>Nature Neuroscience</i> , 1998, 1, 155-159.	7.1	812

#	ARTICLE	IF	CITATIONS
145	Hippocampal lesions enhance configural learning by reducing proactive interference. , 1998, 8, 138-146.		36
146	A re-examination of the role of basal forebrain cholinergic neurons in spatial working memory. <i>Neuropharmacology</i> , 1998, 37, 481-487.	2.0	99
147	Individual Differences in Spatial Memory and Striatal ChAT Activity among Young and Aged Rats. <i>Neurobiology of Learning and Memory</i> , 1998, 70, 314-327.	1.0	50
148	Removal of Cholinergic Input to Rat Posterior Parietal Cortex Disrupts Incremental Processing of Conditioned Stimuli. <i>Journal of Neuroscience</i> , 1998, 18, 8038-8046.	1.7	192
149	Animal models of memory impairment. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1997, 352, 1711-1717.	1.8	21
150	THE USE OF ANIMAL MODELS TO STUDY THE EFFECTS OF AGING ON COGNITION. <i>Annual Review of Psychology</i> , 1997, 48, 339-370.	9.9	379
151	Brain Aging: Changes in the Nature of Information Coding by the Hippocampus. <i>Journal of Neuroscience</i> , 1997, 17, 5155-5166.	1.7	157
152	The Role of an Amygdalo-Nigrostriatal Pathway in Associative Learning. <i>Journal of Neuroscience</i> , 1997, 17, 3913-3919.	1.7	149
153	Disruption of Decrements in Conditioned Stimulus Processing by Selective Removal of Hippocampal Cholinergic Input. <i>Journal of Neuroscience</i> , 1997, 17, 5230-5236.	1.7	148
154	Neurobiological substrates of behavioral decline: Models and data analytic strategies for individual differences in aging. <i>Neurobiology of Aging</i> , 1996, 17, 491-495.	1.5	76
155	Author's response to commentaries. <i>Neurobiology of Aging</i> , 1996, 17, 500.	1.5	0
156	The amygdala and emotion. <i>Current Opinion in Neurobiology</i> , 1996, 6, 221-227.	2.0	349
157	Neurotoxic Lesions of Basolateral, But Not Central, Amygdala Interfere with Pavlovian Second-Order Conditioning and Reinforcer Devaluation Effects. <i>Journal of Neuroscience</i> , 1996, 16, 5256-5265.	1.7	545
158	Molecular Indices of Neuronal and Glial Plasticity in the Hippocampal Formation in a Rodent Model of Age-Induced Spatial Learning Impairment. <i>Journal of Neuroscience</i> , 1996, 16, 3427-3443.	1.7	102
159	Intact spatial learning following lesions of basal forebrain cholinergic neurons. <i>NeuroReport</i> , 1996, 7, 1417-1420.	0.6	107
160	Alterations in opiate receptor binding in the hippocampus of aged Long-Evans rats. <i>Brain Research</i> , 1996, 707, 22-30.	1.1	16
161	Entorhinal-perirhinal lesions impair performance of rats on two versions of place learning in the Morris water maze.. <i>Behavioral Neuroscience</i> , 1995, 109, 3-9.	0.6	110
162	Ageing: the cholinergic hypothesis of cognitive decline. <i>Current Opinion in Neurobiology</i> , 1995, 5, 161-168.	2.0	204

#	ARTICLE	IF	CITATIONS
163	Mesostriatal dopamine markers in aged Long-Evans rats with sensorimotor impairment. <i>Neurobiology of Aging</i> , 1995, 16, 175-186.	1.5	27
164	Hippocampal muscarinic receptor function in spatial learning-impaired aged rats. <i>Neurobiology of Aging</i> , 1995, 16, 955-963.	1.5	43
165	Cognition and Hippocampal Systems in Aging:Animal Models. , 1995, , 103-126.		14
166	Expression of insulin-like growth factor binding protein-4 and -5 mRNAs in adult rat forebrain. <i>Journal of Comparative Neurology</i> , 1994, 339, 91-105.	0.9	58
167	The development of neurobiological models for cognitive decline in aging. <i>Seminars in Neuroscience</i> , 1994, 6, 351-358.	2.3	12
168	Alterations in [3H]-kainate receptor binding in the hippocampal formation of aged long-evans rats. <i>Hippocampus</i> , 1993, 3, 269-277.	0.9	25
169	Animal models of normal aging: Relationship between cognitive decline and markers in hippocampal circuitry. <i>Behavioural Brain Research</i> , 1993, 57, 155-162.	1.2	171
170	A longitudinal study of reaction time performance in long-evans rats. <i>Neurobiology of Aging</i> , 1993, 14, 57-64.	1.5	37
171	Issues in the development of models for cognitive aging across primate and nonprimate species. <i>Neurobiology of Aging</i> , 1993, 14, 631-633.	1.5	16
172	The effects of aging on diurnal water intake and melatonin binding in the suprachiasmatic nucleus. <i>Neuroscience Letters</i> , 1993, 154, 149-152.	1.0	20
173	Severity of spatial learning impairment in aging: Development of a learning index for performance in the Morris water maze.. <i>Behavioral Neuroscience</i> , 1993, 107, 618-626.	0.6	745
174	Amygdala central nucleus lesions disrupt increments, but not decrements, in conditioned stimulus processing.. <i>Behavioral Neuroscience</i> , 1993, 107, 246-253.	0.6	157
175	Effects of amygdala central nucleus lesions on blocking and unblocking.. <i>Behavioral Neuroscience</i> , 1993, 107, 235-245.	0.6	104
176	Effects of aging on the diurnal pattern of water intake in rats. <i>Behavioral and Neural Biology</i> , 1992, 58, 196-203.	2.3	20
177	Preserved configural learning and spatial learning impairment in rats with hippocampal damage. <i>Hippocampus</i> , 1992, 2, 81-88.	0.9	199
178	Decreased glutamate release correlates with elevated dynorphin content in the hippocampus of aged rats with spatial learning deficits. <i>Hippocampus</i> , 1991, 1, 391-397.	0.9	50
179	Markers for biogenic amines in the aged rat brain: Relationship to decline in spatial learning ability. <i>Neurobiology of Aging</i> , 1990, 11, 507-514.	1.5	150
180	Robinson et al. (1989) deserves another look. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1990, 18, 258-260.	1.2	10

#	ARTICLE	IF	CITATIONS
181	An age-related spatial learning deficit: Choline uptake distinguishes "impaired" and "unimpaired" rats. <i>Neurobiology of Aging</i> , 1988, 9, 363-369.	1.5	104
182	Spatial learning deficits in old rats: A model for memory decline in the aged. <i>Neurobiology of Aging</i> , 1988, 9, 549-556.	1.5	232
183	An evaluation of spatial information processing in aged rats.. <i>Behavioral Neuroscience</i> , 1987, 101, 3-12.	0.6	337
184	Scopolamine-disruption of radial arm maze performance: modification by noradrenergic depletion. <i>Brain Research</i> , 1987, 417, 59-69.	1.1	135
185	Opiate antagonist facilitation of time-dependent memory processes: Dependence upon intact norepinephrine function. <i>Brain Research</i> , 1985, 347, 284-290.	1.1	49
186	Effects of opiate antagonists on spatial memory in young and aged rats. <i>Behavioral and Neural Biology</i> , 1985, 44, 374-385.	2.3	64
187	Naloxone enhancement of memory processes: Effects of other opiate antagonists. <i>Behavioral and Neural Biology</i> , 1982, 35, 375-382.	2.3	98
188	Multiple unit activity recorded from amygdala central nucleus during Pavlovian heart rate conditioning in rabbit. <i>Brain Research</i> , 1982, 238, 457-462.	1.1	149
189	Cardiovascular responses elicited by electrical stimulation of the amygdala central nucleus in the rabbit. <i>Brain Research</i> , 1982, 234, 251-262.	1.1	189
190	Enkephalin analogue effects in the amygdala central nucleus on conditioned heart rate. <i>Pharmacology Biochemistry and Behavior</i> , 1982, 17, 217-222.	1.3	34
191	Effect of phentolamine administration into the amygdala complex of rats on time-dependent memory processes. <i>Behavioral and Neural Biology</i> , 1981, 31, 90-95.	2.3	49
192	Systemic and intraventricular naloxone administration: Effects on food and water intake. <i>Behavioral and Neural Biology</i> , 1981, 32, 334-342.	2.3	26
193	Opiate effects in the amygdala central nucleus on heart rate conditioning in rabbits. <i>Pharmacology Biochemistry and Behavior</i> , 1981, 14, 497-505.	1.3	82
194	$\hat{\imath}^2$ -adrenergic manipulation in amygdala central n. alters rabbit heart rate conditioning. <i>Pharmacology Biochemistry and Behavior</i> , 1980, 12, 419-426.	1.3	62
195	Amygdala central nucleus lesions: Effect on heart rate conditioning in the rabbit. <i>Physiology and Behavior</i> , 1979, 23, 1109-1117.	1.0	527
196	Opiates and memory. <i>Trends in Neurosciences</i> , 1979, 2, 177-180.	4.2	23
197	Retrograde amnesia and hippocampal stimulation: Dependence upon the nature of associations formed during conditioning. <i>Behavioral Biology</i> , 1978, 24, 1-23.	2.3	21