

Tetsuo Moriguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6988179/publications.pdf>

Version: 2024-02-01

36
papers

8,287
citations

159585

30
h-index

345221

36
g-index

36
all docs

36
docs citations

36
times ranked

8159
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecrq4 peptide is the ligand of multiple scavenger receptors. <i>Scientific Reports</i> , 2018, 8, 4048.	3.3	20
2	A Powerful CRISPR/Cas9-Based Method for Targeted Transcriptional Activation. <i>Angewandte Chemie</i> , 2016, 128, 6562-6566.	2.0	2
3	A Powerful CRISPR/Cas9-Based Method for Targeted Transcriptional Activation. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6452-6456.	13.8	13
4	Ecrq4 contributes to the anti-glioma immunosurveillance through type-I interferon signaling. <i>Oncolmmunology</i> , 2016, 5, e1242547.	4.6	14
5	Involvement of LKB1 in epithelial-to-mesenchymal transition (EMT) of human lung cancer cells. <i>Lung Cancer</i> , 2010, 70, 136-145.	2.0	85
6	<i>Caenorhabditis elegans</i> WNK-STE20 pathway regulates tube formation by modulating CLC channel activity. <i>EMBO Reports</i> , 2008, 9, 70-75.	4.5	41
7	Molecular Pathogenesis of Pseudohypoaldosteronism Type II: Generation and Analysis of a Wnk4D561A/+ Knockin Mouse Model. <i>Cell Metabolism</i> , 2007, 5, 331-344.	16.2	287
8	WNK1 Regulates Phosphorylation of Cation-Chloride-coupled Cotransporters via the STE20-related Kinases, SPAK and OSR1. <i>Journal of Biological Chemistry</i> , 2005, 280, 42685-42693.	3.4	401
9	DREG, a developmentally regulated G protein-coupled receptor containing two conserved proteolytic cleavage sites. <i>Genes To Cells</i> , 2004, 9, 549-560.	1.2	77
10	Activation of p38 Kinase in the Gerbil Hippocampus Showing Ischemic Tolerance. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1052-1059.	4.3	48
11	JNK functions in the non-canonical Wnt pathway to regulate convergent extension movements in vertebrates. <i>EMBO Reports</i> , 2002, 3, 69-75.	4.5	394
12	A conserved docking motif in MAP kinases common to substrates, activators and regulators. <i>Nature Cell Biology</i> , 2000, 2, 110-116.	10.3	777
13	The Evi-1 oncoprotein inhibits c-Jun N-terminal kinase and prevents stress-induced cell death. <i>EMBO Journal</i> , 2000, 19, 2958-2968.	7.8	106
14	Activation of Mitogen-Activated Protein Kinases after Transient Forebrain Ischemia in Gerbil Hippocampus. <i>Journal of Neuroscience</i> , 2000, 20, 4506-4514.	3.6	239
15	Distinct Domains of Mouse Dishevelled Are Responsible for the c-Jun N-terminal Kinase/Stress-activated Protein Kinase Activation and the Axis Formation in Vertebrates. <i>Journal of Biological Chemistry</i> , 1999, 274, 30957-30962.	3.4	127
16	Activation of the Protein Kinase ERK5/BMK1 by Receptor Tyrosine Kinases. <i>Journal of Biological Chemistry</i> , 1999, 274, 26563-26571.	3.4	475
17	Molecular Cloning and Characterization of a Novel Dual Specificity Phosphatase, MKP-5. <i>Journal of Biological Chemistry</i> , 1999, 274, 19949-19956.	3.4	196
18	Nuclear export of cyclin B1 and its possible role in the DNA damage-induced G2 checkpoint. <i>EMBO Journal</i> , 1998, 17, 2728-2735.	7.8	294

#	ARTICLE	IF	CITATIONS
19	Differential Roles of ERK and p38 MAP Kinase Pathways in Positive and Negative Selection of T Lymphocytes. <i>Immunity</i> , 1998, 9, 565-574.	14.3	204
20	Activation of the Protein Kinase p38 in the Spindle Assembly Checkpoint and Mitotic Arrest. <i>Science</i> , 1998, 280, 599-602.	12.6	269
21	Differential Activation of Two JNK Activators, MKK7 and SEK1, by MKN28-derived Nonreceptor Serine/Threonine Kinase/Mixed Lineage Kinase 2. <i>Journal of Biological Chemistry</i> , 1998, 273, 7406-7412.	3.4	43
22	T Lymphocyte Activation Signals for Interleukin-2 Production Involve Activation of MKK6-p38 and MKK7-SAPK/JNK Signaling Pathways Sensitive to Cyclosporin A. <i>Journal of Biological Chemistry</i> , 1998, 273, 12378-12382.	3.4	183
23	TAK1 Mediates the Ceramide Signaling to Stress-activated Protein Kinase/c-Jun N-terminal Kinase. <i>Journal of Biological Chemistry</i> , 1997, 272, 8141-8144.	3.4	307
24	LOK Is a Novel Mouse STE20-like Protein Kinase That Is Expressed Predominantly in Lymphocytes. <i>Journal of Biological Chemistry</i> , 1997, 272, 22679-22684.	3.4	76
25	Fas Induces Cytoplasmic Apoptotic Responses and Activation of the MKK7-JNK/SAPK and MKK6-p38 Pathways Independent of CPP32-like Proteases. <i>Journal of Cell Biology</i> , 1997, 139, 1005-1015.	5.2	152
26	Induction of Apoptosis by ASK1, a Mammalian MAPKKK That Activates SAPK/JNK and p38 Signaling Pathways. <i>Science</i> , 1997, 275, 90-94.	12.6	2,209
27	Activation of p38 MAP Kinase Pathway by Erythropoietin and Interleukin-3. <i>Blood</i> , 1997, 90, 929-934.	1.4	84
28	A novel SAPK/JNK kinase, MKK7, stimulated by TNFalpha and cellular stresses. <i>EMBO Journal</i> , 1997, 16, 7045-7053.	7.8	239
29	Activation of p38 MAP Kinase Pathway by Erythropoietin and Interleukin-3. <i>Blood</i> , 1997, 90, 929-934.	1.4	11
30	Roles of the MAP Kinase Cascade in Vertebrates. <i>Advances in Pharmacology</i> , 1996, 36, 121-137.	2.0	46
31	A Novel Kinase Cascade Mediated by Mitogen-activated Protein Kinase Kinase 6 and MKK3. <i>Journal of Biological Chemistry</i> , 1996, 271, 13675-13679.	3.4	417
32	Purification and Identification of a Major Activator for p38 from Osmotically Shocked Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 26981-26988.	3.4	156
33	Ras-Dependent and Ras-Independent Activation Pathways for the Stress-Activated-Protein-Kinase Cascade. <i>FEBS Journal</i> , 1996, 241, 315-321.	0.2	39
34	Activation of two Isoforms of Mitogen-Activated Protein Kinase Kinase in Response to Epidermal Growth Factor and Nerve Growth Factor. <i>FEBS Journal</i> , 1995, 234, 32-38.	0.2	23
35	Activation of Protein Kinase Cascades by Osmotic Shock. <i>Journal of Biological Chemistry</i> , 1995, 270, 12781-12786.	3.4	125
36	Evidence for Multiple Activators for Stress-activated Protein Kinases/c-Jun Amino-terminal Kinases.. <i>Journal of Biological Chemistry</i> , 1995, 270, 12969-12972.	3.4	108