

Li Tian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/699186/publications.pdf>

Version: 2024-02-01

48
papers

3,449
citations

186265

28
h-index

223800

46
g-index

48
all docs

48
docs citations

48
times ranked

4690
citing authors

#	ARTICLE	IF	CITATIONS
1	Antibacterial Activity of Phenolic Compounds Against the Phytopathogen <i>Xylella fastidiosa</i> . <i>Current Microbiology</i> , 2010, 60, 53-58.	2.2	242
2	A large-scale whole-genome sequencing analysis reveals highly specific genome editing by both Cas9 and Cpf1 (Cas12a) nucleases in rice. <i>Genome Biology</i> , 2018, 19, 84.	8.8	230
3	Analysis of carotenoid biosynthetic gene expression during marigold petal development. <i>Plant Molecular Biology</i> , 2001, 45, 281-293.	3.9	209
4	The Arabidopsis LUT1 locus encodes a member of the cytochrome P450 family that is required for carotenoid A-ring hydroxylation activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 402-407.	7.1	209
5	Marker-free carotenoid-enriched rice generated through targeted gene insertion using CRISPR-Cas9. <i>Nature Communications</i> , 2020, 11, 1178.	12.8	204
6	The multiplicity of hairy root cultures: Prolific possibilities. <i>Plant Science</i> , 2011, 180, 439-446.	3.6	189
7	Transcript and proteomic analysis of developing white lupin (<i>Lupinus albus</i> L.) roots. <i>BMC Plant Biology</i> , 2009, 9, 1.	3.6	182
8	The Evolution and Function of Carotenoid Hydroxylases in Arabidopsis. <i>Plant and Cell Physiology</i> , 2009, 50, 463-479.	3.1	167
9	Xanthophyll biosynthetic mutants of Arabidopsis thaliana: altered nonphotochemical quenching of chlorophyll fluorescence is due to changes in Photosystem II antenna size and stability. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2002, 1553, 309-319.	1.0	150
10	CRISPR-Cas9 Based Genome Editing Reveals New Insights into MicroRNA Function and Regulation in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1598.	3.6	150
11	Diverse Phytochemicals and Bioactivities in the Ancient Fruit and Modern Functional Food Pomegranate (<i>Punica granatum</i>). <i>Molecules</i> , 2017, 22, 1606.	3.8	136
12	Functional Analysis of β - and γ -Ring Carotenoid Hydroxylases in Arabidopsis. <i>Plant Cell</i> , 2003, 15, 1320-1332.	6.6	125
13	Progress in understanding the origin and functions of carotenoid hydroxylases in plants. <i>Archives of Biochemistry and Biophysics</i> , 2004, 430, 22-29.	3.0	88
14	Characterization of a second carotenoid beta-hydroxylase gene from Arabidopsis and its relationship to the LUT1 locus. , 2001, 47, 379-388.		86
15	Expanding the scope of plant genome engineering with Cas12a orthologs and highly multiplexable editing systems. <i>Nature Communications</i> , 2021, 12, 1944.	12.8	79
16	Primary Metabolites, Anthocyanins, and Hydrolyzable Tannins in the Pomegranate Fruit. <i>Frontiers in Plant Science</i> , 2019, 10, 620.	3.6	76
17	Phylogenomic analysis of UDP-dependent glycosyltransferases provides insights into the evolutionary landscape of glycosylation in plant metabolism. <i>Plant Journal</i> , 2019, 100, 1273-1288.	5.7	75
18	Biosynthesis and genetic engineering of proanthocyanidins and (iso)flavonoids. <i>Phytochemistry Reviews</i> , 2008, 7, 445-465.	6.5	69

#	ARTICLE	IF	CITATIONS
19	Provitamin A and vitamin C contents in selected California-grown cantaloupe and honeydew melons and imported melons. <i>Journal of Food Composition and Analysis</i> , 2011, 24, 194-201.	3.9	65
20	Flavonoids in <i>Cannabis sativa</i> : Biosynthesis, Bioactivities, and Biotechnology. <i>ACS Omega</i> , 2021, 6, 5119-5123.	3.5	63
21	Exploring the Transcriptome Landscape of Pomegranate Fruit Peel for Natural Product Biosynthetic Gene and SSR Marker Discovery. <i>Journal of Integrative Plant Biology</i> , 2011, 53, 800-813.	8.5	61
22	Two UGT84 Family Glycosyltransferases Catalyze a Critical Reaction of Hydrolyzable Tannin Biosynthesis in Pomegranate (<i>Punica granatum</i>). <i>PLoS ONE</i> , 2016, 11, e0156319.	2.5	61
23	Expression, subcellular localization, and cis-regulatory structure of duplicated phytoene synthase genes in melon (<i>Cucumis melo</i> L.). <i>Planta</i> , 2011, 234, 737-748.	3.2	57
24	Breeding Major Cereal Grains through the Lens of Nutrition Sensitivity. <i>Molecular Plant</i> , 2018, 11, 23-30.	8.3	55
25	Cloning and comparative analysis of carotenoid β -hydroxylase genes provides new insights into carotenoid metabolism in tetraploid (<i>Triticum turgidum</i> ssp. <i>durum</i>) and hexaploid (<i>Triticum aestivum</i>) wheat grains. <i>Plant Molecular Biology</i> , 2012, 80, 631-646.	3.9	47
26	Effective genome editing and identification of a regiospecific gallic acid 4-O-glycosyltransferase in pomegranate (<i>Punica granatum</i> L.). <i>Horticulture Research</i> , 2019, 6, 123.	6.3	43
27	Using Hairy Roots for Production of Valuable Plant Secondary Metabolites. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2015, 149, 275-324.	1.1	38
28	A new flavone glucoside together with known ellagitannins and flavones with anti-diabetic and anti-obesity activities from the flowers of pomegranate (<i>Punica granatum</i>). <i>Natural Product Research</i> , 2019, 33, 252-257.	1.8	34
29	Establishment of pomegranate (<i>Punica granatum</i>) hairy root cultures for genetic interrogation of the hydrolyzable tannin biosynthetic pathway. <i>Planta</i> , 2012, 236, 931-941.	3.2	32
30	Distinctive Patterns of Flavonoid Biosynthesis in Roots and Nodules of <i>Datisca glomerata</i> and <i>Medicago</i> spp. Revealed by Metabolomic and Gene Expression Profiles. <i>Frontiers in Plant Science</i> , 2018, 9, 1463.	3.6	31
31	Distinct expression and function of carotenoid metabolic genes and homologs in developing wheat grains. <i>BMC Plant Biology</i> , 2016, 16, 155.	3.6	29
32	PgUGT95B2 preferentially metabolizes flavones/flavonols and has evolved independently from flavone/flavonol UGTs identified in <i>Arabidopsis thaliana</i> . <i>Phytochemistry</i> , 2019, 157, 184-193.	2.9	24
33	Cloning and functional characterization of a p-coumaroyl quinate/shikimate 3α -hydroxylase from potato (<i>Solanum tuberosum</i>). <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 462-467.	2.1	16
34	Elucidating the role of shikimate dehydrogenase in controlling the production of anthocyanins and hydrolyzable tannins in the outer peels of pomegranate. <i>BMC Plant Biology</i> , 2019, 19, 476.	3.6	16
35	The biodiversity of different traits of pomegranate fruit peels from a broad collection of diverse cultivars. <i>Scientia Horticulturae</i> , 2019, 246, 842-848.	3.6	16
36	Glucose ester enabled acylation in plant specialized metabolism. <i>Phytochemistry Reviews</i> , 2016, 15, 1057-1074.	6.5	14

#	ARTICLE	IF	CITATIONS
37	Mutant combinations of <i>lycopene Æcyclase</i> and <i>Î²â€œcarotene hydroxylase 2</i> homoeologs increased Î²â€œcarotene accumulation in endosperm of tetraploid wheat (<i>Triticum turgidum</i> L.) grains. <i>Plant Biotechnology Journal</i> , 2022, 20, 564-576.	8.3	14
38	Characterization of a UGT84 Family Glycosyltransferase Provides New Insights into Substrate Binding and Reactivity of Galloylglucose Ester-Forming UGTs. <i>Biochemistry</i> , 2017, 56, 6389-6400.	2.5	12
39	Gene expression and metabolite profiling analyses of developing pomegranate fruit peel reveal interactions between anthocyanin and punicalagin production. <i>Tree Genetics and Genomes</i> , 2019, 15, 1.	1.6	12
40	A Myb transcription factor, <i>Pg</i> Myb308-like, enhances the level of shikimate, aromatic amino acids, and lignins, but represses the synthesis of flavonoids and hydrolyzable tannins, in pomegranate (<i>Punica granatum</i> L.). <i>Horticulture Research</i> , 2022, 9, .	6.3	11
41	Image-Based, Organ-Level Plant Phenotyping for Wheat Improvement. <i>Agronomy</i> , 2020, 10, 1287.	3.0	9
42	Exploring the Phytochemical Landscape of the Early-Diverging Flowering Plant <i>Amborella trichopoda</i> Baill.. <i>Molecules</i> , 2019, 24, 3814.	3.8	8
43	Methyl jasmonate elicits distinctive hydrolyzable tannin, flavonoid, and phyto-oxylipin responses in pomegranate (<i>Punica granatum</i> L.) leaves. <i>Planta</i> , 2021, 254, 89.	3.2	6
44	Endosperm Carotenoid Concentrations in Wheat are Better Correlated with PSY1 Transcript Levels than Enzyme Activities. <i>Crop Science</i> , 2016, 56, 3173-3184.	1.8	5
45	Mutational Analysis of a Wheat O-methyltransferase Involved in Flavonoid Metabolism. <i>Plants</i> , 2022, 11, 164.	3.5	2
46	Assessing the Role of Carotenoid Cleavage Dioxygenase 4 Homoeologs in Carotenoid Accumulation and Plant Growth in Tetraploid Wheat. <i>Frontiers in Nutrition</i> , 2021, 8, 740286.	3.7	1
47	Identification and Characterization of Two Regiospecific Tricetin UDP-Dependent Glycosyltransferases from Pomegranate (<i>Punica granatum</i> L.). <i>Plants</i> , 2022, 11, 810.	3.5	1
48	Metabolic engineering in woody plants: challenges, advances, and opportunities. <i>ABIOTECH</i> , 2021, 2, 299-313.	3.9	0