

Shabbar S Jaffar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6996161/publications.pdf>

Version: 2024-02-01

158
papers

9,089
citations

38742

50
h-index

46799

89
g-index

166
all docs

166
docs citations

166
times ranked

8151
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrating Care for Diabetes and Hypertension with HIV Care in Sub-Saharan Africa: A Scoping Review. <i>International Journal of Integrated Care</i> , 2022, 22, 6.	0.2	17
2	Integrated healthcare services for HIV, diabetes mellitus and hypertension in selected health facilities in Kampala and Wakiso districts, Uganda: A qualitative methods study. <i>PLOS Global Public Health</i> , 2022, 2, e0000084.	1.6	13
3	Single-Dose Liposomal Amphotericin B Treatment for Cryptococcal Meningitis. <i>New England Journal of Medicine</i> , 2022, 386, 1109-1120.	27.0	119
4	The acceptability of integrated healthcare services for HIV and non-communicable diseases: experiences from patients and healthcare workers in Tanzania. <i>BMC Health Services Research</i> , 2022, 22, 655.	2.2	17
5	Fungal Burden and Raised Intracranial Pressure Are Independently Associated With Visual Loss in Human Immunodeficiency Virus-Associated Cryptococcal Meningitis. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab066.	0.9	6
6	Prevalence and Correlates of Cardio-Metabolic Risk Factors Among Regular Street Food Consumers in Dar es Salaam, Tanzania. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 1011-1024.	2.4	5
7	Integration of non-communicable disease and HIV/AIDS management: a review of healthcare policies and plans in East Africa. <i>BMJ Global Health</i> , 2021, 6, e004669.	4.7	41
8	Consensus statement on the role of health systems in advancing the long-term well-being of people living with HIV. <i>Nature Communications</i> , 2021, 12, 4450.	12.8	67
9	Short-term Mortality Outcomes of HIV-Associated Cryptococcal Meningitis in Antiretroviral Therapy-naïve and Experienced Patients in Sub-Saharan Africa. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab397.	0.9	9
10	Patient and health provider costs of integrated HIV, diabetes and hypertension ambulatory health services in low-income settings – an empirical socio-economic cohort study in Tanzania and Uganda. <i>BMC Medicine</i> , 2021, 19, 230.	5.5	20
11	Controlling diabetes and hypertension in sub-Saharan Africa: lessons from HIV programmes. <i>Lancet, The</i> , 2021, 398, 1111-1113.	13.7	7
12	Integrating health services for HIV infection, diabetes and hypertension in sub-Saharan Africa: a cohort study. <i>BMJ Open</i> , 2021, 11, e053412.	1.9	20
13	Integrating HIV, diabetes and hypertension services in Africa: study protocol for a cluster randomised trial in Tanzania and Uganda. <i>BMJ Open</i> , 2021, 11, e047979.	1.9	0
14	Integrating diabetes, hypertension and HIV care in sub-Saharan Africa: a Delphi consensus study on international best practice. <i>BMC Health Services Research</i> , 2021, 21, 1235.	2.2	10
15	Patient perspectives on integrated healthcare for HIV, hypertension and type 2 diabetes: a scoping review. <i>BMJ Open</i> , 2021, 11, e054629.	1.9	11
16	Integrating HIV, diabetes and hypertension services in Africa: study protocol for a cluster randomised trial in Tanzania and Uganda. <i>BMJ Open</i> , 2021, 11, e047979.	1.9	5
17	Cryptococcal Meningitis Screening and Community-based Early Adherence Support in People With Advanced Human Immunodeficiency Virus Infection Starting Antiretroviral Therapy in Tanzania and Zambia: A Cost-effectiveness Analysis. <i>Clinical Infectious Diseases</i> , 2020, 70, 1652-1657.	5.8	7
18	One-year Mortality Outcomes From the Advancing Cryptococcal Meningitis Treatment for Africa Trial of Cryptococcal Meningitis Treatment in Malawi. <i>Clinical Infectious Diseases</i> , 2020, 70, 521-524.	5.8	13

#	ARTICLE	IF	CITATIONS
19	Addition of Flucytosine to Fluconazole for the Treatment of Cryptococcal Meningitis in Africa: A Multicountry Cost-effectiveness Analysis. <i>Clinical Infectious Diseases</i> , 2020, 70, 26-29.	5.8	13
20	A comparison of the associations between adiposity and lipids in Malawi and the United Kingdom. <i>BMC Medicine</i> , 2020, 18, 181.	5.5	8
21	Strengthening integration of chronic care in Africa: protocol for the qualitative process evaluation of integrated HIV, diabetes and hypertension care in a cluster randomised controlled trial in Tanzania and Uganda. <i>BMJ Open</i> , 2020, 10, e039237.	1.9	16
22	Ethical issues in intervention studies on the prevention and management of diabetes and hypertension in sub-Saharan Africa. <i>BMJ Global Health</i> , 2020, 5, e002193.	4.7	10
23	Evidence informing the UK's COVID-19 public health response must be transparent. <i>Lancet</i> , The, 2020, 395, 1036-1037.	13.7	50
24	Short-course High-dose Liposomal Amphotericin B for Human Immunodeficiency Virus-associated Cryptococcal Meningitis: A Phase 2 Randomized Controlled Trial. <i>Clinical Infectious Diseases</i> , 2019, 68, 393-401.	5.8	62
25	Growth in early life and physical and intellectual development at school age: a cohort study. <i>British Journal of Nutrition</i> , 2019, 121, 866-876.	2.3	6
26	Healthcare Costs and Life-years Gained From Treatments Within the Advancing Cryptococcal Meningitis Treatment for Africa (ACTA) Trial on Cryptococcal Meningitis: A Comparison of Antifungal Induction Strategies in Sub-Saharan Africa. <i>Clinical Infectious Diseases</i> , 2019, 69, 588-595.	5.8	18
27	Sex and area differences in the association between adiposity and lipid profile in Malawi. <i>BMJ Global Health</i> , 2019, 4, e001542.	4.7	7
28	AMBIsome Therapy Induction Optimisation (AMBITION): High dose AmBisome for cryptococcal meningitis induction therapy in sub-Saharan Africa: economic evaluation protocol for a randomised controlled trial-based equivalence study. <i>BMJ Open</i> , 2019, 9, e026288.	1.9	6
29	Leave no one behind: response to new evidence and guidelines for the management of cryptococcal meningitis in low-income and middle-income countries. <i>Lancet Infectious Diseases</i> , The, 2019, 19, e143-e147.	9.1	63
30	Integrated care for human immunodeficiency virus, diabetes and hypertension in Africa. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2019, 113, 809-812.	1.8	28
31	Prevalence of obesity, hypertension, and diabetes, and cascade of care in sub-Saharan Africa: a cross-sectional, population-based study in rural and urban Malawi. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 208-222.	11.4	246
32	Antifungal Combinations for Treatment of Cryptococcal Meningitis in Africa. <i>New England Journal of Medicine</i> , 2018, 378, 1004-1017.	27.0	296
33	AMBIsome Therapy Induction Optimisation (AMBITION): High Dose AmBisome for Cryptococcal Meningitis Induction Therapy in sub-Saharan Africa: Study Protocol for a Phase 3 Randomised Controlled Non-Inferiority Trial. <i>Trials</i> , 2018, 19, 649.	1.6	41
34	Glycated haemoglobin A _{1c} (HbA _{1c}) for detection of diabetes mellitus and impaired fasting glucose in Malawi: a diagnostic accuracy study. <i>BMJ Open</i> , 2018, 8, e020972.	1.9	10
35	Dietary sodium intake in urban and rural Malawi, and directions for future interventions. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 587-593.	4.7	16
36	Association of Antenatal Micronutrient Supplementation With Adolescent Intellectual Development in Rural Western China. <i>JAMA Pediatrics</i> , 2018, 172, 832.	6.2	21

#	ARTICLE	IF	CITATIONS
37	Statin use and all-cause mortality in people living with HIV: a systematic review and meta-analysis. BMC Infectious Diseases, 2018, 18, 258.	2.9	28
38	The crisis of diabetes in sub-Saharan Africa. Lancet Diabetes and Endocrinology, the, 2017, 5, 574-575.	11.4	21
39	The costs of providing antiretroviral therapy services to HIV-infected individuals presenting with advanced HIV disease at public health centres in Dar es Salaam, Tanzania: Findings from a randomised trial evaluating different health care strategies. PLoS ONE, 2017, 12, e0171917.	2.5	21
40	Cryptococcal meningitis: A neglected NTD?. PLoS Neglected Tropical Diseases, 2017, 11, e0005575.	3.0	47
41	Assessing clinical services and retention in care following screening for hypertension and diabetes among Malawian adults. Journal of Hypertension, 2016, 34, 2172-2179.	0.5	24
42	Effective and efficient prevention of HIV infection. Lancet Infectious Diseases, The, 2016, 16, 1316-1317.	9.1	1
43	Community-Based Interventions to Improve and Sustain Antiretroviral Therapy Adherence, Retention in HIV Care and Clinical Outcomes in Low- and Middle-Income Countries for Achieving the UNAIDS 90-90-90 Targets. Current HIV/AIDS Reports, 2016, 13, 241-255.	3.1	94
44	Effectiveness of Membrane Filtration to Improve Drinking Water: A Quasi-Experimental Study from Rural Southern India. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1192-1200.	1.4	16
45	Diabetes and other non-communicable diseases in Africa: a potential disaster in the waiting. Lancet Diabetes and Endocrinology, the, 2016, 4, 875-877.	11.4	10
46	Hypertension and diabetes in Africa: design and implementation of a large population-based study of burden and risk factors in rural and urban Malawi. Emerging Themes in Epidemiology, 2016, 13, 3.	2.7	44
47	Poverty, Food Insufficiency and HIV Infection and Sexual Behaviour among Young Rural Zimbabwean Women. PLoS ONE, 2015, 10, e0115290.	2.5	78
48	Cryptococcal meningitis screening and community-based early adherence support in people with advanced HIV infection starting antiretroviral therapy in Tanzania and Zambia: an open-label, randomised controlled trial. Lancet, The, 2015, 385, 2173-2182.	13.7	197
49	Integrating public health research trials into health systems in Africa: individual or cluster randomisation?. Tropical Medicine and International Health, 2014, 19, 123-127.	2.3	3
50	Health service delivery models for the provision of antiretroviral therapy in sub-Saharan Africa: a systematic review. Tropical Medicine and International Health, 2014, 19, 1198-1215.	2.3	33
51	Determinants of Mortality in a Combined Cohort of 501 Patients With HIV-Associated Cryptococcal Meningitis: Implications for Improving Outcomes. Clinical Infectious Diseases, 2014, 58, 736-745.	5.8	299
52	Home-based versus clinic-based care for patients starting antiretroviral therapy with low CD4+ cell counts. Aids, 2014, 28, 569-576.	2.2	11
53	Stigma trajectories among people living with HIV (PLHIV) embarking on a life time journey with antiretroviral drugs in Jinja, Uganda. BMC Public Health, 2013, 13, 804.	2.9	26
54	Improving responsiveness of health systems to non-communicable diseases. Lancet, The, 2013, 381, 690-697.	13.7	258

#	ARTICLE	IF	CITATIONS
55	Tackling Non-Communicable Diseases In Low- and Middle-Income Countries: Is the Evidence from High-Income Countries All We Need?. <i>PLoS Medicine</i> , 2013, 10, e1001377.	8.4	131
56	The ICMJE authorship criteria: a response from the editors. <i>Tropical Medicine and International Health</i> , 2013, 18, 1162-1163.	2.3	2
57	Adherence to Antiretroviral Therapy in Jinja, Uganda: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e78243.	2.5	22
58	Methodology matters: what type of research is suitable for evaluating community treatment supporters for HIV and tuberculosis treatment?. <i>Tropical Medicine and International Health</i> , 2012, 17, 264-271.	2.3	3
59	Estimation With Cox Models. <i>Epidemiology</i> , 2012, 23, 194-202.	2.7	14
60	Rich micronutrient fortification of locally produced infant food does not improve mental and motor development of Zambian infants: a randomised controlled trial. <i>British Journal of Nutrition</i> , 2012, 107, 556-566.	2.3	21
61	A phase II randomized controlled trial adding oral flucytosine to high-dose fluconazole, with short-course amphotericin B, for cryptococcal meningitis. <i>Aids</i> , 2012, 26, 1363-1370.	2.2	73
62	Comparison of the Early Fungicidal Activity of High-Dose Fluconazole, Voriconazole, and Flucytosine as Second-Line Drugs Given in Combination With Amphotericin B for the Treatment of HIV-Associated Cryptococcal Meningitis. <i>Clinical Infectious Diseases</i> , 2012, 54, 121-128.	5.8	127
63	Short course amphotericin B with high dose fluconazole for HIV-associated cryptococcal meningitis. <i>Journal of Infection</i> , 2012, 64, 76-81.	3.3	69
64	Reaching Millennium Development Goal 4 “The Gambia. <i>Tropical Medicine and International Health</i> , 2011, 16, 1314-1325.	2.3	34
65	The Importance of Male Partner Involvement for Women’s Acceptability and Adherence to Female-Initiated HIV Prevention Methods in Zimbabwe. <i>AIDS and Behavior</i> , 2011, 15, 959-969.	2.7	75
66	Changes in sexual desires and behaviours of people living with HIV after initiation of ART: Implications for HIV prevention and health promotion. <i>BMC Public Health</i> , 2011, 11, 633.	2.9	38
67	Pre-treatment mortality and loss-to-follow-up in HIV-1, HIV-2 and HIV-1/HIV-2 dually infected patients eligible for antiretroviral therapy in The Gambia, West Africa. <i>AIDS Research and Therapy</i> , 2011, 8, 24.	1.7	31
68	Mortality in an antiretroviral therapy programme in Jinja, south-east Uganda: a prospective cohort study. <i>AIDS Research and Therapy</i> , 2011, 8, 39.	1.7	48
69	Protective Effect of Natural Rotavirus Infection in an Indian Birth Cohort. <i>New England Journal of Medicine</i> , 2011, 365, 337-346.	27.0	190
70	ABC for people with HIV: responses to sexual behaviour recommendations among people receiving antiretroviral therapy in Jinja, Uganda. <i>Culture, Health and Sexuality</i> , 2011, 13, 529-543.	1.8	25
71	Undetectable plasma viral load predicts normal survival in HIV-2-infected people in a West African village. <i>Retrovirology</i> , 2010, 7, 46.	2.0	88
72	Health services strengthening in Africa - research is a key component. <i>Tropical Medicine and International Health</i> , 2010, 15, 1270-1273.	2.3	4

#	ARTICLE	IF	CITATIONS
73	Linking research and development to strengthen health systems in Africa. <i>Tropical Medicine and International Health</i> , 2010, 15, 1404-1406.	2.3	15
74	Design and testing for clinical trials faced with misclassified causes of death. <i>Biostatistics</i> , 2010, 11, 546-558.	1.5	7
75	Burden of Illness in the First 3 Years of Life in an Indian Slum. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 221-226.	1.5	34
76	Long-term Survival of HIV-infected Children Receiving Antiretroviral Therapy in Thailand: A 5-Year Observational Cohort Study. <i>Clinical Infectious Diseases</i> , 2010, 51, 1449-1457.	5.8	50
77	The Regai Dzive Shiri project: results of a randomized trial of an HIV prevention intervention for youth. <i>Aids</i> , 2010, 24, 2541-2552.	2.2	110
78	Comparison of Home and Clinic-Based HIV Testing Among Household Members of Persons Taking Antiretroviral Therapy in Uganda: Results From a Randomized Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 245-252.	2.1	96
79	Combination Flucytosine and High-Dose Fluconazole Compared with Fluconazole Monotherapy for the Treatment of Cryptococcal Meningitis: A Randomized Trial in Malawi. <i>Clinical Infectious Diseases</i> , 2010, 50, 338-344.	5.8	166
80	High levels of psychosocial readiness for ART in an African population at the onset of treatment. <i>Sahara J</i> , 2009, 6, 188-195.	0.7	9
81	Independent Association between Rate of Clearance of Infection and Clinical Outcome of HIV-Associated Cryptococcal Meningitis: Analysis of a Combined Cohort of 262 Patients. <i>Clinical Infectious Diseases</i> , 2009, 49, 702-709.	5.8	201
82	Immune Reconstitution Inflammatory Syndrome in HIV-Associated Cryptococcal Meningitis: A Prospective Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 130-134.	2.1	162
83	Mortality and loss-to-follow-up during the pre-treatment period in an antiretroviral therapy programme under normal health service conditions in Uganda. <i>BMC Public Health</i> , 2009, 9, 290.	2.9	141
84	Socioeconomic and environmental factors important for acquiring non-severe malaria in children in Yemen: a case-control study. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009, 103, 72-78.	1.8	22
85	Chronic growth faltering amongst a birth cohort of Indian children begins prior to weaning and is highly prevalent at three years of age. <i>Nutrition Journal</i> , 2009, 8, 44.	3.4	31
86	Rates of virological failure in patients treated in a home-based versus a facility-based HIV-care model in Jinja, southeast Uganda: a cluster-randomised equivalence trial. <i>Lancet, The</i> , 2009, 374, 2080-2089.	13.7	217
87	Relationship of cerebrospinal fluid pressure, fungal burden and outcome in patients with cryptococcal meningitis undergoing serial lumbar punctures. <i>Aids</i> , 2009, 23, 701-706.	2.2	168
88	Use of WHO clinical stage for assessing patient eligibility to antiretroviral therapy in a routine health service setting in Jinja, Uganda. <i>AIDS Research and Therapy</i> , 2008, 5, 4.	1.7	23
89	Who develops severe malaria? Impact of access to healthcare, socioeconomic and environmental factors on children in Yemen: a case-control study. <i>Tropical Medicine and International Health</i> , 2008, 13, 762-770.	2.3	31
90	Integrating research into routine service delivery in an antiretroviral treatment programme: lessons learnt from a cluster randomized trial comparing strategies of HIV care in Jinja, Uganda. <i>Tropical Medicine and International Health</i> , 2008, 13, 795-800.	2.3	18

#	ARTICLE	IF	CITATIONS
91	Adherence to antiretroviral therapy in Africa: how high is it really?. <i>Tropical Medicine and International Health</i> , 2008, 13, 1096-1097.	2.3	10
92	The Regai Dzive Shiri Project: a cluster randomised controlled trial to determine the effectiveness of a multi-component community-based HIV prevention intervention for rural youth in Zimbabwe – study design and baseline results. <i>Tropical Medicine and International Health</i> , 2008, 13, 1235-1244.	2.3	71
93	High-Dose Amphotericin B with Flucytosine for the Treatment of Cryptococcal Meningitis in HIV-Infected Patients: A Randomized Trial. <i>Clinical Infectious Diseases</i> , 2008, 47, 123-130.	5.8	238
94	Reply to Pasqualotto. <i>Clinical Infectious Diseases</i> , 2008, 47, 1110-1111.	5.8	2
95	Dose Response Effect of High-Dose Fluconazole for HIV-Associated Cryptococcal Meningitis in Southwestern Uganda. <i>Clinical Infectious Diseases</i> , 2008, 47, 1556-1561.	5.8	180
96	Geographic Information Systems and Genotyping in Identification of Rotavirus G12 Infections in Residents of an Urban Slum with Subsequent Detection in Hospitalized Children: Emergence of G12 Genotype in South India. <i>Journal of Clinical Microbiology</i> , 2007, 45, 432-437.	3.9	44
97	Neonatal Infection with G10P[11] Rotavirus Did Not Confer Protection against Subsequent Rotavirus Infection in a Community Cohort in Vellore, South India. <i>Journal of Infectious Diseases</i> , 2007, 195, 625-632.	4.0	45
98	Continued very high prevalence of HIV infection in rural KwaZulu-Natal, South Africa: a population-based longitudinal study. <i>Aids</i> , 2007, 21, 1467-1472.	2.2	164
99	Use of data from HIV counselling and testing services for HIV surveillance in Africa. <i>Lancet</i> , The, 2007, 369, 612-613.	13.7	11
100	Editorial: Scale-up of antiretroviral therapy in sub-Saharan Africa – priorities for public health research. <i>Tropical Medicine and International Health</i> , 2007, 12, 1009-1010.	2.3	5
101	A Cluster-Randomised Trial to Compare Home-Based with Health Facility-Based Antiretroviral Treatment in Uganda: Study Design and Baseline Findings. <i>Open AIDS Journal</i> , 2007, 1, 21-27.	0.5	26
102	The HIV pandemic: local and global implications. <i>Bulletin of the World Health Organization</i> , 2007, 85, 897-898.	3.3	0
103	Association between HSV-2 and HIV-1 viral load in semen, cervico-vaginal secretions and genital ulcers of Thai men and women. <i>International Journal of STD and AIDS</i> , 2006, 17, 681-686.	1.1	8
104	Association of genital shedding of herpes simplex virus type 2 and HIV-1 among sex workers in rural Zimbabwe. <i>Aids</i> , 2006, 20, 261-267.	2.2	35
105	Rates and causes of child mortality in an area of high HIV prevalence in rural South Africa. <i>Tropical Medicine and International Health</i> , 2006, 11, 1841-1848.	2.3	39
106	Severe malaria in children in Yemen: two site observational study. <i>BMJ: British Medical Journal</i> , 2006, 333, 827.	2.3	36
107	The risk factors for relapse among patients with African trypanosomiasis in Daloa, Cote d'Ivoire. <i>Tropical Doctor</i> , 2006, 36, 90-93.	0.5	4
108	Comparative Study of the Epidemiology of Rotavirus in Children from a Community-Based Birth Cohort and a Hospital in South India. <i>Journal of Clinical Microbiology</i> , 2006, 44, 2468-2474.	3.9	101

#	ARTICLE	IF	CITATIONS
109	Is Sexual Contact With Sex Workers Important in Driving the HIV Epidemic Among Men in Rural Zimbabwe?. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2005, 40, 371-376.	2.1	30
110	The Appropriateness of Core Group Interventions Using Presumptive Periodic Treatment Among Rural Zimbabwean Women Who Exchange Sex for Gifts or Money. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2005, 38, 202-207.	2.1	29
111	Antiretroviral treatment in resource-poor settings: public health research priorities. <i>Tropical Medicine and International Health</i> , 2005, 10, 295-299.	2.3	32
112	Immunological Predictors of Survival in HIV Type 2-Infected Rural Villagers in Guinea-Bissau. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 560-564.	1.1	22
113	IFN- γ at the Site of Infection Determines Rate of Clearance of Infection in Cryptococcal Meningitis. <i>Journal of Immunology</i> , 2005, 174, 1746-1750.	0.8	150
114	A Randomized Placebo-Controlled Trial of the Impact of Multiple Micronutrient Supplementation on HIV-1 Genital Shedding Among Thai Subjects. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2004, 37, 1216-1218.	2.1	4
115	The natural history of HIV-1 and HIV-2 infections in adults in Africa: a literature review. <i>Bulletin of the World Health Organization</i> , 2004, 82, 462-9.	3.3	71
116	Effects of misclassification of causes of death on the power of a trial to assess the efficacy of a pneumococcal conjugate vaccine in The Gambia. <i>International Journal of Epidemiology</i> , 2003, 32, 430-436.	1.9	27
117	Quantification of Human T-lymphotropic Virus Type I (HTLV-I) Provirus Load in a Rural West African Population: No Enhancement of Human Immunodeficiency Virus Type 2 Pathogenesis, but HTLV-I Provirus Load Relates to Mortality. <i>Journal of Infectious Diseases</i> , 2003, 188, 1648-1651.	4.0	20
118	Plasma viral load, CD4 cell percentage, HLA and survival of HIV-1, HIV-2, and dually infected Gambian patients. <i>Aids</i> , 2003, 17, 1513-1520.	2.2	55
119	A randomized trial of the impact of multiple micronutrient supplementation on mortality among HIV-infected individuals living in Bangkok. <i>Aids</i> , 2003, 17, 2461-2469.	2.2	137
120	Low Level Viremia and High CD4% Predict Normal Survival in a Cohort of HIV Type-2-Infected Villagers. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 1167-1173.	1.1	72
121	The Impact of Syphilis, HIV-1, and HIV-2 on Pregnancy Outcome in Bissau, Guinea-Bissau. <i>Sexually Transmitted Diseases</i> , 2002, 29, 157-167.	1.7	14
122	School based HIV prevention in Zimbabwe: feasibility and acceptability of evaluation trials using biological outcomes. <i>Aids</i> , 2002, 16, 1673-1678.	2.2	48
123	Mortality of HIV-1, HIV-2 and HIV-1/HIV-2 dually infected patients in a clinic-based cohort in The Gambia. <i>Aids</i> , 2002, 16, 1775-1783.	2.2	97
124	Safety and immunogenicity of pneumococcal conjugate vaccine in combination with diphtheria, tetanus toxoid, pertussis and Haemophilus influenzae type b conjugate vaccine. <i>Pediatric Infectious Disease Journal</i> , 2002, 21, 940-946.	2.0	29
125	Plasmodium falciparum cross resistance. <i>Lancet</i> , The, 2002, 359, 80.	13.7	11
126	Use of clinical algorithms for diagnosing malaria. <i>Tropical Medicine and International Health</i> , 2002, 7, 45-52.	2.3	195

#	ARTICLE	IF	CITATIONS
127	Clinical predictors of bacterial meningitis in infants and young children in The Gambia. <i>Tropical Medicine and International Health</i> , 2002, 7, 722-731.	2.3	28
128	Acute lower respiratory infections among children hospitalized in Bangui, Central African Republic: toward a new case-management algorithm. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2001, 95, 410-417.	1.8	18
129	Risk factors for mortality among children hospitalized because of acute respiratory infections in Bangui, Central African Republic. <i>Pediatric Infectious Disease Journal</i> , 2000, 19, 424-432.	2.0	57
130	Plasma RNA viral load predicts the rate of CD4 T cell decline and death in HIV-2-infected patients in West Africa. <i>Aids</i> , 2000, 14, 339-344.	2.2	65
131	Safety and immunogenicity of a nonavalent pneumococcal vaccine conjugated to CRM197 administered simultaneously but in a separate syringe with diphtheria, tetanus and pertussis vaccines in Gambian infants. <i>Pediatric Infectious Disease Journal</i> , 2000, 19, 463-469.	2.0	80
132	Prior BCG vaccination improves survival of Gambian patients treated for pulmonary tuberculosis. <i>Tropical Medicine and International Health</i> , 2000, 5, 413-417.	2.3	6
133	CD Review. <i>Tropical Medicine and International Health</i> , 2000, 5, 588-589.	2.3	0
134	Season of birth is not associated with delayed childhood mortality in Upper River Division, The Gambia. <i>Tropical Medicine and International Health</i> , 2000, 5, 628-632.	2.3	16
135	Evaluation of clinical pallor in the identification and treatment of children with moderate and severe anaemia. <i>Tropical Medicine and International Health</i> , 2000, 5, 805-810.	2.3	38
136	HIV-negative infants born to HIV-1 but not HIV-2-positive mothers fail to develop a <i>Bacillus Calmette-Guérin</i> scar. <i>Aids</i> , 1999, 13, 996.	2.2	24
137	Retinal manifestations of HIV-1 and HIV-2 infections among hospital patients in The Gambia, West Africa. <i>Tropical Medicine and International Health</i> , 1999, 4, 487-492.	2.3	27
138	Preparation for a pneumococcal vaccine trial in The Gambia: individual or community randomisation?. <i>Vaccine</i> , 1999, 18, 633-640.	3.8	20
139	Clinical predictors of hypoxaemia in Gambian children with acute lower respiratory tract infection: prospective cohort study. <i>BMJ: British Medical Journal</i> , 1999, 318, 86-91.	2.3	73
140	Antigenuria in gambian infants following immunization with a <i>Haemophilus influenzae</i> type b polyribosylribitol phosphate-tetanus toxoid protein conjugate (PRP-T) vaccine. <i>Diagnostic Microbiology and Infectious Disease</i> , 1998, 32, 15-19.	1.8	6
141	Vaccination with a <i>Haemophilus influenzae</i> Type b Conjugate Vaccine Reduces Oropharyngeal Carriage of <i>H. influenzae</i> Type b among Gambian Children. <i>Journal of Infectious Diseases</i> , 1998, 177, 1758-1761.	4.0	104
142	Causes of mortality in twins in a rural region of The Gambia, West Africa. <i>Annals of Tropical Paediatrics</i> , 1998, 18, 231-238.	1.0	22
143	Epidemiology of invasive pneumococcal disease in the Western Region, The Gambia. <i>Pediatric Infectious Disease Journal</i> , 1998, 17, 23-28.	2.0	76
144	The clinical spectrum of respiratory syncytial virus disease in The Gambia. <i>Pediatric Infectious Disease Journal</i> , 1998, 17, 224-230.	2.0	81

#	ARTICLE	IF	CITATIONS
145	Treatment of African Children with Uncomplicated Falciparum Malaria with a New Antimalarial Drug, CGP 56697. <i>Journal of Infectious Diseases</i> , 1997, 176, 1113-1116.	4.0	70
146	Residual neurologic sequelae after childhood cerebral malaria. <i>Journal of Pediatrics</i> , 1997, 131, 125-129.	1.8	121
147	Randomised trial of Haemophilus influenzae type-b tetanus protein conjugate for prevention of pneumonia and meningitis in Gambian infants. <i>Lancet, The</i> , 1997, 349, 1191-1197.	13.7	396
148	Ethics of HIV trials. <i>Lancet, The</i> , 1997, 350, 1546.	13.7	17
149	The Gambian National Impregnated Bednet Programme: Evaluation of the 1994 cost recovery trial. <i>Social Science and Medicine</i> , 1997, 44, 1903-1909.	3.8	26
150	Prolongation of the QTc Interval in African Children Treated for Falciparum Malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997, 56, 494-497.	1.4	35
151	Predictors of a Fatal Outcome Following Childhood Cerebral Malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997, 57, 20-24.	1.4	81
152	Humidification of oxygen with unheated humidifiers in tropical climates. , 1996, 22, 125-128.		5
153	Absence of neuropsychological sequelae following cerebral malaria in Gambian children. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1996, 90, 391-394.	1.8	45
154	A Trial of Artemether or Quinine in Children with Cerebral Malaria. <i>New England Journal of Medicine</i> , 1996, 335, 69-75.	27.0	243
155	HIV-2-specific cytotoxic T-lymphocyte activity is inversely related to proviral load. <i>Aids</i> , 1995, 9, 555-560.	2.2	41
156	Iron, but not folic acid, combined with effective antimalarial therapy promotes haematological recovery in African children after acute falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1995, 89, 672-676.	1.8	129
157	Assessing prescribing practice: A tanzanian example. <i>International Journal of Health Planning and Management</i> , 1993, 8, 37-58.	1.7	25
158	Excreta Disposal Behaviour and Latrine Ownership in Relation to the Risk of Childhood Diarrhoea in Sri Lanka. <i>International Journal of Epidemiology</i> , 1992, 21, 1157-1164.	1.9	39