## Paolo Ferrari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6998193/publications.pdf

Version: 2024-02-01

57758 51608 9,078 147 44 citations h-index papers

g-index 154 154 154 11571 docs citations times ranked citing authors all docs

86

#	Article	IF	CITATIONS
1	Mapping Neutralizing and Immunodominant Sites on the SARS-CoV-2 Spike Receptor-Binding Domain by Structure-Guided High-Resolution Serology. Cell, 2020, 183, 1024-1042.e21.	28.9	1,195
2	Broadly neutralizing antibodies overcome SARS-CoV-2 Omicron antigenic shift. Nature, 2022, 602, 664-670.	27.8	917
3	Circulating SARS-CoV-2 spike N439K variants maintain fitness while evading antibody-mediated immunity. Cell, 2021, 184, 1171-1187.e20.	28.9	541
4	Comparison of continuous and intermittent renal replacement therapy for acute renal failure. Nephrology Dialysis Transplantation, 2005, 20, 1630-1637.	0.7	326
5	Prophylactic hemodialysis after radiocontrast media in patients with renal insufficiency is potentially harmful. American Journal of Medicine, 2001, 111, 692-698.	1.5	262
6	Broad betacoronavirus neutralization by a stem helix–specific human antibody. Science, 2021, 373, 1109-1116.	12.6	262
7	Altered insulin sensitivity, hyperinsulinemia, and dyslipidemia in individuals with a hypertensive parent. American Journal of Medicine, 1991, 91, 589-596.	1.5	209
8	Insulin, insulin sensitivity and hypertension. Journal of Hypertension, 1990, 8, 491-500.	0.5	152
9	The role of $11\hat{l}^2$ -hydroxysteroid dehydrogenase type 2 in human hypertension. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2010, 1802, 1178-1187.	3.8	138
10	A genetic defect resulting in mild low-renin hypertension. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 10200-10205.	7.1	136
11	Molecular Basis of Human Salt Sensitivity: The Role of the $11\hat{1}^2$ -Hydroxysteroid Dehydrogenase Type 2*. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 3745-3749.	3.6	134
12	In Vivo $11\hat{l}^2$ -HSD-2 Activity. Hypertension, 2001, 38, 1330-1336.	2.7	127
13	Fatal cardiac arrhythmia after infusion of dimethyl sulfoxide-cryopreserved hematopoietic stem cells in a patient with severe primary cardiac amyloidosis and end-stage renal failure. Annals of Hematology, 2000, 79, 523-526.	1.8	122
14	Heme oxygenase-1 attenuates ischemia/reperfusion-induced apoptosis and improves survival in rat renal allografts. Kidney International, 2003, 63, 1564-1573.	5.2	122
15	Serum Iron Markers Are Inadequate for Guiding Iron Repletion in Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 77-83.	4.5	119
16	Insulin sensitivity and body fat distribution in normotensive offspring of hypertensive parents. Lancet, The, 1993, 341, 327-331.	13.7	113
17	Additive antiproteinuric effect of combined ACE inhibition and angiotensin II receptor blockade. Journal of Hypertension, 2002, 20, 125-130.	0.5	109
18	Clonal analysis of immunodominance and cross-reactivity of the CD4 T cell response to SARS-CoV-2. Science, 2021, 372, 1336-1341.	12.6	108

#	Article	IF	Citations
19	Genetic polymorphisms of the renin-angiotensin-aldosterone system in end-stage renal disease. Kidney International, 2001, 60, 46-54.	5.2	105
20	Kidney paired donation: principles, protocols and programs. Nephrology Dialysis Transplantation, 2015, 30, 1276-1285.	0.7	101
21	Broadly neutralizing antibodies overcome SARS-CoV-2 Omicron antigenic shift. Nature, 0, , .	27.8	101
22	Central Role of Sodium in Hypertension in Diabetic Subjects. Diabetes Care, 1991, 14, 220-232.	8.6	99
23	Effect of prolonged bicarbonate administration on plasma potassium in terminal renal failure. Kidney International, 1992, 41, 369-374.	5.2	97
24	Active renin versus plasma renin activity to define aldosterone-to-renin ratio for primary aldosteronism. Journal of Hypertension, 2004, 22, 377-381.	0.5	93
25	Apparent Mineralocorticoid Excess: Report of Six New Cases and Extensive Personal Experience. Journal of the American Society of Nephrology: JASN, 2006, 17, 3176-3184.	6.1	93
26	ACE2-binding exposes the SARS-CoV-2 fusion peptide to broadly neutralizing coronavirus antibodies. Science, 2022, 377, 735-742.	12.6	85
27	Role of the $11\hat{1}^2$ -hydroxysteroid dehydrogenase type 2 in blood pressure regulation. Kidney International, 2000, 57, 1374-1381.	5.2	84
28	The role of the $11\hat{1}^2$ -hydroxysteroid dehydrogenase type 2 in human hypertension. Journal of Hypertension, 2000, 18, 241-248.	0.5	79
29	Effects of smoking on renal function in patients with type 1 and type 2 diabetes mellitus. Nephrology Dialysis Transplantation, 2005, 20, 2414-2419.	0.7	73
30	Antihypertensive agents, serum lipoproteins and glucose metabolism. American Journal of Cardiology, 1991, 67, B26-B35.	1.6	68
31	Risk assessment and seroprevalence of SARS-CoV-2 infection in healthcare workers of COVID-19 and non-COVID-19 hospitals in Southern Switzerland. Lancet Regional Health - Europe, The, 2021, 1, 100013.	5.6	66
32	Reproducibility of insulin sensitivity measured by the minimal model method. Diabetologia, 1991, 34, 527-530.	6.3	64
33	Association of plasminogen activator inhibitor-1 genotype with avascular osteonecrosis in steroid-treated renal allograft recipients1. Transplantation, 2002, 74, 1147-1152.	1.0	62
34	Reasons for not intensifying antihypertensive treatment (RIAT). Journal of Hypertension, 2004, 22, 1221-1229.	0.5	61
35	Point mutations abolish $11\hat{l}^2$ -hydroxysteroid dehydrogenase type II activity in three families with the congenital syndrome of apparent mineralocorticoid excess. Molecular and Cellular Endocrinology, 1996, 119, 21-24.	3.2	56
36	Hypoxia causes downâ€regulation of 11βâ€hydroxysteroid dehydrogenase type 2 by induction of Egrâ€1. FASEB Journal, 2003, 17, 1-22.	0.5	55

#	Article	lF	CITATIONS
37	Cortisol and the renal handling of electrolytes: role in glucocorticoid-induced hypertension and bone disease. Best Practice and Research in Clinical Endocrinology and Metabolism, 2003, 17, 575-589.	4.7	54
38	Effect of donor-recipient age difference on graft function and survival in live-donor kidney transplantation. Nephrology Dialysis Transplantation, 2011, 26, 702-708.	0.7	54
39	Pre-transplant donor specific anti-HLA antibody is associated with antibody-mediated rejection, progressive graft dysfunction and patient death. Transplant Immunology, 2013, 28, 148-153.	1.2	52
40	ABO-Incompatible Matching Significantly Enhances Transplant Rates in Kidney Paired Donation. Transplantation, 2013, 96, 821-826.	1.0	52
41	A Biallelic Gene Polymorphism of CYP11B2 Predicts Increased Aldosterone to Renin Ratio in Selected Hypertensive Patients. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 2495-2500.	3.6	51
42	Reasons for therapeutic inertia when managing hypertension in clinical practice in non-Western countries. Journal of Human Hypertension, 2009, 23, 151-159.	2.2	50
43	Abnormalities of Insulin and Lipid Metabolism in Milan Hypertensive Rats. American Journal of Hypertension, 1991, 4, 773-775.	2.0	45
44	Oxoreductase and Dehydrogenase Activities of the Human and Rat 11β-Hydroxysteroid Dehydrogenase Type 2 Enzyme*. Endocrinology, 1997, 138, 2948-2952.	2.8	45
45	Paired kidney donations to expand the living donor pool. Journal of Nephrology, 2009, 22, 699-707.	2.0	45
46	Rat $11^2$ -hydroxysteroid dehydrogenase type 2 enzyme is expressed at low levels in the placenta and is modulated by adrenal steroids in the kidney. Molecular and Cellular Endocrinology, 1996, 120, 67-75.	3.2	44
47	A Mutation in the Cofactor-Binding Domain of $11\hat{l}^2$ -Hydroxysteroid Dehydrogenase Type 2 Associated with Mineralocorticoid Hypertension (sup) 1 (sup). Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1247-1252.	3.6	44
48	Results of a meta-analysis comparing the tolerability of lercanidipine and other dihydropyridine calcium channel blockers. Clinical Therapeutics, 2009, 31, 1652-1663.	2.5	43
49	Glycyrrhetinic Acid Decreases Plasma Potassium Concentrations in Patients with Anuria. Journal of the American Society of Nephrology: JASN, 2002, 13, 191-196.	6.1	43
50	Impaired Protein Stability of $11\hat{l}^2$ -Hydroxysteroid Dehydrogenase Type 2: A Novel Mechanism of Apparent Mineralocorticoid Excess. Journal of the American Society of Nephrology: JASN, 2007, 18, 1262-1270.	6.1	42
51	Travelâ€related disseminated <i>&gt;<scp>P</scp>enicillium marneffei</i> infection in a renal transplant patient. Transplant Infectious Disease, 2012, 14, 434-439.	1.7	42
52	Dysregulation of Atrial Natriuretic Factor in Hypertension-Prone Man <sup>*</sup> . Journal of Clinical Endocrinology and Metabolism, 1990, 71, 944-951.	3.6	41
53	Angiotensin-Converting Enzyme Inhibition but not Angiotensin II Receptor Blockade Regulates Matrix Metalloproteinase Activity in Patients with Glomerulonephritis. Journal of the American Society of Nephrology: JASN, 2003, 14, 2861-2872.	6.1	40
54	Virtual Crossmatch Approach to Maximize Matching in Paired Kidney Donation. American Journal of Transplantation, 2011, 11, 272-278.	4.7	40

#	Article	IF	Citations
55	A New Polymorphic Restriction Site in the Human 11Â-Hydroxysteroid Dehydrogenase Type 2 Gene. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 1814-1814.	3.6	40
56	Kidney transplantation in rats: An appraisal of surgical techniques and outcome. Microsurgery, 2003, 23, 387-394.	1.3	37
57	Peri-operative third party red blood cell transfusion in renal transplantation and the risk of antibody-mediated rejection and graft loss. Transplant Immunology, 2013, 29, 22-27.	1.2	36
58	Swiss Hypertension and Risk Factor Program (SHARP): Cardiovascular risk factors management in patients with type 2 diabetes in Switzerland. Blood Pressure, 2005, 14, 337-344.	1.5	35
59	Antihypertensive Therapy With Ca2+: Antagonist Verapamil and/or ACE Inhibitor Enalapril in NIDDM Patients. Diabetes Care, 1991, 14, 911-914.	8.6	34
60	CYP11B2-CYP11B1 Haplotypes Associated with Decreased $11\hat{1}^2$ -Hydroxylase Activity. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 1220-1225.	3.6	34
61	Paired kidney donations to expand the living donor pool: the Western Australian experience. Medical Journal of Australia, 2009, 190, 700-703.	1.7	34
62	Lack of effect of long-term amlodipine on insulin sensitivity and plasma insulin in obese patients with essential hypertension. European Journal of Clinical Pharmacology, 1993, 44, 457-462.	1.9	33
63	Role of the α-adducin genotype on renal disease progression. Kidney International, 2002, 61, 1270-1275.	5.2	33
64	Prescribing angiotensinâ€converting enzyme inhibitors and angiotensin receptor blockers in chronic kidney disease (Review Article). Nephrology, 2007, 12, 81-89.	1.6	33
65	Comparison of computer tomographic volumetry <i>versus</i> nuclear split renal function to determine residual renal function after living kidney donation. Acta Radiologica, 2014, 55, 753-760.	1.1	33
66	Providing Better-Matched Donors for HLA Mismatched Compatible Pairs Through Kidney Paired Donation. Transplantation, 2017, 101, 642-648.	1.0	33
67	Serum Lipoproteins During Treatment with Antihypertensive Drugs. Journal of Cardiovascular Pharmacology, 1993, 22, 98-105.	1.9	33
68	A Mutation in the Cofactor-Binding Domain of $11\hat{A}$ -Hydroxysteroid Dehydrogenase Type 2 Associated with Mineralocorticoid Hypertension. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1247-1252.	3.6	33
69	A data-driven approach to identify risk profiles and protective drugs in COVID-19. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	32
70	Insulin sensitivity in normotensive subjects during angiotensin converting enzyme inhibition with fosinopril. European Journal of Clinical Pharmacology, 1992, 42, 275-80.	1.9	31
71	High Transplant Rates of Highly Sensitized Recipients With Virtual Crossmatching in Kidney Paired Donation. Transplantation, 2012, 94, 744-749.	1.0	31
72	Modulation of Renal Calcium Handling by $11\hat{l}^2$ -Hydroxysteroid Dehydrogenase Type 2. Journal of the American Society of Nephrology: JASN, 2002, 13, 2540-2546.	6.1	29

#	Article	IF	CITATIONS
73	Hip Pain in Renal Transplant Recipients: Symptomatic Gluteus Minimus and Gluteus Medius Tendon Abnormality as an Alternative MRI Diagnosis to Avascular Necrosis. American Journal of Roentgenology, 2007, 188, 515-519.	2.2	29
74	A Randomized, Placebo-Controlled Trial of Pentoxifylline on Erythropoiesis-Stimulating Agent Hyporesponsiveness in Anemic Patients With CKD: The Handling Erythropoietin Resistance With Oxpentifylline (HERO) Trial. American Journal of Kidney Diseases, 2015, 65, 49-57.	1.9	29
75	Four years of experience with the <scp>A</scp> ustralian kidney paired donation programme. Nephrology, 2015, 20, 124-131.	1.6	28
76	Serum phosphate is an important determinant of corrected serum calcium in endâ€stage kidney disease. Nephrology, 2009, 14, 383-388.	1.6	27
77	Waiting Time Between Failure of First Graft and Second Kidney Transplant and Graft and Patient Survival. Transplantation, 2016, 100, 1767-1775.	1.0	27
78	The inaccuracy of cystatin C and creatinine-based equations in predicting GFR in orthotopic liver transplant recipients. Nephrology Dialysis Transplantation, 2009, 24, 2926-2930.	0.7	26
79	Optimizing Outcomes in Pediatric Renal Transplantation Through the Australian Paired Kidney Exchange Program. American Journal of Transplantation, 2017, 17, 534-541.	4.7	26
80	The $11\hat{l}^2$ -hydroxysteroid dehydrogenase type II enzyme: Biochemical consequences of the congenital R337C mutation. Steroids, 1996, 61, 197-200.	1.8	25
81	Truncation of the N- and C-terminal regions of the human $11\hat{l}^2$ -hydroxysteroid dehydrogenase type 2 enzyme and effects on solubility and bidirectional enzyme activity. Molecular and Cellular Endocrinology, 1997, 131, 173-182.	3.2	25
82	Endothelin-1 infusion inhibits plasma insulin responsiveness in normal men. Journal of Hypertension, 1998, 16, 1279-1284.	0.5	25
83	Structural analysis of the $11\hat{i}^2$ -hydroxysteroid dehydrogenase type 2 gene in end-stage renal disease. Kidney International, 2000, 58, 1413-1419.	5.2	25
84	Long-term calcineurin inhibition and magnesium balance after renal transplantation. Transplant International, 2003, 16, 76-81.	1.6	25
85	Pentoxifylline improves haemoglobin and interleukin-6 levels in chronic kidney disease. Nephrology, 2010, 15, 344-349.	1.6	25
86	Predictors of perioperative blood transfusions in patients with chronic kidney disease undergoing elective knee and hip arthroplasty. Nephrology, 2014, 19, 404-409.	1.6	25
87	Genetics of the mineralocorticoid system in primary hypertension. Current Hypertension Reports, 2002, 4, 18-24.	3.5	23
88	Diagnosing and preventing iron overload. Hemodialysis International, 2017, 21, S58-S67.	0.9	23
89	Pharmacokinetic-Pharmacodynamic Modelling of Magnesium Plasma Concentration and Blood Pressure in Preeclamptic Women. Clinical Pharmacokinetics, 2002, 41, 1105-1113.	3.5	21
90	Transnational validation of the Australian algorithm for virtual crossmatch allocation in kidney paired donation. Human Immunology, 2013, 74, 500-505.	2.4	21

#	Article	IF	CITATIONS
91	Poor neutralization and rapid decay of antibodies to SARS-CoV-2 variants in vaccinated dialysis patients. PLoS ONE, 2022, 17, e0263328.	2.5	21
92	Hypovolemia contributes to the pathogenesis of orthostatic hypotension in patients with diabetes mellitus. American Journal of Medicine, 1999, 106, 50-58.	1.5	20
93	Modeling the Benefits and Costs of Integrating an Acceptable HLA Mismatch Allocation Model for Highly Sensitized Patients. Transplantation, 2014, 97, 769-774.	1.0	20
94	Outcomes of kidney paired donation transplants in relation to shipping and cold ischaemia time. Transplant International, 2016, 29, 425-431.	1.6	20
95	Unaltered insulin sensitivity during calcium channel blockade with amlodipine. European Journal of Clinical Pharmacology, 1991, 41, 109-13.	1.9	19
96	Forms of Mineralocorticoid Hypertension. Vitamins and Hormones, 2003, 66, 113-156.	1.7	19
97	Characterization of hepatic and cardiac iron deposition during standard treatment of anaemia in haemodialysis. Nephrology, 2017, 22, 114-117.	1.6	19
98	Decline in native kidney function in liver transplant recipients is not associated with BK virus infection. Liver Transplantation, 2008, 14, 1787-1792.	2.4	18
99	Comparison of time on the deceased donor kidney waitlist versus time on the kidney paired donation registry in the Australian program. Transplant International, 2012, 25, 1026-1031.	1.6	18
100	Oxoreductase and Dehydrogenase Activities of the Human and Rat 11Â-Hydroxysteroid Dehydrogenase Type 2 Enzyme. Endocrinology, 1997, 138, 2948-2952.	2.8	18
101	Recipient ras gene variants and renal allograft function1. Transplantation, 2002, 73, 960-965.	1.0	17
102	High prevalence of ascorbate deficiency in an Australian peritoneal dialysis population. Nephrology, 2007, 13, 070918212946002-???.	1.6	17
103	Oxpentifylline versus placebo in the treatment of erythropoietin-resistant anaemia: a randomized controlled trial. BMC Nephrology, 2008, 9, 8.	1.8	17
104	The Codon 213 of the $11\hat{1}^2$ -Hydroxysteroid Dehydrogenase Type 2 Gene Is a Hot Spot for Mutations in Apparent Mineralocorticoid Excess1. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 4391-4393.	3.6	16
105	Juvenile Hypertension, the Role of Genetically Altered Steroid Metabolism. Hormone Research in Paediatrics, 2001, 55, 213-223.	1.8	16
106	Salt-sensitivity of blood pressure and decreased 11??-hydroxysteroid dehydrogenase type 2 activity after renal transplantation1. Transplantation, 2002, 74, 66-72.	1.0	16
107	Citrate anticoagulation using ACD solution A during longâ€ŧerm haemodialysis. Nephrology, 2011, 16, 396-402.	1.6	15
108	Permanently reduced plasma ionized magnesium among renal transplant recipients on cyclosporine. Transplant International, 1999, 12, 244-249.	1.6	15

#	Article	IF	CITATIONS
109	Mutation analysis of CYP11B1 and CYP11B2 in patients with increased 18-hydroxycortisol production. Molecular and Cellular Endocrinology, 2004, 214, 167-174.	3.2	14
110	Low prevalence of nonconservative mutations of serum and glucocorticoid-regulated kinase (SGK1) gene in hypertensive and renal patients. Nephrology Dialysis Transplantation, 2004, 19, 2499-2504.	0.7	14
111	Licorice: a sweet alternative to prevent hyperkalemia in dialysis patients?. Kidney International, 2009, 76, 811-812.	5.2	14
112	Pharmacokinetics and safety of deferasirox in subjects with chronic kidney disease undergoing haemodialysis. Nephrology, 2013, 18, 188-193.	1.6	14
113	Left ventricular structure and determinants in normotensive offspring of essential hypertensive parents. Journal of Hypertension, 1992, 10, 1257-1264.	0.5	13
114	Combination treatment with an ETA-receptor blocker and an ACE inhibitor is not superior to the respective monotherapies in attenuating chronic transplant vasculopathy in different aorta allotransplantation rat models. Nephrology Dialysis Transplantation, 2003, 18, 62-69.	0.7	13
115	Estimation of glomerular filtration rate: does haemoglobin discriminate between ageing and true CKD?. Nephrology Dialysis Transplantation, 2009, 24, 1828-1833.	0.7	13
116	A novel mutation in the steroidogenic acute regulatory protein gene promoter leading to reduced promoter activity. Journal of Molecular Endocrinology, 2006, 37, 71-80.	2.5	12
117	Kidney paired donation: a plea for a Swiss National Programme. Swiss Medical Weekly, 2015, 145, w14083.	1.6	12
118	Association between serum hepcidinâ€25 and primary resistance to erythropoiesisâ€stimulating agents in chronic kidney disease: a secondary analysis of the HERO trial. Nephrology, 2017, 22, 548-554.	1.6	11
119	Postsynaptic α1-Blockade with Terazosin Does Not Modify Insulin Sensitivity in Nonobese Normotensive Subjects. Journal of Cardiovascular Pharmacology, 1991, 18, 106-110.	1.9	10
120	Reduced Plasma Cyclic GMP But Normal Renal Responses to Atrial Natriuretic Factor in Pre-Hypertension. Blood Pressure, 1996, 5, 16-26.	1.5	10
121	Salt-sensitive blood pressure—an intermediate phenotype predisposing to diabetic nephropathy?. Nephrology Dialysis Transplantation, 2005, 20, 2113-2119.	0.7	10
122	Enhanced Blood Pressure Response to Mineralocorticoid Stimulation in Normotensive Members of Hypertensive Families. Blood Pressure, 1992, 1, 86-91.	1.5	8
123	Association between Serum Alkaline Phosphatase and Primary Resistance to Erythropoiesis Stimulating Agents in Chronic Kidney Disease: A Secondary Analysis of the HERO Trial. Canadian Journal of Kidney Health and Disease, 2015, 2, 66.	1.1	8
124	The effect of pentoxifylline on oxidative stress in chronic kidney disease patients with erythropoiesis-stimulating agent hyporesponsiveness: Sub-study of the HERO trial. Redox Report, 2016, 21, 14-23.	4.5	8
125	Challenges of kidney paired donation transplants involving multiple donor and recipient surgeons across Australia. ANZ Journal of Surgery, 2018, 88, 167-171.	0.7	8
126	Atrial natriuretic factor after cardiac surgery with cardiopulmonary bypass in children. Critical Care Medicine, 1991, 19, 1497-1502.	0.9	6

#	Article	IF	CITATIONS
127	Pastis and hypertensionâ€"what is the molecular basis?. Nephrology Dialysis Transplantation, 2000, 15, 1512-1514.	0.7	6
128	Pre- and postdonation kidney function in donors of a kidney paired donation with unique criteria for donor glomerular filtration rate - a longitudinal cohort analysis. Transplant International, 2019, 32, 291-299.	1.6	6
129	Swiss Hypertension Treatment Programme with Verapamil and/or Enalapril in Diabetic Patients. Drugs, 1992, 44, 74-84.	10.9	5
130	Kidney Paired Donation and the "Valuable Consideration―Problem. Transplantation, 2017, 101, 1996-2002.	1.0	5
131	Crossing borders to facilitate live donor kidney transplantation: the Czechâ€Austrian kidney paired donation program – a retrospective study. Transplant International, 2020, 33, 1199-1210.	1.6	5
132	Acute kidney injury due to decompression illness. CKJ: Clinical Kidney Journal, 2014, 7, 380-382.	2.9	4
133	Diagnostic Investigations in Inherited Endocrine Disorders of Sodium Regulation. , 2011, , 210-234.		3
134	Nurturing the benefits of pre-emptive kidney transplantation. Nephrology Dialysis Transplantation, 2016, 31, 681-682.	0.7	3
135	The distinction between Liddle syndrome and apparent mineralocorticoid excess. Pediatric Nephrology, 2003, 18, 607-608.	1.7	2
136	Data and optimisation requirements for Kidney Exchange Programs. Health Informatics Journal, 2021, 27, 146045822110099.	2.1	2
137	Endothelin 1 Type A Receptor Antagonism Prevents Vascular Dysfunction and Hypertension Induced by $11\hat{l}^2$ -Hydroxysteroid Dehydrogenase Inhibition: Role of Nitric Oxide. Circulation, 2002, 105, e126; author reply e126.	1.6	1
138	APPARENT ADDISON's DISEASE FOLLOWING ILEOSTOMY. Nephrology, 2005, 10, 537-538.	1.6	1
139	VENLAFAXINE TO TREAT SEVERE HYPOTENSION. Nephrology, 2007, 12, 622-622.	1.6	1
140	Title is missing!. Clinical Therapeutics, 2010, 32, 397.	2.5	1
141	Prorenin cryoactivation as a possible cause of normal renin levels in patients with primary aldosteronism. Journal of Hypertension, 2005, 23, 460.	0.5	0
142	The challenge of renal cystic disease and its association with hypertension, age and abnormal potassium handling. Journal of Hypertension, 2007, 25, 1347-1349.	0.5	0
143	Assessment of reasons for not intensifying antihypertensive treatment in the Taiwanese population. Journal of the Formosan Medical Association, 2011, 110, 768-774.	1.7	0
144	Response to Kute: â€~Facilitators to National Kidney Paired Donation Program'. Transplant International, 2013, 26, e40-e42.	1.6	0

## Paolo Ferrari

#	Article	IF	CITATIONS
145	Early kidney allograft loss-Is there scope for improvement?. Transplant International, 2018, 31, 864-866.	1.6	O
146	Utilization of Deceased Donor Kidneys to Initiate Living Donor Chains: Practical, Ethical, and Logistical Issues. Transplantation, 2019, 103, 1988-1989.	1.0	0
147	Reply to Gremese etÂal.: Statistical reasoning to evaluate treatment effects when data are collected with lack of design: Covid-19 experience. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2103168119.	7.1	O