

# Nahuel A Scheifler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6998556/publications.pdf>

Version: 2024-02-01

56  
papers

1,982  
citations

201674

27  
h-index

265206

42  
g-index

56  
all docs

56  
docs citations

56  
times ranked

2792  
citing authors

#	ARTICLE	IF	CITATIONS
1	Isotopic Ecology in Modern and Holocene Populations of Pampas Deer ( <i>Ozotoceros</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 507 Ecological Models of Hunter-gatherer Subsistence. <i>Environmental Archaeology</i> , 2023, 28, 45-61.	1.2	4
2	Determination of polycyclic aromatic hydrocarbon (PAH) contents in micro-volumes of the whole blood and liver of Red Kite by a simplified GC-MS/MS method. <i>International Journal of Environmental Analytical Chemistry</i> , 2022, 102, 834-843.	3.3	8
3	Vegetation shapes aboveground invertebrate communities more than soil properties and pollution: a preliminary investigation on a metal-contaminated site. <i>Environmental Science and Pollution Research</i> , 2022, 29, 2792-2805.	5.3	1
4	Transporting rocks to an empty environment of lithic raw materials. The case of the Central Pampean Dunefields (Argentina). <i>Journal of Archaeological Science: Reports</i> , 2019, 25, 433-446.	0.5	12
5	How Do Richness and Composition of Diet Shape Trace Metal Exposure in a Free-Living Generalist Rodent, <i>Apodemus sylvaticus</i> ? <i>Environmental Science &amp; Technology</i> , 2019, 53, 5977-5986.	10.0	6
6	Was the Central Pampean Dunefields of Argentina Occupied during the Late Pleistocene? A Reappraisal of the Evidence. <i>PaleoAmerica</i> , 2019, 5, 378-391.	1.5	7
7	Is blood a reliable indicator of trace metal concentrations in organs of small mammals?. <i>Chemosphere</i> , 2019, 217, 320-328.	8.2	8
8	Trace metals from historical mining sites and past metallurgical activity remain bioavailable to wildlife today. <i>Scientific Reports</i> , 2018, 8, 3436.	3.3	44
9	Reconstructing the Deep Population History of Central and South America. <i>Cell</i> , 2018, 175, 1185-1197.e22.	28.9	259
10	Does pollution influence small mammal diet in the field? A metabarcoding approach in a generalist consumer. <i>Molecular Ecology</i> , 2018, 27, 3700-3713.	3.9	13
11	A full life-cycle bioassay with <i>Cantareus aspersus</i> shows reproductive effects of a glyphosate-based herbicide suggesting potential endocrine disruption. <i>Environmental Pollution</i> , 2017, 226, 240-249.	7.5	19
12	Multi-Element Analysis of Blood Samples in a Passerine Species: Excesses and Deficiencies of Trace Elements in an Urbanization Study. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	2.2	10
13	Negative impact of urban habitat on immunity in the great tit <i>Parus major</i> . <i>Oecologia</i> , 2016, 182, 1053-1062.	2.0	32
14	Is the lesser horseshoe bat ( <i>Rhinolophus hipposideros</i> ) exposed to causes that may have contributed to its decline? A non-invasive approach. <i>Global Ecology and Conservation</i> , 2016, 8, 123-137.	2.1	24
15	Prediction of Extractable Cd, Pb and Zn in Contaminated Woody Habitat Soils Using a Change Point Detection Method. <i>Pedosphere</i> , 2016, 26, 282-298.	4.0	11
16	From eggs to fledging: negative impact of urban habitat on reproduction in two tit species. <i>Journal of Ornithology</i> , 2016, 157, 377-392.	1.1	67
17	Differential Expression of Metallothionein Isoforms in Terrestrial Snail Embryos Reflects Early Life Stage Adaptation to Metal Stress. <i>PLoS ONE</i> , 2015, 10, e0116004.	2.5	26
18	Blood parameters as biomarkers of cadmium and lead exposure and effects in wild wood mice ( <i>Apodemus sylvaticus</i> ) living along a pollution gradient. <i>Chemosphere</i> , 2015, 138, 940-946.	8.2	23

#	ARTICLE	IF	CITATIONS
19	Histopathology related to cadmium and lead bioaccumulation in chronically exposed wood mice, <i>Apodemus sylvaticus</i> , around a former smelter. <i>Science of the Total Environment</i> , 2014, 481, 167-177.	8.0	55
20	Unintentional Wildlife Poisoning and Proposals for Sustainable Management of Rodents. <i>Conservation Biology</i> , 2014, 28, 315-321.	4.7	71
21	Responses of wild small mammals to arsenic pollution at a partially remediated mining site in Southern France. <i>Science of the Total Environment</i> , 2014, 470-471, 1012-1022.	8.0	30
22	An assessment of the embryotoxicity of cadmium in the terrestrial mollusk <i>Cantareus aspersus</i> : From bioaccumulation to impacts at different levels of biological organization. <i>Ecotoxicology and Environmental Safety</i> , 2014, 110, 89-94.	6.0	14
23	Predicting As, Cd, Cu, Pb and Zn levels in grasses ( <i>Agrostis</i> sp. and <i>Poa</i> sp.) and stinging nettle ( <i>Urtica</i> ) Tj ETQq1 1 0.784314 1gBT /Over	8.0	49
24	Hair as a noninvasive tool for risk assessment: Do the concentrations of cadmium and lead in the hair of wood mice ( <i>Apodemus sylvaticus</i> ) reflect internal concentrations?. <i>Ecotoxicology and Environmental Safety</i> , 2014, 108, 233-241.	6.0	34
25	Spatially Explicit Analysis of Metal Transfer to Biota. , 2014, , 69-107.		0
26	Breeding performance of blue tits ( <i>Cyanistes cā ruleus ultramarinus</i> ) in relation to lead pollution and nest failure rates in rural, intermediate, and urban sites in Algeria. <i>Environmental Pollution</i> , 2013, 174, 171-178.	7.5	32
27	Coupling of Random Amplified Polymorphic DNA Profiles Analysis and High Resolution Capillary Electrophoresis System for the Assessment of Chemical Genotoxicity. <i>Environmental Science &amp; Technology</i> , 2013, 47, 9505-9513.	10.0	14
28	Urbanization, Trace Metal Pollution, and Malaria Prevalence in the House Sparrow. <i>PLoS ONE</i> , 2013, 8, e53866.	2.5	71
29	Can Body Condition and Somatic Indices be Used to Evaluate Metal-Induced Stress in Wild Small Mammals?. <i>PLoS ONE</i> , 2013, 8, e66399.	2.5	20
30	Landsnail eggs bioassays: A new tool to assess embryotoxicity of contaminants in the solid, liquid or gaseous phase of soil. <i>Applied Soil Ecology</i> , 2012, 53, 56-64.	4.3	20
31	The diet of migrant Red Kites <i>Milvus milvus</i> during a Water Vole <i>Arvicola terrestris</i> outbreak in eastern France and the associated risk of secondary poisoning by the rodenticide bromadiolone. <i>Ibis</i> , 2012, 154, 136-146.	1.9	23
32	Partitioning of Cd and Pb in the blood of European blackbirds ( <i>Turdus merula</i> ) from a smelter contaminated site and use for biomonitoring. <i>Chemosphere</i> , 2012, 87, 1368-1373.	8.2	19
33	Influence of landscape composition and diversity on contaminant flux in terrestrial food webs: A case study of trace metal transfer to European blackbirds <i>Turdus merula</i> . <i>Science of the Total Environment</i> , 2012, 432, 275-287.	8.0	44
34	Growth and metal accumulation in <i>Porcellio scaber</i> exposed to poplar litter from Cd-, Pb-, and Zn-contaminated sites. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 451-458.	6.0	38
35	Snails as indicators of pesticide drift, deposit, transfer and effects in the vineyard. <i>Science of the Total Environment</i> , 2011, 409, 4280-4288.	8.0	44
36	Chemical extractions and predicted free ion activities fail to estimate metal transfer from soil to field land snails. <i>Chemosphere</i> , 2011, 85, 1057-1065.	8.2	23

#	ARTICLE	IF	CITATIONS
37	Investigations of responses to metal pollution in land snail populations ( <i>Cantareus aspersus</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock	2.4	49
38	Glyphosate and glufosinate-based herbicides: fate in soil, transfer to, and effects on land snails. <i>Journal of Soils and Sediments</i> , 2011, 11, 1373-1384.	3.0	29
39	Spatially Explicit Analysis of Metal Transfer to Biota: Influence of Soil Contamination and Landscape. <i>PLoS ONE</i> , 2011, 6, e20682.	2.5	46
40	Responses of wild small mammals to a pollution gradient: Host factors influence metal and metallothionein levels. <i>Environmental Pollution</i> , 2010, 158, 827-840.	7.5	61
41	Spatial distribution of metals in smelter-impacted soils of woody habitats: Influence of landscape and soil properties, and risk for wildlife. <i>Chemosphere</i> , 2010, 81, 141-155.	8.2	84
42	Towards the development of an embryotoxicity bioassay with terrestrial snails: Screening approach for cadmium and pesticides. <i>Journal of Hazardous Materials</i> , 2010, 184, 26-33.	12.4	27
43	Metal distribution and metallothionein induction after cadmium exposure in the terrestrial snail <i>Helix aspersa</i> (Gastropoda, Pulmonata). <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1533-1542.	4.3	50
44	BIOTIC INTERACTIONS MODIFY THE TRANSFER OF CESIUM-137 IN A SOIL-EARTHWORM-PLANT-SNAIL FOOD WEB. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1698.	4.3	16
45	How subcellular partitioning can help to understand heavy metal accumulation and elimination kinetics in snails. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1284-1292.	4.3	60
46	Long-term responses of snails exposed to cadmium-contaminated soils in a partial life-cycle experiment. <i>Ecotoxicology and Environmental Safety</i> , 2008, 70, 138-146.	6.0	35
47	Small mammal assemblages and habitat distribution in the northern Junggar Basin, Xinjiang, China: a pilot survey. <i>Mammalia</i> , 2008, 72, .	0.7	14
48	HOW SUBCELLULAR PARTITIONING CAN HELP TO UNDERSTAND HEAVY METAL ACCUMULATION AND ELIMINATION KINETICS IN SNAILS. <i>Environmental Toxicology and Chemistry</i> , 2007, preprint, 1.	4.3	28
49	Modelling chronic exposure to contaminated soil: A toxicokinetic approach with the terrestrial snail <i>Helix aspersa</i> . <i>Environment International</i> , 2006, 32, 866-875.	10.0	49
50	HOW TERRESTRIAL SNAILS CAN BE USED IN RISK ASSESSMENT OF SOILS. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 797.	4.3	75
51	TRANSFER OF Cd, Cu, Ni, Pb, AND Zn IN A SOIL-PLANT-INVERTEBRATE FOOD CHAIN: A MICROCOSM STUDY. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 815.	4.3	51
52	INTERSPECIFIC RELATIONSHIPS AMONG SOIL INVERTEBRATES INFLUENCE POLLUTANT EFFECTS OF PHENANTHRENE. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 120.	4.3	16
53	Distribution of small mammals in a pastoral landscape of the Tibetan plateaus (Western Sichuan, China) Tj ETQq1 1 0.784314 rgBT /Overlock pastoral du plateau Tibétain (Ouest Sichuan, Chine), et relation avec les pratiques de pâturage. <i>Mammalia</i> , 2006, 70, .	0.7	33
54	MERCURY CONCENTRATIONS IN KING PENGUIN ( <i>APTENODYTES PATAGONICUS</i> ) FEATHERS AT CROZET ISLANDS (SUB-ANTARCTIC): TEMPORAL TREND BETWEEN 1966-1974 AND 2000-2001. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 125.	4.3	32

#	ARTICLE	IF	CITATIONS
55	ASSESSMENT OF WHOLE EFFLUENT TOXICITY ON AQUATIC SNAILS: BIOACCUMULATION OF Cr, Zn, AND Fe, AND INDIVIDUAL EFFECTS IN BIOASSAYS. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 198.	4.3	17
56	“Nonavailable” Soil Cadmium Is Bioavailable to Snails: Evidence from Isotopic Dilution Experiments. <i>Environmental Science &amp; Technology</i> , 2003, 37, 81-86.	10.0	35