

# Bernhard LÃ¼scher

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6999952/publications.pdf>

Version: 2024-02-01

106  
papers

8,995  
citations

47006

47  
h-index

42399

92  
g-index

112  
all docs

112  
docs citations

112  
times ranked

11072  
citing authors

#	ARTICLE	IF	CITATIONS
1	ADP-ribosyltransferases, an update on function and nomenclature. <i>FEBS Journal</i> , 2022, 289, 7399-7410.	4.7	150
2	Potent 2,3-dihydrophthalazine-1,4-dione derivatives as dual inhibitors for mono-ADP-ribosyltransferases PARP10 and PARP15. <i>European Journal of Medicinal Chemistry</i> , 2022, 237, 114362.	5.5	5
3	Intracellular mono-ADP-ribosyltransferases at the host-virus interphase. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, 288.	5.4	7
4	Induction of senescence upon loss of the Ash2l core subunit of H3K4 methyltransferase complexes. <i>Nucleic Acids Research</i> , 2022, 50, 7889-7905.	14.5	6
5	Bacterial Growth Inhibition Screen (BGIS): harnessing recombinant protein toxicity for rapid and unbiased interrogation of protein function. <i>FEBS Letters</i> , 2021, 595, 1422-1437.	2.8	6
6	Bacterial Growth Inhibition Screen (BGIS) identifies a loss-of-function mutant of the DEK oncogene, indicating DNA modulating activities of DEK in chromatin. <i>FEBS Letters</i> , 2021, 595, 1438-1453.	2.8	4
7	ADP-ribosylation of RNA and DNA: from <i>in vitro</i> characterization to <i>in vivo</i> function. <i>Nucleic Acids Research</i> , 2021, 49, 3634-3650.	14.5	47
8	The search for inhibitors of macrodomains for targeting the readers and erasers of mono-ADP-ribosylation. <i>Drug Discovery Today</i> , 2021, 26, 2547-2558.	6.4	12
9	Evaluation of 3- and 4-Phenoxybenzamides as Selective Inhibitors of the Mono-ADP-Ribosyltransferase PARP10. <i>ChemistryOpen</i> , 2021, 10, 939-948.	1.9	4
10	Establishment of an Intradermal Ear Injection Model of IL-17A and IL-36 $\beta$ as a Tool to Investigate the Psoriatic Cytokine Network. <i>Life</i> , 2021, 11, 846.	2.4	1
11	Enhanced Sampling Approach to the Induced-Fit Docking Problem in Protein-Ligand Binding: The Case of Mono-ADP-Ribosylation Hydrolase Inhibitors. <i>Journal of Chemical Theory and Computation</i> , 2021, 17, 7899-7911.	5.3	17
12	Engineering Af1521 improves ADP-ribose binding and identification of ADP-ribosylated proteins. <i>Nature Communications</i> , 2020, 11, 5199.	12.8	49
13	The mono-ADP-ribosyltransferase ARTD10 regulates the voltage-gated K <sup>+</sup> channel Kv1.1 through protein kinase C delta. <i>BMC Biology</i> , 2020, 18, 143.	3.8	4
14	The CCNY (cyclin Y)-CDK16 kinase complex: a new regulator of autophagy downstream of AMPK. <i>Autophagy</i> , 2020, 16, 1724-1726.	9.1	4
15	AMPK-dependent activation of the Cyclin Y/CDK16 complex controls autophagy. <i>Nature Communications</i> , 2020, 11, 1032.	12.8	25
16	PAR-4 overcomes chemo-resistance in breast cancer cells by antagonizing cIAP1. <i>Scientific Reports</i> , 2019, 9, 8755.	3.3	16
17	Hematopoietic stem and progenitor cell proliferation and differentiation requires the trithorax protein Ash2l. <i>Scientific Reports</i> , 2019, 9, 8262.	3.3	24
18	JAK1/3 inhibition preserves epidermal morphology in full-thickness 3D skin models of atopic dermatitis and psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 367-375.	2.4	39

#	ARTICLE	IF	CITATIONS
19	The human T-cell leukemia virus type-1 p30II protein activates p53 and induces the TIGAR and suppresses oncogene-induced oxidative stress during viral carcinogenesis. <i>Virology</i> , 2018, 518, 103-115.	2.4	17
20	Studying the Role of AMPK in Autophagy. <i>Methods in Molecular Biology</i> , 2018, 1732, 373-391.	0.9	9
21	Nucleolar-nucleoplasmic shuttling of TARG1 and its control by DNA damage-induced poly-ADP-ribosylation and by nucleolar transcription. <i>Scientific Reports</i> , 2018, 8, 6748.	3.3	32
22	ADP-Ribosylation, a Multifaceted Posttranslational Modification Involved in the Control of Cell Physiology in Health and Disease. <i>Chemical Reviews</i> , 2018, 118, 1092-1136.	47.7	186
23	4-(Phenoxy) and 4-(benzyloxy)benzamides as potent and selective inhibitors of mono-ADP-ribosyltransferase PARP10/ARTD10. <i>European Journal of Medicinal Chemistry</i> , 2018, 156, 93-102.	5.5	23
24	Modes of Interaction of KMT2 Histone H3 Lysine 4 Methyltransferase/COMPASS Complexes with Chromatin. <i>Cells</i> , 2018, 7, 17.	4.1	79
25	ARTD10/PARP10 Induces ADP-Ribosylation of GAPDH and Recruits GAPDH into Cytosolic Membrane-Free Cell Bodies When Overexpressed in Mammalian Cells. <i>Challenges</i> , 2018, 9, 22.	1.7	5
26	Assessment of Intracellular Auto-Modification Levels of ARTD10 Using Mono-ADP-Ribose-Specific Macrod domains 2 and 3 of Murine Artd8. <i>Methods in Molecular Biology</i> , 2018, 1813, 41-63.	0.9	13
27	Effects of a ceramide-containing water-in-oil ointment on skin barrier function and allergen penetration in an IL-31 treated 3D model of the disrupted skin barrier. <i>Experimental Dermatology</i> , 2018, 27, 1009-1014.	2.9	30
28	PARP10 (ARTD10) modulates mitochondrial function. <i>PLoS ONE</i> , 2018, 13, e0187789.	2.5	40
29	The conserved macrodomains of the non-structural proteins of Chikungunya virus and other pathogenic positive strand RNA viruses function as mono-ADP-ribosylhydrolases. <i>Scientific Reports</i> , 2017, 7, 41746.	3.3	119
30	Sulfoximines as ATR inhibitors: Analogs of VE-821. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 2659-2662.	2.2	19
31	The psoriasis-associated IL-17A induces and cooperates with IL-36 cytokines to control keratinocyte differentiation and function. <i>Scientific Reports</i> , 2017, 7, 15631.	3.3	94
32	Endotoxin tolerance in mast cells, its consequences for IgE-mediated signalling, and the effects of BCL3 deficiency. <i>Scientific Reports</i> , 2017, 7, 4534.	3.3	11
33	Structural prediction of the interaction of the tumor suppressor p27KIP1 with cyclin A/CDK2 identifies a novel catalytically relevant determinant. <i>BMC Bioinformatics</i> , 2017, 18, 15.	2.6	5
34	Small-Molecule Chemical Probe Rescues Cells from Mono-ADP-Ribosyltransferase ARTD10/PARP10-Induced Apoptosis and Sensitizes Cancer Cells to DNA Damage. <i>Cell Chemical Biology</i> , 2016, 23, 1251-1260.	5.2	55
35	IL-13 control biliary homeostasis and hepatocarcinogenesis in mice by phosphorylating the cell death mediator receptor-interacting protein kinase 1. <i>Hepatology</i> , 2016, 64, 1217-1231.	7.3	54
36	Intramolecular hydrophobic interactions are critical mediators of STAT5 dimerization. <i>Scientific Reports</i> , 2016, 6, 35454.	3.3	11

#	ARTICLE	IF	CITATIONS
37	Inhibition of SIRT2 suppresses hepatic fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, G1155-G1168.	3.4	35
38	GAR22 <sup>2</sup> regulates cell migration, sperm motility, and axoneme structure. <i>Molecular Biology of the Cell</i> , 2016, 27, 277-294.	2.1	15
39	Control of the Physical and Antimicrobial Skin Barrier by an IL-31 <sup>+</sup> IL-1 Signaling Network. <i>Journal of Immunology</i> , 2016, 196, 3233-3244.	0.8	59
40	Interferon- $\beta$ -induced p27KIP1 binds to and targets MYC for proteasome-mediated degradation. <i>Oncotarget</i> , 2016, 7, 2837-2854.	1.8	12
41	Players in ADP-ribosylation: Readers and Erasers. <i>Current Protein and Peptide Science</i> , 2016, 17, 654-667.	1.4	37
42	Intracellular Mono-ADP-Ribosylation in Signaling and Disease. <i>Cells</i> , 2015, 4, 569-595.	4.1	82
43	Insight into the Mechanism of Intramolecular Inhibition of the Catalytic Activity of Sirtuin 2 (SIRT2). <i>PLoS ONE</i> , 2015, 10, e0139095.	2.5	11
44	Acetylation of the c-MYC oncoprotein is required for cooperation with the HTLV-1 p30 II accessory protein and the induction of oncogenic cellular transformation by p30 II /c-MYC. <i>Virology</i> , 2015, 476, 271-288.	2.4	14
45	ING5 Is Phosphorylated by CDK2 and Controls Cell Proliferation Independently of p53. <i>PLoS ONE</i> , 2015, 10, e0123736.	2.5	20
46	Molecular Simulation-Based Structural Prediction of Protein Complexes in Mass Spectrometry: The Human Insulin Dimer. <i>PLoS Computational Biology</i> , 2014, 10, e1003838.	3.2	13
47	The interaction of MYC with the trithorax protein ASH2L promotes gene transcription by regulating H3K27 modification. <i>Nucleic Acids Research</i> , 2014, 42, 6901-6920.	14.5	47
48	Function and Regulation of the Mono-ADP-Ribosyltransferase ARTD10. <i>Current Topics in Microbiology and Immunology</i> , 2014, 384, 167-188.	1.1	26
49	Cetuximab Induces Eme1-Mediated DNA Repair: a Novel Mechanism for Cetuximab Resistance. <i>Neoplasia</i> , 2014, 16, 207-220.e4.	5.3	12
50	Caspase-8-mediated PAR-4 cleavage is required for TNF $\alpha$ -induced apoptosis. <i>Oncotarget</i> , 2014, 5, 2988-2998.	1.8	30
51	ARTD10 substrate identification on protein microarrays: regulation of GSK3 <sup>2</sup> by mono-ADP-ribosylation. <i>Cell Communication and Signaling</i> , 2013, 11, 5.	6.5	110
52	Recognition of Mono-ADP-Ribosylated ARTD10 Substrates by ARTD8 Macrodomains. <i>Structure</i> , 2013, 21, 462-475.	3.3	107
53	Regulation of NF- $\kappa$ B signalling by the mono-ADP-ribosyltransferase ARTD10. <i>Nature Communications</i> , 2013, 4, 1683.	12.8	128
54	Activity-based assay for human mono-ADP-ribosyltransferases ARTD7/PARP15 and ARTD10/PARP10 aimed at screening and profiling inhibitors. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 49, 148-156.	4.0	47

#	ARTICLE	IF	CITATIONS
55	Macrodomain-containing proteins are new mono-ADP-ribosylhydrolases. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 502-507.	8.2	276
56	Caspase-dependent cleavage of the mono-ADP-ribosyltransferase ARTD10 interferes with its pro-apoptotic function. <i>FEBS Journal</i> , 2013, 280, 1330-1343.	4.7	49
57	Macrodomain-containing proteins: regulating new intracellular functions of mono(ADP-ribosylation). <i>Nature Reviews Molecular Cell Biology</i> , 2013, 14, 443-451.	37.0	130
58	Expanding functions of intracellular resident mono-ADP-ribosylation in cell physiology. <i>FEBS Journal</i> , 2013, 280, 3519-3529.	4.7	67
59	Cytokines and the Skin Barrier. <i>International Journal of Molecular Sciences</i> , 2013, 14, 6720-6745.	4.1	250
60	Phosphorylation of the Transcription Factor YY1 by CK2 Prevents Cleavage by Caspase 7 during Apoptosis. <i>Molecular and Cellular Biology</i> , 2012, 32, 797-807.	2.3	29
61	The c-MYC oncoprotein, the NAMPT enzyme, the SIRT1-inhibitor DBC1, and the SIRT1 deacetylase form a positive feedback loop. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E187-96.	7.1	226
62	Regulation of gene transcription by the oncoprotein MYC. <i>Gene</i> , 2012, 494, 145-160.	2.2	118
63	Dynamic subcellular localization of the mono-ADP-ribosyltransferase ARTD10 and interaction with the ubiquitin receptor p62. <i>Cell Communication and Signaling</i> , 2012, 10, 28.	6.5	50
64	IL-31 regulates differentiation and filaggrin expression in human organotypic skin models. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 426-433.e8.	2.9	229
65	Regulation of Sirtuin Function by Posttranslational Modifications. <i>Frontiers in Pharmacology</i> , 2012, 3, 29.	3.5	112
66	MAD1 and its life as a MYC antagonist: An update. <i>European Journal of Cell Biology</i> , 2012, 91, 506-514.	3.6	36
67	Signaling by IL-31 and functional consequences. <i>European Journal of Cell Biology</i> , 2012, 91, 552-566.	3.6	171
68	A Peptide-Based Target Screen Implicates the Protein Kinase CK2 in the Global Regulation of Caspase Signaling. <i>Science Signaling</i> , 2011, 4, ra30.	3.6	88
69	TGF $\beta$ 1 enhances MAD1 expression and stimulates promoter-bound Pol II phosphorylation: basic functions of C/EBP, SP and SMAD3 transcription factors. <i>BMC Molecular Biology</i> , 2011, 12, 9.	3.0	6
70	Phosphorylation during mitosis: How many kinases are out there?. <i>Cell Cycle</i> , 2011, 10, 3821-3821.	2.6	0
71	Toward a unified nomenclature for mammalian ADP-ribosyltransferases. <i>Trends in Biochemical Sciences</i> , 2010, 35, 208-219.	7.5	724
72	Phosphorylation by Cdk2 is required for Myc to repress Ras-induced senescence in cotransformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 58-63.	7.1	167

#	ARTICLE	IF	CITATIONS
73	H3K4 dimethylation in hepatocellular carcinoma is rare compared with other hepatobiliary and gastrointestinal carcinomas and correlates with expression of the methylase Ash2 and the demethylase LSD1. <i>Human Pathology</i> , 2010, 41, 181-189.	2.0	93
74	Targeted Inactivation of a Developmentally Regulated Neural Plectin Isoform (Plectin 1c) in Mice Leads to Reduced Motor Nerve Conduction Velocity. <i>Journal of Biological Chemistry</i> , 2009, 284, 26502-26509.	3.4	31
75	Learning How to Read ADP-Ribosylation. <i>Cell</i> , 2009, 139, 17-19.	28.9	43
76	Substrate-Assisted Catalysis by PARP10 Limits Its Activity to Mono-ADP-Ribosylation. <i>Molecular Cell</i> , 2008, 32, 57-69.	9.7	299
77	Regulation of the MAD1 promoter by G-CSF. <i>Nucleic Acids Research</i> , 2008, 36, 1517-1531.	14.5	10
78	The Human Trithorax Protein hASH2 Functions as an Oncoprotein. <i>Cancer Research</i> , 2008, 68, 749-758.	0.9	69
79	The regulation of SIRT2 function by cyclin-dependent kinases affects cell motility. <i>Journal of Cell Biology</i> , 2008, 180, 915-929.	5.2	198
80	Inhibition of apoptosis by MAD1 is mediated by repression of the <i>PTEN</i> tumor suppressor gene. <i>FASEB Journal</i> , 2008, 22, 1124-1134.	0.5	7
81	Methylation of histone H3R2 by PRMT6 and H3K4 by an MLL complex are mutually exclusive. <i>Nature</i> , 2007, 449, 933-937.	27.8	402
82	Regulation of the transcription factor FOXM1c by Cyclin E/CDK2. <i>FEBS Letters</i> , 2006, 580, 1716-1722.	2.8	62
83	The Ins and Outs of MYC Regulation by Posttranslational Mechanisms*. <i>Journal of Biological Chemistry</i> , 2006, 281, 34725-34729.	3.4	211
84	PARP-10, a novel Myc-interacting protein with poly(ADP-ribose) polymerase activity, inhibits transformation. <i>Oncogene</i> , 2005, 24, 1982-1993.	5.9	132
85	A Human T-Cell Lymphotropic Virus Type 1 Enhancer of Myc Transforming Potential Stabilizes Myc-TIP60 Transcriptional Interactions. <i>Molecular and Cellular Biology</i> , 2005, 25, 6178-6198.	2.3	70
86	Mad1 Function in Cell Proliferation and Transcriptional Repression Is Antagonized by Cyclin E/CDK2. <i>Journal of Biological Chemistry</i> , 2005, 280, 15489-15492.	3.4	15
87	Overlap of the gene encoding the novel poly(ADP-ribose) polymerase Parp10 with the plectin 1 gene and common use of exon sequences. <i>Genomics</i> , 2005, 86, 38-46.	2.9	6
88	Stimulation of c-MYC transcriptional activity and acetylation by recruitment of the cofactor CBP. <i>EMBO Reports</i> , 2003, 4, 484-490.	4.5	230
89	Repression of in vivo growth of Myc/Ras transformed tumor cells by Mad1. <i>Oncogene</i> , 2002, 21, 447-459.	5.9	26
90	Function and regulation of the transcription factors of the Myc/Max/Mad network. <i>Gene</i> , 2001, 277, 1-14.	2.2	219

#	ARTICLE	IF	CITATIONS
91	Targeting of the transcription factor Max during apoptosis: phosphorylation-regulated cleavage by caspase-5 at an unusual glutamic acid residue in position P1. <i>Biochemical Journal</i> , 2001, 358, 705.	3.7	76
92	Targeting of the transcription factor Max during apoptosis: phosphorylation-regulated cleavage by caspase-5 at an unusual glutamic acid residue in position P1. <i>Biochemical Journal</i> , 2001, 358, 705-715.	3.7	100
93	Myc/Max/Mad regulate the frequency but not the duration of productive cell cycles. <i>EMBO Reports</i> , 2001, 2, 1125-1132.	4.5	46
94	The Mad1 transcription factor is a novel target of activin and TGF- $\beta$ 2 action in keratinocytes: possible role of Mad1 in wound repair and psoriasis. <i>Oncogene</i> , 2001, 20, 7494-7504.	5.9	40
95	Regulation of cyclin D2 gene expression by the Myc/Max/Mad network: Myc-dependent TRRAP recruitment and histone acetylation at the cyclin D2 promoter. <i>Genes and Development</i> , 2001, 15, 2042-2047.	5.9	287
96	Analysis of Myc/Max/Mad network members in adipogenesis: Inhibition of the proliferative burst and differentiation by ectopically expressed Mad1. <i>Journal of Cellular Physiology</i> , 2000, 183, 399-410.	4.1	58
97	Inhibition of Proliferation and Apoptosis by the Transcriptional Repressor Mad1. <i>Journal of Biological Chemistry</i> , 2000, 275, 10413-10420.	3.4	43
98	The basic region/helix-loop-helix/leucine zipper domain of Myc proto-oncoproteins: Function and regulation. <i>Oncogene</i> , 1999, 18, 2955-2966.	3.9	179
99	Interaction of the fork head domain transcription factor MPP2 with the human papilloma virus 16 E7 protein: enhancement of transformation and transactivation. <i>Oncogene</i> , 1999, 18, 5620-5630.	5.9	107
100	Analysis of the max-binding protein MNT in human medulloblastomas. , 1999, 82, 810-816.		26
101	YY1 can inhibit c-Myc function through a mechanism requiring DNA binding of YY1 but neither its transactivation domain nor direct interaction with c-Myc. <i>Oncogene</i> , 1998, 17, 511-520.	5.9	83
102	Identification and Characterization of Specific DNA-binding Complexes Containing Members of the Myc/Max/Mad Network of Transcriptional Regulators. <i>Journal of Biological Chemistry</i> , 1998, 273, 6632-6642.	3.4	100
103	Analysis of the DNA-binding activities of Myc/Max/Mad network complexes during induced differentiation of U-937 monoblasts and F9 teratocarcinoma cells. <i>Oncogene</i> , 1997, 15, 737-748.	5.9	38
104	Cell growth inhibition by the Mad/Max complex through recruitment of histone deacetylase activity. <i>Current Biology</i> , 1997, 7, 357-365.	3.9	102
105	Proteins of the Myc Network: Essential Regulators of Cell Growth and Differentiation. <i>Advances in Cancer Research</i> , 1996, 68, 109-182.	5.0	687
106	Biosynthesis of casein kinase II in lymphoid cell lines. <i>FEBS Journal</i> , 1994, 220, 521-526.	0.2	98