

Noel W Davies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7000544/publications.pdf>

Version: 2024-02-01

174
papers

7,898
citations

71102

41
h-index

58581

82
g-index

175
all docs

175
docs citations

175
times ranked

8542
citing authors

#	ARTICLE	IF	CITATIONS
1	Volatile scent chemicals in the urine of the red fox, <i>Vulpes vulpes</i> . PLoS ONE, 2021, 16, e0248961.	2.5	13
2	Pharmaceutical and preclinical evaluation of Advax adjuvant as a dose-sparing strategy for ant venom immunotherapy. Journal of Pharmaceutical and Biomedical Analysis, 2019, 172, 1-8.	2.8	7
3	Scent Chemicals of the Tail Gland of the Red Fox, <i>Vulpes vulpes</i> . Chemical Senses, 2019, 44, 215-224.	2.0	6
4	Optimized extraction of anthocyanins from Reid Fruits™ <i>Prunus avium</i> and Lapins™ cherries. Food Chemistry, 2018, 256, 280-285.	8.2	53
5	Native pollinator management may be a key to improving fruit set in Tasmanian Mountain Pepper, <i>Tasmannia lanceolata</i> (Winteraceae), an emerging spice resource. Journal of Crop Improvement, 2018, 32, 331-352.	1.7	1
6	Fractionation of Dissolved Organic Matter on Coupled Reversed-Phase Monolithic Columns and Characterisation Using Reversed-Phase Liquid Chromatography-High Resolution Mass Spectrometry. Chromatographia, 2018, 81, 203-213.	1.3	11
7	Not Led by the Nose: Volatiles from Undamaged Eucalyptus Hosts Do Not Influence Psyllid Orientation. Insects, 2018, 9, 166.	2.2	10
8	Towards complete identification of allergens in Jack Jumper (<i>Myrmecia pilosula</i>) ant venom and their clinical relevance: An immunoproteomic approach. Clinical and Experimental Allergy, 2018, 48, 1222-1234.	2.9	13
9	A water availability gradient reveals the deficit level required to affect traits in potted juvenile <i>Eucalyptus globulus</i> . Annals of Botany, 2017, 119, mcw266.	2.9	7
10	GC-MS method validation and levels of methyl eugenol in a diverse range of tea tree (<i>Melaleuca</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3	3.7	10
11	Chemical communication, sexual selection, and introgression in wall lizards. Evolution; International Journal of Organic Evolution, 2017, 71, 2327-2343.	2.3	19
12	Determining the Site of Action of Strigolactones during Nodulation. Plant Physiology, 2017, 175, 529-542.	4.8	85
13	Lipids of the Tail Gland, Body and Muzzle Fur of the Red Fox, <i>Vulpes vulpes</i> . Lipids, 2017, 52, 599-617.	1.7	4
14	Residual transpiration as a component of salinity stress tolerance mechanism: a case study for barley. BMC Plant Biology, 2017, 17, 107.	3.6	49
15	Receiver Operating Characteristic curve analysis determines association of individual potato foliage volatiles with onion thrips preference, cultivar and plant age. PLoS ONE, 2017, 12, e0181831.	2.5	4
16	Responses to mild water deficit and rewatering differ among secondary metabolites but are similar among provenances within <i>Eucalyptus</i> species. Tree Physiology, 2016, 36, tpv106.	3.1	24
17	Determination of Enantiomeric Distribution of Terpenes for Quality Assessment of Australian Tea Tree Oil. Journal of Agricultural and Food Chemistry, 2016, 64, 4817-4819.	5.2	22
18	Genetic control of cuticular wax compounds in <i>Eucalyptus globulus</i> . New Phytologist, 2016, 209, 202-215.	7.3	23

#	ARTICLE	IF	CITATIONS
19	Identification of the putative aggregation pheromone components emitted by the European earwig, <i>Forficula auricularia</i> . <i>Chemoecology</i> , 2016, 26, 173-186.	1.1	7
20	Phylogeny Explains Variation in The Root Chemistry of Eucalyptus Species. <i>Journal of Chemical Ecology</i> , 2016, 42, 1086-1097.	1.8	26
21	Tryptophan metabolism, its relation to inflammation and stress markers and association with psychological and cognitive functioning: Tasmanian Chronic Kidney Disease pilot study. <i>BMC Nephrology</i> , 2016, 17, 171.	1.8	70
22	Simple, quantitative method for low molecular weight dissolved organic matter extracted from natural waters based upon high performance counter-current chromatography. <i>Analytica Chimica Acta</i> , 2016, 909, 129-138.	5.4	6
23	Chemical Cues, Hibernation and Reproduction in Female Short-Beaked Echidnas (<i>Tachyglossus</i>) Tj ETQq1 1 0.784314 rgBT /Qoverlock 10		3
24	Comment on "Structural characterization of dissolved organic matter: a review of current techniques for isolation and analysis" by E. C. Minor, M. M. Swenson, B. M. Mattson, and A. R. Oyler, <i>Environ. Sci.: Processes Impacts</i> , 2014, 16, 2064. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 495-496.	3.5	6
25	Population divergence in the ontogenetic trajectories of foliar terpenes of a Eucalyptus species. <i>Annals of Botany</i> , 2015, 115, 159-170.	2.9	14
26	Determination of Cotinine, 3-Hydroxycotinine, and Their Glucuronides in Urine by Ultra-high Performance Liquid Chromatography. <i>Analytical Letters</i> , 2015, 48, 1217-1233.	1.8	3
27	Pilosulins: A review of the structure and mode of action of venom peptides from an Australian ant <i>Myrmecia pilosula</i> . <i>Toxicon</i> , 2015, 98, 54-61.	1.6	36
28	Enantiomeric distribution of selected terpenes for authenticity assessment of Australian <i>Melaleuca alternifolia</i> oil. <i>Industrial Crops and Products</i> , 2015, 67, 475-483.	5.2	23
29	Analysis of the Enol-Keto Tautomers of Indole-3-pyruvic Acid. <i>Australian Journal of Chemistry</i> , 2015, 68, 345.	0.9	5
30	Foliar quality of co-occurring mallee eucalypts: balance of primary and secondary metabolites reflects past growing conditions. <i>Chemoecology</i> , 2015, 25, 179-191.	1.1	8
31	Functionalized polyanilines disrupt <i>Pseudomonas aeruginosa</i> and <i>Staphylococcus aureus</i> biofilms. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 136, 666-673.	5.0	25
32	Non-structural carbohydrates in woody plants compared among laboratories. <i>Tree Physiology</i> , 2015, 35, tpv073.	3.1	163
33	Chromatographic methods for the isolation, separation and characterisation of dissolved organic matter. <i>Environmental Sciences: Processes and Impacts</i> , 2015, 17, 1531-1567.	3.5	52
34	Triacylglycerol Estolides, a New Class of Mammalian Lipids, in the Paracloacal Gland of the Brushtail Possum (<i>Trichosurus vulpecula</i>). <i>Lipids</i> , 2015, 50, 591-604.	1.7	13
35	Can an ancestral condition for milk oligosaccharides be determined? Evidence from the Tasmanian echidna (<i>Tachyglossus aculeatus setosus</i>). <i>Glycobiology</i> , 2014, 24, 826-839.	2.5	23
36	Hypolipidaemic effect of crude extract from <i>Carpobrotus rossii</i> (pigface) in healthy rats. <i>Food and Chemical Toxicology</i> , 2014, 66, 134-139.	3.6	6

#	ARTICLE	IF	CITATIONS
37	<i>EARLY FLOWERING3</i> Regulates Flowering in Spring Barley by Mediating Gibberellin Production and <i>FLOWERING LOCUS T</i> Expression. <i>Plant Cell</i> , 2014, 26, 1557-1569.	6.6	121
38	Evidence that Indole-3-Acetic Acid is Not Synthesized Via the Indole-3-Acetamide Pathway in Pea Roots. <i>Journal of Plant Growth Regulation</i> , 2014, 33, 831-836.	5.1	2
39	Determination of pergolide in horse plasma by UPLC-MS/MS for pharmacokinetic applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 94, 54-57.	2.8	8
40	Chemical signals in the echidna: differences between seasons, sexes, individuals and gland types. <i>Journal of Zoology</i> , 2014, 293, 171-180.	1.7	16
41	Effect of limited water availability on foliar plant secondary metabolites of two Eucalyptus species. <i>Environmental and Experimental Botany</i> , 2014, 105, 55-64.	4.2	58
42	Enhanced resistance to the cellulose biosynthetic inhibitors, thaxtomin A and isoxaben in <i>Arabidopsis thaliana</i> mutants, also provides specific co-resistance to the auxin transport inhibitor, 1-NPA. <i>BMC Plant Biology</i> , 2013, 13, 76.	3.6	19
43	Determination of optimal timing of 2,4-dichlorophenoxyacetic acid foliar applications for common scab control in potato. <i>Annals of Applied Biology</i> , 2013, 163, 242-256.	2.5	4
44	Whole-plant versus leaf-level regulation of photosynthetic responses after partial defoliation in <i>Eucalyptus globulus</i> saplings. <i>Journal of Experimental Botany</i> , 2013, 64, 1625-1636.	4.8	49
45	Identification of desmostanol as a novel vertebrate sterol in short-beaked echidna secretions. <i>Australian Mammalogy</i> , 2013, 35, 255.	1.1	0
46	Chemical Composition of Odorous Secretions in the Tasmanian Short-Beaked Echidna (<i>Tachyglossus</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	2.9	66
47	Biosynthesis of the Halogenated Auxin, 4-Chloroindole-3-Acetic Acid. <i>Plant Physiology</i> , 2012, 159, 1055-1063.	4.8	69
48	A mutation affecting the synthesis of 4-chloroindole-3-acetic acid. <i>Plant Signaling and Behavior</i> , 2012, 7, 1533-1536.	2.4	1
49	Hormonal changes during non-climacteric ripening in strawberry. <i>Journal of Experimental Botany</i> , 2012, 63, 4741-4750.	4.8	228
50	Metabolomics reveals increased isoleukotoxin diol (12,13-DHOME) in human plasma after acute Intralipid infusion. <i>Journal of Lipid Research</i> , 2012, 53, 1979-1986.	4.2	35
51	Scent Chemicals of the Brushtail Possum, <i>Trichosurus vulpecula</i> . <i>Journal of Chemical Ecology</i> , 2012, 38, 1318-1339.	1.8	13
52	Mammalian herbivores reveal marked genetic divergence among populations of an endangered plant species. <i>Oikos</i> , 2012, 121, 268-276.	2.7	8
53	Stability of Plant Defensive Traits Among Populations in Two Eucalyptus Species Under Elevated Carbon Dioxide. <i>Journal of Chemical Ecology</i> , 2012, 38, 204-212.	1.8	32
54	Glycosidic Conjugates of C13 Norisoprenoids, Monoterpenoids, and Cucurbates in <i>Boronia megastigma</i> (Nees). <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2610-2617.	5.2	9

#	ARTICLE	IF	CITATIONS
55	Evaluation of mid-to-late transition metal imine catalysts for acetylene oligomerisation: A high activity bis(imino)pyridine iron(II) catalyst. <i>Catalysis Today</i> , 2011, 178, 64-71.	4.4	5
56	Quantitative trait loci for foliar terpenes in a global eucalypt species. <i>Tree Genetics and Genomes</i> , 2011, 7, 485-498.	1.6	37
57	Strigolactones promote nodulation in pea. <i>Planta</i> , 2011, 234, 1073-1081.	3.2	230
58	Unexpected property of ectoine synthase and its application for synthesis of the engineered compatible solute ADPC. <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 113-122.	3.6	24
59	Detecting traces of methyl eugenol in essential oils: tea tree oil, a case study. <i>Flavour and Fragrance Journal</i> , 2011, 26, n/a-n/a.	2.6	9
60	Stability of <i>Myrmecia pilosula</i> (Jack Jumper) Ant venom for use in immunotherapy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 54, 303-310.	2.8	12
61	Reassessing the role of YUCCAs in auxin biosynthesis. <i>Plant Signaling and Behavior</i> , 2011, 6, 437-439.	2.4	7
62	Reassessing the Role of <i>N</i> -Hydroxytryptamine in Auxin Biosynthesis. <i>Plant Physiology</i> , 2010, 154, 1957-1965.	4.8	59
63	Hydrogen/deuterium exchange on aromatic rings during atmospheric pressure chemical ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1105-1110.	1.5	29
64	Early ontogenetic trajectories vary among defence chemicals in seedlings of a fast-growing eucalypt. <i>Austral Ecology</i> , 2010, 35, 157-166.	1.5	14
65	Volatile organic compounds in runners near a roadway: increased blood levels after short-duration exercise. <i>British Journal of Sports Medicine</i> , 2010, 44, 731-735.	6.7	10
66	Unraveling the Mechanism of Polymerization with the Phillips Catalyst. <i>Organometallics</i> , 2010, 29, 6111-6116.	2.3	40
67	A new mechanistic pathway under Sonogashira reaction protocol involving multiple acetylene insertions. <i>Dalton Transactions</i> , 2010, 39, 3799.	3.3	8
68	Improving the Cost Efficiency of Quality Assurance Screening for Mycotoxins in Malting Barley. <i>Journal of the American Society of Brewing Chemists</i> , 2009, 67, 95-98.	1.1	3
69	Auxin Biosynthesis in Pea: Characterization of the Tryptamine Pathway. <i>Plant Physiology</i> , 2009, 151, 1130-1138.	4.8	82
70	Revisiting the Aufbau Reaction with Acetylene: Growth at Aluminium Producing a Unique Oligomer Distribution. <i>Chemistry - A European Journal</i> , 2009, 15, 1082-1085.	3.3	7
71	Papyriferic Acid, An Antifeedant Triterpene From Birch Trees, Inhibits Succinate Dehydrogenase From Liver Mitochondria. <i>Journal of Chemical Ecology</i> , 2009, 35, 1252-1261.	1.8	17
72	Identification, Synthesis and Field Testing of (3Z,6Z,9Z)-3,6,9-Henicosatriene, a Second Bioactive Component of the Sex Pheromone of the Autumn Gum Moth, <i>Mnesampela privata</i> . <i>Journal of Chemical Ecology</i> , 2009, 35, 1411-1422.	1.8	6

#	ARTICLE	IF	CITATIONS
73	Changes in Some Carotenoids and Apocarotenoids during Flower Development in <i>Boronia megastigma</i> (Nees). <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1513-1520.	5.2	23
74	Acetylene Oligomerization with Metallocene Catalysts and Triethylaluminum: The Peculiar Course of the Aufbau Reaction with Acetylene. <i>Organometallics</i> , 2009, 28, 5722-5732.	2.3	11
75	Evaluation of Repellent Properties of Volatile Extracts From the Australian Native Plant <i>Kunzea ambigua</i> Against <i>Aedes aegypti</i> (Diptera: Culcidae). <i>Journal of Medical Entomology</i> , 2009, 46, 1387-1391.	1.8	17
76	Epicuticular waxes and plant primary metabolites on the surfaces of juvenile <i>Eucalyptus globulus</i> and <i>E. nitens</i> (Myrtaceae) leaves. <i>Australian Journal of Botany</i> , 2009, 57, 474.	0.6	21
77	A novel compound from celery seed with a bactericidal effect against <i>Helicobacter pylori</i> . <i>Journal of Pharmacy and Pharmacology</i> , 2009, 61, 1067-1077.	2.4	12
78	<i>Myrmecia pilosula</i> (Jack Jumper) ant venom: Validation of a procedure to standardise an allergy vaccine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 58-65.	2.8	18
79	Causes and Consequences of Host Expansion by <i>Mnesampela privata</i> . <i>Journal of Chemical Ecology</i> , 2008, 34, 153-167.	1.8	22
80	The hormonal regulation of de-etiolation. <i>Planta</i> , 2008, 227, 1115-1125.	3.2	36
81	A photosynthetic alveolate closely related to apicomplexan parasites. <i>Nature</i> , 2008, 451, 959-963.	27.8	437
82	Ethylene Oligomerization with Cr ^{III} NHC Catalysts: Further Insights into the Extended Metallacycle Mechanism of Chain Growth. <i>Organometallics</i> , 2008, 27, 4238-4247.	2.3	134
83	Pilosulin 5, a novel histamine-releasing peptide of the Australian ant, <i>Myrmecia pilosula</i> (Jack Jumper) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222	3.0	32
84	Study of New Extraction Methods for Separation of Anthocyanins from Red Grape Skins: Analysis by HPLC and LC-MS/MS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008, 31, 2686-2703.	1.0	45
85	Auxin-Induced Resistance to Common Scab Disease of Potato Linked to Inhibition of Thaxtomin A Toxicity. <i>Plant Disease</i> , 2008, 92, 1321-1328.	1.4	34
86	Pharmacokinetics of 1,8-cineole, a dietary toxin, in the brushtail possum (<i>Trichosurus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222	1.1	36
87	Use of the Anti-Oxidant Butylated Hydroxytoluene in situ for the Synthesis of Readily Oxidized Compounds: Application to the Synthesis of the Moth Pheromone (Z,Z,Z)-3,6,9-Nonadecatriene. <i>Australian Journal of Chemistry</i> , 2007, 60, 848.	0.9	5
88	Original article: <i>Myrmecia pilosula</i> (Jack Jumper) ant venom: identification of allergens and revised nomenclature. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 437-443.	5.7	46
89	Gravistimulation leads to asymmetry of both auxin and gibberellin levels in barley pulvini. <i>Physiologia Plantarum</i> , 2007, 131, 140-148.	5.2	18
90	Constitutive or induced defences - how does <i>Eucalyptus globulus</i> defend itself from larval feeding?. <i>Chemoecology</i> , 2007, 17, 235-243.	1.1	30

#	ARTICLE	IF	CITATIONS
91	Phenolic acclimation to ultraviolet-A irradiation in <i>Eucalyptus nitens</i> seedlings raised across a nutrient environment gradient. <i>Photosynthetica</i> , 2007, 45, 36-42.	1.7	14
92	Reductive disproportionation of carbon dioxide by a Sm(II) complex: Unprecedented f-block element reactivity giving a carbonate complex. <i>Chemical Communications</i> , 2006, , 4853.	4.1	82
93	SPATIAL SCALE OF THE PATCHINESS OF PLANT POISONS: A CRITICAL INFLUENCE ON FORAGING EFFICIENCY. <i>Ecology</i> , 2006, 87, 2236-2243.	3.2	26
94	Proteomic analysis of <i>Myrmecia pilosula</i> (jack jumper) ant venom. <i>Toxicon</i> , 2006, 47, 208-217.	1.6	41
95	A role for ethylene in the phytochrome-mediated control of vegetative development. <i>Plant Journal</i> , 2006, 46, 911-921.	5.7	62
96	IN SITU LUBRICANT DEGRADATION IN ANTARCTIC MARINE SEDIMENTS. 1. SHORT-TERM CHANGES. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 356.	4.3	24
97	Behavioral Responses of a Generalist Mammalian Folivore to the Physiological Constraints of a Chemically Defended Diet. <i>Journal of Chemical Ecology</i> , 2006, 32, 1133-1147.	1.8	24
98	Diet switching in a generalist mammalian folivore: fundamental to maximising intake. <i>Oecologia</i> , 2006, 147, 650-657.	2.0	58
99	How do soil nutrients affect within-plant patterns of herbivory in seedlings of <i>Eucalyptus nitens</i> ?. <i>Oecologia</i> , 2006, 150, 409-420.	2.0	31
100	Regiospecificity profiles of storage and membrane lipids from the gill and muscle tissue of atlantic salmon (<i>Salmo salar</i> L.) grown at elevated temperature. <i>Lipids</i> , 2006, 41, 865-876.	1.7	66
101	Effect of drying conditions on pyrethrins content. <i>Industrial Crops and Products</i> , 2006, 23, 9-14.	5.2	27
102	Seasonal fluctuations in pigment chemistry of co-occurring plant hemi-parasites of distinct form and function. <i>Environmental and Experimental Botany</i> , 2006, 58, 41-46.	4.2	11
103	Unsaturated diether lipids in the psychrotrophic archaeon <i>Haloarobacter lacusprofundi</i> . <i>Systematic and Applied Microbiology</i> , 2005, 28, 19-26.	2.8	56
104	Patterns of peripheral steroid metabolism vary with sex, season, and tissue type in blotched blue-tongued lizards (<i>Tiliqua nigrolutea</i>). <i>General and Comparative Endocrinology</i> , 2005, 140, 14-24.	1.8	9
105	Stems of the <i>Arabidopsis pin1-1</i> mutant are not deficient in free indole-3-acetic acid. <i>Planta</i> , 2005, 222, 530-534.	3.2	23
106	Effects of nutrient variability on the genetic-based resistance of <i>Eucalyptus globulus</i> to a mammalian herbivore and on plant defensive chemistry. <i>Oecologia</i> , 2005, 142, 597-605.	2.0	50
107	Polyphenols in <i>Acacia mangium</i> and <i>Acacia auriculiformis</i> heartwood with reference to heart rot susceptibility. <i>Journal of Wood Science</i> , 2005, 51, 615-621.	1.9	32
108	Inheritance Of Resistance to Mammalian Herbivores and of Plant Defensive Chemistry in an <i>Eucalyptus</i> Species. <i>Journal of Chemical Ecology</i> , 2005, 31, 357-375.	1.8	22

#	ARTICLE	IF	CITATIONS
109	Inheritance Of Resistance To Mammalian Herbivores and Of Plant Defensive Chemistry In A Eucalyptus Species. <i>Journal of Chemical Ecology</i> , 2005, 31, 519-537.	1.8	11
110	Effect of Drying Temperature and Air Flow on the Production and Retention of Secondary Metabolites in Saffron. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 5969-5975.	5.2	94
111	Role of Eucalyptus globulus wound wood extractives: evidence of superoxide dismutase-like activity. <i>Forest Pathology</i> , 2004, 34, 225-232.	1.1	15
112	Jensenone: Biological Reactivity of a Marsupial Antifeedant from Eucalyptus. <i>Journal of Chemical Ecology</i> , 2004, 30, 19-36.	1.8	24
113	Monoterpenes and Epicuticular Waxes Help Female Autumn Gum Moth Differentiate Between Waxy and Glossy Eucalyptus and Leaves of Different Ages. <i>Journal of Chemical Ecology</i> , 2004, 30, 1117-1142.	1.8	56
114	Traumatic oil glands induced by pruning in the wound-associated phloem of Eucalyptus globulus : chemistry and histology. <i>Trees - Structure and Function</i> , 2004, 18, 204-210.	1.9	11
115	Cold Adaptation in the Antarctic Archaeon <i>Methanococcoides burtonii</i> Involves Membrane Lipid Unsaturation. <i>Journal of Bacteriology</i> , 2004, 186, 8508-8515.	2.2	148
116	The Dissipation of Tebuconazole and Propiconazole in <i>Boronia</i> (<i>Boronia megastigma</i> Nees). <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 6200-6204.	5.2	17
117	Characterisation of major peptides in jack jumper ant venom by mass spectrometry. <i>Toxicon</i> , 2004, 43, 173-183.	1.6	57
118	Pigment dynamics during cold-induced photoinhibition of <i>Acacia melanoxylon</i> . <i>Functional Plant Biology</i> , 2004, 31, 481.	2.1	13
119	Novel detection of formylated phloroglucinol compounds (FPCs) in the wound wood of <i>Eucalyptus globulus</i> and <i>E. nitens</i> . <i>Journal of Chemical Ecology</i> , 2003, 29, 881-898.	1.8	37
120	Glucuronuria in the koala. <i>Journal of Chemical Ecology</i> , 2003, 29, 1465-1477.	1.8	13
121	Sex and season influence gonadal steroid biosynthetic pathways, end-product production and steroid conjugation in blotched blue-tongued lizards (<i>Tiliqua nigrolutea</i>). <i>General and Comparative Endocrinology</i> , 2003, 134, 131-138.	1.8	5
122	Distinction between melanins derived from different precursors using pyrolysis/gas chromatography/mass spectrometry and the NIST mass spectral search algorithm. <i>Journal of Analytical and Applied Pyrolysis</i> , 2003, 70, 649-663.	5.5	7
123	LC-MS method for the determination of albuterol enantiomers in human plasma using manual solid-phase extraction and a non-deuterated internal standard. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003, 31, 1237-1243.	2.8	29
124	Host responses to natural infection by <i>Cytonaemas</i> sp. in the aerial bark of <i>Eucalyptus globulus</i> . <i>Forest Pathology</i> , 2003, 33, 317-331.	1.1	31
125	Nursery conditions affect seedling chemistry, morphology and herbivore preferences for <i>Eucalyptus nitens</i> . <i>Forest Ecology and Management</i> , 2003, 176, 585-594.	3.2	19
126	Wound wood formation in <i>Eucalyptus globulus</i> and <i>Eucalyptus nitens</i> : anatomy and chemistry. <i>Canadian Journal of Forest Research</i> , 2003, 33, 2331-2339.	1.7	38

#	ARTICLE	IF	CITATIONS
127	C-27 Apocarotenoids in the Flowers of <i>Boronia megastigma</i> (Nees). <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 2384-2389.	5.2	29
128	Post-Harvest Chemical Staining in Blackwood (<i>Acacia melanoxylon</i> R. Br.). <i>Holzforschung</i> , 2003, 57, 230-236.	1.9	2
129	Microsomal metabolism and enzyme kinetics of the terpene α -cymene in the common brushtail possum (<i>Trichosurus vulpecula</i>), koala (<i>Phascolarctos cinereus</i>) and rat. <i>Xenobiotica</i> , 2002, 32, 383-397.	1.1	30
130	Genetic resistance of <i>Eucalyptus globulus</i> to autumn gum moth defoliation and the role of cuticular waxes. <i>Canadian Journal of Forest Research</i> , 2002, 32, 1961-1969.	1.7	52
131	Improved detection of polyunsaturated fatty acids as phenacyl esters using liquid chromatography-ion trap mass spectrometry. <i>Journal of Microbiological Methods</i> , 2002, 50, 103-113.	1.6	26
132	A possible alternative to 17β -estradiol in a viviparous lizard, <i>Tiliqua nigrolutea</i> . <i>General and Comparative Endocrinology</i> , 2002, 129, 114-121.	1.8	8
133	Uncoupling brassinosteroid levels and de-etiolation in pea. <i>Physiologia Plantarum</i> , 2002, 115, 311-319.	5.2	47
134	Effect of season and different fungi on phenolics in response to xylem wounding and inoculation in <i>Eucalyptus nitens</i> . <i>Forest Pathology</i> , 2002, 32, 163-178.	1.1	31
135	Application of solid-phase microextraction to the quantitative analysis of 1,8-cineole in blood and expired air in a <i>Eucalyptus</i> herbivore, the brushtail possum (<i>Trichosurus vulpecula</i>). <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 780, 397-406.	2.3	26
136	Metabolites of dietary 1,8-cineole in the male koala (<i>Phascolarctos cinereus</i>). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2001, 129, 385-395.	2.6	31
137	Identification of hydrolysable tannins in the reaction zone of <i>Eucalyptus nitens</i> wood by high performance liquid chromatography-electrospray ionisation mass spectrometry. <i>Phytochemical Analysis</i> , 2001, 12, 120-127.	2.4	80
138	Does excretion of secondary metabolites always involve a measurable metabolic cost? Fate of plant antifeedant salicin in common brushtail possum, <i>Trichosurus vulpecula</i> . <i>Journal of Chemical Ecology</i> , 2001, 27, 1077-1089.	1.8	21
139	Bound Volatiles in Brown <i>Boronia</i> Flowers (<i>Boronia megastigma</i>). <i>ACS Symposium Series</i> , 2001, , 183-193.	0.5	1
140	Microsomal metabolism of the terpene 1,8-cineole in the common brushtail possum (<i>Trichosurus</i>)	1.1	64
141	Temporal variation of tannins (galloylglucoses), flavonols and anthocyanins in leaves of <i>Eucalyptus nitens</i> seedlings: implications for light attenuation and antioxidant activities. <i>Functional Plant Biology</i> , 2001, 28, 269.	2.1	32
142	Fate of the Dietary Terpene, α -Cymene, in the Male Koala. <i>Journal of Chemical Ecology</i> , 2000, 26, 1095-1111.	1.8	29
143	Emission of Volatiles From Brown <i>Boronia</i> Flowers: Some Comparative Observations. <i>Annals of Botany</i> , 2000, 86, 347-354.	2.9	44
144	Effect of drying on the degradation of cationic surfactants and separation performance in capillary zone electrophoresis of inorganic anions. <i>Journal of Chromatography A</i> , 1999, 863, 81-87.	3.7	1

#	ARTICLE	IF	CITATIONS
145	Title is missing!. Journal of Chemical Ecology, 1999, 25, 2109-2126.	1.8	72
146	Dissipation of Propiconazole and Tebuconazole in Peppermint Crops (<i>Mentha piperita</i> (Labiatae)) and Their Residues in Distilled Oils. Journal of Agricultural and Food Chemistry, 1999, 47, 294-298.	5.2	43
147	Title is missing!. Journal of Paleolimnology, 1998, 19, 1-22.	1.6	43
148	Expression of gibberellin mutations in fruits of <i>Pisum sativum</i> L.. Planta, 1998, 204, 397-403.	3.2	22
149	Synthesis and Decomposition Behavior of Pallada(IV)cyclopentane Complexes. Organometallics, 1998, 17, 2046-2051.	2.3	35
150	Polyunsaturated fatty acids in the psychrophilic bacterium <i>Shewanella gelidimarina</i> ACAM 456T: molecular species analysis of major phospholipids and biosynthesis of eicosapentaenoic acid. Lipids and Lipid Metabolism, 1997, 1347, 164-176.	2.6	42
151	Title is missing!. Journal of Paleolimnology, 1997, 18, 335-350.	1.6	26
152	Quantitative urinary excretion of unmetabolised N ³ ,-[Me-14C]methylhistidine by the common ringtail possum (<i>Pseudocheirus peregrinus</i>) marsupialia. Comparative Biochemistry and Physiology A, Comparative Physiology, 1996, 115, 53-55.	0.6	4
153	Determination of Propiconazole Residue in Boronia Extract (Concrete). Journal of Agricultural and Food Chemistry, 1995, 43, 1230-1232.	5.2	9
154	Variation in leaf oils of <i>Eucalyptus nitens</i> and <i>E. denticulata</i> . Biochemical Systematics and Ecology, 1994, 22, 631-640.	1.3	27
155	Identification and quantification of endogenous gibberellins in apical buds and the cambial region of <i>Eucalyptus</i> . Physiologia Plantarum, 1994, 90, 475-480.	5.2	9
156	Metabolic fate of dietary terpenes from <i>Eucalyptus radiata</i> in common ringtail possum (<i>Pseudocheirus</i>) Tj ETQq0 0 0 rgeBT /Overlock 10 T	1.8	52
157	Triterpenoids in bud exudates of Fijian <i>Gardenia</i> species. Phytochemistry, 1992, 31, 159-162.	2.9	18
158	Enantiospecific gas chromatographic ¹⁴ C mass spectrometric procedure for the determination of ketoprofen and ibuprofen in synovial fluid and plasma: application to protein binding studies. Biomedical Applications, 1992, 584, 189-197.	1.7	17
159	Volatile and odorous compounds from the bryozoan <i>Biflustra perfragilis</i> . Biochemical Systematics and Ecology, 1992, 20, 339-342.	1.3	11
160	Automated screening procedure using gas chromatography ¹⁴ C mass spectrometry for identification of drugs after their extraction from biological samples. Biomedical Applications, 1991, 565, 207-224.	1.7	33
161	Gas chromatographic retention indices of monoterpenes and sesquiterpenes on methyl silicon and Carbowax 20M phases. Journal of Chromatography A, 1990, 503, 1-24.	3.7	1,936
162	Distribution and metabolism of 1,2,4-trimethylbenzene (pseudocumene) in the rat. Xenobiotica, 1989, 19, 161-170.	1.1	24

#	ARTICLE	IF	CITATIONS
163	Gas chromatographic quality control for oil of <i>Melaleuca terpinen-4-ol</i> type (Australian tea tree). <i>Journal of Agricultural and Food Chemistry</i> , 1989, 37, 1330-1335.	5.2	243
164	Drugs, alcohol and road accidents in Tasmania. <i>Medical Journal of Australia</i> , 1987, 147, 6-11.	1.7	31
165	Resolution of (+)- and (âˆ™)-â†—-difluoromethylornithine by capillary gas chromatography. <i>Journal of Chromatography A</i> , 1986, 357, 335-339.	3.7	3
166	Mandibular gland secretions of two parasitoid wasps (Hymenoptera: Ichneumonidae). <i>Journal of Chemical Ecology</i> , 1985, 11, 1115-1127.	1.8	24
167	Mass spectrometric determination of n-hydroxyphenacetin in urine using multiple metastable peak monitoring following thin-layer chromatography. <i>Biomedical Applications</i> , 1984, 310, 179-187.	1.7	9
168	Determination and optimization of flow rates in vacuum capillary gas chromatography. <i>Analytical Chemistry</i> , 1984, 56, 2618-2620.	6.5	7
169	Temperature programming and flow rates in capillary gas chromatography. <i>Analytical Chemistry</i> , 1984, 56, 2600-2602.	6.5	13
170	Direct quantitative determinations by multiple metastable peak monitoring. 1â€”warfarin in plasma. <i>Biomedical Mass Spectrometry</i> , 1983, 10, 646-651.	1.9	5
171	Mass spectra of some N-arylacetylhydroxamic acids, acetamidophenols and their methyl derivatives. <i>Organic Mass Spectrometry</i> , 1982, 17, 649-651.	1.3	8
172	Characterization of aggregation factors and associated compounds from the Argentine ant, <i>Iridomyrmex humilis</i> . <i>Journal of Chemical Ecology</i> , 1980, 6, 371-384.	1.8	44
173	Iridodials and nepetalactone in the defensive secretion of the coconut stick insects, <i>Graeffea crouani</i> . <i>Journal of Chemical Ecology</i> , 1979, 5, 727-735.	1.8	42
174	An Argentine ant aggregation factor. <i>Experientia</i> , 1979, 35, 989-990.	1.2	36