

# James M Wilson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7003539/publications.pdf>

Version: 2024-02-01

612  
papers

62,064  
citations

433

131  
h-index

1413

221  
g-index

642  
all docs

642  
docs citations

642  
times ranked

30960  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellular immunity to viral antigens limits E1-deleted adenoviruses for gene therapy.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 4407-4411.	3.3	1,594
2	Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 11854-11859.	3.3	1,398
3	Fatal systemic inflammatory response syndrome in a ornithine transcarbamylase deficient patient following adenoviral gene transfer. Molecular Genetics and Metabolism, 2003, 80, 148-158.	0.5	1,309
4	Human Î²-Defensin-1 Is a Salt-Sensitive Antibiotic in Lung That Is Inactivated in Cystic Fibrosis. Cell, 1997, 88, 553-560.	13.5	1,059
5	Clades of Adeno-Associated Viruses Are Widely Disseminated in Human Tissues. Journal of Virology, 2004, 78, 6381-6388.	1.5	900
6	Recombinant adeno-associated virus for muscle directed gene therapy. Nature Medicine, 1997, 3, 306-312.	15.2	661
7	The peptide antibiotic LL-37/hCAP-18 is expressed in epithelia of the human lung where it has broad antimicrobial activity at the airway surface. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 9541-9546.	3.3	658
8	Immune responses to adenovirus and adeno-associated virus in humans. Gene Therapy, 1999, 6, 1574-1583.	2.3	655
9	Submucosal glands are the predominant site of CFTR expression in the human bronchus. Nature Genetics, 1992, 2, 240-248.	9.4	649
10	MHC class I-restricted cytotoxic T lymphocytes to viral antigens destroy hepatocytes in mice infected with E1-deleted recombinant adenoviruses. Immunity, 1994, 1, 433-442.	6.6	648
11	Human gene therapy for RPE65 isomerase deficiency activates the retinoid cycle of vision but with slow rod kinetics. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 15112-15117.	3.3	639
12	Ablation of E2A in recombinant adenoviruses improves transgene persistence and decreases inflammatory response in mouse liver.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 6196-6200.	3.3	633
13	Worldwide Epidemiology of Neutralizing Antibodies to Adeno-Associated Viruses. Journal of Infectious Diseases, 2009, 199, 381-390.	1.9	632
14	A model system for in vivo gene transfer into the central nervous system using an adenoviral vector. Nature Genetics, 1993, 3, 219-223.	9.4	609
15	Correction of the cystic fibrosis defect in vitro by retrovirus-mediated gene transfer. Cell, 1990, 62, 1227-1233.	13.5	595
16	A Controlled Study of Adenoviral-Vector-Mediated Gene Transfer in the Nasal Epithelium of Patients with Cystic Fibrosis. New England Journal of Medicine, 1995, 333, 823-831.	13.9	591
17	Successful ex vivo gene therapy directed to liver in a patient with familial hypercholesterolaemia. Nature Genetics, 1994, 6, 335-341.	9.4	577
18	Severe Toxicity in Nonhuman Primates and Piglets Following High-Dose Intravenous Administration of an Adeno-Associated Virus Vector Expressing Human SMN. Human Gene Therapy, 2018, 29, 285-298.	1.4	543

#	ARTICLE	IF	CITATIONS
19	A pilot study of ex vivo gene therapy for homozygous familial hypercholesterolaemia. <i>Nature Medicine</i> , 1995, 1, 1148-1154.	15.2	515
20	Inactivation of E2a in recombinant adenoviruses improves the prospect for gene therapy in cystic fibrosis. <i>Nature Genetics</i> , 1994, 7, 362-369.	9.4	511
21	Gene Therapy Vectors Based on Adeno-Associated Virus Type 1. <i>Journal of Virology</i> , 1999, 73, 3994-4003.	1.5	484
22	Stable gene transfer and expression of human blood coagulation factor IX after intramuscular injection of recombinant adeno-associated virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 5804-5809.	3.3	480
23	A dual AAV system enables the Cas9-mediated correction of a metabolic liver disease in newborn mice. <i>Nature Biotechnology</i> , 2016, 34, 334-338.	9.4	476
24	New Recombinant Serotypes of AAV Vectors. <i>Current Gene Therapy</i> , 2005, 5, 285-297.	0.9	461
25	Adenoviruses as Gene-Delivery Vehicles. <i>New England Journal of Medicine</i> , 1996, 334, 1185-1187.	13.9	460
26	Gene therapy: adenovirus vectors. <i>Current Opinion in Genetics and Development</i> , 1993, 3, 499-503.	1.5	421
27	Transduction of Dendritic Cells by DNA Viral Vectors Directs the Immune Response to Transgene Products in Muscle Fibers. <i>Journal of Virology</i> , 1998, 72, 4212-4223.	1.5	419
28	CD40 Ligand-Dependent T Cell Activation: Requirement of B7-CD28 Signaling Through CD40. <i>Science</i> , 1996, 273, 1862-1864.	6.0	391
29	Inefficient gene transfer by adenovirus vector to cystic fibrosis airway epithelia of mice and humans. <i>Nature</i> , 1994, 371, 802-806.	13.7	381
30	Acute Cytokine Response to Systemic Adenoviral Vectors in Mice Is Mediated by Dendritic Cells and Macrophages. <i>Molecular Therapy</i> , 2001, 3, 697-707.	3.7	367
31	Cathelicidins - a family of multifunctional antimicrobial peptides. <i>Cellular and Molecular Life Sciences</i> , 2003, 60, 711-720.	2.4	364
32	Chronic suppression of heart-failure progression by a pseudophosphorylated mutant of phospholamban via in vivo cardiac rAAV gene delivery. <i>Nature Medicine</i> , 2002, 8, 864-871.	15.2	344
33	Repeated nebulisation of non-viral CFTR gene therapy in patients with cystic fibrosis: a randomised, double-blind, placebo-controlled, phase 2b trial. <i>Lancet Respiratory Medicine</i> , 2015, 3, 684-691.	5.2	344
34	Implantation of vascular grafts lined with genetically modified endothelial cells. <i>Science</i> , 1989, 244, 1344-1346.	6.0	343
35	Adenovirus-Mediated Transfer of the CFTR Gene to Lung of Nonhuman Primates: Toxicity Study. <i>Human Gene Therapy</i> , 1993, 4, 771-780.	1.4	338
36	A Pilot Study of In Vivo Liver-Directed Gene Transfer with an Adenoviral Vector in Partial Ornithine Transcarbamylase Deficiency. <i>Human Gene Therapy</i> , 2002, 13, 163-175.	1.4	337

#	ARTICLE	IF	CITATIONS
37	Exchange of surface proteins impacts on viral vector cellular specificity and transduction characteristics: the retina as a model. <i>Human Molecular Genetics</i> , 2001, 10, 3075-3081.	1.4	335
38	The common variant of cystic fibrosis transmembrane conductance regulator is recognized by hsp70 and degraded in a pre-Golgi nonlysosomal compartment.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 9480-9484.	3.3	332
39	Activation of Innate Immunity in Nonhuman Primates Following Intraportal Administration of Adenoviral Vectors. <i>Molecular Therapy</i> , 2001, 3, 708-722.	3.7	329
40	Adenovirus-Mediated Herpes Simplex Virus Thymidine Kinase/Ganciclovir Gene Therapy in Patients with Localized Malignancy: Results of a Phase I Clinical Trial in Malignant Mesothelioma. <i>Human Gene Therapy</i> , 1998, 9, 1083-1092.	1.4	328
41	Natural Killer T Cell Ligand Î±-Galactosylceramide Enhances Protective Immunity Induced by Malaria Vaccines. <i>Journal of Experimental Medicine</i> , 2002, 195, 617-624.	4.2	321
42	Direct gene transfer of human CFTR into human bronchial epithelia of xenografts with E1â€“deleted adenoviruses. <i>Nature Genetics</i> , 1993, 4, 27-34.	9.4	317
43	Regulated Delivery of Therapeutic Proteins After in Vivo Somatic Cell Gene Transfer. <i>Science</i> , 1999, 283, 88-91.	6.0	313
44	Recombinant Adenovirus Deleted of All Viral Genes for Gene Therapy of Cystic Fibrosis. <i>Virology</i> , 1996, 217, 11-22.	1.1	308
45	Sequestration of Adenoviral Vector by Kupffer Cells Leads to a Nonlinear Dose Response of Transduction in Liver. <i>Molecular Therapy</i> , 2001, 3, 28-35.	3.7	306
46	Filovirus-pseudotyped lentiviral vector can efficiently and stably transduce airway epithelia in vivo. <i>Nature Biotechnology</i> , 2001, 19, 225-230.	9.4	300
47	The Neurotropic Properties of AAV-PHP.B Are Limited to C57BL/6J Mice. <i>Molecular Therapy</i> , 2018, 26, 664-668.	3.7	300
48	Phase 2 Clinical Trial of a Recombinant Adeno-Associated Viral Vector Expressing Î± <sub>1</sub> -Antitrypsin: Interim Results. <i>Human Gene Therapy</i> , 2011, 22, 1239-1247.	1.4	297
49	Sustained transgene expression despite T lymphocyte responses in a clinical trial of rAAV1-AAT gene therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16363-16368.	3.3	295
50	Adeno-associated viruses undergo substantial evolution in primates during natural infections. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6081-6086.	3.3	293
51	Rapid, Simple, and Versatile Manufacturing of Recombinant Adeno-Associated Viral Vectors at Scale. <i>Human Gene Therapy</i> , 2010, 21, 1259-1271.	1.4	283
52	Isolation of Highly Infectious and Pure Adeno-Associated Virus Type 2 Vectors with a Single-Step Gravity-Flow Column. <i>Human Gene Therapy</i> , 2001, 12, 71-76.	1.4	278
53	Comparative Analysis of Adeno-Associated Viral Vector Serotypes 1, 2, 5, 7, And 8 in Mouse Brain. <i>Human Gene Therapy</i> , 2007, 18, 195-206.	1.4	273
54	Upregulation of class I major histocompatibility complex antigens by interferon gamma is necessary for T-cell-mediated elimination of recombinant adenovirus-infected hepatocytes in vivo.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 7257-7261.	3.3	270

#	ARTICLE	IF	CITATIONS
55	Adeno-Associated Virus Antibody Profiles in Newborns, Children, and Adolescents. <i>Vaccine Journal</i> , 2011, 18, 1586-1588.	3.2	269
56	Augmentation of Innate Host Defense by Expression of a Cathelicidin Antimicrobial Peptide. <i>Infection and Immunity</i> , 1999, 67, 6084-6089.	1.0	268
57	Recombinant IL-12 prevents formation of blocking IgA antibodies to recombinant adenovirus and allows repeated gene therapy to mouse lung. <i>Nature Medicine</i> , 1995, 1, 890-893.	15.2	262
58	Long-term pharmacologically regulated expression of erythropoietin in primates following AAV-mediated gene transfer. <i>Blood</i> , 2005, 105, 1424-1430.	0.6	258
59	Replication-Defective Vector Based on a Chimpanzee Adenovirus. <i>Journal of Virology</i> , 2001, 75, 11603-11613.	1.5	253
60	Adeno-Associated Virus (AAV) Serotype 9 Provides Global Cardiac Gene Transfer Superior to AAV1, AAV6, AAV7, and AAV8 in the Mouse and Rat. <i>Human Gene Therapy</i> , 2008, 19, 1359-1368.	1.4	247
61	HIV-1 suppression and durable control by combining single broadly neutralizing antibodies and antiretroviral drugs in humanized mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16538-16543.	3.3	247
62	Lessons learned from the gene therapy trial for ornithine transcarbamylase deficiency. <i>Molecular Genetics and Metabolism</i> , 2009, 96, 151-157.	0.5	246
63	A Replication-Defective Human Adenovirus Recombinant Serves as a Highly Efficacious Vaccine Carrier. <i>Virology</i> , 1996, 219, 220-227.	1.1	243
64	Expression of the cystic fibrosis gene in adult human lung. <i>Journal of Clinical Investigation</i> , 1994, 93, 737-749.	3.9	234
65	Prolonged Transgene Expression in Cotton Rat Lung with Recombinant Adenoviruses Defective in E2a. <i>Human Gene Therapy</i> , 1994, 5, 1217-1229.	1.4	232
66	Stable transgene expression in rod photoreceptors after recombinant adeno-associated virus-mediated gene transfer to monkey retina. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 9920-9925.	3.3	226
67	Hepatic regulatory T cells and Kupffer cells are crucial mediators of systemic T cell tolerance to antigens targeting murine liver. <i>Hepatology</i> , 2009, 50, 612-621.	3.6	226
68	Adenovirus-Mediated Transfer of the CFTR Gene to Lung of Nonhuman Primates: Biological Efficacy Study. <i>Human Gene Therapy</i> , 1993, 4, 759-769.	1.4	225
69	“Stealth” Adenoviruses Blunt Cell-Mediated and Humoral Immune Responses against the Virus and Allow for Significant Gene Expression upon Readministration in the Lung. <i>Journal of Virology</i> , 2001, 75, 4792-4801.	1.5	221
70	Î²-Defensin 1 Contributes to Pulmonary Innate Immunity in Mice. <i>Infection and Immunity</i> , 2002, 70, 3068-3072.	1.0	220
71	Novel Adeno-Associated Virus Serotypes Efficiently Transduce Murine Photoreceptors. <i>Journal of Virology</i> , 2007, 81, 11372-11380.	1.5	210
72	Stable restoration of the sarcoglycan complex in dystrophic muscle perfused with histamine and a recombinant adeno-associated viral vector. <i>Nature Medicine</i> , 1999, 5, 439-443.	15.2	207

#	ARTICLE	IF	CITATIONS
73	Hybrid Vectors Based on Adeno-Associated Virus Serotypes 2 and 5 for Muscle-Directed Gene Transfer. <i>Journal of Virology</i> , 2001, 75, 6199-6203.	1.5	203
74	Targeted Transduction Patterns in the Mouse Brain by Lentivirus Vectors Pseudotyped with VSV, Ebola, Mokola, LCMV, or MuLV Envelope Proteins. <i>Molecular Therapy</i> , 2002, 5, 528-537.	3.7	198
75	Impact of Preexisting and Induced Humoral and Cellular Immune Responses in an Adenovirus-Based Gene Therapy Phase I Clinical Trial for Localized Mesothelioma. <i>Human Gene Therapy</i> , 1998, 9, 2121-2133.	1.4	196
76	A Simian Replication-Defective Adenoviral Recombinant Vaccine to HIV-1 Gag. <i>Journal of Immunology</i> , 2003, 170, 1416-1422.	0.4	193
77	Heparin binding directs activation of T cells against adeno-associated virus serotype 2 capsid. <i>Nature Medicine</i> , 2006, 12, 967-971.	15.2	193
78	Humoral Immune Response to AAV. <i>Frontiers in Immunology</i> , 2013, 4, 341.	2.2	190
79	Total correction of hemophilia A mice with canine FVIII using an AAV 8 serotype. <i>Blood</i> , 2004, 103, 1253-1260.	0.6	188
80	High-Titer Adeno-Associated Viral Vectors from a Rep/Cap Cell Line and Hybrid Shuttle Virus. <i>Human Gene Therapy</i> , 1998, 9, 2353-2362.	1.4	186
81	Novel, Chimpanzee Serotype 68-Based Adenoviral Vaccine Carrier for Induction of Antibodies to a Transgene Product. <i>Journal of Virology</i> , 2002, 76, 2667-2675.	1.5	186
82	Lancet Commission: Stem cells and regenerative medicine. <i>Lancet</i> , The, 2018, 391, 883-910.	6.3	184
83	The innate immune system in cystic fibrosis lung disease. <i>Journal of Clinical Investigation</i> , 1999, 103, 303-307.	3.9	184
84	Toll-Like Receptor 4 Mediates Innate Immune Responses to <i>Haemophilus influenzae</i> Infection in Mouse Lung. <i>Journal of Immunology</i> , 2002, 168, 810-815.	0.4	182
85	Amelioration of collagen-induced arthritis by CD95 (Apo-1/Fas)-ligand gene transfer.. <i>Journal of Clinical Investigation</i> , 1997, 100, 1951-1957.	3.9	182
86	CpG-depleted adeno-associated virus vectors evade immune detection. <i>Journal of Clinical Investigation</i> , 2013, 123, 2994-3001.	3.9	182
87	Novel AAV serotypes for improved ocular gene transfer. <i>Journal of Gene Medicine</i> , 2008, 10, 375-382.	1.4	180
88	Human Airway Epithelial Cells Sense <i>Pseudomonas aeruginosa</i> Infection via Recognition of Flagellin by Toll-Like Receptor 5. <i>Infection and Immunity</i> , 2005, 73, 7151-7160.	1.0	179
89	Dosage Thresholds for AAV2 and AAV8 Photoreceptor Gene Therapy in Monkey. <i>Science Translational Medicine</i> , 2011, 3, 88ra54.	5.8	179
90	The low density lipoprotein receptor is not required for normal catabolism of Lp(a) in humans.. <i>Journal of Clinical Investigation</i> , 1995, 95, 1403-1408.	3.9	177

#	ARTICLE	IF	CITATIONS
91	Long-term regulated expression of growth hormone in mice after intramuscular gene transfer. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 8657-8662.	3.3	177
92	Purification of Recombinant Adeno-Associated Virus Vectors by Column Chromatography and Its Performance in Vivo. Human Gene Therapy, 2000, 11, 2079-2091.	1.4	176
93	Effective treatment of familial hypercholesterolaemia in the mouse model using adenovirus-mediated transfer of the VLDL receptor gene. Nature Genetics, 1996, 13, 54-62.	9.4	175
94	Expression of alpha v beta 5 integrin is necessary for efficient adenovirus-mediated gene transfer in the human airway. Journal of Virology, 1995, 69, 5951-5958.	1.5	175
95	Humoral Immunity to Adeno-Associated Virus Type 2 Vectors following Administration to Murine and Nonhuman Primate Muscle. Journal of Virology, 2000, 74, 2420-2425.	1.5	174
96	Adenoviral-mediated gene transfer to rabbit synovium in vivo. Journal of Clinical Investigation, 1993, 92, 1085-1092.	3.9	174
97	Bacterial Phosphorylcholine Decreases Susceptibility to the Antimicrobial Peptide LL-37/hCAP18 Expressed in the Upper Respiratory Tract. Infection and Immunity, 2000, 68, 1664-1671.	1.0	173
98	Mouse $\beta$ -Defensin 1 Is a Salt-Sensitive Antimicrobial Peptide Present in Epithelia of the Lung and Urogenital Tract. Infection and Immunity, 1998, 66, 1225-1232.	1.0	172
99	Mouse $\beta$ -Defensin 3 Is an Inducible Antimicrobial Peptide Expressed in the Epithelia of Multiple Organs. Infection and Immunity, 1999, 67, 3542-3547.	1.0	172
100	Transfer of a cathelicidin peptide antibiotic gene restores bacterial killing in a cystic fibrosis xenograft model. Journal of Clinical Investigation, 1999, 103, 1113-1117.	3.9	172
101	Efficacy and safety of adeno-associated viral vectors based on serotype 8 and 9 vs. lentiviral vectors for hemophilia B gene therapy. Journal of Thrombosis and Haemostasis, 2007, 5, 16-24.	1.9	170
102	Impact of Pre-Existing Immunity on Gene Transfer to Nonhuman Primate Liver with Adeno-Associated Virus 8 Vectors. Human Gene Therapy, 2011, 22, 1389-1401.	1.4	170
103	Universal protection against influenza infection by a multidomain antibody to influenza hemagglutinin. Science, 2018, 362, 598-602.	6.0	170
104	Cyclophosphamide Diminishes Inflammation and Prolongs Transgene Expression Following Delivery of Adenoviral Vectors to Mouse Liver and Lung. Human Gene Therapy, 1996, 7, 1555-1566.	1.4	166
105	PEGylation of E1-Deleted Adenovirus Vectors Allows Significant Gene Expression on Readministration to Liver. Human Gene Therapy, 2002, 13, 1887-1900.	1.4	166
106	Sustained correction of disease in naive and AAV2-pretreated hemophilia B dogs: AAV2/8-mediated, liver-directed gene therapy. Blood, 2005, 105, 3079-3086.	0.6	162
107	Biology of AAV Serotype Vectors in Liver-Directed Gene Transfer to Nonhuman Primates. Molecular Therapy, 2006, 13, 77-87.	3.7	161
108	The GPI-Linked Protein LY6A Drives AAV-PHP.B Transport across the Blood-Brain Barrier. Molecular Therapy, 2019, 27, 912-921.	3.7	158



#	ARTICLE	IF	CITATIONS
109	Development of formulations that enhance physical stability of viral vectors for gene therapy. <i>Gene Therapy</i> , 2001, 8, 1281-1290.	2.3	156
110	Lessons Learned from the Clinical Development and Market Authorization of Glybera. <i>Human Gene Therapy Clinical Development</i> , 2013, 24, 55-64.	3.2	154
111	<i>In Vivo</i> Expression of Full-Length Human Dystrophin from Adenoviral Vectors Deleted of All Viral Genes. <i>Human Gene Therapy</i> , 1996, 7, 1907-1914.	1.4	153
112	Enhanced Survival of the LINCL Mouse Following CLN2 Gene Transfer Using the rh.10 Rhesus Macaque-derived Adeno-associated Virus Vector. <i>Molecular Therapy</i> , 2007, 15, 481-491.	3.7	153
113	Transduction Efficiencies of Novel AAV Vectors in Mouse Airway Epithelium <i>In Vivo</i> and Human Ciliated Airway Epithelium <i>In Vitro</i> . <i>Molecular Therapy</i> , 2009, 17, 294-301.	3.7	153
114	Expanded Repertoire of AAV Vector Serotypes Mediate Unique Patterns of Transduction in Mouse Brain. <i>Molecular Therapy</i> , 2008, 16, 1710-1718.	3.7	152
115	Tailoring the AAV vector capsid for gene therapy. <i>Gene Therapy</i> , 2009, 16, 311-319.	2.3	152
116	Adeno-Associated Virus as a Vector for Liver-Directed Gene Therapy. <i>Journal of Virology</i> , 1998, 72, 10222-10226.	1.5	152
117	Correction of the genetic defect in hepatocytes from the Watanabe heritable hyperlipidemic rabbit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 4421-4425.	3.3	150
118	The AAV9 receptor and its modification to improve <i>in vivo</i> lung gene transfer in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 2427-2435.	3.9	150
119	Immunology of gene therapy with adenoviral vectors in mouse skeletal muscle. <i>Human Molecular Genetics</i> , 1996, 5, 1703-1712.	1.4	149
120	Persistent transgene product in retina, optic nerve and brain after intraocular injection of rAAV. <i>Vision Research</i> , 1999, 39, 2545-2553.	0.7	149
121	Retrovirus-mediated transduction of adult hepatocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 3014-3018.	3.3	148
122	Prolonged Metabolic Correction in Adult Ornithine Transcarbamylase-deficient Mice with Adenoviral Vectors. <i>Journal of Biological Chemistry</i> , 1996, 271, 3639-3646.	1.6	146
123	Longitudinal Evaluation and Assessment of Cardiovascular Disease in Patients With Homozygous Familial Hypercholesterolemia. <i>American Journal of Cardiology</i> , 2008, 102, 1438-1443.	0.7	146
124	Moving Forward After Two Deaths in a Gene Therapy Trial of Myotubular Myopathy. <i>Human Gene Therapy</i> , 2020, 31, 695-696.	1.4	145
125	Inhibition of Retinal Neovascularization by Intraocular Viral-Mediated Delivery of Anti-angiogenic Agents. <i>Molecular Therapy</i> , 2002, 6, 490-494.	3.7	144
126	PEGylation of a Vesicular Stomatitis Virus G Pseudotyped Lentivirus Vector Prevents Inactivation in Serum. <i>Journal of Virology</i> , 2004, 78, 912-921.	1.5	143



#	ARTICLE	IF	CITATIONS
127	Erythropoietin gene therapy leads to autoimmune anemia in macaques. <i>Blood</i> , 2004, 103, 3300-3302.	0.6	141
128	Adeno-associated virus serotype 9 vectors transduce murine alveolar and nasal epithelia and can be readministered. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 12993-12998.	3.3	141
129	An approach for treating the hepatobiliary disease of cystic fibrosis by somatic gene transfer.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 4601-4605.	3.3	140
130	A Phase I Study of Adenovirus-Mediated Transfer of the Human Cystic Fibrosis Transmembrane Conductance Regulator Gene to a Lung Segment of Individuals with Cystic Fibrosis. <i>Human Gene Therapy</i> , 1999, 10, 2973-2985.	1.4	138
131	Muscle-Specific Promoters May Be Necessary for Adeno-Associated Virus-Mediated Gene Transfer in the Treatment of Muscular Dystrophies. <i>Human Gene Therapy</i> , 2001, 12, 205-215.	1.4	138
132	Analysis of Tumors Arising in Male B6C3F1 Mice with and without AAV Vector Delivery to Liver. <i>Molecular Therapy</i> , 2006, 14, 34-44.	3.7	137
133	Sustained Production of $\beta$ -Glucuronidase from Localized Sites after AAV Vector Gene Transfer Results in Widespread Distribution of Enzyme and Reversal of Lysosomal Storage Lesions in a Large Volume of Brain in Mucopolysaccharidosis VII Mice. <i>Experimental Neurology</i> , 1999, 160, 17-27.	2.0	135
134	Human cone photoreceptor dependence on RPE65 isomerase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15123-15128.	3.3	135
135	Development of a Rapid Method for the PEGylation of Adenoviruses with Enhanced Transduction and Improved Stability under Harsh Storage Conditions. <i>Human Gene Therapy</i> , 2000, 11, 1713-1722.	1.4	133
136	Human Treg responses allow sustained recombinant adeno-associated virus-mediated transgene expression. <i>Journal of Clinical Investigation</i> , 2013, 123, 5310-5318.	3.9	133
137	Resolution of Primary Severe Acute Respiratory Syndrome-Associated Coronavirus Infection Requires Stat1. <i>Journal of Virology</i> , 2004, 78, 11416-11421.	1.5	132
138	Absolute Determination of Single-Stranded and Self-Complementary Adeno-Associated Viral Vector Genome Titers by Droplet Digital PCR. <i>Human Gene Therapy Methods</i> , 2014, 25, 115-125.	2.1	132
139	Blunting of immune responses to adenoviral vectors in mouse liver and lung with CTLA4Ig. <i>Gene Therapy</i> , 1998, 5, 309-319.	2.3	131
140	Interferon- $\gamma$ gene therapy inhibits tumor formation and causes regression of established tumors in immune-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14411-14416.	3.3	129
141	Oral Vaccination of Mice with Adenoviral Vectors Is Not Impaired by Preexisting Immunity to the Vaccine Carrier. <i>Journal of Virology</i> , 2003, 77, 10780-10789.	1.5	129
142	Adeno-Associated Virus-Induced Dorsal Root Ganglion Pathology. <i>Human Gene Therapy</i> , 2020, 31, 808-818.	1.4	129
143	Hypoxanthine-Guanine Phosphoribosyltransferase Deficiency. <i>New England Journal of Medicine</i> , 1983, 309, 900-910.	13.9	128
144	IN VIVO SOMATIC CELL GENE TRANSFER OF AN ENGINEERED NOGGIN MUTEIN PREVENTS BMP4-INDUCED HETEROTOPIC OSSIFICATION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 2332-2342.	1.4	128

#	ARTICLE	IF	CITATIONS
145	AAV2 Vector Harboring a Liver-Restricted Promoter Facilitates Sustained Expression of Therapeutic Levels of $\beta$ -Galactosidase A and the Induction of Immune Tolerance in Fabry Mice. <i>Molecular Therapy</i> , 2004, 9, 231-240.	3.7	127
146	Perceived quality of life in schizophrenia: Relationships to sleep quality. <i>Quality of Life Research</i> , 2004, 13, 783-791.	1.5	127
147	Isolation and Characterization of Adenoviruses Persistently Shed from the Gastrointestinal Tract of Non-Human Primates. <i>PLoS Pathogens</i> , 2009, 5, e1000503.	2.1	126
148	Macaque Model for Severe Acute Respiratory Syndrome. <i>Journal of Virology</i> , 2004, 78, 11401-11404.	1.5	125
149	Long-term Follow-up of Patients with Malignant Pleural Mesothelioma Receiving High-Dose Adenovirus Herpes Simplex Thymidine Kinase/Ganciclovir Suicide Gene Therapy. <i>Clinical Cancer Research</i> , 2005, 11, 7444-7453.	3.2	125
150	Expression of human factor IX in rat capillary endothelial cells: toward somatic gene therapy for hemophilia B.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8101-8105.	3.3	124
151	Successful adenovirus-mediated gene transfer in an in vivo model of human malignant mesothelioma. <i>Annals of Thoracic Surgery</i> , 1994, 57, 1395-1401.	0.7	124
152	Temporary amelioration of hyperlipidemia in low density lipoprotein receptor-deficient rabbits transplanted with genetically modified hepatocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 8437-8441.	3.3	123
153	The Pleiotropic Effects of Natural AAV Infections on Liver-directed Gene Transfer in Macaques. <i>Molecular Therapy</i> , 2010, 18, 126-134.	3.7	123
154	Fas ligand—a double-edged sword. <i>Nature Biotechnology</i> , 1998, 16, 1011-1012.	9.4	122
155	Effect of Blood Collection Technique in Mice on Clinical Pathology Parameters. <i>Human Gene Therapy</i> , 2002, 13, 155-161.	1.4	121
156	Chimpanzee adenovirus vaccine protects against Zaire Ebola virus. <i>Virology</i> , 2006, 346, 394-401.	1.1	121
157	High Levels of Persistent Expression of $\beta$ -1-Antitrypsin Mediated by the Nonhuman Primate Serotype rh.10 Adeno-associated Virus Despite Preexisting Immunity to Common Human Adeno-associated Viruses. <i>Molecular Therapy</i> , 2006, 13, 67-76.	3.7	121
158	Scalable mRNA and siRNA Lipid Nanoparticle Production Using a Parallelized Microfluidic Device. <i>Nano Letters</i> , 2021, 21, 5671-5680.	4.5	120
159	Gene Transfer into the Liver of Nonhuman Primates with E1-Deleted Recombinant Adenoviral Vectors: Safety of Readministration. <i>Human Gene Therapy</i> , 1999, 10, 2515-2526.	1.4	119
160	Efficient Serotype-Dependent Release of Functional Vector into the Culture Medium During Adeno-Associated Virus Manufacturing. <i>Human Gene Therapy</i> , 2010, 21, 1251-1257.	1.4	117
161	Autoimmune anemia in macaques following erythropoietin gene therapy. <i>Blood</i> , 2004, 103, 3303-3304.	0.6	115
162	Long-Term Inducible Gene Expression in the Eye via Adeno-Associated Virus Gene Transfer in Nonhuman Primates. <i>Human Gene Therapy</i> , 2005, 16, 178-186.	1.4	115

#	ARTICLE	IF	CITATIONS
163	Cytotoxic T-Lymphocyte Target Proteins and Their Major Histocompatibility Complex Class I Restriction in Response to Adenovirus Vectors Delivered to Mouse Liver. <i>Journal of Virology</i> , 1998, 72, 2945-2954.	1.5	115
164	Lentiviral Vectors for Gene Therapy of Cystic Fibrosis. <i>Human Gene Therapy</i> , 1997, 8, 2261-2268.	1.4	114
165	Gene Therapy for Cystic Fibrosis Using E1-Deleted Adenovirus: A Phase I Trial in the Nasal Cavity. University of North Carolina at Chapel Hill, Chapel Hill, North Carolina. <i>Human Gene Therapy</i> , 1994, 5, 615-639.	1.4	113
166	The Complex and Evolving Story of T cell Activation to AAV Vector-encoded Transgene Products. <i>Molecular Therapy</i> , 2011, 19, 16-27.	3.7	113
167	Genotype spectrum of ornithine transcarbamylase deficiency: Correlation with the clinical and biochemical phenotype. <i>American Journal of Medical Genetics Part A</i> , 2000, 93, 313-319.	2.4	111
168	Ionizable lipid nanoparticles encapsulating barcoded mRNA for accelerated in vivo delivery screening. <i>Journal of Controlled Release</i> , 2019, 316, 404-417.	4.8	111
169	Treatment of Advanced CNS Malignancies with the Recombinant Adenovirus H5.010RSVTK: A Phase I Trial. University of Pennsylvania Medical Center, Philadelphia. <i>Human Gene Therapy</i> , 1996, 7, 1465-1482.	1.4	110
170	CD40 Ligand-Dependent Activation of Cytotoxic T Lymphocytes by Adeno-Associated Virus Vectors In Vivo: Role of Immature Dendritic Cells. <i>Journal of Virology</i> , 2000, 74, 8003-8010.	1.5	110
171	Systematic Evaluation of AAV Vectors for Liver directed Gene Transfer in Murine Models. <i>Molecular Therapy</i> , 2010, 18, 118-125.	3.7	110
172	Route of Administration Determines Induction of T-Cell-Independent Humoral Responses to Adeno-Associated Virus Vectors. <i>Molecular Therapy</i> , 2000, 1, 323-329.	3.7	108
173	Gene transfer into skeletal muscle using novel AAV serotypes. <i>Journal of Gene Medicine</i> , 2005, 7, 442-451.	1.4	108
174	Induction of CD8+ T Cells to an HIV-1 Antigen through a Prime Boost Regimen with Heterologous E1-Deleted Adenoviral Vaccine Carriers. <i>Journal of Immunology</i> , 2003, 171, 6774-6779.	0.4	107
175	Evaluation of toxicity from high-dose systemic administration of recombinant adenovirus vector in vector-naïve and pre-immunized mice. <i>Gene Therapy</i> , 2005, 12, 427-436.	2.3	107
176	Physiological modulation of CFTR activity by AMP-activated protein kinase in polarized T84 cells. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 284, C1297-C1308.	2.1	106
177	Expression of human adenosine deaminase in mice reconstituted with retrovirus-transduced hematopoietic stem cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 439-443.	3.3	105
178	Lentiviral vectors pseudotyped with minimal filovirus envelopes increased gene transfer in murine lung. <i>Molecular Therapy</i> , 2003, 8, 777-789.	3.7	105
179	Cross-Presentation of Adeno-Associated Virus Serotype 2 Capsids Activates Cytotoxic T Cells But Does Not Render Hepatocytes Effective Cytolytic Targets. <i>Human Gene Therapy</i> , 2007, 18, 185-194.	1.4	105
180	Noninvasive gene transfer to the lung for systemic delivery of therapeutic proteins. <i>Journal of Clinical Investigation</i> , 2002, 110, 499-504.	3.9	104

#	ARTICLE	IF	CITATIONS
181	No Evidence for Tumorigenesis of AAV Vectors in a Large-Scale Study in Mice. <i>Molecular Therapy</i> , 2005, 12, 299-306.	3.7	103
182	A Novel Adenovirus-Adeno-Associated Virus Hybrid Vector That Displays Efficient Rescue and Delivery of the AAV Genome. <i>Human Gene Therapy</i> , 1996, 7, 2079-2087.	1.4	102
183	Identification of the Galactose Binding Domain of the Adeno-Associated Virus Serotype 9 Capsid. <i>Journal of Virology</i> , 2012, 86, 7326-7333.	1.5	101
184	Expression of an abundant alternatively spliced form of the cystic fibrosis transmembrane conductance regulator (CFTR) gene is not associated with a cAMP-activated chloride conductance. <i>Human Molecular Genetics</i> , 1993, 2, 225-230.	1.4	100
185	Treatment of Experimental Human Mesothelioma Using Adenovirus Transfer of the Herpes Simplex Thymidine Kinase Gene. <i>Annals of Surgery</i> , 1995, 222, 78-86.	2.1	100
186	Intranasal Antibody Gene Transfer in Mice and Ferrets Elicits Broad Protection Against Pandemic Influenza. <i>Science Translational Medicine</i> , 2013, 5, 187ra72.	5.8	99
187	Safety and Feasibility of Liver-Directed Ex Vivo Gene Therapy for Homozygous Familial Hypercholesterolemia. <i>Annals of Surgery</i> , 1996, 223, 116-126.	2.1	99
188	Efficient Transduction of Liver and Muscle after in Utero Injection of Lentiviral Vectors with Different Pseudotypes. <i>Molecular Therapy</i> , 2002, 6, 349-358.	3.7	98
189	Human <i>CRB1</i> -Associated Retinal Degeneration: Comparison with the <i>rd8 Crb1</i> -Mutant Mouse Model. , 2011, 52, 6898.		98
190	<i>Ex Vivo</i> Gene Therapy of Familial Hypercholesterolemia. Howard Hughes Medical Institute, University of Michigan. <i>Human Gene Therapy</i> , 1992, 3, 179-222.	1.4	97
191	Gene therapy in a xenograft model of cystic fibrosis lung corrects chloride transport more effectively than the sodium defect. <i>Nature Genetics</i> , 1995, 9, 126-131.	9.4	97
192	A molecular survey of hypoxanthine-guanine phosphoribosyltransferase deficiency in man.. <i>Journal of Clinical Investigation</i> , 1986, 77, 188-195.	3.9	97
193	Adeno-Associated Virus Mediates Long-Term Gene Transfer and Delivery of Chondroprotective IL-4 to Murine Synovium. <i>Molecular Therapy</i> , 2000, 2, 147-152.	3.7	96
194	Airway epithelia regulate expression of human $\beta$ -defensin 2 through toll-like receptor 2. <i>FASEB Journal</i> , 2003, 17, 1727-1729.	0.2	96
195	MicroRNA-mediated inhibition of transgene expression reduces dorsal root ganglion toxicity by AAV vectors in primates. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	96
196	Meganuclease targeting of PCSK9 in macaque liver leads to stable reduction in serum cholesterol. <i>Nature Biotechnology</i> , 2018, 36, 717-725.	9.4	95
197	Pharmacological Regulation of Protein Expression from Adeno-Associated Viral Vectors in the Eye. <i>Molecular Therapy</i> , 2002, 6, 238-242.	3.7	94
198	A History Lesson for Stem Cells. <i>Science</i> , 2009, 324, 727-728.	6.0	94

#	ARTICLE	IF	CITATIONS
199	Comparative Study of Liver Gene Transfer With AAV Vectors Based on Natural and Engineered AAV Capsids. <i>Molecular Therapy</i> , 2015, 23, 1877-1887.	3.7	94
200	Transfer of the CFTR Gene to the Lung of Nonhuman Primates with E1-Deleted, E2a-Defective Recombinant Adenoviruses: A Preclinical Toxicology Study. <i>Human Gene Therapy</i> , 1995, 6, 839-851.	1.4	92
201	Evaluation of Intrathecal Routes of Administration for Adeno-Associated Viral Vectors in Large Animals. <i>Human Gene Therapy</i> , 2018, 29, 15-24.	1.4	92
202	Rescue of Skeletal Muscles of $\beta$ 3-Sarcoglycan- Deficient Mice with Adeno-Associated Virus-Mediated Gene Transfer. <i>Molecular Therapy</i> , 2000, 1, 119-129.	3.7	91
203	Gene therapy with novel adeno-associated virus vectors substantially diminishes atherosclerosis in a murine model of familial hypercholesterolemia. <i>Journal of Gene Medicine</i> , 2004, 6, 663-672.	1.4	91
204	Chimpanzee-origin adenovirus vectors as vaccine carriers. <i>Gene Therapy</i> , 2006, 13, 421-429.	2.3	91
205	Structure-Based Identification of a Major Neutralizing Site in an Adenovirus Hexon. <i>Journal of Virology</i> , 2007, 81, 1680-1689.	1.5	90
206	Hepatic Gene Transfer in Neonatal Mice by Adeno-Associated Virus Serotype 8 Vector. <i>Human Gene Therapy</i> , 2012, 23, 533-539.	1.4	90
207	Transplantation of Genetically Modified Autologous Hepatocytes into Nonhuman Primates: Feasibility and Short-Term Toxicity. <i>Human Gene Therapy</i> , 1992, 3, 501-510.	1.4	89
208	Human cystic fibrosis transmembrane conductance regulator directed to respiratory epithelial cells of transgenic mice. <i>Nature Genetics</i> , 1992, 2, 13-20.	9.4	89
209	Intrathecal Gene Therapy Corrects CNS Pathology in a Feline Model of Mucopolysaccharidosis I. <i>Molecular Therapy</i> , 2014, 22, 2018-2027.	3.7	89
210	Adeno-Associated Virus-Mediated Gene Transfer to Nonhuman Primate Liver Can Elicit Destructive Transgene-Specific T Cell Responses. <i>Human Gene Therapy</i> , 2009, 20, 930-942.	1.4	88
211	Gene Therapy of Cystic Fibrosis Lung Disease Using E1 Deleted Adenoviruses: A Phase I Trial. University of Michigan, Ann Arbor, Michigan and University of Pennsylvania, Philadelphia, Pennsylvania. <i>Human Gene Therapy</i> , 1994, 5, 501-519.	1.4	87
212	Human Immunodeficiency Virus Type 1-Specific Immune Responses in Primates upon Sequential Immunization with Adenoviral Vaccine Carriers of Human and Simian Serotypes. <i>Journal of Virology</i> , 2004, 78, 7392-7399.	1.5	87
213	Characterization of a Family of Chimpanzee Adenoviruses and Development of Molecular Clones for Gene Transfer Vectors. <i>Human Gene Therapy</i> , 2004, 15, 519-530.	1.4	86
214	AAV8-mediated Hepatic Gene Transfer in Infant Rhesus Monkeys ( <i>Macaca mulatta</i> ). <i>Molecular Therapy</i> , 2011, 19, 2012-2020.	3.7	85
215	AAV9 Targets Cone Photoreceptors in the Nonhuman Primate Retina. <i>PLoS ONE</i> , 2013, 8, e53463.	1.1	85
216	Adenovirus-mediated correction of the genetic defect in hepatocytes from patients with familial hypercholesterolemia. <i>Somatic Cell and Molecular Genetics</i> , 1993, 19, 449-458.	0.7	84

#	ARTICLE	IF	CITATIONS
217	A Single-Step Affinity Column for Purification of Serotype-5 Based Adeno-associated Viral Vectors. <i>Molecular Therapy</i> , 2001, 4, 372-374.	3.7	84
218	Widespread gene transfer in the central nervous system of cynomolgus macaques following delivery of AAV9 into the cisterna magna. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014, 1, 14051.	1.8	84
219	5 Year Expression and Neutrophil Defect Repair after Gene Therapy in Alpha-1 Antitrypsin Deficiency. <i>Molecular Therapy</i> , 2017, 25, 1387-1394.	3.7	84
220	Helper lipid structure influences protein adsorption and delivery of lipid nanoparticles to spleen and liver. <i>Biomaterials Science</i> , 2021, 9, 1449-1463.	2.6	84
221	Molecular basis of defective anion transport in L cells expressing recombinant forms of CFTR. <i>Human Molecular Genetics</i> , 1993, 2, 1253-1261.	1.4	83
222	Constitutive and regulated expression of processed insulin following in vivo hepatic gene transfer. <i>Gene Therapy</i> , 2002, 9, 963-971.	2.3	81
223	Efficient Trans-Splicing in the Retina Expands the Utility of Adeno-Associated Virus as a Vector for Gene Therapy. <i>Human Gene Therapy</i> , 2003, 14, 37-44.	1.4	81
224	In vivo retroviral gene transfer into human bronchial epithelia of xenografts.. <i>Journal of Clinical Investigation</i> , 1992, 90, 2598-2607.	3.9	81
225	Gene therapy for cystic fibrosis: challenges and future directions.. <i>Journal of Clinical Investigation</i> , 1995, 96, 2547-2554.	3.9	81
226	METHODS OF GENE DELIVERY. <i>Hematology/Oncology Clinics of North America</i> , 1998, 12, 483-501.	0.9	80
227	Preexisting Immunity to Adenovirus in Rhesus Monkeys Fails To Prevent Vector-Induced Toxicity. <i>Journal of Virology</i> , 2002, 76, 5711-5719.	1.5	80
228	Adeno-Associated Virus Capsid Structure Drives CD4-Dependent CD8+ T Cell Response to Vector Encoded Proteins. <i>Journal of Immunology</i> , 2009, 182, 6051-6060.	0.4	79
229	Toxicology Study of Intra-Cisterna Magna Adeno-Associated Virus 9 Expressing Human Alpha-L-Iduronidase in Rhesus Macaques. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018, 10, 79-88.	1.8	79
230	Identification of murine CD8 T cell epitopes in codon-optimized SARS-associated coronavirus spike protein. <i>Virology</i> , 2005, 335, 34-45.	1.1	78
231	Efficient and stable transduction of dopaminergic neurons in rat substantia nigra by rAAV 2/1, 2/2, 2/5, 2/6.2, 2/7, 2/8 and 2/9. <i>Gene Therapy</i> , 2011, 18, 517-527.	2.3	78
232	Partial protection against H5N1 influenza in mice with a single dose of a chimpanzee adenovirus vector expressing nucleoprotein. <i>Vaccine</i> , 2007, 25, 6845-6851.	1.7	77
233	Long-Term Correction of Ammonia Metabolism and Prolonged Survival in Ornithine Transcarbamylase-Deficient Mice Following Liver-Directed Treatment with Adeno-associated Viral Vectors. <i>Molecular Therapy</i> , 2006, 14, 25-33.	3.7	76
234	Î²-Defensin 1 Plays a Role in Acute Mucosal Defense against <i>Candida albicans</i> . <i>Journal of Immunology</i> , 2015, 194, 1788-1795.	0.4	76



#	ARTICLE	IF	CITATIONS
235	Noninvasive gene transfer to the lung for systemic delivery of therapeutic proteins. <i>Journal of Clinical Investigation</i> , 2002, 110, 499-504.	3.9	76
236	Salt-Independent Abnormality of Antimicrobial Activity in Cystic Fibrosis Airway Surface Fluid. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 25, 21-25.	1.4	75
237	Mr and fluorescent imaging of low-density lipoprotein receptors <sup>1</sup> . <i>Academic Radiology</i> , 2004, 11, 1251-1259.	1.3	74
238	Complete Deficiency of the Low-Density Lipoprotein Receptor Is Associated With Increased Apolipoprotein B-100 Production. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 560-565.	1.1	74
239	Analysis of Particle Content of Recombinant Adeno-Associated Virus Serotype 8 Vectors by Ion-Exchange Chromatography. <i>Human Gene Therapy Methods</i> , 2012, 23, 56-64.	2.1	74
240	Long-term Restoration of Cardiac Dystrophin Expression in Golden Retriever Muscular Dystrophy Following rAAV6-mediated Exon Skipping. <i>Molecular Therapy</i> , 2012, 20, 580-589.	3.7	74
241	High-Level Transgene Expression in Nonhuman Primate Liver with Novel Adeno-Associated Virus Serotypes Containing Self-Complementary Genomes. <i>Journal of Virology</i> , 2006, 80, 6192-6194.	1.5	73
242	Rep/Cap Gene Amplification and High-Yield Production of AAV in an A549 Cell Line Expressing Rep/Cap. <i>Molecular Therapy</i> , 2002, 5, 644-649.	3.7	72
243	Percutaneous Transendocardial Delivery of Self-complementary Adeno-associated Virus 6 Achieves Global Cardiac Gene Transfer in Canines. <i>Molecular Therapy</i> , 2008, 16, 1953-1959.	3.7	72
244	Neonatal Systemic AAV Induces Tolerance to CNS Gene Therapy in MPS I Dogs and Nonhuman Primates. <i>Molecular Therapy</i> , 2015, 23, 1298-1307.	3.7	72
245	Evaluation of AAV-mediated Gene Therapy for Central Nervous System Disease in Canine Mucopolysaccharidosis VII. <i>Molecular Therapy</i> , 2016, 24, 206-216.	3.7	70
246	Role of E4 in Eliciting CD4 T-Cell and B-Cell Responses to Adenovirus Vectors Delivered to Murine and Nonhuman Primate Lungs. <i>Journal of Virology</i> , 1998, 72, 6138-6145.	1.5	70
247	Specific AAV serotypes stably transduce primary hippocampal and cortical cultures with high efficiency and low toxicity. <i>Brain Research</i> , 2008, 1190, 15-22.	1.1	69
248	Gene Therapy in a Humanized Mouse Model of Familial Hypercholesterolemia Leads to Marked Regression of Atherosclerosis. <i>PLoS ONE</i> , 2010, 5, e13424.	1.1	69
249	Transduction of Well-Differentiated Airway Epithelium by Recombinant Adeno-Associated Virus Is Limited by Vector Entry. <i>Journal of Virology</i> , 1999, 73, 6085-6088.	1.5	69
250	Human hypoxanthine-guanine phosphoribosyltransferase. Demonstration of structural variants in lymphoblastoid cells derived from patients with a deficiency of the enzyme.. <i>Journal of Clinical Investigation</i> , 1982, 69, 706-715.	3.9	69
251	Utility of PEGylated recombinant adeno-associated viruses for gene transfer. <i>Journal of Controlled Release</i> , 2005, 108, 161-177.	4.8	68
252	Adenovirus-based vaccine prevents pneumonia in ferrets challenged with the SARS coronavirus and stimulates robust immune responses in macaques. <i>Vaccine</i> , 2007, 25, 5220-5231.	1.7	68



#	ARTICLE	IF	CITATIONS
253	Deamidation of Amino Acids on the Surface of Adeno-Associated Virus Capsids Leads to Charge Heterogeneity and Altered Vector Function. <i>Molecular Therapy</i> , 2018, 26, 2848-2862.	3.7	68
254	AAV as An Immunogen. <i>Current Gene Therapy</i> , 2007, 7, 325-333.	0.9	67
255	Single-Dose Protection against <i>Plasmodium berghei</i> by a Simian Adenovirus Vector Using a Human Cytomegalovirus Promoter Containing Intron A. <i>Journal of Virology</i> , 2008, 82, 3822-3833.	1.5	67
256	Human hypoxanthine (guanine) phosphoribosyltransferase: an amino acid substitution in a mutant form of the enzyme isolated from a patient with gout.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983, 80, 870-873.	3.3	66
257	The special case of gene therapy pricing. <i>Nature Biotechnology</i> , 2014, 32, 874-876.	9.4	66
258	Adeno-Associated Virus Serotype 8 Gene Therapy Leads to Significant Lowering of Plasma Cholesterol Levels in Humanized Mouse Models of Homozygous and Heterozygous Familial Hypercholesterolemia. <i>Human Gene Therapy</i> , 2013, 24, 19-26.	1.4	65
259	Nonhuman Primate Models for Diabetic Ocular Neovascularization Using AAV2-Mediated Overexpression of Vascular Endothelial Growth Factor. <i>Diabetes</i> , 2005, 54, 1141-1149.	0.3	64
260	Gene transfer of wild-type apoA-I and apoA-I Milano reduce atherosclerosis to a similar extent. <i>Cardiovascular Diabetology</i> , 2007, 6, 15.	2.7	64
261	Adenoviral RB2/p130 Gene Transfer Inhibits Smooth Muscle Cell Proliferation and Prevents Restenosis After Angioplasty. <i>Circulation Research</i> , 1999, 85, 1032-1039.	2.0	63
262	Prolonged Correction of Hyperlipidemia in Mice with Familial Hypercholesterolemia Using an Adeno-Associated Viral Vector Expressing Very-Low-Density Lipoprotein Receptor. <i>Molecular Therapy</i> , 2000, 2, 256-261.	3.7	63
263	Hepatic Expression of the Catalytic Subunit of the Apolipoprotein B mRNA Editing Enzyme (apobec-1) Ameliorates Hypercholesterolemia in LDL Receptor-Deficient Rabbits. <i>Human Gene Therapy</i> , 1996, 7, 943-957.	1.4	62
264	Evaluating the Potential of Germ Line Transmission after Intravenous Administration of Recombinant Adenovirus in the C3H Mouse. <i>Human Gene Therapy</i> , 1998, 9, 2135-2142.	1.4	62
265	Correction of CD18-deficient lymphocytes by retrovirus-mediated gene transfer. <i>Science</i> , 1990, 248, 1413-1416.	6.0	61
266	Intracranial Administration of Adenovirus Expressing HSV-TK in Combination with Ganciclovir Produces a Dose-Dependent, Self-Limiting Inflammatory Response. <i>Human Gene Therapy</i> , 1997, 8, 943-954.	1.4	61
267	Host Immune Responses to Chronic Adenovirus Infections in Human and Nonhuman Primates. <i>Journal of Virology</i> , 2009, 83, 2623-2631.	1.5	61
268	A New Scalable Method for the Purification of Recombinant Adenovirus Vectors. <i>Human Gene Therapy</i> , 2002, 13, 1921-1934.	1.4	60
269	Adenoviruses in Lymphocytes of the Human Gastro-Intestinal Tract. <i>PLoS ONE</i> , 2011, 6, e24859.	1.1	60
270	Toxicology Study of Intra-Cisterna Magna Adeno-Associated Virus 9 Expressing Iduronate-2-Sulfatase in Rhesus Macaques. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018, 10, 68-78.	1.8	60

#	ARTICLE	IF	CITATIONS
271	Safe and Sustained Expression of Human Iduronidase After Intrathecal Administration of Adeno-Associated Virus Serotype 9 in Infant Rhesus Monkeys. <i>Human Gene Therapy</i> , 2019, 30, 957-966.	1.4	60
272	Readministration of Adenovirus Vector in Nonhuman Primate Lungs by Blockade of CD40-CD40 Ligand Interactions. <i>Journal of Virology</i> , 2000, 74, 3345-3352.	1.5	59
273	Naturally occurring singleton residues in AAV capsid impact vector performance and illustrate structural constraints. <i>Gene Therapy</i> , 2009, 16, 1416-1428.	2.3	59
274	Inverse zonation of hepatocyte transduction with AAV vectors between mice and non-human primates. <i>Molecular Genetics and Metabolism</i> , 2011, 104, 395-403.	0.5	58
275	AAV Natural Infection Induces Broad Cross-Neutralizing Antibody Responses to Multiple AAV Serotypes in Chimpanzees. <i>Human Gene Therapy Clinical Development</i> , 2016, 27, 79-82.	3.2	58
276	Vaccines Based on Novel Adeno-Associated Virus Vectors Elicit Aberrant CD8 <sup>+</sup> T-Cell Responses in Mice. <i>Journal of Virology</i> , 2007, 81, 11840-11849.	1.5	57
277	Identification of the murine firefly luciferase-specific CD8 T-cell epitopes. <i>Gene Therapy</i> , 2009, 16, 441-447.	2.3	57
278	CRISPR/Cas9-mediated in vivo gene targeting corrects hemostasis in newborn and adult factor IX <sup>−/−</sup> knockout mice. <i>Blood</i> , 2019, 133, 2745-2752.	0.6	57
279	Chimpanzee adenovirus CV-68 adapted as a gene delivery vector interacts with the coxsackievirus and adenovirus receptor. <i>Journal of General Virology</i> , 2002, 83, 151-155.	1.3	57
280	The transmembrane domain of diphtheria toxin improves molecular conjugate gene transfer. <i>Biochemical Journal</i> , 1997, 321, 49-58.	1.7	56
281	<i>RPGR-Associated Retinal Degeneration in Human X-Linked RP and a Murine Model.</i> , 2012, 53, 5594.		56
282	In vivo detection of gene expression in liver by <sup>31</sup> P nuclear magnetic resonance spectroscopy employing creatine kinase as a marker gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 5205-5210.	3.3	55
283	Proteasome Inhibition Enhances AAV-Mediated Transgene Expression in Human Synoviocytes in Vitro and in Vivo. <i>Molecular Therapy</i> , 2005, 11, 600-607.	3.7	55
284	Functional Cystic Fibrosis Transmembrane Conductance Regulator Expression in Cystic Fibrosis Airway Epithelial Cells by AAV6.2-Mediated Segmental <i>Trans</i> -Splicing. <i>Human Gene Therapy</i> , 2009, 20, 267-281.	1.4	55
285	A New Genetic Vaccine Platform Based on an Adeno-Associated Virus Isolated from a Rhesus Macaque. <i>Journal of Virology</i> , 2009, 83, 12738-12750.	1.5	55
286	Effect of Preexisting Immunity on an Adenovirus Vaccine Vector: In Vitro Neutralization Assays Fail To Predict Inhibition by Antiviral Antibody In Vivo. <i>Journal of Virology</i> , 2009, 83, 5567-5573.	1.5	55
287	Targeted delivery of antisense oligonucleotides by molecular conjugates. <i>Somatic Cell and Molecular Genetics</i> , 1992, 18, 559-569.	0.7	54
288	Induction of Protective Immunity to Anthrax Lethal Toxin with a Nonhuman Primate Adenovirus-Based Vaccine in the Presence of Preexisting Anti-Human Adenovirus Immunity. <i>Infection and Immunity</i> , 2005, 73, 6885-6891.	1.0	54

#	ARTICLE	IF	CITATIONS
289	Correction of the Dystrophic Phenotype by <i>In Vivo</i> Targeting of Muscle Progenitor Cells. <i>Human Gene Therapy</i> , 2003, 14, 1441-1449.	1.4	53
290	A Common Mechanism for Cytoplasmic Dynein-Dependent Microtubule Binding Shared among Adeno-Associated Virus and Adenovirus Serotypes. <i>Journal of Virology</i> , 2006, 80, 7781-7785.	1.5	53
291	Mucosal Delivery of Adenovirus-Based Vaccine Protects against Ebola Virus Infection in Mice. <i>Journal of Infectious Diseases</i> , 2007, 196, S413-S420.	1.9	53
292	An AAV-based, room-temperature-stable, single-dose COVID-19 vaccine provides durable immunogenicity and protection in non-human primates. <i>Cell Host and Microbe</i> , 2021, 29, 1437-1453.e8.	5.1	53
293	Adenovirus-Based Genetic Vaccines for Biodefense. <i>Human Gene Therapy</i> , 2005, 16, 157-168.	1.4	52
294	Complete Prevention of Atherosclerosis in ApoE-Deficient Mice by Hepatic Human ApoE Gene Transfer With Adeno-Associated Virus Serotypes 7 and 8. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1852-1857.	1.1	52
295	Preexisting Neutralizing Antibodies to Adeno-Associated Virus Capsids in Large Animals Other Than Monkeys May Confound <i>In Vivo</i> Gene Therapy Studies. <i>Human Gene Therapy Methods</i> , 2015, 26, 103-105.	2.1	52
296	Class I-restricted T-cell responses to a polymorphic peptide in a gene therapy clinical trial for $\alpha$ 1-antitrypsin deficiency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1655-1659.	3.3	52
297	Development and rescue of human familial hypercholesterolaemia in a xenograft mouse model. <i>Nature Communications</i> , 2015, 6, 7339.	5.8	51
298	Regulated expression of erythropoietin from an AAV vector safely improves the anemia of $\beta$ <sup>0</sup> -thalassemia in a mouse model. <i>Molecular Therapy</i> , 2003, 7, 493-497.	3.7	50
299	AAV8 Induces Tolerance in Murine Muscle as a Result of Poor APC Transduction, T Cell Exhaustion, and Minimal MHC I Upregulation on Target Cells. <i>Molecular Therapy</i> , 2014, 22, 28-41.	3.7	50
300	Vehicles for gene therapy. <i>Nature</i> , 1993, 365, 691-692.	13.7	49
301	Impact of Preexisting Vector Immunity on the Efficacy of Adeno-Associated Virus-Based HIV-1 Gag Vaccines. <i>Human Gene Therapy</i> , 2008, 19, 663-669.	1.4	49
302	AAV Vectors Avoid Inflammatory Signals Necessary to Render Transduced Hepatocyte Targets for Destructive T Cells. <i>Molecular Therapy</i> , 2010, 18, 977-982.	3.7	49
303	Dual Reporter Comparative Indexing of rAAV Pseudotyped Vectors in Chimpanzee Airway. <i>Molecular Therapy</i> , 2010, 18, 594-600.	3.7	49
304	A pilot study of systemic corticosteroid administration in conjunction with intrapleural adenoviral vector administration in patients with malignant pleural mesothelioma. <i>Cancer Gene Therapy</i> , 2000, 7, 1511-1518.	2.2	48
305	Purinogenic Immunodeficiency Diseases. <i>Journal of Clinical Investigation</i> , 1979, 64, 1475-1484.	3.9	48
306	Efficacy of Severe Acute Respiratory Syndrome Vaccine Based on a Nonhuman Primate Adenovirus in the Presence of Immunity Against Human Adenovirus. <i>Human Gene Therapy</i> , 2006, 17, 500-506.	1.4	47

#	ARTICLE	IF	CITATIONS
307	Intramuscular Injection of AAV8 in Mice and Macaques Is Associated with Substantial Hepatic Targeting and Transgene Expression. PLoS ONE, 2014, 9, e112268.	1.1	47
308	Structure of neurotropic adeno-associated virus AAVrh.8. Journal of Structural Biology, 2015, 192, 21-36.	1.3	47
309	Molecular basis of hypoxanthine-guanine phosphoribosyltransferase deficiency in a patient with the Lesch-Nyhan syndrome.. Journal of Clinical Investigation, 1983, 71, 1331-1335.	3.9	47
310	Cell Transplantation in Liver-Directed Gene Therapy. Cell Transplantation, 1993, 2, 381-400.	1.2	46
311	Development of Novel Formulations That Enhance Adenoviral-Mediated Gene Expression in the Lung in Vitro and in Vivo. Molecular Therapy, 2001, 4, 22-28.	3.7	46
312	Diet-dependent cardiovascular lipid metabolism controlled by hepatic LXR $\beta$ . Cell Metabolism, 2005, 1, 297-308.	7.2	46
313	New Candidate Vaccines against Blood-Stage <i>Plasmodium falciparum</i> Malaria: Prime-Boost Immunization Regimens Incorporating Human and Simian Adenoviral Vectors and Poxviral Vectors Expressing an Optimized Antigen Based on Merozoite Surface Protein 1. Infection and Immunity, 2010, 78, 4601-4612.	1.0	46
314	Preclinical evaluation of a clinical candidate AAV8 vector for ornithine transcarbamylase (OTC) deficiency reveals functional enzyme from each persisting vector genome. Molecular Genetics and Metabolism, 2012, 105, 203-211.	0.5	46
315	Non-Clinical Study Examining AAV8.TBG.hLDLR Vector-Associated Toxicity in Chow-Fed Wild-Type and LDLR <sup>+/+</sup> Rhesus Macaques. Human Gene Therapy Clinical Development, 2017, 28, 39-50.	3.2	46
316	Assessment of Humoral, Innate, and T-Cell Immune Responses to Adeno-Associated Virus Vectors. Human Gene Therapy Methods, 2018, 29, 86-95.	2.1	46
317	Generation of an adenoviral vaccine vector based on simian adenovirus 21. Journal of General Virology, 2006, 87, 2477-2485.	1.3	46
318	Biochemical and functional analysis of an adenovirus-based ligand complex for gene transfer. Biochemical Journal, 1994, 299, 49-58.	1.7	45
319	High throughput method for creating and screening recombinant adenoviruses. Gene Therapy, 1998, 5, 1148-1152.	2.3	45
320	Complete nucleotide sequences and genome organization of four chimpanzee adenoviruses. Virology, 2004, 324, 361-372.	1.1	45
321	Selective Gene Transfer into the Liver of Non-Human Primates with E1-Deleted, E2A-Defective, or E1-E4 Deleted Recombinant Adenoviruses. Human Gene Therapy, 1998, 9, 671-679.	1.4	44
322	Fetal gene therapy: Efficacy, toxicity, and immunologic effects of early gestation recombinant adenovirus. Journal of Pediatric Surgery, 1999, 34, 235-241.	0.8	44
323	Rhesus Monkey ( <i>Macaca mulatta</i> ) Mucosal Antimicrobial Peptides Are Close Homologues of Human Molecules. Vaccine Journal, 2001, 8, 370-375.	2.6	44
324	Stroma Formation and Angiogenesis by Overexpression of Growth Factors, Cytokines, and Proteolytic Enzymes in Human Skin Grafted to SCID Mice. Journal of Investigative Dermatology, 2003, 120, 683-692.	0.3	44

#	ARTICLE	IF	CITATIONS
325	Transduction of Human Islets with Pseudotyped Lentiviral Vectors. <i>Human Gene Therapy</i> , 2004, 15, 211-219.	1.4	44
326	Transduction of satellite cells after prenatal intramuscular administration of lentiviral vectors. <i>Journal of Gene Medicine</i> , 2005, 7, 50-58.	1.4	44
327	AAV Vectors Expressing LDLR Gain-of-Function Variants Demonstrate Increased Efficacy in Mouse Models of Familial Hypercholesterolemia. <i>Circulation Research</i> , 2014, 115, 591-599.	2.0	44
328	A mutation-independent CRISPR-Cas9-mediated gene targeting approach to treat a murine model of ornithine transcarbamylase deficiency. <i>Science Advances</i> , 2020, 6, eaax5701.	4.7	44
329	Intravenous Injection of an Adenovirus Encoding Hepatocyte Growth Factor Results in Liver Growth and Has a Protective Effect Against Apoptosis. <i>Molecular Medicine</i> , 2000, 6, 96-103.	1.9	43
330	Delivery of Adeno-Associated Virus Vectors to the Fetal Retina: Impact of Viral Capsid Proteins on Retinal Neuronal Progenitor Transduction. <i>Journal of Virology</i> , 2003, 77, 7957-7963.	1.5	43
331	Adenovirus-Adeno-Associated Virus Hybrid for Large-Scale Recombinant Adeno-Associated Virus Production. <i>Human Gene Therapy</i> , 2009, 20, 922-929.	1.4	43
332	Cardiac Gene Transfer of Short Hairpin RNA Directed Against Phospholamban Effectively Knocks Down Gene Expression but Causes Cellular Toxicity in Canines. <i>Human Gene Therapy</i> , 2011, 22, 969-977.	1.4	43
333	Adenosine deaminase deficiency with normal immune function. An acidic enzyme mutation.. <i>Journal of Clinical Investigation</i> , 1983, 72, 483-492.	3.9	43
334	An AAV Vector-Mediated Gene Delivery Approach Facilitates Reconstitution of Functional Human CD8+ T Cells in Mice. <i>PLoS ONE</i> , 2014, 9, e88205.	1.1	43
335	Recombinant Adenovirus Gene Transfer in Adults with Partial Ornithine Transcarbamylase Deficiency (OTCD). <i>Human Gene Therapy</i> , 1999, 10, 2419-2437.	1.4	42
336	Liver-directed gene therapy corrects cardiovascular lesions in feline mucopolysaccharidosis type I. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14894-14899.	3.3	42
337	Long-term stable reduction of low-density lipoprotein in nonhuman primates following in vivo genome editing of PCSK9. <i>Molecular Therapy</i> , 2021, 29, 2019-2029.	3.7	42
338	Preoperative Statin Therapy Decreases Risk of Postoperative Renal Insufficiency. <i>Cardiovascular Therapeutics</i> , 2010, 28, 80-86.	1.1	41
339	Monocular and binocular low-contrast visual acuity and optical coherence tomography in pediatric multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2014, 3, 326-334.	0.9	41
340	Safety of Intrapleurally Administered Recombinant Adenovirus Carrying Herpes Simplex Thymidine Kinase DNA Followed by Ganciclovir Therapy in Nonhuman Primates. <i>Human Gene Therapy</i> , 1996, 7, 2225-2233.	1.4	40
341	Recombinant Adeno-Associated Virus Integration Sites in Murine Liver After Ornithine Transcarbamylase Gene Correction. <i>Human Gene Therapy</i> , 2013, 24, 520-525.	1.4	40
342	Efficient induction of protective anti-malaria immunity by recombinant adenovirus. <i>Vaccine</i> , 1998, 16, 1812-1817.	1.7	39

#	ARTICLE	IF	CITATIONS
343	Adenovirus-mediated gene transfer to liver11The article was originally published in <i>Advanced Drug Delivery Reviews</i> 17 (1995) 303-307.. <i>Advanced Drug Delivery Reviews</i> , 2001, 46, 205-209.	6.6	39
344	Usefulness of Single Nucleotide Polymorphism in Chromosome 4q25 to Predict In-Hospital and Long-Term Development of Atrial Fibrillation and Survival in Patients Undergoing Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2011, 107, 1504-1509.	0.7	39
345	AAV gene therapy corrects OTC deficiency and prevents liver fibrosis in aged OTC-knock out heterozygous mice. <i>Molecular Genetics and Metabolism</i> , 2017, 120, 299-305.	0.5	39
346	Developing adenoviral-mediated in vivo gene therapy for ornithine transcarbamylase deficiency. <i>Journal of Inherited Metabolic Disease</i> , 1998, 21, 119-137.	1.7	38
347	An optimized protocol for detection of <i>E. coli</i> $\beta$ -galactosidase in lung tissue following gene transfer. <i>Histochemistry and Cell Biology</i> , 2005, 124, 77-85.	0.8	38
348	Sustained correction of OTC deficiency in spfash mice using optimized self-complementary AAV2/8 vectors. <i>Gene Therapy</i> , 2012, 19, 404-410.	2.3	38
349	Gene Therapy for Mucopolysaccharidosis Type VI Is Effective in Cats Without Pre-Existing Immunity to AAV8. <i>Human Gene Therapy</i> , 2013, 24, 163-169.	1.4	38
350	Systemic IFN- $\beta$ gene therapy results in long-term survival in mice with established colorectal liver metastases. <i>Journal of Clinical Investigation</i> , 2001, 108, 83-95.	3.9	38
351	The p38 Mitogen-Activated Protein Kinase Signaling Pathway Is Coupled to Toll-Like Receptor 5 To Mediate Gene Regulation in Response to <i>Pseudomonas aeruginosa</i> Infection in Human Airway Epithelial Cells. <i>Infection and Immunity</i> , 2007, 75, 5985-5992.	1.0	37
352	In Vivo Selection of Hepatocytes Transduced with Adeno-Associated Viral Vectors. <i>Molecular Therapy</i> , 2000, 1, 414-422.	3.7	36
353	Molecular Analysis of Vector Genome Structures After Liver Transduction by Conventional and Self-Complementary Adeno-Associated Viral Serotype Vectors in Murine and Nonhuman Primate Models. <i>Human Gene Therapy</i> , 2010, 21, 750-761.	1.4	36
354	Delivery of an Adeno-Associated Virus Vector into Cerebrospinal Fluid Attenuates Central Nervous System Disease in Mucopolysaccharidosis Type II Mice. <i>Human Gene Therapy</i> , 2016, 27, 906-915.	1.4	36
355	Intramuscular administration of AAV overcomes pre-existing neutralizing antibodies in rhesus macaques. <i>Vaccine</i> , 2016, 34, 6323-6329.	1.7	36
356	AAV8-antiVEGFfab Ocular Gene Transfer for Neovascular Age-Related Macular Degeneration. <i>Molecular Therapy</i> , 2018, 26, 542-549.	3.7	36
357	Intranasal gene therapy to prevent infection by SARS-CoV-2 variants. <i>PLoS Pathogens</i> , 2021, 17, e1009544.	2.1	36
358	Characterization of stem cells in human airway capable of reconstituting a fully differentiated bronchial epithelium. <i>Somatic Cell and Molecular Genetics</i> , 1995, 21, 61-73.	0.7	35
359	Combination Therapy with Lamivudine and Adenovirus Causes Transient Suppression of Chronic Woodchuck Hepatitis Virus Infections. <i>Journal of Virology</i> , 2000, 74, 11754-11763.	1.5	35
360	Generation of a Mouse Expressing a Conditional Knockout of the Hepatocyte Growth Factor Gene: Demonstration of Impaired Liver Regeneration. <i>DNA and Cell Biology</i> , 2004, 23, 592-603.	0.9	35



#	ARTICLE	IF	CITATIONS
361	Use of chimeric adenoviral vectors to assess capsid neutralization determinants. <i>Virology</i> , 2005, 333, 207-214.	1.1	35
362	Activation of Transgene-specific T Cells Following Lentivirus-mediated Gene Delivery to Mouse Lung. <i>Molecular Therapy</i> , 2010, 18, 143-150.	3.7	35
363	Evaluation of Adeno-Associated Viral Vectors for Liver-Directed Gene Transfer in Dogs. <i>Human Gene Therapy</i> , 2011, 22, 985-997.	1.4	35
364	Regulatory and Exhausted T Cell Responses to AAV Capsid. <i>Human Gene Therapy</i> , 2017, 28, 338-349.	1.4	35
365	ITR-Seq, a next-generation sequencing assay, identifies genome-wide DNA editing sites in vivo following adeno-associated viral vector-mediated genome editing. <i>BMC Genomics</i> , 2020, 21, 239.	1.2	35
366	Adenovirus-Antibody Complexes Contributed to Lethal Systemic Inflammation in a Gene Therapy Trial. <i>Molecular Therapy</i> , 2020, 28, 784-793.	3.7	35
367	Fas-Fas Ligand Interactions Play a Major Role in Effector Functions of Cytotoxic T Lymphocytes after Adenovirus Vector-Mediated Gene Transfer. <i>Human Gene Therapy</i> , 1999, 10, 259-269.	1.4	34
368	Transient depletion of CD4 lymphocyte improves efficacy of repeated administration of recombinant adenovirus in the ornithine transcarbamylase deficient sparse fur mouse. <i>Gene Therapy</i> , 2000, 7, 1761-1767.	2.3	34
369	A Cell Line for High-Yield Production of E1-Deleted Adenovirus Vectors without the Emergence of Replication-Competent Virus. <i>Human Gene Therapy</i> , 2000, 11, 213-219.	1.4	34
370	Mucosally Delivered E1-Deleted Adenoviral Vaccine Carriers Induce Transgene Product-Specific Antibody Responses in Neonatal Mice. <i>Journal of Immunology</i> , 2003, 171, 4287-4293.	0.4	34
371	Induction of CD8+ T cells to an HIV-1 antigen upon oral immunization of mice with a simian E1-deleted adenoviral vector. <i>Vaccine</i> , 2004, 22, 697-703.	1.7	34
372	A CD46-binding Chimpanzee Adenovirus Vector as a Vaccine Carrier. <i>Molecular Therapy</i> , 2007, 15, 608-617.	3.7	34
373	Hepatocellular carcinoma in a research subject with ornithine transcarbamylase deficiency. <i>Molecular Genetics and Metabolism</i> , 2012, 105, 263-265.	0.5	34
374	Biodistribution of AAV8 Vectors Expressing Human Low-Density Lipoprotein Receptor in a Mouse Model of Homozygous Familial Hypercholesterolemia. <i>Human Gene Therapy Clinical Development</i> , 2013, 24, 154-160.	3.2	34
375	Neonatal tolerance induction enables accurate evaluation of gene therapy for MPS I in a canine model. <i>Molecular Genetics and Metabolism</i> , 2016, 119, 124-130.	0.5	34
376	High throughput creation of recombinant adenovirus vectors by direct cloning, green-white selection and I-Sce I-mediated rescue of circular adenovirus plasmids in 293 cells. <i>Gene Therapy</i> , 2003, 10, 1926-1930.	2.3	33
377	Efficient Gene Transfer Into the Mouse Lung by Fetal Intratracheal Injection of rAAV2/6.2. <i>Molecular Therapy</i> , 2010, 18, 2130-2138.	3.7	33
378	Creation of a panel of vectors based on ape adenovirus isolates. <i>Journal of Gene Medicine</i> , 2011, 13, 17-25.	1.4	33



#	ARTICLE	IF	CITATIONS
379	Nonclinical Pharmacology/Toxicology Study of AAV8.TBG.mLDLR and AAV8.TBG.hLDLR in a Mouse Model of Homozygous Familial Hypercholesterolemia. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 28-38.	3.2	33
380	Mapping an Adeno-associated Virus 9-Specific Neutralizing Epitope To Develop Next-Generation Gene Delivery Vectors. <i>Journal of Virology</i> , 2018, 92, .	1.5	33
381	TLR9 signaling mediates adaptive immunity following systemic AAV gene therapy. <i>Cellular Immunology</i> , 2019, 346, 103997.	1.4	33
382	Treatment of Advanced Mesothelioma with the Recombinant Adenovirus H5.010RSVTK: A Phase 1 Trial (BB-IND 6274). <i>Human Gene Therapy</i> , 1996, 7, 2047-2057.	1.4	32
383	Biology of E1-Deleted Adenovirus Vectors in Nonhuman Primate Muscle. <i>Journal of Virology</i> , 2001, 75, 5222-5229.	1.5	32
384	In Vivo Quantitative Noninvasive Imaging of Gene Transfer by Single-Photon Emission Computerized Tomography. <i>Human Gene Therapy</i> , 2003, 14, 255-261.	1.4	32
385	Adenovirus-Based Vaccines Generate Cytotoxic T Lymphocytes to Epitopes of NS1 from Dengue Virus That Are Present in All Major Serotypes. <i>Human Gene Therapy</i> , 2008, 19, 927-936.	1.4	32
386	Evaluation of an E1E4-Deleted Adenovirus Expressing the Herpes Simplex Thymidine Kinase Suicide Gene in Cancer Gene Therapy. <i>Human Gene Therapy</i> , 1999, 10, 463-475.	1.4	31
387	Pharmacologically regulated gene expression in the retina following transduction with viral vectors. <i>Gene Therapy</i> , 2001, 8, 442-446.	2.3	31
388	Inflammation Promotes the Loss of Adeno-Associated Virus-Mediated Transgene Expression in Mouse Liver. <i>Gastroenterology</i> , 2011, 141, 348-357.e3.	0.6	31
389	Adeno-Associated Virus 9-Mediated Airway Expression of Antibody Protects Old and Immunodeficient Mice against Influenza Virus. <i>Vaccine Journal</i> , 2014, 21, 1528-1533.	3.2	31
390	The structure of AAVrh32.33, a novel gene delivery vector. <i>Journal of Structural Biology</i> , 2014, 186, 308-317.	1.3	31
391	Identification of an adeno-associated virus binding epitope for AVB sepharose affinity resin. <i>Molecular Therapy - Methods and Clinical Development</i> , 2015, 2, 15040.	1.8	31
392	CRISPR/Cas9 directed to the Ube3a antisense transcript improves Angelman syndrome phenotype in mice. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	31
393	Defective transport and other phenotypes of a periplasmic "leaky" mutant of Escherichia coli K-12. <i>Journal of Bacteriology</i> , 1979, 140, 351-358.	1.0	31
394	Towards liver-directed gene therapy: Retrovirus-mediated gene transfer into human hepatocytes. <i>Somatic Cell and Molecular Genetics</i> , 1991, 17, 601-607.	0.7	30
395	Adenoviruses in Fecal Samples from Asymptomatic Rhesus Macaques, United States. <i>Emerging Infectious Diseases</i> , 2012, 18, 1081-1088.	2.0	30
396	Human immune system mice immunized with Plasmodium falciparum circumsporozoite protein induce protective human humoral immunity against malaria. <i>Journal of Immunological Methods</i> , 2015, 427, 42-50.	0.6	30

#	ARTICLE	IF	CITATIONS
397	Neutralizing Antibodies Against Adeno-Associated Viral Capsids in Patients with <i>mut</i> Methylmalonic Acidemia. <i>Human Gene Therapy</i> , 2016, 27, 345-353.	1.4	30
398	Adenovirus-Mediated in Vivo Gene Transfer Rapidly Protects Ornithine Transcarbamylase-Deficient Mice from an Ammonium Challenge. <i>Pediatric Research</i> , 1997, 41, 527-534.	1.1	30
399	Human fetal trachea-scid mouse xenografts: efficacy of vesicular stomatitis virus-G pseudotyped lentiviral-mediated gene transfer. <i>Journal of Pediatric Surgery</i> , 2003, 38, 834-839.	0.8	29
400	BALB/c Mice Show Impaired Hepatic Tolerogenic Response Following AAV Gene Transfer to the Liver. <i>Molecular Therapy</i> , 2010, 18, 766-774.	3.7	29
401	Increased Mucosal CD4 <sup>+</sup> T Cell Activation in Rhesus Macaques following Vaccination with an Adenoviral Vector. <i>Journal of Virology</i> , 2014, 88, 8468-8478.	1.5	29
402	Characterization of Adeno-Associated Viral Vector-Mediated Human Factor VIII Gene Therapy in Hemophilia A Mice. <i>Human Gene Therapy</i> , 2017, 28, 392-402.	1.4	29
403	Optical imaging of Ca <sup>2+</sup> -evoked fluid secretion by murine nasal submucosal gland serous acinar cells. <i>Journal of Physiology</i> , 2007, 582, 1099-1124.	1.3	28
404	Systemic IFN-beta gene therapy results in long-term survival in mice with established colorectal liver metastases. <i>Journal of Clinical Investigation</i> , 2001, 108, 83-95.	3.9	28
405	Construction of Adenoviral Vectors. <i>Molecular Biotechnology</i> , 2001, 18, 63-70.	1.3	27
406	Combined 5-Fluorouracil/Systemic Interferon- $\beta$ Gene Therapy Results in Long-Term Survival in Mice with Established Colorectal Liver Metastases. <i>Clinical Cancer Research</i> , 2004, 10, 1535-1544.	3.2	27
407	Gene transfer in human skin with different pseudotyped HIV-based vectors. <i>Gene Therapy</i> , 2007, 14, 648-656.	2.3	27
408	Immunogenicity in Mamu-A*01 rhesus macaques of a CCR5-tropic human immunodeficiency virus type 1 envelope from the primary isolate (Bx08) after synthetic DNA prime and recombinant adenovirus 5 boost. <i>Journal of General Virology</i> , 2003, 84, 203-213.	1.3	27
409	Efficient Transduction of Human Monocyte-Derived Dendritic Cells by Chimpanzee-Derived Adenoviral Vector. <i>Human Gene Therapy</i> , 2003, 14, 533-544.	1.4	26
410	Widespread Dispersion of Adeno-Associated Virus Serotype 1 and Adeno-Associated Virus Serotype 6 Vectors in the Rat Central Nervous System and in Human Glioblastoma Multiforme Xenografts. <i>Human Gene Therapy</i> , 2005, 16, 381-392.	1.4	26
411	Human Immunodeficiency Viral Vector Pseudotyped with the Spike Envelope of Severe Acute Respiratory Syndrome Coronavirus Transduces Human Airway Epithelial Cells and Dendritic Cells. <i>Human Gene Therapy</i> , 2007, 18, 413-422.	1.4	26
412	Enhancing the Utility of Adeno-Associated Virus Gene Transfer through Inducible Tissue-Specific Expression. <i>Human Gene Therapy Methods</i> , 2013, 24, 270-278.	2.1	26
413	Translational Feasibility of Lumbar Puncture for Intrathecal AAV Administration. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020, 17, 969-974.	1.8	26
414	Adeno-associated virus serotype 1-based gene therapy for FTD caused by <i>GRN</i> mutations. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1843-1853.	1.7	26

#	ARTICLE	IF	CITATIONS
415	Creatine Kinase, a Magnetic Resonance-Detectable Marker Gene for Quantification of Liver-Directed Gene Transfer. <i>Human Gene Therapy</i> , 2005, 16, 1429-1438.	1.4	25
416	Hepatocyte Transplantation: Development of New Systems for Liver Repopulation and Gene Therapy. <i>Seminars in Liver Disease</i> , 1992, 12, 321-331.	1.8	24
417	Retroviruses: delivery vehicle to the liver. <i>Current Opinion in Genetics and Development</i> , 1993, 3, 110-114.	1.5	24
418	Round two for liver gene therapy. <i>Nature Genetics</i> , 1996, 12, 232-233.	9.4	24
419	A Comparative Analysis of Novel Fluorescent Proteins as Reporters for Gene Transfer Studies. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 931-939.	1.3	24
420	Chromosome 9p21 Single Nucleotide Polymorphisms Are Not Associated With Recurrent Myocardial Infarction in Patients With Established Coronary Artery Disease. <i>Circulation Journal</i> , 2012, 76, 950-956.	0.7	24
421	Vectored Expression of the Broadly Neutralizing Antibody FI6 in Mouse Airway Provides Partial Protection against a New Avian Influenza A Virus, H7N9. <i>Vaccine Journal</i> , 2013, 20, 1836-1837.	3.2	24
422	Mapping the Structural Determinants Responsible for Enhanced T Cell Activation to the Immunogenic Adeno-Associated Virus Capsid from Isolate Rhesus 32.33. <i>Journal of Virology</i> , 2013, 87, 9473-9485.	1.5	24
423	Combination Adenovirus and Protein Vaccines Prevent Infection or Reduce Viral Burden after Heterologous Clade C Simian-Human Immunodeficiency Virus Mucosal Challenge. <i>Journal of Virology</i> , 2018, 92, .	1.5	24
424	Overexpression of Cyclin A Inhibits Augmentation of Recombinant Adeno-Associated Virus Transduction by the Adenovirus E4orf6 Protein. <i>Journal of Virology</i> , 1999, 73, 10010-10019.	1.5	24
425	Efficacy and Safety of a Krabbe Disease Gene Therapy. <i>Human Gene Therapy</i> , 2022, 33, 499-517.	1.4	24
426	Role of CFTR in lysosome acidification. <i>Biochemical and Biophysical Research Communications</i> , 1992, 184, 300-305.	1.0	23
427	iNOS Expression In Dystrophinopathies Can Be Reduced By Somatic Gene Transfer of Dystrophin or Utrophin. <i>Molecular Medicine</i> , 2001, 7, 355-364.	1.9	23
428	Pulmonary delivery of adenovirus vector formulated with dexamethasone+spermine facilitates homologous vector re-administration. <i>Gene Therapy</i> , 2007, 14, 1594-1604.	2.3	23
429	HCO <sub>3</sub> <sup>-</sup> Secretion by Murine Nasal Submucosal Gland Serous Acinar Cells during Ca <sup>2+</sup> -stimulated Fluid Secretion. <i>Journal of General Physiology</i> , 2008, 132, 161-183.	0.9	23
430	Cationic Lipid Formulations Alter the In Vivo Tropism of AAV2/9 Vector in Lung. <i>Molecular Therapy</i> , 2009, 17, 2078-2087.	3.7	23
431	Human hypoxanthine-guanine phosphoribosyltransferase. Detection of a mutant allele by restriction endonuclease analysis.. <i>Journal of Clinical Investigation</i> , 1983, 72, 767-772.	3.9	23
432	Hypoxanthine-guanine phosphoribosyltransferase. Genetic evidence for identical mutations in two partially deficient subjects.. <i>Journal of Clinical Investigation</i> , 1988, 82, 2164-2167.	3.9	23

#	ARTICLE	IF	CITATIONS
433	Selective Repopulation of Normal Mouse Liver by Hepatocytes Transduced in Vivo with Recombinant Adeno-Associated Virus. <i>Human Gene Therapy</i> , 2001, 12, 45-50.	1.4	22
434	Innate Immune Responses to Adenoviral Vector-Mediated Acute Pancreatitis. <i>Pancreas</i> , 2005, 30, 122-129.	0.5	22
435	Targeting Viral-Mediated Transduction to the Lung Airway Epithelium with the Anti-inflammatory Cationic Lipid Dexamethasone-Spermine. <i>Molecular Therapy</i> , 2005, 12, 502-509.	3.7	22
436	Activation of CFTR-specific T Cells in Cystic Fibrosis Mice Following Gene Transfer. <i>Molecular Therapy</i> , 2007, 15, 1694-1700.	3.7	22
437	A Single Injection of an Optimized Adeno-Associated Viral Vector into Cerebrospinal Fluid Corrects Neurological Disease in a Murine Model of GM1 Gangliosidosis. <i>Human Gene Therapy</i> , 2020, 31, 1169-1177.	1.4	22
438	A randomised, double-blind, placebo-controlled trial of repeated nebulisation of non-viral cystic fibrosis transmembrane conductance regulator (CFTR) gene therapy in patients with cystic fibrosis. Efficacy and Mechanism Evaluation, 2016, 3, 1-210.	0.9	22
439	Adenovirus-mediated gene transfer to liver. <i>Advanced Drug Delivery Reviews</i> , 1995, 17, 303-307.	6.6	21
440	Adenovirus-Mediated Gene Transfer by Perivitelline Microinjection of Mouse, Rat, and Cow Embryos. <i>Biology of Reproduction</i> , 1997, 56, 119-124.	1.2	21
441	Lung homing CTLs and their proliferation ability are important correlates of vaccine protection against influenza. <i>Vaccine</i> , 2010, 28, 5669-5675.	1.7	20
442	Muscle-directed gene therapy for hemophilia B with more efficient and less immunogenic AAV vectors. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 2009-2019.	1.9	20
443	Adeno-associated Virus and Lentivirus Pseudotypes for Lung-directed Gene Therapy. <i>Proceedings of the American Thoracic Society</i> , 2004, 1, 309-314.	3.5	19
444	AAV8 Gene Therapy Rescues the Newborn Phenotype of a Mouse Model of Crigler-Najjar. <i>Human Gene Therapy</i> , 2018, 29, 763-770.	1.4	19
445	Correction of Ureagenesis after Gene Transfer in an Animal Model and after Liver Transplantation in Humans with Ornithine Transcarbamylase Deficiency. <i>Pediatric Research</i> , 1999, 46, 588-588.	1.1	19
446	Pseudotyped AAV Vector-Mediated Gene Transfer in a Human Fetal Trachea Xenograft Model: Implications for In Utero Gene Therapy for Cystic Fibrosis. <i>PLoS ONE</i> , 2012, 7, e43633.	1.1	19
447	In vivo measurement of ureagenesis with stable isotopes. <i>Journal of Inherited Metabolic Disease</i> , 1998, 21, 21-29.	1.7	18
448	bcl-2 Gene Therapy Exacerbates Excitotoxicity. <i>Human Gene Therapy</i> , 1999, 10, 1715-1720.	1.4	18
449	Th2-Dependent B Cell Responses in the Absence of CD40-CD40 Ligand Interactions. <i>Journal of Immunology</i> , 2000, 164, 248-255.	0.4	18
450	Regulated Gene Expression in Gene Therapy. <i>Annals of the New York Academy of Sciences</i> , 2001, 953a, 53-63.	1.8	18

#	ARTICLE	IF	CITATIONS
451	Prediction of Cellular Immune Responses against CFTR in Patients with Cystic Fibrosis after Gene Therapy. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007, 36, 529-533.	1.4	18
452	Influence of serotype, cell type, tissue composition, and time after inoculation on gene expression in recombinant adeno-associated viral vector-transduced equine joint tissues. <i>American Journal of Veterinary Research</i> , 2012, 73, 1178-1185.	0.3	18
453	Optimized Adeno-Associated Viral-Mediated Human Factor VIII Gene Therapy in Cynomolgus Macaques. <i>Human Gene Therapy</i> , 2018, 29, 1364-1375.	1.4	18
454	Animal models of human disease for gene therapy. <i>Journal of Clinical Investigation</i> , 1996, 97, 1138-1141.	3.9	18
455	Expression of Retroviral Transduced Human CD18 in Murine Cells: An <i>In Vitro</i> Model of Gene Therapy for Leukocyte Adhesion Deficiency. <i>Human Gene Therapy</i> , 1991, 2, 221-228.	1.4	17
456	Production of recombinant adeno-associated virus. <i>Advances in Virus Research</i> , 2000, 55, 529-543.	0.9	17
457	Pseudotyped adeno-associated viral vector tropism and transduction efficiencies in murine wound healing. <i>Wound Repair and Regeneration</i> , 2012, 20, 592-600.	1.5	17
458	Standardized Method for Intra-Cisterna Magna Delivery Under Fluoroscopic Guidance in Nonhuman Primates. <i>Human Gene Therapy Methods</i> , 2018, 29, 212-219.	2.1	17
459	A welcome animal model. <i>Nature</i> , 1992, 358, 708-709.	13.7	16
460	Intra-arterial Delivery of a Recombinant Adenovirus Does Not Increase Gene Transfer to Tumor Cells in a Rat Model of Metastatic Colorectal Carcinoma. <i>Molecular Therapy</i> , 2001, 4, 29-35.	3.7	16
461	The Role of Apoptosis in Immune Hyporesponsiveness Following AAV8 Liver Gene Transfer. <i>Molecular Therapy</i> , 2013, 21, 2227-2235.	3.7	16
462	Adeno-associated viral gene therapy corrects a mouse model of argininosuccinic aciduria. <i>Molecular Genetics and Metabolism</i> , 2018, 125, 241-250.	0.5	16
463	The ethical challenges of in utero gene therapy. <i>Nature Genetics</i> , 2000, 24, 107-107.	9.4	15
464	Humoral and Cell-Mediated Immune Response, and Growth Factor Synthesis After Direct Intraarticular Injection of rAAV2-IGF-I and rAAV5-IGF-I in the Equine Middle Carpal Joint. <i>Human Gene Therapy</i> , 2015, 26, 161-171.	1.4	15
465	Effects of Self-Complementarity, Codon Optimization, Transgene, and Dose on Liver Transduction with AAV8. <i>Human Gene Therapy Methods</i> , 2016, 27, 228-237.	2.1	15
466	Intrathecal Viral Vector Delivery of Trastuzumab Prevents or Inhibits Tumor Growth of Human HER2-Positive Xenografts in Mice. <i>Cancer Research</i> , 2018, 78, 6171-6182.	0.4	15
467	Pharmacologically Regulated Regeneration of Functional Human Pancreatic Islets. <i>Molecular Therapy</i> , 2005, 11, 105-111.	3.7	14
468	AAV8 capsid variable regions at the two-fold symmetry axis contribute to high liver transduction by mediating nuclear entry and capsid uncoating. <i>Virology</i> , 2014, 454-455, 227-236.	1.1	14

#	ARTICLE	IF	CITATIONS
469	Perspectives on Best Practices for Gene Therapy Programs. <i>Human Gene Therapy</i> , 2015, 26, 127-133.	1.4	14
470	Impact of intravenous infusion time on AAV8 vector pharmacokinetics, safety, and liver transduction in cynomolgus macaques. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016, 3, 16079.	1.8	14
471	Adeno-Associated Virus Serotype 9-Expressed ZMapp in Mice Confers Protection Against Systemic and Airway-Acquired Ebola Virus Infection. <i>Journal of Infectious Diseases</i> , 2016, 214, 1975-1979.	1.9	14
472	AAV8 Gene Therapy for Crigler-Najjar Syndrome in Macaques Elicited Transgene T Cell Responses That Are Resident to the Liver. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018, 11, 191-201.	1.8	14
473	A Gene Therapy Approach to Improve Copper Metabolism and Prevent Liver Damage in a Mouse Model of Wilson Disease. <i>Human Gene Therapy Clinical Development</i> , 2019, 30, 29-39.	3.2	14
474	Developing a second-generation clinical candidate AAV vector for gene therapy of familial hypercholesterolemia. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021, 22, 1-10.	1.8	14
475	More from the modellers. <i>Nature</i> , 1992, 359, 195-196.	13.7	13
476	Gene therapy for dyslipidemia: a review of gene replacement and gene inhibition strategies. <i>Clinical Lipidology</i> , 2010, 5, 793-809.	0.4	13
477	It's Time for Gene Therapy to Get Disruptive!. <i>Human Gene Therapy</i> , 2012, 23, 1-3.	1.4	13
478	Context-Specific Function of the Engineered Peptide Domain of PHP.B. <i>Journal of Virology</i> , 2021, 95, e0116421.	1.5	13
479	Translating the Genomics Revolution: The Need for an International Gene Therapy Consortium for Monogenic Diseases. <i>Molecular Therapy</i> , 2013, 21, 266-268.	3.7	12
480	Stable liver-specific expression of human IDOL in humanized mice raises plasma cholesterol. <i>Cardiovascular Research</i> , 2016, 110, 23-29.	1.8	12
481	Novel adenoviral vectors coding for GFP-tagged wtCFTR and $\Delta$ F508-CFTR: characterization of expression and electrophysiological properties in A549 cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2004, 449, 278-87.	1.3	11
482	Construction of gene transfer vectors based on simian adenovirus 7. <i>Journal of General Virology</i> , 2011, 92, 1749-1753.	1.3	11
483	Wnt10b and Dkk-1 gene therapy differentially influenced trabecular bone architecture, soft tissue integrity, and osteophytosis in a skeletally mature rat model of osteoarthritis. <i>Connective Tissue Research</i> , 2017, 58, 542-552.	1.1	11
484	Increasing the Specificity of AAV-Based Gene Editing through Self-Targeting and Short-Promoter Strategies. <i>Molecular Therapy</i> , 2021, 29, 1047-1056.	3.7	11
485	Differences in the Human and Mouse Amino-Terminal Leader Peptides of Ornithine Transcarbamylase Affect Mitochondrial Import and Efficacy of Adenoviral Vectors. <i>Human Gene Therapy</i> , 2001, 12, 1035-1046.	1.4	10
486	Identification of the murine AAVrh32.33 capsid-specific CD8+ T cell epitopes. <i>Journal of Gene Medicine</i> , 2009, 11, 1095-1102.	1.4	10

#	ARTICLE	IF	CITATIONS
487	<i>In Vivo</i> Evaluation of Adeno-Associated Virus Gene Transfer in Airways of Mice with Acute or Chronic Respiratory Infection. Human Gene Therapy, 2014, 25, 966-976.	1.4	10
488	Determining the Minimally Effective Dose of a Clinical Candidate AAV Vector in a Mouse Model of Crigler-Najjar Syndrome. Molecular Therapy - Methods and Clinical Development, 2018, 10, 237-244.	1.8	10
489	Prednisolone reduces the interferon response to AAV in cynomolgus macaques and may increase liver gene expression. Molecular Therapy - Methods and Clinical Development, 2022, 24, 292-305.	1.8	10
490	SARS vaccine: progress and challenge. Cellular and Molecular Immunology, 2005, 2, 101-5.	4.8	10
491	Human adenine phosphoribosyltransferase: Characterization from subjects with a deficiency of enzyme activity. Biochemical Genetics, 1983, 21, 1121-1134.	0.8	9
492	Efficient Mitochondrial Import of Newly Synthesized Ornithine Transcarbamylase (OTC) and Correction of Secondary Metabolic Alterations in spfash Mice following Gene Therapy of OTC Deficiency. Molecular Medicine, 1999, 5, 244-253.	1.9	9
493	Adenoviral Vector-Mediated Gene Therapy in the Mouse Lung: No Role of Fas-Fas Ligand Interactions for Elimination of Transgene Expression in Bronchioepithelial Cells. Human Gene Therapy, 1999, 10, 2839-2846.	1.4	9
494	Recombinant adeno-associated virus preferentially transduces human, compared to mouse, synovium: implications for arthritis therapy. Modern Rheumatology, 2004, 14, 18-24.	0.9	9
495	Crispr/Cas9-Mediated In Vivo Gene Targeting Corrects Haemostasis in Newborn and Adult FIX-KO Mice. Blood, 2016, 128, 1174-1174.	0.6	9
496	Therapeutic strategies for familial hypercholesterolemia based on somatic gene transfer. American Journal of Cardiology, 1993, 72, D59-D63.	0.7	8
497	Cystic Fibrosis: Strategies for Gene Therapy. Seminars in Respiratory and Critical Care Medicine, 1994, 15, 439-445.	0.8	8
498	Targeted retroviral gene transfer into the rat biliary tract. Somatic Cell and Molecular Genetics, 1996, 22, 21-29.	0.7	8
499	Î±-Fetoprotein Gene Delivery to the Nasal Epithelium of Nonhuman Primates by Human Parainfluenza Viral Vectors. Human Gene Therapy, 2010, 21, 1657-1664.	1.4	8
500	Self-Reactive CFTR T Cells in Humans: Implications for Gene Therapy. Human Gene Therapy Clinical Development, 2013, 24, 108-115.	3.2	8
501	Genetic Diseases, Immunology, Viruses, and Gene Therapy. Human Gene Therapy, 2014, 25, 257-261.	1.4	8
502	Provocative gene therapy strategy for the treatment of hepatocellular carcinoma. Hepatology, 1992, 16, 273-274.	3.6	7
503	A Quantitative Nonimmunogenic Transgene Product for Evaluating Vectors in Nonhuman Primates. Molecular Therapy, 2000, 2, 657-659.	3.7	7
504	Lentiviral vectors pseudotyped with minimal filovirus envelopes increased gene transfer in murine lung. Molecular Therapy, 2003, 8, 777.	3.7	7



#	ARTICLE	IF	CITATIONS
505	Isolating Human Monoclonal Antibodies Against Adeno-Associated Virus From Donors With Pre-existing Immunity. <i>Frontiers in Immunology</i> , 2020, 11, 1135.	2.2	7
506	A pharmacologic rheostat for gene therapy. <i>Nature Medicine</i> , 1996, 2, 977-978.	15.2	6
507	Rescue of chimeric adenoviral vectors to expand the serotype repertoire. <i>Journal of Virological Methods</i> , 2007, 141, 14-21.	1.0	6
508	Autoimmunity, Recessive Diseases, and Gene Replacement Therapy. <i>Molecular Therapy</i> , 2010, 18, 2045-2047.	3.7	6
509	Bulls, Bubbles, and Biotech. <i>Human Gene Therapy</i> , 2013, 24, 715-716.	1.4	6
510	Single Nucleotide Polymorphisms in Cholesteryl Ester Transfer Protein Gene and Recurrent Coronary Heart Disease or Mortality in Patients With Established Atherosclerosis. <i>American Journal of Cardiology</i> , 2013, 112, 1287-1292.	0.7	6
511	Multiple Recombinant Adeno-Associated Viral Vector Serotypes Display Persistent In Vivo Gene Expression in Vector-Transduced Rat Stifle Joints. <i>Human Gene Therapy Methods</i> , 2013, 24, 185-194.	2.1	6
512	A Call to Arms for Improved Vector Analytics!. <i>Human Gene Therapy Methods</i> , 2015, 26, 1-2.	2.1	6
513	Motor Neuron Transduction After Intracisternal Delivery of AAV9 in a Cynomolgus Macaque. <i>Human Gene Therapy Methods</i> , 2015, 26, 43-44.	2.1	6
514	Challenges in the gene therapy commercial ecosystem. <i>Nature Biotechnology</i> , 2017, 35, 813-815.	9.4	6
515	Accurate and Rapid Sequence Analysis of Adeno-Associated Virus Plasmids by Illumina Next-Generation Sequencing. <i>Human Gene Therapy Methods</i> , 2018, 29, 201-211.	2.1	6
516	Muscle-directed AAV gene therapy rescues the maple syrup urine disease phenotype in a mouse model. <i>Molecular Genetics and Metabolism</i> , 2021, 134, 139-146.	0.5	6
517	Are Health Education Conferences Effective? An Evaluation of Knowledge Gain in a Three-Day Institute. <i>Health Education</i> , 1981, 12, 22-24.	0.1	5
518	Flushing Out Antibodies to Make AAV Gene Therapy Available to More Patients. <i>Molecular Therapy</i> , 2013, 21, 269-271.	3.7	5
519	The First Journal on Human Gene Therapy Celebrates its 25th Anniversary. <i>Human Gene Therapy</i> , 2014, 25, 1-2.	1.4	5
520	Abnormal polyamine metabolism is unique to the neuropathic forms of MPS: potential for biomarker development and insight into pathogenesis. <i>Human Molecular Genetics</i> , 2017, 26, 3837-3849.	1.4	5
521	Adeno-associated virus-mediated expression of human butyrylcholinesterase to treat organophosphate poisoning. <i>PLoS ONE</i> , 2019, 14, e0225188.	1.1	5
522	Sensitive Determination of Infectious Titer of Recombinant Adeno-Associated Viruses (rAAVs) Using TCID <sub>50</sub> End-Point Dilution and Quantitative Polymerase Chain Reaction (qPCR). <i>Cold Spring Harbor Protocols</i> , 2020, 2020, pdb.prot095653.	0.2	5

#	ARTICLE	IF	CITATIONS
523	Gene therapy of hypercholesterolemic disorders. <i>Trends in Cardiovascular Medicine</i> , 1995, 5, 205-209.	2.3	4
524	Prospects for gene therapy in ornithine carbamoyltransferase deficiency and other urea cycle disorders. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 1995, 1, 62-70.	3.5	4
525	Making space for intestinal gene therapy. <i>Gastroenterology</i> , 1997, 112, 1753-1756.	0.6	4
526	Advancing Translational Research Through the NHLBI Gene Therapy Resource Program (GTRP). <i>Human Gene Therapy Clinical Development</i> , 2013, 24, 5-10.	3.2	4
527	Modified Adenovirus Prime-Protein Boost Clade C HIV Vaccine Strategy Results in Reduced Viral DNA in Blood and Tissues Following Tier 2 SHIV Challenge. <i>Frontiers in Immunology</i> , 2020, 11, 626464.	2.2	4
528	Adeno-Associated Virus Vector-Mediated Expression of Antirespiratory Syncytial Virus Antibody Prevents Infection in Mouse Airways. <i>Human Gene Therapy</i> , 2021, , .	1.4	4
529	Gene transfer by adenovirus in smooth muscle cells. <i>Respiration Physiology</i> , 1996, 105, 155-162.	2.8	3
530	T Helper Cell-Independent Antibody Responses to the Transgene Product of an E1-Deleted Adenoviral Vaccine Require NK1.1 T Cells. <i>Virology</i> , 2003, 305, 397-405.	1.1	3
531	Identification of the immunodominant cytotoxic T-cell epitope of human -1 antitrypsin. <i>Gene Therapy</i> , 2009, 16, 1380-1382.	2.3	3
532	Identification and functional characterization in vivo of a novel splice variant of LDLR in rhesus macaques. <i>Physiological Genomics</i> , 2011, 43, 911-916.	1.0	3
533	Moving to the Clinic with Gene Therapy Through Our New Journal Expansion, <i>Human Gene Therapy Clinical Development</i> . <i>Human Gene Therapy</i> , 2012, 23, 1029-1030.	1.4	3
534	Vector Sequences Are Not Detected in Tumor Tissue from Research Subjects with Ornithine Transcarbamylase Deficiency Who Previously Received Adenovirus Gene Transfer. <i>Human Gene Therapy</i> , 2013, 24, 814-819.	1.4	3
535	24. Sustained Expression with Partial Correction of Neutrophil Defects 5 Years After Intramuscular rAAV1 Gene Therapy for Alpha-1 Antitrypsin Deficiency. <i>Molecular Therapy</i> , 2016, 24, S11-S12.	3.7	3
536	Interview with Jean Bennett, MD, PhD. <i>Human Gene Therapy Clinical Development</i> , 2018, 29, 7-9.	3.2	3
537	Isolating Natural Adeno-Associated Viruses from Primate Tissues with a High-Fidelity Polymerase. <i>Human Gene Therapy</i> , 2021, 32, 1439-1449.	1.4	3
538	Detection of Reporter Gene Expression in Murine Airways. , 2007, 411, 25-34.		3
539	Susceptibility to SIV Infection After Adenoviral Vaccination in a Low Dose Rhesus Macaque Challenge Model. <i>Pathogens and Immunity</i> , 2019, 4, 1.	1.4	3
540	558. Anti-SARS Humoral and Cellular Immunity Evoked by an Adenovirus Vector Expressing Spike Glycoprotein from SARS Coronavirus. <i>Molecular Therapy</i> , 2004, 9, S210.	3.7	2

#	ARTICLE	IF	CITATIONS
541	The Birth of Human Gene Therapy Methods. <i>Human Gene Therapy</i> , 2011, 22, 1031-1032.	1.4	2
542	The History and Promise of Gene Therapy. <i>Genetic Engineering and Biotechnology News</i> , 2011, 31, 62-65.	0.1	2
543	90. Identification of an Adeno-Associated Virus Binding Epitope for AVB Sepharose Affinity Resin. <i>Molecular Therapy</i> , 2015, 23, S38-S39.	3.7	2
544	There and Back Again: Mitchell Finer on the Journey of Biotech from Start-Up to Success. <i>Human Gene Therapy Clinical Development</i> , 2015, 26, 140-143.	3.2	2
545	2017 Was the Year We Have Been Waiting For. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 165-166.	3.2	2
546	The Gene Therapy Resource Program: A Decade of Dedication to Translational Research by the National Heart, Lung, and Blood Institute. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 178-186.	3.2	2
547	Assessment of humoral, innate, and T-cell immune responses to adeno-associated virus vectors. <i>Human Gene Therapy Methods</i> , 0, , .	2.1	2
548	1048. Long-Term Regulated Gene Expression in Non-Human Primates Using a Single Non-Recombinogenic AAV Vector. <i>Molecular Therapy</i> , 2004, 9, S402.	3.7	2
549	When bad gene transfer is good.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2435-2435.	3.9	2
550	Determining the Minimally Effective Dose of a Clinical Candidate Adeno-Associated Virus Vector in a Mouse Model of Hemophilia A. <i>Human Gene Therapy</i> , 2022, 33, 421-431.	1.4	2
551	Molecular genetics of hypoxanthine-guanine phosphoribosyltransferase deficiency in man. <i>Archives of Internal Medicine</i> , 1985, 145, 1895-1900.	4.3	2
552	Durable immunogenicity, adaptation to emerging variants, and low-dose efficacy of an AAV-based COVID-19 vaccine platform in macaques. <i>Molecular Therapy</i> , 2022, 30, 2952-2967.	3.7	2
553	1016. Novel Chimeric Adenovirus Vaccine Vectors. <i>Molecular Therapy</i> , 2004, 9, S389.	3.7	1
554	In the Beginning: Reflections on the Genesis of Molecular Therapy. <i>Molecular Therapy</i> , 2010, 18, 9-10.	3.7	1
555	Increased mucosal CD4+ T-cell activation following vaccination with an adenoviral vector in rhesus macaques. <i>Retrovirology</i> , 2012, 9, .	0.9	1
556	Is This Gene Therapy's Breakout Moment?. <i>Genetic Engineering and Biotechnology News</i> , 2013, 33, 62-62.	0.1	1
557	The Next Chapter. <i>Human Gene Therapy</i> , 2015, 26, 331-331.	1.4	1
558	Recollections from a Pioneer Who Provided the Foundation for the Success of Gene Therapy in Treating Severe Combined Immune Deficiencies. <i>Human Gene Therapy Clinical Development</i> , 2016, 27, 53-56.	3.2	1

#	ARTICLE	IF	CITATIONS
559	AAV natural infection induces broad cross-neutralizing antibody responses to multiple AAV serotypes in chimpanzees. <i>Human Gene Therapy Clinical Development</i> , 2016, , .	3.2	1
560	Interview with Inder Verma, PhD. <i>Human Gene Therapy Clinical Development</i> , 2016, 27, 5-8.	3.2	1
561	Alternative Start Sites Downstream of Non-Sense Mutations Drive Antigen Presentation and Tolerance Induction to C-Terminal Epitopes. <i>Journal of Immunology</i> , 2017, 198, 4581-4587.	0.4	1
562	The Past, Present, and Future of Gene Therapy from Nobel Laureate David Baltimore. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 65-67.	3.2	1
563	Carl June Speaks of His Pioneering Efforts That Led to the First Food and Drug Administrationâ€‘Approved Gene Therapy Product. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 175-177.	3.2	1
564	Cycling at the Frontiers of Gene Therapy. <i>Human Gene Therapy Clinical Development</i> , 2019, 30, 47-49.	3.2	1
565	Breakthrough to Bedside: Bringing Gene Therapy to Neuromuscular Diseases: An Interview with Dr. Jerry R. Mendell. <i>Human Gene Therapy Clinical Development</i> , 2019, 30, 93-96.	3.2	1
566	Moving Forward after Two Deaths in a Gene Therapy Trial of Myotubular Myopathy. <i>Genetic Engineering and Biotechnology News</i> , 2020, 40, 14, 16.	0.1	1
567	Genetic Mechanism(S) Responsible for a Deficiency of Adenine Phosphoribosyltransferase in Man. <i>Advances in Experimental Medicine and Biology</i> , 1984, 165 Pt A, 385-389.	0.8	1
568	Molecular Mechanism(s) of Deoxyribonucleoside Toxicity in T-Lymphoblasts. <i>Advances in Experimental Medicine and Biology</i> , 1980, 122B, 265-270.	0.8	1
569	Strategies for Selection of AAV Vectors for Administration to Liver: Studies in Nonhuman Primates. <i>Blood</i> , 2016, 128, 2316-2316.	0.6	1
570	When Selecting an Adenoâ€‘associated Viral Vector Serotype, Cell Monolayer Transduction Efficiency Does Not Accurately Predict Tissue Transduction Efficiency in Equine Synovial Tissues. <i>FASEB Journal</i> , 2009, 23, 817.7.	0.2	1
571	Gene transfer to primate liver using second generation recombinant adenovirus. <i>Gastroenterology</i> , 1995, 108, A1135.	0.6	0
572	Constitutive and Regulated Expression in the Systemic Delivery of Erythropoietin Following Skeletal Muscle Transduction with DNA Viral Vectors. <i>Nature Biotechnology</i> , 1999, 17, 13-13.	9.4	0
573	Electron Microscopic Evaluation of Vector Quality for Gene Therapy. <i>Microscopy and Microanalysis</i> , 2000, 6, 858-859.	0.2	0
574	368. Pseudotyping HIV Vector with the Spike Envelope Protein of SARS-CoV for Studying Viral Tropism, Immunology and Gene Therapy Applications. <i>Molecular Therapy</i> , 2004, 9, S140.	3.7	0
575	Identification of Novel Adeno-Associated Virus Serotypes for Use as Vectors. , 2006, , 17-24.		0
576	A New Editorial Team. <i>Human Gene Therapy</i> , 2011, 22, 785-785.	1.4	0

#	ARTICLE	IF	CITATIONS
577	The Technology of Gene Therapy. Human Gene Therapy, 2011, 22, 117-117.	1.4	0
578	A New Open Access Partner. Human Gene Therapy, 2012, 23, 437-437.	1.4	0
579	Vector Sequences Are Not Detected In Tumor Tissue From Research Subjects With Ornithine Transcarbamylase Deficiency Who Previously Received Adenovirus Gene Transfer. Human Gene Therapy, 0, , 130827105058001.	1.4	0
580	In Memory of Sonia Skarlatos, PhD (1953â€“2013). Human Gene Therapy, 2013, 24, 895-895.	1.4	0
581	P204 Immune Responses To Single And Repeated Administration Of Pgm169/gI67a: The Uk Cf Gene Therapy Consortium Clinical Trials. Thorax, 2014, 69, A166-A166.	2.7	0
582	Formation of Newly Synthesized Adeno-Associated Virus Capsids in the Cell Nucleus. Human Gene Therapy Methods, 2014, 25, 179-180.	2.1	0
583	174. Liver Fibrosis in Aged OTC-KO Heterozygotes and Successful Correction by AAV8-Mediated Gene Therapy. Molecular Therapy, 2015, 23, S69.	3.7	0
584	525. CD8+ T Cell Tolerance To Epitopes Downstream of Non-Sense Mutations. Molecular Therapy, 2015, 23, S210-S211.	3.7	0
585	646. Isolation and Evaluation of Novel Anti-AAV2 and AAV3B Antibody Clones from a Human Donor. Molecular Therapy, 2015, 23, S257.	3.7	0
586	A Journey in the Development of Gene Therapy for Inherited Disorders of the Bone Marrow. Human Gene Therapy Clinical Development, 2015, 26, 203-207.	3.2	0
587	Human Gene Therapy Clinical Development: Where the Academy and Industry Meet. Human Gene Therapy Clinical Development, 2015, 26, 139-139.	3.2	0
588	695. An AAV8 Mutant with Better Transduction in Murine Muscle and Nasal Airway Than AAV8. Molecular Therapy, 2016, 24, S275.	3.7	0
589	699. Effective AAV9 Vector Delivery to Nasal Mucosa for Protection Against Airborne Challenge with Influenza A and B. Molecular Therapy, 2016, 24, S276.	3.7	0
590	60. Engineering AAV Vector for the Delivery of Human BuChE to Protect Against Exposure to Organophosphates. Molecular Therapy, 2016, 24, S26.	3.7	0
591	82. Mapping the Humoral Immune Response to AAV by Molecular Docking and Cryo-Electron Microscopy for the Design of Next-Generation AAV Vectors. Molecular Therapy, 2016, 24, S36.	3.7	0
592	189. Therapeutic Gene Transfer as a Treatment Option for Age-Related Macular Degeneration. Molecular Therapy, 2016, 24, S74.	3.7	0
593	227. A Dose-Escalating Preclinical Study to Determine the Efficacy, MED, and Safety of a Clinical Candidate Vector in a Mouse Model of Hemophilia B. Molecular Therapy, 2016, 24, S89.	3.7	0
594	346. AAV9 Delivery into Cerebrospinal Fluid Corrects CNS Disease in a Murine Model of Mucopolysaccharidosis Type II. Molecular Therapy, 2016, 24, S138-S139.	3.7	0

#	ARTICLE	IF	CITATIONS
595	481. CRISPR/Cas9-Mediated In Vivo Genome Editing to Correct the OTC spfash Mutation in Newborn Mice. <i>Molecular Therapy</i> , 2016, 24, S190-S191.	3.7	0
596	696. TLR9 Signaling Mediates Transgene Antibody Formation. <i>Molecular Therapy</i> , 2016, 24, S275.	3.7	0
597	760. Optimized AAV-Mediated Human Factor VIII Gene Therapy in Hemophilia A Mice and Cynomolgus Macaques. <i>Molecular Therapy</i> , 2016, 24, S300.	3.7	0
598	Jurassic Park, Gene Therapy, and Neuroscience: An Interview with Feng Zhang, PhD. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 4-6.	3.2	0
599	The Story of RNA Interference as a New Therapeutic Paradigm from Nobel Laureate Craig Mello. <i>Human Gene Therapy Clinical Development</i> , 2017, 28, 121-125.	3.2	0
600	Tachi Yamada: An Academic, Drug Developer and Humanist. <i>Human Gene Therapy Clinical Development</i> , 2018, 29, 176-178.	3.2	0
601	Gene Therapy Entering the Land of Oz. <i>Human Gene Therapy Clinical Development</i> , 2018, 29, 171-171.	3.2	0
602	University Flunk-Out to Genomics Pioneer: An Interview with George Church, PhD. <i>Human Gene Therapy Clinical Development</i> , 2018, 29, 118-120.	3.2	0
603	The RAC Retires After a Job Well Done. <i>Human Gene Therapy Clinical Development</i> , 2018, 29, 115-117.	3.2	0
604	Preparation of Nonhuman Primate Eyes for Histological Evaluation After Retinal Gene Transfer. <i>Human Gene Therapy Methods</i> , 2018, 29, 115-123.	2.1	0
605	Preclinical development of a platform for enzyme therapy in the CNS of MPS I and MPS II patients based on intrathecal AAV delivery. <i>Molecular Genetics and Metabolism</i> , 2018, 123, S64.	0.5	0
606	A Birds-Eye View: An Interview with Nick Leschly. <i>Human Gene Therapy Clinical Development</i> , 2019, 30, 5-6.	3.2	0
607	Adenoviruses as Vectors for Human Gene Therapy. , 2002, , 31-49.		0
608	Creatine Kinase, a Magnetic Resonance-Detectable Marker Gene for Quantification of Liver-Directed Gene Transfer. <i>Human Gene Therapy</i> , 2005, .	1.4	0
609	Efficacy of Severe Acute Respiratory Syndrome Vaccine Based on a Nonhuman Primate Adenovirus in the Presence of Immunity Against Human Adenovirus. <i>Human Gene Therapy</i> , 2006, .	1.4	0
610	ADENOVIRUS BASED VACCINES GENERATE CYTOTOXIC T LYMPHOCYTES TO EPITOPES OF NS1 FROM DENGUE VIRUS THAT ARE PRESENT IN ALL MAJOR SEROTYPES. <i>Human Gene Therapy</i> , 2008, .	1.4	0
611	The Primary Structure and Posttranslational Modification of Human Hypoxanthine-Guanine Phosphoribosyltransferase. <i>Advances in Experimental Medicine and Biology</i> , 1984, 165 Pt B, 39-44.	0.8	0
612	Adeno-Associated Virus(AAV)-Mediated Expression of Ornithine Transcarbamylase (OTC) in OTC Deficient spf-ash mMice. <i>Pediatric Research</i> , 1999, 45, 142A-142A.	1.1	0