Papita Das

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7003610/publications.pdf Version: 2024-02-01



Ρλαιτλ Πλο

#	Article	IF	CITATIONS
1	Adsorption thermodynamics, kinetics and isosteric heat of adsorption of malachite green onto chemically modified rice husk. Desalination, 2011, 265, 159-168.	4.0	799
2	Adsorption of Crystal Violet from aqueous solution onto NaOH-modified rice husk. Carbohydrate Polymers, 2011, 86, 1533-1541.	5.1	466
3	Leaf extract mediated green synthesis of silver nanoparticles from widely available Indian plants: synthesis, characterization, antimicrobial property and toxicity analysis. Bioresources and Bioprocessing, 2014, 1, .	2.0	425
4	Antimicrobial potential of a lipopeptide biosurfactant derived from a marine Bacillus circulans. Journal of Applied Microbiology, 2008, 104, 1675-1684.	1.4	308
5	Sea shell powder as a new adsorbent to remove Basic Green 4 (Malachite Green) from aqueous solutions: Equilibrium, kinetic and thermodynamic studies. Chemical Engineering Journal, 2010, 164, 168-177.	6.6	305
6	Insight into adsorption equilibrium, kinetics and thermodynamics of Malachite Green onto clayey soil of Indian origin. Chemical Engineering Journal, 2010, 165, 874-882.	6.6	281
7	Batch and continuous (fixed-bed column) biosorption of crystal violet by Artocarpus heterophyllus (jackfruit) leaf powder. Colloids and Surfaces B: Biointerfaces, 2012, 92, 262-270.	2.5	183
8	Biosorption of Basic Green 4 from aqueous solution by Ananas comosus (pineapple) leaf powder. Colloids and Surfaces B: Biointerfaces, 2011, 84, 520-527.	2.5	171
9	Production of biodiesel from microalgae through biological carbon capture: a review. 3 Biotech, 2017, 7, 99.	1.1	163
10	Insight Into Adsorption Thermodynamics. , 0, , .		150
11	Modeling of microwave-assisted extraction of natural dye from seeds of Bixa orellana (Annatto) using response surface methodology (RSM) and artificial neural network (ANN). Industrial Crops and Products, 2013, 41, 165-171.	2.5	149
12	Extraction of natural dye from petals of Flame of forest (Butea monosperma) flower: Process optimization using response surface methodology (RSM). Dyes and Pigments, 2012, 94, 212-216.	2.0	128
13	Response surface optimization and artificial neural network modeling of microwave assisted natural dye extraction from pomegranate rind. Industrial Crops and Products, 2012, 37, 408-414.	2.5	124
14	Assessment on the Removal of Malachite Green Using Tamarind Fruit Shell as Biosorbent. Clean - Soil, Air, Water, 2010, 38, 437-445.	0.7	121
15	Biofabrication of iron oxide nanoparticles using manglicolous fungus Aspergillus niger BSC-1 and removal of Cr(VI) from aqueous solution. Chemical Engineering Journal, 2020, 385, 123790.	6.6	116
16	A Study of the Thermodynamics and Kinetics of Copper Adsorption Using Chemically Modified Rice Husk. Clean - Soil, Air, Water, 2009, 37, 704-711.	0.7	104
17	Ultrasound assisted mixed azo dye adsorption by chitosan–graphene oxide nanocomposite. Chemical Engineering Research and Design, 2017, 117, 43-56	2.7	99
18	Application of graphene oxide nanoplatelets for adsorption of Ibuprofen from aqueous solutions: Evaluation of process kinetics and thermodynamics. Chemical Engineering Research and Design, 2016, 101, 45-53.	2.7	98

#	Article	IF	CITATIONS
19	Optimization and modelling of synthetic azo dye wastewater treatment using Graphene oxide nanoplatelets: Characterization toxicity evaluation and optimization usingÂArtificial Neural Network. Ecotoxicology and Environmental Safety, 2015, 119, 47-57.	2.9	92
20	Synthesis of hybrid hydrogel nano-polymer composite using Graphene oxide, Chitosan and PVA and its application in waste water treatment. Environmental Technology and Innovation, 2020, 18, 100664.	3.0	91
21	Artificial neural network (ANN) modeling of adsorption of methylene blue by NaOH-modified rice husk in a fixed-bed column system. Environmental Science and Pollution Research, 2013, 20, 1050-1058.	2.7	88
22	Green Synthesis of Iron Oxide Nanoparticles Mediated by Filamentous Fungi Isolated from Sundarban Mangrove Ecosystem, India. BioNanoScience, 2019, 9, 637-651.	1.5	88
23	Assessment of changes in land use, land cover, and land surface temperature in the mangrove forest of Sundarbans, northeast coast of India. Environment, Development and Sustainability, 2021, 23, 1917-1943.	2.7	85
24	Adsorption Kinetic Modeling of Safranin onto Rice Husk Biomatrix Using Pseudoâ€first―and Pseudoâ€secondâ€order Kinetic Models: Comparison of Linear and Nonâ€linear Methods. Clean - Soil, Air, Water, 2011, 39, 274-282.	0.7	78
25	Optimization of crystal violet dye removal using novel soil-silver nanocomposite as nanoadsorbent using response surface methodology. Journal of Environmental Chemical Engineering, 2014, 2, 708-714.	3.3	75
26	Graphene oxide nanoplatelets synthesized with carbonized agro-waste biomass as green precursor and its application for the treatment of dye rich wastewater. Chemical Engineering Research and Design, 2017, 106, 163-172.	2.7	75
27	Comparative study of biofiltration process for treatment of VOCs emission from petroleum refinery wastewater—A review. Environmental Technology and Innovation, 2017, 8, 441-461.	3.0	74
28	Optimum Sorption Isotherm by Linear and Nonlinear Methods for Safranin onto Alkali-Treated Rice Husk. Bioremediation Journal, 2011, 15, 77-89.	1.0	73
29	Response surface optimization of a dynamic dye adsorption process: a case study of crystal violet adsorption onto NaOH-modified rice husk. Environmental Science and Pollution Research, 2013, 20, 1698-1705.	2.7	72
30	Synthesis of pyrolyzed biochar and its application for dye removal: Batch, kinetic and isotherm with linear and non-linear mathematical analysis. Surfaces and Interfaces, 2020, 20, 100616.	1.5	71
31	Influence of carbon sources and light intensity on biomass and lipid production of Chlorella sorokiniana BTA 9031 isolated from coalfield under various nutritional modes. Energy Conversion and Management, 2017, 145, 247-254.	4.4	68
32	Modeling of biosorption of Cu(II) by alkali-modified spent tea leaves using response surface methodology (RSM) and artificial neural network (ANN). Applied Water Science, 2015, 5, 191-199.	2.8	65
33	Assessment on the Removal of Methylene Blue Dye using Tamarind Fruit Shell as Biosorbent. Water, Air, and Soil Pollution, 2010, 213, 287-299.	1.1	64
34	Biosorption of Direct Red 28 (Congo Red) from Aqueous Solutions by Eggshells: Batch and Column Studies. Separation Science and Technology, 2012, 47, 112-123.	1.3	63
35	Biosorption kinetics, thermodynamics and isosteric heat of sorption of Cu(II) onto Tamarindus indica seed powder. Colloids and Surfaces B: Biointerfaces, 2011, 88, 697-705.	2.5	60
36	Chemically reduced tea waste biochar and its application in treatment of fluoride containing wastewater: Batch and optimization using response surface methodology. Chemical Engineering Research and Design, 2018, 116, 553-563.	2.7	60

#	Article	IF	CITATIONS
37	Assessment on the decolourization of textile dye (Reactive Yellow) using Pseudomonas sp. immobilized on fly ash: Response surface methodology optimization and toxicity evaluation. Journal of Environmental Management, 2018, 223, 185-195.	3.8	58
38	Synergistic approach towards the sustainable management of heavy metals in wastewater using mycosynthesized iron oxide nanoparticles: Biofabrication, adsorptive dynamics and chemometric modeling study. Journal of Water Process Engineering, 2020, 37, 101426.	2.6	55
39	Insight into biosorption equilibrium, kinetics and thermodynamics of crystal violet onto Ananas comosus (pineapple) leaf powder. Applied Water Science, 2012, 2, 135-141.	2.8	53
40	Plant-mediated synthesis of silver-nanocomposite as novel effective azo dye adsorbent. Applied Nanoscience (Switzerland), 2015, 5, 1-9.	1.6	53
41	Removal of safranin from aqueous solutions by NaOHâ€ŧreated rice husk: thermodynamics, kinetics and isosteric heat of adsorption. Asia-Pacific Journal of Chemical Engineering, 2012, 7, 236-249.	0.8	51
42	Utilization of a domestic waste—Eggshells for removal of hazardous Malachite Green from aqueous solutions. Environmental Progress and Sustainable Energy, 2012, 31, 415-425.	1.3	50
43	Optimization of copper bioremediation by Stenotrophomonas maltophilia PD2. Journal of Environmental Chemical Engineering, 2013, 1, 159-163.	3.3	49
44	Biosorption of methylene blue from aqueous solutions by a waste biomaterial: hen feathers. Applied Water Science, 2012, 2, 209-219.	2.8	48
45	Valorization of food waste: Extraction of cellulose, lignin and their application in energy use and water treatment. Fuel, 2020, 280, 118581.	3.4	48
46	Comparative biodegradation study of polymer from plastic bottle waste using novel isolated bacteria and fungi from marine source. Journal of Polymer Research, 2020, 27, 1.	1.2	45
47	Scale-up of a dye adsorption process using chemically modified rice husk: optimization using response surface methodology. Desalination and Water Treatment, 2012, 37, 331-336.	1.0	43
48	A critical review on plant biomonitors for determination of polycyclic aromatic hydrocarbons (PAHs) in air through solvent extraction techniques. Chemosphere, 2020, 251, 126441.	4.2	43
49	Shoreline changes and its impact on the mangrove ecosystems of some islands of Indian Sundarbans, North-East coast of India. Journal of Cleaner Production, 2021, 284, 124764.	4.6	41
50	Treatment of a Pharmaceutical Industrial Effluent by a Hybrid Process of Advanced Oxidation and Adsorption. ACS Omega, 2020, 5, 32305-32317.	1.6	40
51	Study on isotherm, kinetics, and thermodynamics of adsorption of crystal violet dye by calcium oxide modified fly ash. Environmental Engineering Research, 2021, 26, .	1.5	40
52	Pseudo-Second-Order Kinetic Model for Biosorption of Methylene Blue onto Tamarind Fruit Shell: Comparison of Linear and Nonlinear Methods. Bioremediation Journal, 2010, 14, 196-207.	1.0	37
53	Ultrasonic assisted graphene oxide nanosheet for the removal of phenol containing solution. Environmental Technology and Innovation, 2019, 13, 398-407.	3.0	37
54	Assessment on thermodynamics and kinetics parameters on reduction of methylene blue dye using flyash. Desalination and Water Treatment, 2009, 12, 219-228.	1.0	36

#	Article	IF	CITATIONS
55	Biodegradation of acenapthene and naphthalene by Pseudomonas mendocina : Process optimization, and toxicity evaluation. Journal of Environmental Chemical Engineering, 2017, 5, 4803-4812.	3.3	35
56	Dyeing of modified cotton fiber with natural <scp><i>T</i></scp> <i>erminalia arjuna</i> dye: Optimization of dyeing parameters using response surface methodology. Environmental Progress and Sustainable Energy, 2016, 35, 719-728.	1.3	34
57	Calcium impregnated activated charcoal: Optimization and efficiency for the treatment of fluoride containing solution in batch and fixed bed reactor. Chemical Engineering Research and Design, 2017, 109, 18-29.	2.7	34
58	Graphene oxide–nanobentonite composite sieves for enhanced desalination and dye removal. Desalination, 2019, 451, 231-240.	4.0	34
59	Removal of Crystal Violet from Aqueous Solution by Adsorption onto Eggshells: Equilibrium, Kinetics, Thermodynamics and Artificial Neural Network Modeling. Waste and Biomass Valorization, 2013, 4, 655-664.	1.8	33
60	Comparative Analysis of Linear and Nonlinear Methods of Estimating the Pseudo-Second-Order Kinetic Parameters for Sorption of Malachite Green onto Pretreated Rice Husk. Bioremediation Journal, 2011, 15, 181-188.	1.0	31
61	Batch removal of chromium (VI) from aqueous solutions using wheat shell as adsorbent: process optimization using response surface methodology. Desalination and Water Treatment, 2012, 39, 95-102.	1.0	31
62	Artificial neural network (ANN) modeling of dynamic adsorption of crystal violet from aqueous solution using citric-acid-modified rice (Oryza sativa) straw as adsorbent. Clean Technologies and Environmental Policy, 2013, 15, 255-264.	2.1	31
63	Mathematical modelling and optimization of synthetic textile dye removal using soil composites as highly competent liner material. Environmental Science and Pollution Research, 2015, 22, 1318-1328.	2.7	31
64	A review of the application of multispectral remote sensing in the study of mangrove ecosystems with special emphasis on image processing techniques. Spatial Information Research, 2020, 28, 39-51.	1.3	31
65	Treatment of malachite green dye containing solution using bio-degradable Sodium alginate/NaOH treated activated sugarcane baggsse charcoal beads: Batch, optimization using response surface methodology and continuous fixed bed column study. Journal of Environmental Management, 2020, 276 111272	3.8	31
66	Assessment on removal efficiency of chromium by the isolated manglicolous fungi from Indian Sundarban mangrove forest: Removal and optimization using response surface methodology. Environmental Technology and Innovation, 2018, 10, 335-344.	3.0	29
67	Adsorption of Crystal Violet From Aqueous Solution by Citric Acid Modified Rice Straw: Equilibrium, Kinetics, and Thermodynamics. Separation Science and Technology, 2013, 48, 1339-1348.	1.3	28
68	Ozone microbubble-aided intensification of degradation of naproxen in a plant prototype. Journal of Environmental Chemical Engineering, 2019, 7, 103102.	3.3	28
69	Adsorption Thermodynamics and Kinetics of Malachite Green onto Ca(OH)2-Treated Fly Ash. Journal of Environmental Engineering, ASCE, 2011, 137, 388-397.	0.7	27
70	Anti ancer drug KP1019 modulates epigenetics and induces DNA damage response in <i>Saccharomyces cerevisiae</i> . FEBS Letters, 2014, 588, 1044-1052.	1.3	27
71	Treatment of Wastewater from a Dairy Industry Using Rice Husk as Adsorbent: Treatment Efficiency, Isotherm, Thermodynamics, and Kinetics Modelling. Journal of Thermodynamics, 2016, 2016, 1-7.	0.8	27
72	Activated carbonaceous materials from tea waste and its removal capacity of indigo carmine present in solution: synthesis, batch and optimization study. Sustainable Environment Research, 2020, 30, .	2.1	27

#	Article	IF	CITATIONS
73	Mechanistic, Kinetic, and Thermodynamic Evaluation of Adsorption of Hazardous Malachite Green onto Conch Shell Powder. Separation Science and Technology, 2011, 46, 1966-1976.	1.3	26
74	Central composite design optimization and artificial neural network modeling of copper removal by chemically modified orange peel. Desalination and Water Treatment, 2013, 51, 7791-7799.	1.0	25
75	Assessment of water quality index using cluster analysis and artificial neural network modeling: a case study of the Hooghly River basin, West Bengal, India. Desalination and Water Treatment, 2015, 54, 28-36.	1.0	25
76	Application of Natural Clayey Soil as Adsorbent for the Removal of Copper from Wastewater. Journal of Environmental Engineering, ASCE, 2010, 136, 1409-1417.	0.7	24
77	Fish (<i>Labeo rohita</i>) Scales as Potential Low-Cost Biosorbent for Removal of Malachite Green from Aqueous Solutions. Bioremediation Journal, 2012, 16, 235-242.	1.0	24
78	Optimization of copper adsorption by chemically modified fly ash using response surface methodology modeling. Desalination and Water Treatment, 2012, 49, 218-226.	1.0	24
79	Experimental and Numerical modeling on dye adsorption using pyrolyzed mesoporous biochar in Batch and fixed-bed column reactor: Isotherm, Thermodynamics, Mass transfer, Kinetic analysis. Surfaces and Interfaces, 2021, 23, 100985.	1.5	24
80	Adsorption of malachite green from aqueous solution by naohâ€modified rice husk: Fixedâ€bed column studies. Environmental Progress and Sustainable Energy, 2013, 32, 633-639.	1.3	22
81	Assessment of the removal of cadmium present in wastewater using soil–admixture membrane. Desalination, 2010, 259, 131-139.	4.0	21
82	Linear and Nonlinear Regression Analyses for Binary Sorption Kinetics of Methylene Blue and Safranin onto Pretreated Rice Husk. Bioremediation Journal, 2011, 15, 99-108.	1.0	21
83	Biodegradation of two Azo dyes using <i>Dietzia</i> sp. PD1: process optimization using Response Surface Methodology and Artificial Neural Network. Desalination and Water Treatment, 2016, 57, 7293-7301.	1.0	21
84	Comparative assessment on defluoridation of waste water using chemical and bio-reduced graphene oxide: Batch, thermodynamic, kinetics and optimization using response surface methodology and artificial neural network. Chemical Engineering Research and Design, 2017, 111, 221-231.	2.7	21
85	Batch adsorption of indigo carmine on activated carbon prepared from sawdust: A comparative study and optimization of operating conditions using Response Surface Methodology. Results in Surfaces and Interfaces, 2021, 3, 100011.	1.0	21
86	Biomass for water defluoridation and current understanding on biosorption mechanisms: A review. Environmental Progress and Sustainable Energy, 2018, 37, 1560-1572.	1.3	20
87	Mycosynthesis of iron oxide nanoparticles using manglicolous fungi isolated from Indian sundarbans and its application for the treatment of chromium containing solution: Synthesis, adsorption isotherm, kinetics and thermodynamics study. Environmental Nanotechnology, Monitoring and Management, 2019, 12, 100276.	1.7	20
88	Removal of aqueous carbamazepine using graphene oxide nanoplatelets: process modelling and optimization. Sustainable Environment Research, 2020, 30, .	2.1	20
89	Biochar from waste Sterculia foetida and its application as adsorbent for the treatment of PAH compounds: Batch and optimization. Fuel, 2021, 306, 121623.	3.4	20
90	Synthesis of graphene oxide dots coated biomatrices and its application for the removal of multiple pollutants present in wastewater. Journal of Cleaner Production, 2018, 203, 83-88.	4.6	19

#	Article	IF	CITATIONS
91	Microbial biofilter for toluene removal: Performance evaluation, transient operation and theoretical prediction of elimination capacity. Sustainable Environment Research, 2018, 28, 121-127.	2.1	18
92	Enhanced degradation of ternary dye effluent by developed bacterial consortium with RSM optimization, ANN modeling and toxicity evaluation. , 0, 72, 249-265.		18
93	Assessment of water quality of Damodar River in South Bengal region of India by Canadian Council of Ministers of Environment (CCME) Water Quality Index: a case study. Desalination and Water Treatment, 2016, 57, 3489-3502.	1.0	17
94	Treatability study using novel activated carbon prepared from rice husk: Column study, optimization using response surface methodology and mathematical modeling. Chemical Engineering Research and Design, 2017, 105, 184-193.	2.7	17
95	Carbonaceous materials synthesized from thermally treated waste materials and its application for the treatment of Strontium metal solution: Batch and optimization using Response Surface Methodology. Environmental Technology and Innovation, 2019, 15, 100394.	3.0	17
96	Batch removal of chromium (VI) from aqueous solutions using wheat shell as adsorbent: process optimization using response surface methodology. , 0, 39, 95-102.		17
97	Hazardous Waste Pollution Prevention Using Clay with Admixtures. Clean - Soil, Air, Water, 2008, 36, 230-238.	0.7	16
98	Natural dye from bixa seeds as a potential alternative to synthetic dyes for use in textile industry. Desalination and Water Treatment, 2012, 40, 298-301.	1.0	16
99	Optimization of Copper Adsorption by Soil of Polluted Wasteland using Response Surface Methodology. Indian Chemical Engineer, 2014, 56, 29-42.	0.9	16
100	Synthesis of graphene oxide nano-materials coated bio-char using carbonaceous industrial waste for phenol separation from water. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 581, 123818.	2.3	16
101	Efficacy of spent tea waste as chemically impregnated adsorbent involving ortho-phosphoric and sulphuric acid for abatement of aqueous phenol—isotherm, kinetics and artificial neural network modelling. Environmental Science and Pollution Research, 2020, 27, 20629-20647.	2.7	16
102	OPTIMIZATION OF REDUCTION OF COPPER USING Stenotrophomonas maltophilia PD2 BIOMASS AND ARTIFICIAL NEURAL NETWORK MODELING. Environmental Engineering and Management Journal, 2015, 14, 37-44.	0.2	16
103	Batch Removal of Crystal Violet from Aqueous Solution by H ₂ SO ₄ Modified Sugarcane Bagasse: Equilibrium, Kinetic, and Thermodynamic Profile. Separation Science and Technology, 2012, 47, 1898-1905.	1.3	15
104	Biosorption of Congo red and Indigo carmine by nonviable biomass of a new <i>Dietzia</i> strain isolated from the effluent of a textile industry. Desalination and Water Treatment, 2013, 51, 5840-5847.	1.0	15
105	Dye Removal Using Microbial Biosorbents. Environmental Chemistry for A Sustainable World, 2018, , 253-280.	0.3	15
106	Calcium alginate–bentonite/activated biochar composite beads for removal of dye and Biodegradation of dye-loaded composite after use: Synthesis, removal, mathematical modeling and biodegradation kinetics. Environmental Technology and Innovation, 2021, 24, 101955.	3.0	15
107	Biosorption of hazardous textile dyes from aqueous solutions by hen feathers: Batch and column studies. Korean Journal of Chemical Engineering, 2012, 29, 1567-1576.	1.2	14
108	Integral approach of adsorption and chemical treatment of fluoride containing wastewater: Batch and optimization using RSM. Journal of Environmental Chemical Engineering, 2017, 5, 274-282.	3.3	14

#	Article	IF	CITATIONS
109	Synthesis of nano-silica-coated biochar from thermal conversion of sawdust and its application for Cr removal: kinetic modelling using linear and nonlinear method and modelling using artificial neural network analysis. Biomass Conversion and Biorefinery, 2023, 13, 821-831.	2.9	14
110	Cellulose from lignocellulose kitchen waste and its application for energy and environment: bioethanol production and dye removal. Indian Chemical Engineer, 2021, 63, 161-171.	0.9	14
111	Synthesis and application of graphene oxide-coated biochar composite for treatment of strontium-containing solution. International Journal of Environmental Science and Technology, 2021, 18, 1953-1966.	1.8	14
112	Adsorption of crystal violet from aqueous solution onto sugarcane bagasse: central composite design for optimization of process variables. Journal of Water Reuse and Desalination, 2012, 2, 55-65.	1.2	13
113	Treatment of azo dye (congo red) solution in fluidized bed bioreactor with simultaneous approach of adsorption coupled with biodegradation: optimization by response surface methodology and toxicity assay. Clean Technologies and Environmental Policy, 2019, 21, 1675-1686.	2.1	13
114	Role of Manglicolous fungi isolated from Indian Sunderban mangrove forest for the treatment of metal containing solution: Batch and optimization using response surface methodology. Environmental Technology and Innovation, 2019, 13, 166-178.	3.0	13
115	The second- and third-generation biofuel technologies: comparative perspectives. , 2021, , 29-50.		13
116	Comparative assessment on the removal of ranitidine and prednisolone present in solution using graphene oxide (GO) nanoplatelets. , 0, 132, 287-296.		13
117	Pseudo-second-order kinetic models for the sorption of malachite green onto <i>Tamarindus indica</i> seeds: Comparison of linear and non-linear methods. Desalination and Water Treatment, 2011, 30, 229-236.	1.0	12
118	Batch and continuous (fixed-bed column) biosorption of Cu(II) by Tamarindus indica fruit shell. Korean Journal of Chemical Engineering, 2013, 30, 369-378.	1.2	12
119	Assessment on linear and non-linear analysis for the estimation of pseudo-second-order kinetic parameters for removal of dye using graphene nanosheet. Desalination and Water Treatment, 2015, 56, 502-508.	1.0	12
120	Microwave-assisted synthesis of graphene and its application for adsorptive removal of malachite green: thermodynamics, kinetics and isotherm study. Desalination and Water Treatment, 2016, 57, 7312-7321.	1.0	12
121	Fixed bed column study for water defluoridation using neem oil-phenolic resin treated plant bio-sorbent. Journal of Environmental Management, 2018, 212, 424-432.	3.8	12
122	Date Palm Based Activated Carbon for the Efficient Removal of Organic Dyes from Aqueous Environment. Sustainable Agriculture Reviews, 2019, , 247-263.	0.6	12
123	Citric acid modified wheat bran as a potential adsorbent for removal of Cu(II) and Malachite Green from aqueous solutions. Desalination and Water Treatment, 2013, 51, 6038-6048.	1.0	11
124	Urban wood waste as precursor of activated carbon and its subsequent application for adsorption of polyaromatic hydrocarbons. International Journal of Energy and Water Resources, 2018, 2, 1-13.	1.3	11
125	A comparative study of liquid-liquid extraction in different rotating bed contactors. Chemical Engineering and Processing: Process Intensification, 2018, 132, 187-193.	1.8	11
126	Enhanced biosorption of fluoride by extracted nanocellulose/polyvinyl alcohol composite in batch and fixed-bed system: ANN analysis and numerical modeling. Environmental Science and Pollution Research, 2021, 28, 47107-47125.	2.7	11

#	Article	IF	CITATIONS
127	Limnological analysis of an urban polluted lake in Bangalore city in India. Desalination and Water Treatment, 2011, 30, 217-228.	1.0	10
128	Removal of Pb(II) from aqueous solutions by adsorption onto clayey soil of Indian origin: Equilibrium, kinetic and thermodynamic profile. Korean Journal of Chemical Engineering, 2012, 29, 1086-1093.	1.2	10
129	Fixed-bed adsorption of Malachite Green onto binary solid mixture of adsorbents: seashells and eggshells. Toxicological and Environmental Chemistry, 2012, 94, 1272-1282.	0.6	10
130	Treatment of textile effluent using bacteria-immobilized graphene oxide nanocomposites: evaluation of effluent detoxification using Bellamya bengalensis. Clean Technologies and Environmental Policy, 2018, 20, 2287-2298.	2.1	10
131	Removal of Ranitidine from Pharmaceutical Waste Water Using Activated Carbon (AC) Prepared from Waste Lemon Peel. , 2019, , 123-141.		10
132	Integral approach of treatment of phenolic wastewater using nano-metal coated graphene oxide in combination with advanced oxidation. Surfaces and Interfaces, 2020, 21, 100660.	1.5	10
133	Removal of naphthalene present in synthetic waste water using novel Graphene /Graphene Oxide nano sheet synthesized from rice straw: comparative analysis, isotherm and kinetics. Frontiers in Nanoscience and Nanotechnology, 2016, 2, .	0.3	10
134	Chemometric study on the biochemical marker of the manglicolous fungi to illustrate its potentiality as a bio indicator for heavy metal pollution in Indian Sundarbans. Marine Pollution Bulletin, 2021, 173, 113017.	2.3	9
135	INatural Blue Dye from <i>Clitoria Ternatea</i> : Extraction and Analysis Methods. Research Journal of Textile and Apparel, 2012, 16, 34-38.	0.6	8
136	Graphene oxide for the treatment of ranitidine containing solution: Optimum sorption kinetics by linear and non linear methods and simulation using artificial neural network. Chemical Engineering Research and Design, 2016, 102, 589-595.	2.7	8
137	Continuous biosorption of Malachite Green by <i>Ananus comosus</i> (pineapple) leaf powder in a fixed bed reactor: experimental, breakthrough time and mathematical modeling. Desalination and Water Treatment, 2016, 57, 25842-25847.	1.0	8
138	Bioattenuation of phenol and cyanide involving immobilised spent tea activated carbon with <scp><i>Alcaligenes faecalis</i> JF339228</scp> : Critical assessment of the degraded intermediates. Asia-Pacific Journal of Chemical Engineering, 2019, 14, e2278.	0.8	8
139	Graphene oxide–coated pyrolysed biochar from waste sawdust and its application for treatment of cadmium-containing solution: batch, fixed-bed column, regeneration, and mathematical modelling. Biomass Conversion and Biorefinery, 2023, 13, 867-878.	2.9	8
140	Comparative experimental and mathematical analysis on removal of dye using raw rice husk, rice husk charcoal and activated rice husk charcoal: batch, fixed-bed column, and mathematical modeling. Biomass Conversion and Biorefinery, 2023, 13, 11023-11040.	2.9	8
141	Integral approach of sorption coupled with biodegradation for treatment of azo dye using Pseudomonas sp.: batch, toxicity, and artificial neural network. 3 Biotech, 2018, 8, 192.	1.1	7
142	Kinetics of ozonation and mass transfer of pharmaceuticals degraded by ozone fine bubbles in a plant prototype. Heat and Mass Transfer, 2020, 56, 385-397.	1.2	7
143	Thermal, Chemical and ultrasonic assisted synthesis of carbonized Biochar and its application for reducing Naproxen: Batch and Fixed bed study and subsequent optimization with response surface methodology (RSM) and artificial neural network (ANN). Surfaces and Interfaces, 2021, 26, 101378.	1.5	7
144	Municipal Solid Wastes—A Promising Sustainable Source of Energy: A Review on Different		7

Waste-to-Energy Conversion Technologies. , 2020, , 151-163.

#	Article	IF	CITATIONS
145	Mathematical Modeling of the Reduction of Safranin onto Chemically Modified Rice Husks in Stirred Tank Reactor Using Response Surface Methodology and Artificial Neural Network. Bioremediation Journal, 2013, 17, 52-60.	1.0	6
146	Evaluation of mass transfer effect and response surface optimization for abatement of phenol and cyanide using immobilized carbon alginate beads in a fixed bio olumn reactor. Asia-Pacific Journal of Chemical Engineering, 2020, 15, e2405.	0.8	6
147	Synthesis and application of various metal oxide–/biomaterial–coated carbonaceous nanomaterials derived from waste biomass for removal of Cr+6 present in solution. Biomass Conversion and Biorefinery, 2023, 13, 2099-2112.	2.9	6
148	Removal of phenol from aqueous solution by adsorption onto seashells: equilibrium, kinetic and thermodynamic studies. Journal of Water Reuse and Desalination, 2013, 3, 119-127.	1.2	5
149	Assessment on the modelling of the kinetic parameter for the removal of crystal violet dye using Ag-soil nanocomposite: linear and non-linear analysis. Desalination and Water Treatment, 2016, 57, 4073-4080.	1.0	5
150	Membrane Technology. Carbon Nanostructures, 2018, , 127-150.	0.1	5
151	Manufacturing of Biodegradable Poly Lactic Acid (PLA): Green Alternatives to Petroleum Derived Plastics. , 2020, , 561-569.		5
152	Synthesis of activated carbon material using sawdust as precursor and its application for dye removal: batch study and optimization using response surface methodology. Biomass Conversion and Biorefinery, 2023, 13, 3903-3915.	2.9	5
153	Lanthanum oxide–graphene oxide coated functionalized pyrolyzed biomass from sawdust and its application for dye removal present in solution. Biomass Conversion and Biorefinery, 2023, 13, 5601-5610.	2.9	5
154	Biosorption of Dye Molecules. Advances in Environmental Engineering and Green Technologies Book Series, 2016, , 51-74.	0.3	5
155	Integral approach for second-generation bio-ethanol production and wastewater treatment using peanut shell waste: yield, removal, and ANN studies. Biomass Conversion and Biorefinery, 2024, 14, 689-699.	2.9	5
156	Investigation on efficiency of synthesized lanthanum oxide–coated biochar and graphene oxide–coated biochar on removal of fluoride: batch and fixed bed continuous reactor performance modelling. Biomass Conversion and Biorefinery, 2024, 14, 6507-6520.	2.9	5
157	Assessment of Water Quality of Damodar River by Water Quality Index Method. Indian Chemical Engineer, 2010, 52, 145-154.	0.9	4
158	Fish (Labeo rohita) scales as a new biosorbent for removal of textile dyes from aqueous solutions. Journal of Water Reuse and Desalination, 2012, 2, 175-184.	1.2	4
159	Mathematical modeling of biosorption of safranin onto rice husk in a packed bed column using artificial neural network analysis. Desalination and Water Treatment, 2012, 41, 308-314.	1.0	4
160	Water quality characteristics of different industrial wastewater by Delphi water quality index method. International Journal of Environmental Engineering, 2014, 6, 1.	0.1	4
161	Thermodynamics and kinetics study of defluoridation using Ca-SiO2-TiO2 as adsorbent: Column studies and statistical approach. Korean Journal of Chemical Engineering, 2017, 34, 179-188.	1.2	4
162	Three-Dimensional Graphene-Based Macroscopic Assemblies as Super-Absorbents for Oils and Organic		4

Solvents. , 2019, , 43-68.

#	Article	IF	CITATIONS
163	Role of Advanced Oxidation Process in Treatment of Coke Oven Wastewater—A Review. , 2019, , 37-51.		4
164	Integral approach for the treatment of phenolic wastewater using gamma irradiation and graphene oxide. Groundwater for Sustainable Development, 2020, 10, 100355.	2.3	4
165	Synthesis of Cellulose from Peanut Shell Waste and Its Use in Bioethanol Production. , 2020, , 81-91.		4
166	Thermodynamics and kinetics study of de-fluoridation in waste water using hydroxyapatite (Hap) as adsorbent: Optimization using response surface methodology. Frontiers in Nanoscience and Nanotechnology, 2016, 2, .	0.3	4
167	Reduction of lead pollution in groundwater using soil based protective liner bed in land fill pits. Desalination and Water Treatment, 2010, 24, 236-243.	1.0	3
168	Comparative Study on Adsorption of Dye Solutions Using Silver Nanocomposites. , 2019, , 453-466.		3
169	Phytogenic synthesis of nanoparticles and their application in photo catalysis of dye rich effluents. , 2021, , 647-694.		3
170	Novel Pre Treatment Techniques for Extraction of Fermentable Sugars from Natural Waste Materials for Bio Ethanol Production. International Journal of Environmental Sciences & Natural Resources, 2017, 7, .	0.3	3
171	Biodegradation of Acenaphthene Using Two Different Isolated Bacteria: Comparative Analysis and Optimization Using Artificial Neural Network. Environmental Pollution and Protection, 2016, 1, .	0.2	3
172	Rice husk derived silica and its application for treatment of fluoride containing wastewater: batch study and modeling using artificial neural network analysis. , 0, 105, 73-82.		3
173	Green Synthesis of Silver - Nanocomposite for Treatment of Textile Dye. Nanoscience & Technology Open Access, 2014, 1, .	0.3	3
174	Biopolymer linked activated carbon-nano-bentonite composite membrane for efficient elimination of PAH mixture from aqueous solutions. Biomass Conversion and Biorefinery, 2024, 14, 359-373.	2.9	3
175	Azo Dye-Rich Wastewater Treatment by Combined Biodegradation–Adsorption Approach: Optimization, Modeling and Toxicity Analysis. , 2019, , 169-181.		2
176	Correction to: Removal of aqueous carbamazepine using graphene oxide nanoplatelets: process modelling and optimization. Sustainable Environment Research, 2020, 30, .	2.1	2
177	Reduction of hexavalent chromium using L-ascorbic acid in rotating reactors. International Journal of Environmental Science and Technology, 2022, 19, 6767-6780.	1.8	2
178	Membrane processes for removal of polyaromatic hydrocarbons from wastewater. , 2021, , 189-207.		2
179	Advances in Bioremediation for Removal of Toxic Dye from Different Streams of Wastewater. Advances in Environmental Engineering and Green Technologies Book Series, 2016, , 266-278.	0.3	2
180	Natural dye from bixa seeds as a potential alternative to synthetic dyes for use in textile industry. , 0, 40, 298-301.		2

#	Article	IF	CITATIONS
181	Dye Removal Using Polymer Composites as Adsorbents. Sustainable Textiles, 2022, , 85-104.	0.4	2
182	Titanium oxide–coated coconut husk–derived biochar composite and its application for removal of crystal violet dye. Biomass Conversion and Biorefinery, 2024, 14, 5035-5051.	2.9	2
183	Phenol Adsorption onto Various Soil Composite Membranes: Insight into Process Kinetics, Modelling and Optimisation Using Response Surface Methodology. Hydrology Current Research, 2015, 06, .	0.4	1
184	Extraction of Hexavalent Chromium from Wastewater Using Aliquat 336. , 2019, , 15-26.		1
185	Fermentative Production of Optically Pure Lactic Acid From Renewable Materials. , 2020, , 447-453.		1
186	Performance evaluation of a baffled rotating contactor for the concentration of fruit juice by air stripping. Chemical Engineering Research and Design, 2021, , .	2.7	1
187	Biodegradation of Plastic Waste Using Marine Micro-Organisms. , 2020, , 195-201.		1
188	Green Synthesis of Silver – Soil Nanocomposite from Two Different Sources and Its Application for the Removal of Dye Solution. Environmental Pollution and Protection, 2016, 1, 55-68.	0.2	1
189	Scale-up of a dye adsorption process using chemically modified rice husk: optimization using response surface methodology. Desalination and Water Treatment, 2012, , 331-336.	1.0	1
190	Recycling Industrial Waste for Production of Bioethanol. , 2020, , 143-149.		1
191	New Bioremediation Technologies to Remove Heavy Metals and Radionuclides. , 2021, , 23-45.		1
192	Metal-oxide coated Graphene oxide nano-composite for the treatment of pharmaceutical compound in photocatalytic reactor: Batch, Kinetics and Mathematical Modeling using Response Surface Methodology and Artificial Neural Network. Environmental Science and Pollution Research, 2022, 29, 61938-61953.	2.7	1
193	Superhydrophobic polymeric adsorbents as an efficient oil separator. , 2022, , 139-156.		1
194	Biodegradation Behaviour of Cellulose-Reinforced PMMA Composites in Pond Water. , 2018, , 57-64.		0
195	Study of Ammonia Removal from Simulated Coke Oven Wastewater Using Commercial Charcoal Activated Carbon. , 2019, , 1197-1205.		0
196	Nanomaterial for CO2 Sequestration. , 2020, , 598-605.		0
197	Process Intensification of Liquid-Liquid Extraction in Rotating Packed Bed. Materials Science Forum, 2020, 998, 146-150.	0.3	0
198	Removal of Hexavalent Chromium by Carbonaceous Material Derived from Sawdust. Lecture Notes in Civil Engineering, 2021, , 287-297.	0.3	0

#	Article	IF	CITATIONS
199	Review of Soft Computing Techniques for Modeling, Design, and Prediction of Wastewater Removal Performance. , 2021, , 55-73.		0
200	Industrial dye degradation bydifferent nanocomposite doped material. , 2021, , 377-404.		0
201	Comparative Analysis on Treatment of Fluoride Containing Solution Using Novel Activated Carbon Prepared from Lemon Shell and Wheat Bran:Batch and Column Studies. Environmental Pollution and Protection, 2016, 1, .	0.2	0
202	Novel Techniques of Synthesis of Nanocellulose from Sugarcane Bagasse and Its Applications in Dye Removal. , 2020, , 79-85.		0
203	Review on Trends in the Removal of Pharmaceuticals and Personal Care Products (PPCPs) from Water and Wastewater. Springer Transactions in Civil and Environmental Engineering, 2021, , 225-250.	0.3	0
204	Advanced Nanomaterials in the Clinical Scenario: Virtues and Consequences. Nanotechnology in the Life Sciences, 2020, , 427-449.	0.4	0
205	Application of Nanomaterials in CO2 Sequestration. , 2020, , 147-160.		0
206	Nanocoated membranes for oil/water separation. , 2022, , 207-230.		0