

JosÃ© MarÃ­a Huerta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7006956/publications.pdf>

Version: 2024-02-01

293
papers

24,851
citations

11651

70
h-index

9103

144
g-index

296
all docs

296
docs citations

296
times ranked

40424
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversities and suicidal behavior in the general population. The cross-sectional PEGASUS-Murcia Project. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2024, 17, 11-18.	1.8	3
2	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 864-873.e13.	4.4	23
3	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. <i>European Journal of Nutrition</i> , 2022, 61, 2313-2320.	3.9	3
4	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1618-1629.	1.8	8
5	Dementia Risk Score for a Population in Southern Europe Calculated Using Competing Risk Models. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1751-1762.	2.6	1
6	Association Between Egg Consumption and Dementia Risk in the EPIC-Spain Dementia Cohort. <i>Frontiers in Nutrition</i> , 2022, 9, 827307.	3.7	0
7	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. <i>Clinical Nutrition</i> , 2022, 41, 1735-1745.	5.0	6
8	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021, 31, 130-135.	0.3	10
9	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
10	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Caseâ€“Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	2.5	7
11	Association between anthropometry and lifestyle factors and risk of Bâ€“cell lymphoma: An exposomeâ€“wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	5.1	9
12	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021, 19, 1.	5.5	164
13	Mediterranean Diet and Risk of Dementia and Alzheimerâ€™s Disease in the EPIC-Spain Dementia Cohort Study. <i>Nutrients</i> , 2021, 13, 700.	4.1	38
14	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
15	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2021, 19, 101.	5.5	24
16	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 338-347.	4.7	7
17	Consumption of ultra-processed foods and drinks and colorectal, breast, and prostate cancer. <i>Clinical Nutrition</i> , 2021, 40, 1537-1545.	5.0	44
18	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	5.1	29

#	ARTICLE	IF	CITATIONS
19	Sleep duration and napping in relation to colorectal and gastric cancer in the MCC-Spain study. <i>Scientific Reports</i> , 2021, 11, 11822.	3.3	17
20	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021, 40, 3772-3779.	5.0	12
21	Inflammatory Potential of the Diet and Incidence of Crohn's Disease and Ulcerative Colitis in the EPIC-Spain Cohort. <i>Nutrients</i> , 2021, 13, 2201.	4.1	5
22	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	5.1	4
23	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2179-2187.	2.5	3
24	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021, 40, 5079-5088.	5.0	48
25	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021, 11, 631.	2.9	15
26	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021, 9, 1521.	3.2	8
27	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	2.3	17
28	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	4.4	74
29	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
30	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	8.4	45
31	Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , 2020, 12, 2906.	4.1	17
32	Incidence of Dementia and Associated Factors in the EPIC-Spain Dementia Cohort. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 543-555.	2.6	11
33	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020, 7, 393.	5.3	19
34	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. <i>Scientific Reports</i> , 2020, 10, 13814.	3.3	4
35	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020, 150, 3241-3248.	2.9	6
36	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet</i> , The, 2020, 396, 1511-1524.	13.7	219

#	ARTICLE	IF	CITATIONS
37	Repositioning of the global epicentre of non-optimal cholesterol. <i>Nature</i> , 2020, 582, 73-77.	27.8	138
38	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656.	5.1	4
39	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	5.1	17
40	The Relation of CUN-BAE Index with Body Mass Index and Waist Circumference in Adults Aged 50 to 85 Years: The MCC-Spain Study. <i>Nutrients</i> , 2020, 12, 996.	4.1	5
41	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. <i>Nature Communications</i> , 2020, 11, 597.	12.8	193
42	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 957-966.	5.1	12
43	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019, 111, 146-157.	6.3	129
44	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019, 58, 2003-2010.	3.9	28
45	Association study of dietary non-enzymatic antioxidant capacity (NEAC) and colorectal cancer risk in the Spanish Multicase-Control Cancer (MCC-Spain) study. <i>European Journal of Nutrition</i> , 2019, 58, 2229-2242.	3.9	15
46	Domain-specific patterns of physical activity and risk of breast cancer sub-types in the MCC-Spain study. <i>Breast Cancer Research and Treatment</i> , 2019, 177, 749-760.	2.5	6
47	Antibody responses to flagellin C and <i>Streptococcus gallolyticus</i> pilus proteins in colorectal cancer. <i>Scientific Reports</i> , 2019, 9, 10847.	3.3	3
48	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	5.5	79
49	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	2.5	17
50	Dietary Inflammatory Index, Dietary Non-Enzymatic Antioxidant Capacity, and Colorectal and Breast Cancer Risk (MCC-Spain Study). <i>Nutrients</i> , 2019, 11, 1406.	4.1	37
51	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	2.5	6
52	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
53	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
54	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	4.1	22

#	ARTICLE	IF	CITATIONS
55	Agreement among Mediterranean Diet Pattern Adherence Indexes: MCC-Spain Study. <i>Nutrients</i> , 2019, 11, 488.	4.1	24
56	Association of leukocyte DNA methylation changes with dietary folate and alcohol intake in the EPIC study. <i>Clinical Epigenetics</i> , 2019, 11, 57.	4.1	20
57	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). <i>BMJ Open</i> , 2019, 9, e030328.	1.9	1
58	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain).. <i>Psychiatry Research</i> , 2019, 282, 112640.	3.3	3
59	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	5.1	9
60	Ascertainment of Dementia Cases in the Spanish European Prospective Investigation into Cancer and Nutrition-Murcia Cohort. <i>Neuroepidemiology</i> , 2019, 52, 63-73.	2.3	6
61	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	3.4	6
62	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	2.9	17
63	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019, 22, 324-335.	2.2	15
64	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	4.4	99
65	Low adherence to the western and high adherence to the mediterranean dietary patterns could prevent colorectal cancer. <i>European Journal of Nutrition</i> , 2019, 58, 1495-1505.	3.9	126
66	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683.	12.1	31
67	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018, 391, 1513-1523.	13.7	858
68	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252.	5.1	25
69	Identifying and correcting epigenetics measurements for systematic sources of variation. <i>Clinical Epigenetics</i> , 2018, 10, 38.	4.1	29
70	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
71	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 1620-1631.	5.1	33
72	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	0.6	17

#	ARTICLE	IF	CITATIONS
73	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	6.3	20
74	Meat intake, cooking methods and doneness and risk of colorectal tumours in the Spanish multicase-control study (MCC-Spain). <i>European Journal of Nutrition</i> , 2018, 57, 643-653.	3.9	13
75	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	1.3	12
76	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285.	8.6	15
77	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	2.2	209
78	Epidemiology of non-steroidal anti-inflammatory drugs consumption in Spain. The MCC-Spain study. <i>BMC Public Health</i> , 2018, 18, 1134.	2.9	23
79	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	2.6	9
80	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
81	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018, 10, 654.	4.1	32
82	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 517-524.	4.7	47
83	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018, 559, 400-404.	27.8	617
84	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018, 4, e182078.	7.1	109
85	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017, 56, 1157-1168.	3.9	17
86	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600927.	3.3	1
87	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	6.4	53
88	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600649.	3.3	15
89	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017, 75, 299-307.	2.8	154
90	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	6.4	27

#	ARTICLE	IF	CITATIONS
91	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	2.5	11
92	Relationship between drugs affecting the renin-angiotensin system and colorectal cancer: The MCC-Spain study. <i>Preventive Medicine</i> , 2017, 99, 178-184.	3.4	10
93	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	5.1	34
94	Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. <i>British Journal of Cancer</i> , 2017, 116, 1486-1497.	6.4	89
95	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	2.8	94
96	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	5.1	8
97	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 419-430.	5.7	17
98	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	2.9	19
99	Adherence to nutritionâ€based cancer prevention guidelines and breast, prostate and colorectal cancer risk in the <sc>MCC</sc>â€S</sc>pain caseâ€control study. <i>International Journal of Cancer</i> , 2017, 141, 83-93.	5.1	48
100	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	5.1	28
101	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
102	Alcohol consumption and risk of urothelial cell bladder cancer in the <sc>E</sc>uropean prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2017, 141, 1963-1970.	5.1	21
103	Antibody reactivity against <i>Helicobacter pylori</i> proteins in a sample of the Spanish adult population in 2008â€2013. <i>Helicobacter</i> , 2017, 22, e12401.	3.5	4
104	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017, 16, 3137-3146.	3.7	53
105	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	5.5	49
106	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
107	Physical activity domains and risk of gastric adenocarcinoma in the MCC-Spain case-control study. <i>PLoS ONE</i> , 2017, 12, e0179731.	2.5	8
108	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	8.4	61

#	ARTICLE	IF	CITATIONS
109	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	5.5	47
110	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	5.5	47
111	The RS4939827 polymorphism in the SMAD7 GENE and its association with Mediterranean diet in colorectal carcinogenesis. <i>BMC Medical Genetics</i> , 2017, 18, 122.	2.1	4
112	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	1.6	18
113	Alcoholic Beverage Preference and Dietary Habits in Elderly across Europe: Analyses within the Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) Project. <i>PLoS ONE</i> , 2016, 11, e0161603.	2.5	9
114	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	8.4	150
115	Association of <i>Streptococcus gallolyticus</i> subspecies <i>gallolyticus</i> with colorectal cancer: Serological evidence. <i>International Journal of Cancer</i> , 2016, 138, 1670-1679.	5.1	46
116	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13Å8-year follow-up study. <i>Public Health Nutrition</i> , 2016, 19, 674-681.	2.2	15
117	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	4.2	9
118	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	4.7	31
119	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492.	5.1	19
120	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016, 184, 129-139.	3.4	23
121	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016, 115, 1430-1440.	6.4	26
122	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016, 6, 36017.	3.3	31
123	Intimate Partner Violence and Its Associated Factors in a Sample of Colombian Immigrant Population in Spain. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 904-912.	1.6	9
124	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016, 85, 106-112.	3.4	32
125	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	2.3	30
126	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	1.9	38

#	ARTICLE	IF	CITATIONS
127	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€“Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134.	2.5	27
128	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016, 26, 439-445.	0.3	7
129	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	2.5	28
130	The Role of the ncRNA RgsA in the Oxidative Stress Response and Biofilm Formation in <i>Azotobacter vinelandii</i> . <i>Current Microbiology</i> , 2016, 72, 671-679.	2.2	11
131	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	4.7	29
132	Unprocessed red meat and processed meat consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2016, 70, 313-319.	2.9	10
133	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	3.9	15
134	Influence of Dopaminergic System Genetic Variation and Lifestyle Factors on Excessive Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2016, 51, 258-267.	1.6	10
135	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375.	3.9	313
136	A Nested Caseâ€“Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016, 13, e1001988.	8.4	76
137	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	2.5	75
138	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	5.5	93
139	Diabetes and Onset of Natural Menopause. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 507-508.	0.4	0
140	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
141	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	2.5	27
142	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 646-657.	5.1	79
143	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3028-3036.	0.6	98
144	Variation at <i>ABO</i> blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015, 136, 880-893.	5.1	28

#	ARTICLE	IF	CITATIONS
145	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015, 136, 915-927.	5.1	21
146	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	4.7	284
147	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 137, 598-606.	5.1	104
148	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 136, E720-30.	5.1	17
149	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	21.4	513
150	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	2.5	11
151	Population-based multicase-control study in common tumors in Spain (MCC-Spain): rationale and study design. <i>Gaceta Sanitaria</i> , 2015, 29, 308-315.	1.5	158
152	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	2.5	51
153	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015, 30, 1491-1498.	0.9	59
154	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	2.5	16
155	Dietary fibre and incidence of type 2 diabetes in eight European countries: the EPIC-InterAct Study and a meta-analysis of prospective studies. <i>Diabetologia</i> , 2015, 58, 1394-1408.	6.3	237
156	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 455-461.	2.9	33
157	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
158	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2015, 136, E665-76.	5.1	37
159	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015, 54, 365-375.	3.9	32
160	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	2.5	44
161	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	2.3	29
162	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	6.3	67

#	ARTICLE	IF	CITATIONS
163	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	8.6	57
164	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014, 111, 1870-1880.	6.4	50
165	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 2930-2939.	5.1	55
166	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	5.1	38
167	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014, 37, 1854-1862.	8.6	141
168	Consumption of predefined "Nordic" dietary items in ten European countries " an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014, 17, 2650-2659.	2.2	21
169	Adherence to the Spanish dietary guidelines and its association with obesity in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Granada study. <i>Public Health Nutrition</i> , 2014, 17, 2425-2435.	2.2	10
170	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	2.5	10
171	Polymorphisms of <i>Helicobacter pylori</i> signaling pathway genes and gastric cancer risk in the European prospective investigation into cancer"urgast cohort. <i>International Journal of Cancer</i> , 2014, 134, 92-101.	5.1	38
172	Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. <i>Cancer Causes and Control</i> , 2014, 25, 111-124.	1.8	10
173	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC"URGAST study. <i>International Journal of Cancer</i> , 2014, 135, 2065-2076.	5.1	47
174	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014, 22, E127-34.	3.0	20
175	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014, 25, 1609-1615.	1.2	45
176	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	5.7	56
177	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014, 25, 1422-1428.	1.2	63
178	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	1.9	16
179	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	2.5	36
180	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	11.4	431

#	ARTICLE	IF	CITATIONS
181	Intake of total omega-3 fatty acids, eicosapentaenoic acid and docosahexaenoic acid and risk of coronary heart disease in the Spanish EPIC cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 321-327.	2.6	16
182	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 19-29.	11.4	132
183	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	1.4	46
184	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013, 11, 63.	5.5	329
185	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 47-59.	6.3	129
186	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 60-69.	6.3	224
187	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	2.5	40
188	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	1.8	20
189	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	3.9	26
190	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	5.7	136
191	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	5.1	20
192	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770.	12.1	330
193	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013, 58, 65-77.	2.3	6
194	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , 2013, 13, 7.	2.2	34
195	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362.	2.3	17
196	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013, 24, 427-438.	1.8	20
197	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	5.7	15
198	Physical Activity and Risk of Cerebrovascular Disease in the European Prospective Investigation Into Cancer and Nutrition-Spain Study. <i>Stroke</i> , 2013, 44, 111-118.	2.0	38

#	ARTICLE	IF	CITATIONS
199	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 71-75.	3.7	56
200	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 110, 1500-1511.	2.3	92
201	Dietary Flavonoid and Lignan Intake and Mortality in a Spanish Cohort. <i>Epidemiology</i> , 2013, 24, 726-733.	2.7	58
202	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 827-838.	4.7	35
203	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 109, 1498-1507.	2.3	114
204	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013, 24, 543-553.	1.2	98
205	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	5.1	29
206	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 779-782.	2.9	32
207	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013, 8, e59947.	2.5	15
208	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	2.5	17
209	Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. <i>PLoS ONE</i> , 2013, 8, e79391.	2.5	36
210	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	8.4	147
211	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutritionâ€™ Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	4.7	79
212	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	3.8	226
213	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	71
214	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012, 108, 552-569.	2.3	48
215	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	2.8	72
216	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	6.4	51

#	ARTICLE	IF	CITATIONS
217	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Caseâ€“Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	2.5	39
218	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	2.3	90
219	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	4.7	56
220	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	4.7	43
221	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 547-551.	2.5	15
222	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65
223	Association of alcohol dehydrogenase polymorphisms and lifeâ€“style factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , 2012, 107, 2117-2127.	3.3	11
224	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epsteinâ€“Barr Virus Statusâ€“Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253.	6.3	141
225	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , 2012, 108, 2075-2082.	2.3	83
226	Major dietary patterns and risk of coronary heart disease in middle-aged persons from a Mediterranean country: The EPIC-Spain cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 192-199.	2.6	68
227	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 950-956.	2.9	35
228	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	3.1	15
229	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	2.5	27
230	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ: British Medical Journal</i> , 2012, 344, e363-e363.	2.3	69
231	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	5.1	37
232	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	5.1	10
233	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	5.1	73
234	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	5.1	41

#	ARTICLE	IF	CITATIONS
235	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	5.1	25
236	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	5.1	104
237	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	3.4	77
238	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 932-941.	2.9	113
239	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 142-149.	4.7	137
240	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC-InterAct Study. <i>Diabetologia</i> , 2012, 55, 1944-1952.	6.3	68
241	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012, 23, 1163-1171.	1.8	24
242	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012, 272, 358-370.	6.0	64
243	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	3.4	26
244	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 130, 2204-2210.	5.1	40
245	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	5.7	185
246	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e43127.	2.5	89
247	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816.	2.8	45
248	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925.	2.3	89
249	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 748-760.	2.8	33
250	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011, 6, e16914.	2.5	12
251	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011, 26, 979-86.	2.6	7
252	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	2.5	13

#	ARTICLE	IF	CITATIONS
253	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084.	1.8	51
254	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011, 54, 2272-2282.	6.3	169
255	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011, 54, 3037-3046.	6.3	85
256	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 487-494.	4.2	27
257	Prevalence of metabolic syndrome in Murcia Region, a southern European Mediterranean area with low cardiovascular risk and high obesity. <i>BMC Public Health</i> , 2011, 11, 562.	2.9	27
258	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	5.1	28
259	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011, 106, 1581-1591.	2.3	130
260	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261.	2.5	59
261	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875.	2.5	30
262	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	3.4	5
263	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883.	1.5	125
264	Alternative Methods of Accounting for Underreporting and Overreporting When Measuring Dietary Intake-Obesity Relations. <i>American Journal of Epidemiology</i> , 2011, 173, 448-458.	3.4	162
265	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	2.3	108
266	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250.	2.0	34
267	Dietary β -carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010, 119, 753-765.	2.5	62
268	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	1.8	57
269	Cardiovascular risk estimated after 13 years of follow-up in a low-incidence Mediterranean region with high-prevalence of cardiovascular risk factors. <i>BMC Public Health</i> , 2010, 10, 640.	2.9	10
270	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010, 31, 466-472.	2.8	77

#	ARTICLE	IF	CITATIONS
271	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	4.7	189
272	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	4.7	194
273	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , 2010, 211, 531-538.	0.8	20
274	The relationship between dietary lipids and cognitive performance in an elderly population. <i>International Journal of Food Sciences and Nutrition</i> , 2010, 61, 217-225.	2.8	39
275	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010, 102, 529-537.	6.3	357
276	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	2.9	144
277	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009, 125, 902-908.	5.1	76
278	Accuracy of Self-Reported Diabetes, Hypertension, and Hyperlipidemia in the Adult Spanish Population. DINO Study Findings. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 143-152.	0.6	75
279	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 1518-1529.	3.4	272
280	Validez del diagnÃ³stico referido de diabetes, hipertensiÃ³n e hiperlipemia en poblaciÃ³n adulta espaÃ±ola. Resultados del estudio DINO. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 143-152.	1.2	96
281	Respuesta. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 1205.	1.2	0
282	Differences in Overall Mortality in the Elderly May Be Explained by Diet. <i>Gerontology</i> , 2008, 54, 232-237.	2.8	17
283	Homocysteine increases the risk of mortality in elderly individuals. <i>British Journal of Nutrition</i> , 2007, 97, 1138-1143.	2.3	36
284	Life-quality indicators in elderly people are influenced by selenium status. <i>Aging Clinical and Experimental Research</i> , 2007, 19, 10-15.	2.9	17
285	Food Intake and Serum Selenium Concentration in Elderly People. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 126-131.	1.9	31
286	Lipid peroxidation, antioxidant status and survival in institutionalised elderly: A five-year longitudinal study. <i>Free Radical Research</i> , 2006, 40, 571-578.	3.3	35
287	Serum Selenium Is Associated with Plasma Homocysteine Concentrations in Elderly Humans. <i>Journal of Nutrition</i> , 2004, 134, 1736-1740.	2.9	48
288	Folate and cobalamin synergistically decrease the risk of high plasma homocysteine in a nonsupplemented elderly institutionalized population. <i>Clinical Biochemistry</i> , 2004, 37, 904-910.	1.9	15

#	ARTICLE	IF	CITATIONS
289	No Evidence for Oxidative Stress as a Mechanism of Action of Hyperhomocysteinemia in Humans. Free Radical Research, 2004, 38, 1215-1221.	3.3	12
290	Food habits are associated with lipid peroxidation in an elderly population. Journal of the American Dietetic Association, 2003, 103, 1480-1487.	1.1	25
291	Plasma iron is associated with lipid peroxidation in an elderly population. Journal of Trace Elements in Medicine and Biology, 2003, 17, 171-176.	3.0	21
292	Diet score is associated with plasma homocysteine in a healthy institutionalised elderly population. Nutrition, Metabolism and Cardiovascular Diseases, 2003, 13, 384-390.	2.6	14
293	Independent and Interactive Association of Blood Antioxidants and Oxidative Damage in Elderly People. Free Radical Research, 2002, 36, 875-882.	3.3	27