

# Wayne G Shreffler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/700955/publications.pdf>

Version: 2024-02-01

154  
papers

8,636  
citations

57758

44  
h-index

43889

91  
g-index

164  
all docs

164  
docs citations

164  
times ranked

5005  
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety of Epicutaneous Immunotherapy in Peanut-Allergic Children: REALISE Randomized Clinical Trial Results. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 1864-1873.e10.	3.8	31
2	Peanut oral immunotherapy differentially suppresses clonally distinct subsets of T helper cells. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	54
3	In response to Frequency of guideline-defined cow's milk allergy symptoms in infants: Secondary analysis of EAT trial data by Vincent et al. <i>Clinical and Experimental Allergy</i> , 2022, 52, 581-582.	2.9	3
4	Aptamer based point of care diagnostic for the detection of food allergens. <i>Scientific Reports</i> , 2022, 12, 1303.	3.3	11
5	Updating the CoFAR Grading Scale for Systemic Allergic Reactions in Food Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 2166-2170.e1.	2.9	30
6	Assessment of Social Limitations in Children with Peanut Allergy Undergoing Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB41.	2.9	0
7	Impact of the LEAP Study on Age at Introduction of Peanut in a Suburban U.S. Cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB105.	2.9	2
8	Updating the CoFAR Grading Scale for Systemic Allergic Reactions in Food Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB107.	2.9	0
9	Analysis of Oral Food Challenge Outcomes to Sesame. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB113.	2.9	0
10	Predictors of time to maintenance on peanut oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB140.	2.9	0
11	IFNG is constitutively expressed by esophagus-resident CD8+ T cells and is poised to mediate a disease-specific effect via its action on IFNGR+ eosinophils during active EoE. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB320.	2.9	0
12	Evaluation of a group visit model for access to infant and toddler oral food challenges. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 1655-1657.e1.	3.8	1
13	Prospective associations between acid suppressive therapy and food allergy in early childhood. <i>Clinical and Experimental Allergy</i> , 2022, 52, 711-714.	2.9	1
14	Safety of peanut ( <i>Arachis hypogaea</i> ) allergen powder-dnfp in children and teenagers with peanut allergy: Pooled summary of phase 3 and extension trials. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 2043-2052.e9.	2.9	16
15	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2022, , .	2.9	0
16	Kinetics of basophil hyporesponsiveness during short-course peanut oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 150, 1144-1153.	2.9	3
17	Age and eczema severity, but not family history, are major risk factors for peanut allergy in infancy. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 984-991.e5.	2.9	52
18	Ara h 2-specific IgE is superior to whole peanut extract-based serology or skin prick test for diagnosis of peanut allergy in infancy. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 977-983.e2.	2.9	40

#	ARTICLE	IF	CITATIONS
19	In vivo optical endomicroscopy: two decades of translational research towards next generation diagnosis of eosinophilic esophagitis. <i>Translational Medicine Communications</i> , 2021, 6, .	1.4	1
20	Rates of Peanut Discontinuation After Introduction Among High-Risk Infants. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB165.	2.9	0
21	Which Aspects Of Atopic Dermatitis Predict Peanut Allergy In Infancy?. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB97.	2.9	0
22	Transcriptomic and Gene Set Enrichment Analysis of Peanut stimulated CD4+ T cells during Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB165.	2.9	0
23	Early Growth in Children with IgE and Non-IgE-Mediated Food Allergy in a Healthy Infant Cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB102.	2.9	0
24	Gastrointestinal immunopathology of food proteinâ€“induced enterocolitis syndrome and other non-immunoglobulin Eâ€“mediated food allergic diseases. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 126, 516-523.	1.0	9
25	Continuous and Daily Oral Immunotherapy for Peanut Allergy: Results from a 2-Year Open-Label Follow-On Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1879-1889.e13.	3.8	53
26	Identification of antigen-specific TCR sequences based on biological and statistical enrichment in unselected individuals. <i>JCI Insight</i> , 2021, 6, .	5.0	9
27	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 273.	2.9	0
28	Peanut protein acts as a TH2 adjuvant by inducing RALDH2 in human antigen-presenting cells. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 182-194.e4.	2.9	19
29	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 275.	2.9	0
30	Clonally expanded, GPR15-expressing pathogenic effector T <sub>H</sub> 2 cells are associated with eosinophilic esophagitis. <i>Science Immunology</i> , 2021, 6, .	11.9	47
31	Dogmas, challenges, and promises in phase III allergen immunotherapy studies. <i>World Allergy Organization Journal</i> , 2021, 14, 100578.	3.5	3
32	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2021, , .	2.9	0
33	Expansion of the CD4+ effector T-cell repertoire characterizes peanut-allergic patients with heightened clinical sensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 270-282.	2.9	39
34	Epinephrine Auto-Injector Parental Survey and Skills Demonstration. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB232.	2.9	3
35	Determining Safety and Predictive Success of Baked Egg Oral Food Challenges in Infants/Toddlers. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB218.	2.9	0
36	Differences In Transcriptional Phenotype Between Highly Reactive And Hyporeactive Peanut Allergic Patients Are Not Reflected In Different Outcomes Of Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB134.	2.9	0

#	ARTICLE	IF	CITATIONS
37	The Incidence of Drug Allergy and Presentation of Symptoms in a Healthy, Birth Cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB96.	2.9	0
38	Increased IgE-Mediated Food Allergy With Food Protein-Induced Allergic Proctocolitis. <i>Pediatrics</i> , 2020, 146, .	2.1	27
39	Sialylation of immunoglobulin E is a determinant of allergic pathogenicity. <i>Nature</i> , 2020, 582, 265-270.	27.8	93
40	Food aversion and poor weight gain in food protein-induced enterocolitis syndrome: a retrospective study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB52.	2.9	1
41	Consensus report from the Food Allergy Research & Education (FARE) 2019 Oral Immunotherapy for Food Allergy Summit. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 244-249.	2.9	45
42	Oral food challenge outcomes in children under 3 years of age. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 3653-3656.e3.	3.8	7
43	High rate of peanut allergy among infants with atopic dermatitis before peanut introduction. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB340.	2.9	0
44	Identifying Demographics and Baseline Clinical Characteristics Associated with Safety Outcomes During AR101 Therapy. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB132.	2.9	3
45	Maternal Prenatal Use of Reflux Medication and the Development of Food Protein-Induced Allergic Proctocolitis in Offspring. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB51.	2.9	0
46	Long-term, open-label extension study of the efficacy and safety of epicutaneous immunotherapy for peanut allergy in children: PEOPLE 3-year results. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 863-874.	2.9	63
47	Ara h 2 Specific IgA B Cell Repertoire Matures During Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB181.	2.9	1
48	Open-Label Follow-Up of the PEPITES Study (PEOPLE) to Evaluate the Long-Term Efficacy and Safety of Epicutaneous Peanut Immunotherapy in Peanut-Allergic Children. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB141.	2.9	0
49	The Role of Bile Acids in Food Allergy and Responses to Oral Immunotherapy by Metabolomic Profiling. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB244.	2.9	1
50	Food aversion and poor weight gain in food protein-induced enterocolitis syndrome: A retrospective study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1430-1437.e11.	2.9	34
51	Prospective Assessment of Pediatrician-Diagnosed Food Protein-Induced Allergic Proctocolitis by Gross or Occult Blood. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1692-1699.e1.	3.8	50
52	Pathophysiology of immunoglobulin E-mediated food allergy. <i>Journal of Food Allergy</i> , 2020, 2, 7-10.	0.2	6
53	Novel vaccines: Technology and development. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 844-851.	2.9	9
54	Analysis of Oral Food Challenge Outcomes in IgE-Mediated Food Allergies to Almond in a Large Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2359-2368.e3.	3.8	19

#	ARTICLE	IF	CITATIONS
55	Acid Suppression in Infancy is not Prospectively Associated with Childhood IgE-Mediated Food Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB252.	2.9	0
56	Infant/Toddler Oral Food Challenge Outcomes. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB166.	2.9	0
57	Early decrease in basophil sensitivity to Ara h 2 precedes sustained unresponsiveness after peanut oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1310-1319.e4.	2.9	59
58	Deriving individual threshold doses from clinical food challenge data for population risk assessment of food allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1290-1309.	2.9	37
59	Current and Future Treatment of Peanut Allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 357-365.	3.8	28
60	Human monoclonal antibodies to Ara h 2 inhibit allergen-induced, IgE-mediated cell activation. <i>Clinical and Experimental Allergy</i> , 2019, 49, 1154-1157.	2.9	6
61	Identification of Peanut-Allergic Participants for Oral Immunotherapy With AR101 Using Clinical Reaction History and Immunologic Markers Without Oral Food Challenge – A Comparison Between RAMSES and PÁLISADE Trials. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB244.	2.9	1
62	Immune Progression Within the Memory CD4+ T Cell Compartment is a Marker of Heightened Clinical Sensitivity for Patients with Peanut Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB88.	2.9	0
63	A Prospective Assessment of Food Protein-Induced Allergic Proctocolitis from the GMAP Healthy Infant Cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB136.	2.9	3
64	Shy and/or fearful temperament not associated with IgE mediated food allergy in early childhood. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB274.	2.9	1
65	TCR Repertoire Analysis Reveals Public Motifs with High Probability for Allergen Epitope Specificity. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB83.	2.9	0
66	Incidence and Clinical Presentation of Food Protein-Induced Enterocolitis Syndrome in a Prospective Healthy Infant Cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB157.	2.9	1
67	Analysis of Oral Food Challenges to Determine Predictors of Almond Hypersensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB165.	2.9	0
68	Human BCR analysis of single-sorted, putative IgE+ memory B cells in food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 336-339.e6.	2.9	43
69	Designer covalent heterobivalent inhibitors prevent IgE-dependent responses to peanut allergen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8966-8974.	7.1	14
70	Effect of Epicutaneous Immunotherapy vs Placebo on Reaction to Peanut Protein Ingestion Among Children With Peanut Allergy. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 946.	7.4	206
71	IgEhi Endophenotype in Those with Transient Desensitization after Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB83.	2.9	0
72	Food-Protein Induced Allergic Proctocolitis is Prospectively Associated with IgE-Mediated Milk and Egg Allergies by Age 3. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB201.	2.9	2

#	ARTICLE	IF	CITATIONS
73	TCR sequencing paired with massively parallel 3â€² RNA-seq reveals clonotypic T cell signatures. <i>Nature Immunology</i> , 2019, 20, 1692-1699.	14.5	89
74	Promise of personalized medicine. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 123, 534.	1.0	1
75	Integrin $\beta$ 4 activation and upregulation on esophageal eosinophils and periostinâ€mediated eosinophil survival in eosinophilic esophagitis. <i>Immunology and Cell Biology</i> , 2018, 96, 426-438.	2.3	14
76	Effect of Epicutaneous Immunotherapy on Inducing Peanut Desensitization in Peanut-Allergic Children: Topline Peanut Epicutaneous Immunotherapy Efficacy and Safety (PEPITES) Randomized Clinical Trial Results. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB410.	2.9	6
77	The importance of reducing risk in peanut allergy: Current and future therapies. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 124-127.	1.0	18
78	Dataâ€driven programmatic approach to analysis of basophil activation tests. <i>Cytometry Part B - Clinical Cytometry</i> , 2018, 94, 667-673.	1.5	17
79	Physician-diagnosed eczema is an independent risk factor for incident mouse skin test sensitization in adults. <i>Allergy and Asthma Proceedings</i> , 2018, 39, 311-315.	2.2	1
80	AR101 Oral Immunotherapy for Peanut Allergy. <i>New England Journal of Medicine</i> , 2018, 379, 1991-2001.	27.0	518
81	Nasopharyngeal $\alpha$ 5 in infants with severe bronchiolitis and risk of recurrent wheezing: A multiâ€center prospective cohort study. <i>Clinical and Experimental Allergy</i> , 2018, 48, 1063-1067.	2.9	12
82	The limited utility of the double-blind food challenge in diagnosing non-IgE mediated cowâ€™s milk allergy in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB256.	2.9	0
83	Decrease in early basophil sensitivity to Ara h 2 correlates with sustained unresponsiveness in peanut oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB287.	2.9	0
84	Enhancing the Safety and Efficacy of Food Allergy Immunotherapy: a Review of Adjunctive Therapies. <i>Clinical Reviews in Allergy and Immunology</i> , 2018, 55, 172-189.	6.5	36
85	AGE-RELATED FINDINGS FROM THE PEANUT ALLERGY ORAL IMMUNOTHERAPY STUDY OF AR101 FOR DESENSITIZATION (PALISADE) STUDY. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 121, S4.	1.0	6
86	Patterns of immune development in urban preschoolers with recurrent wheeze and/or atopy. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 836-844.e7.	2.9	23
87	Peanut Allergen Threshold Study (PATS): Novel single-dose oral food challenge study to validate eliciting doses in children with peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1583-1590.	2.9	106
88	Road map for the clinical application of the basophil activation test in food allergy. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1115-1124.	2.9	72
89	Prospective Incidences And The Relationship Between Allergic Proctocolitis And IgE-Mediated Food Allergies In Early Childhood. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, AB274.	2.9	1
90	Probiotics and oral immunotherapy for peanut allergy. <i>The Lancet Child and Adolescent Health</i> , 2017, 1, e1.	5.6	0

#	ARTICLE	IF	CITATIONS
91	Eosinophil Integrin $\alpha$ M (CD11B/MAC-1) Promotes Eosinophilic Esophagitis Through Interaction with Epithelial-Derived Periostin. <i>Gastroenterology</i> , 2017, 152, S870-S871.	1.3	0
92	Effect of Varying Doses of Epicutaneous Immunotherapy vs Placebo on Reaction to Peanut Protein Exposure Among Patients With Peanut Sensitivity. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1798.	7.4	185
93	Atopy as a Modifier of the Relationships Between Endotoxin Exposure and Symptoms Among Laboratory Animal Workers. <i>Annals of Work Exposures and Health</i> , 2017, 61, 1024-1028.	1.4	3
94	Presumed Allergic Proctocolitis Resolves with Probiotic Monotherapy: A Report of 4 Cases. <i>American Journal of Case Reports</i> , 2016, 17, 621-624.	0.8	14
95	The influence of atopy and asthma on immune responses in inner-city adults. <i>Immunity, Inflammation and Disease</i> , 2016, 4, 80-90.	2.7	2
96	Basophil activation testing in diagnosis and monitoring of allergic disease – an overview. <i>Allergo Journal International</i> , 2016, 25, 106-113.	2.0	5
97	Mild Ocular and Nasal Symptoms Are Not Indicative of Reactions during Open Oral Food Challenges. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, AB125.	2.9	1
98	Peanut and Ara h 2 Specific Immunoglobulin E Is Predictive of Sustained Unresponsiveness Following Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, AB194.	2.9	1
99	Mechanisms Underlying Induction of Tolerance to Foods. <i>Immunology and Allergy Clinics of North America</i> , 2016, 36, 87-102.	1.9	50
100	Quality of life for children with eosinophilic esophagitis: a comparison of patients' and parents' perceptions and associated factors using the PedsQL <sup>®</sup> 3.0 Eosinophilic Esophagitis Module. <i>Clinical and Translational Allergy</i> , 2015, 5, P159.	3.2	0
101	Longitudinal Perspective on Managing Refractory Eosinophilic Esophagitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2015, 3, 951-956.	3.8	14
102	Epicutaneous Immunotherapy (EPIT) Is Effective and Safe to Treat Peanut Allergy: A Multi-National Double-Blind Placebo-Controlled Randomized Phase Ib Trial. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB390.	2.9	26
103	Peanut oral immunotherapy transiently expands circulating Ara h 2-specific B cells with a homologous repertoire in unrelated subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 125-134.e12.	2.9	103
104	Cesarean section and antibiotic use found to be associated with eosinophilic esophagitis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2014, 2, 475-477.e1.	3.8	64
105	Tu1365 Tethered Capsule Endomicroscopy for Eosinophilic Esophagitis. <i>Gastrointestinal Endoscopy</i> , 2014, 79, AB513-AB514.	1.0	0
106	Associations between serum folate and vitamin D levels and incident mouse sensitization in adults. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 399-404.	2.9	11
107	BATting above average: Basophil activation testing for peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 653-654.	2.9	4
108	RE: Reply to Lifschitz. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2014, 2, 643-644.	3.8	0

#	ARTICLE	IF	CITATIONS
109	CCR8 Is a Receptor For CCL18 On Human Th2 Cells. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, AB170.	2.9	0
110	Cow's Milk Allergy: A New Approach Needed?. <i>Journal of Pediatrics</i> , 2013, 163, 620-622.	1.8	4
111	Induction of Antigen-Specific B Cells During Peanut Oral Immunotherapy Using Novel Tetramer-Based Approach. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB86.	2.9	0
112	Tolerance of Baked Milk in a Subset of Patients with Cow's Milk-Mediated Eosinophilic Esophagitis. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB181.	2.9	0
113	Basophil reactivity, wheal size, and immunoglobulin levels distinguish degrees of cow's milk tolerance. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 180-186.e3.	2.9	130
114	Identification of human CCR8 as a CCL18 receptor. <i>Journal of Experimental Medicine</i> , 2013, 210, 1889-1898.	8.5	153
115	Peanut Allergen Threshold Study (PATS): validation of eliciting doses using a novel single-dose challenge protocol. <i>Allergy, Asthma and Clinical Immunology</i> , 2013, 9, 35.	2.0	23
116	Innate immunostimulatory properties of allergens and their relevance to food allergy. <i>Seminars in Immunopathology</i> , 2012, 34, 617-632.	6.1	41
117	Oral Immunotherapy for Treatment of Egg Allergy in Children. <i>New England Journal of Medicine</i> , 2012, 367, 233-243.	27.0	606
118	The role of dendritic cells in food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 921-928.	2.9	74
119	Walnut Allergy in Peanut-Allergic Patients: Significance of Sequential Epitopes of Walnut Homologous to Linear Epitopes of Ara h 1, 2 and 3 in Relation to Clinical Reactivity. <i>International Archives of Allergy and Immunology</i> , 2012, 157, 238-245.	2.1	30
120	Determinants of Food Allergy. <i>Immunology and Allergy Clinics of North America</i> , 2012, 32, 11-33.	1.9	45
121	Sublingual immunotherapy for peanut allergy: Clinical and immunologic evidence of desensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 640-646.e1.	2.9	324
122	Microarrayed recombinant allergens for diagnostic testing. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 843-849.	2.9	68
123	Both the variability and level of mouse allergen exposure influence the phenotype of the immune response in workers at a mouse facility. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 390-396.e7.	2.9	38
124	Food Allergy and Complementary Feeding. <i>Nestle Nutrition Institute Workshop Series</i> , 2011, 68, 141-152.	0.1	2
125	Correlation of IgE/IgG4 milk epitopes and affinity of milk-specific IgE antibodies with different phenotypes of clinical milk allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 695-702.e6.	2.9	186
126	Oral peanut immunotherapy in children with peanut anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 83-91.e1.	2.9	353



#	ARTICLE	IF	CITATIONS
127	Identification of IgE sequential epitopes of lentil (Len c 1) by means of peptide microarray immunoassay. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 596-601.e1.	2.9	50
128	The Urban Environment and Childhood Asthma (URECA) birth cohort study: design, methods, and study population. <i>BMC Pulmonary Medicine</i> , 2009, 9, 17.	2.0	90
129	Association of allergen-specific regulatory T cells with the onset of clinical tolerance to milk protein. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 43-52.e7.	2.9	227
130	The perfectly potent peanut. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 352-353.	2.9	2
131	Allergen-specific basophil suppression associated with clinical tolerance in patients with milk allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 789-794.e20.	2.9	124
132	Clinical efficacy and immune regulation with peanut oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 292-300.e97.	2.9	610
133	Epinephrine treatment is infrequent and biphasic reactions are rare in food-induced reactions during oral food challenges in children. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 1267-1272.	2.9	84
134	Development of a novel peptide microarray for large-scale epitope mapping of food allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 315-322.e3.	2.9	115
135	Microarrayed Allergen Molecules for Diagnostics of Allergy. <i>Methods in Molecular Biology</i> , 2009, 524, 259-272.	0.9	27
136	Type 1 diabetes, autoimmune thyroid disease, and chronic urticaria. <i>Pediatric Diabetes</i> , 2008, 9, 508-511.	2.9	16
137	Peanut epitopes for IgE and IgG4 in peanut-sensitized children in relation to severity of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 737-743.e10.	2.9	203
138	TH2 adjuvants: Implications for food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1311-1320.	2.9	70
139	Tolerance to extensively heated milk in children with cow's milk allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 342-347.e2.	2.9	465
140	Immunologic changes in children with egg allergy ingesting extensively heated egg. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 977-983.e1.	2.9	426
141	Mapping of the IgE and IgG4 sequential epitopes of milk allergens with a peptide microarray-based immunoassay. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 589-594.	2.9	174
142	Basic science for the practicing physician: flow cytometry and cell sorting. <i>Annals of Allergy, Asthma and Immunology</i> , 2008, 101, 544-549.	1.0	9
143	Lack of association of HLA class II alleles with peanut allergy. <i>Annals of Allergy, Asthma and Immunology</i> , 2006, 96, 865-869.	1.0	44
144	Skin prick test to egg white provides additional diagnostic utility to serum egg white-specific IgE antibody concentration in children. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 842-847.	2.9	91

#	ARTICLE	IF	CITATIONS
145	Evaluation of basophil activation in food allergy: present and future applications. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2006, 6, 226-233.	2.3	48
146	Standardization and performance evaluation of mononuclear cell cytokine secretion assays in a multicenter study. <i>BMC Immunology</i> , 2006, 7, 29.	2.2	26
147	The Major Glycoprotein Allergen from <i>Arachis hypogaea</i> , Ara h 1, Is a Ligand of Dendritic Cell-Specific ICAM-Grabbing Nonintegrin and Acts as a Th2 Adjuvant In Vitro. <i>Journal of Immunology</i> , 2006, 177, 3677-3685.	0.8	249
148	IgE and IgG4 epitope mapping by microarray immunoassay reveals the diversity of immune response to the peanut allergen, Ara h 2. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 893-899.	2.9	184
149	Microarray immunoassay: Association of clinical history, in vitro IgE function, and heterogeneity of allergenic peanut epitopes. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 113, 776-782.	2.9	323
150	unc-8, a DEG/ENaC Family Member, Encodes a Subunit of a Candidate Mechanically Gated Channel That Modulates <i>C. elegans</i> Locomotion. <i>Neuron</i> , 1997, 18, 107-119.	8.1	195
151	Genes controlling ion permeability in both motorneurons and muscle. <i>Behavior Genetics</i> , 1997, 27, 211-221.	2.1	14
152	A Rapid and Simple Diagnostic Test for Active Visceral Leishmaniasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 1991, 44, 272-277.	1.4	35
153	An Improved Serodiagnostic Procedure for Visceral Leishmaniasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 1990, 43, 632-639.	1.4	58
154	Peanut Oral Immunotherapy Suppresses Clonally Distinct Subsets of T Helper Cells. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1