

Mauro Guida Santos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/70116/publications.pdf>

Version: 2024-02-01

73
papers

1,892
citations

257357

24
h-index

289141

40
g-index

74
all docs

74
docs citations

74
times ranked

2103
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamics of nonstructural carbohydrates in a deciduous woody species from tropical dry forests under recurrent water deficit. <i>Physiologia Plantarum</i> , 2022, 174, e13632.	2.6	6
2	Remobilization of leaf Na ⁺ content and use of nonstructural carbohydrates vary depending on the time when salt stress begins in woody species. <i>Plant Physiology and Biochemistry</i> , 2021, 158, 385-395.	2.8	5
3	Reference genes for quantitative real-time PCR normalization of <i>Cenostigma pyramidale</i> roots under salt stress and mycorrhizal association. <i>Genetics and Molecular Biology</i> , 2021, 44, e20200424.	0.6	1
4	Salt tolerance of <i>Calotropis procera</i> begins with immediate regulation of aquaporin activity in the root system. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 457-468.	1.4	12
5	Whole plant water status and nonstructural carbohydrates under progressive drought in a Caatinga deciduous woody species. <i>Trees - Structure and Function</i> , 2021, 35, 1257-1266.	0.9	17
6	Transcriptome of <i>Cenostigma pyramidale</i> roots, a woody legume, under different salt stress times. <i>Physiologia Plantarum</i> , 2021, 173, 1463-1480.	2.6	10
7	Low foliar construction cost and strong investment in root biomass in <i>Calotropis procera</i> , an invasive species under drought and recovery. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021, 280, 151848.	0.6	3
8	Arbuscular mycorrhizal inoculation increases drought tolerance and survival of <i>Cenostigma microphyllum</i> seedlings in a seasonally dry tropical forest. <i>Forest Ecology and Management</i> , 2021, 492, 119213.	1.4	8
9	Coupling Relationship of Leaf Economic and Hydraulic Traits of <i>Alhagisparisifolia</i> Shap. in a Hyper-Arid Desert Ecosystem. <i>Plants</i> , 2021, 10, 1867.	1.6	9
10	Stomatal Responses to Light, CO ₂ , and Mesophyll Tissue in <i>Vicia faba</i> and <i>Kalanchoe fedtschenkoi</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 740534.	1.7	6
11	C ₃ -species <i>Calotropis procera</i> increase specific leaf area and decrease stomatal pore size, alleviating gas exchange under drought and salinity. <i>Acta Physiologiae Plantarum</i> , 2021, 43, 1.	1.0	7
12	Different resource-use strategies of invasive and native woody species from a seasonally dry tropical forest under drought stress and recovery. <i>Plant Physiology and Biochemistry</i> , 2020, 147, 181-190.	2.8	26
13	Ecophysiological Traits of Invasive C ₃ Species <i>Calotropis procera</i> to Maintain High Photosynthetic Performance Under High VPD and Low Soil Water Balance in Semi-Arid and Seacoast Zones. <i>Frontiers in Plant Science</i> , 2020, 11, 717.	1.7	14
14	Intense mycorrhizal root colonization in a human-modified landscape of the Caatinga dry forest. <i>Forest Ecology and Management</i> , 2020, 462, 117970.	1.4	10
15	Reference genes selection for <i>Calotropis procera</i> under different salt stress conditions. <i>PLoS ONE</i> , 2019, 14, e0215729.	1.1	7
16	Changes in foliar epicuticular wax and photosynthesis metabolism in evergreen woody species under different soil water availability. <i>Photosynthetica</i> , 2019, 57, 192-201.	0.9	8
17	Stomatal conductance and foliar phytohormones under water status changes in <i>Annona leptopetala</i> , a woody deciduous species in tropical dry forest. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018, 242, 1-7.	0.6	8
18	Arbuscular mycorrhizal fungi improve photosynthetic energy use efficiency and decrease foliar construction cost under recurrent water deficit in woody evergreen species. <i>Plant Physiology and Biochemistry</i> , 2018, 127, 469-477.	2.8	27

#	ARTICLE	IF	CITATIONS
19	Arbuscular mycorrhizal fungi and foliar phosphorus inorganic supply alleviate salt stress effects in physiological attributes, but only arbuscular mycorrhizal fungi increase biomass in woody species of a semiarid environment. <i>Tree Physiology</i> , 2018, 38, 25-36.	1.4	30
20	Changes in phenotypic variability of two tropical woody species due to short and long-term exposure to different irradiances. <i>Bragantia</i> , 2018, 77, 429-439.	1.3	2
21	Cowpea and abiotic stresses: identification of reference genes for transcriptional profiling by qPCR. <i>Plant Methods</i> , 2018, 14, 88.	1.9	37
22	Leaf phytohormone levels and stomatal control in an evergreen woody species under semiarid environment in a Brazilian seasonally dry tropical forest. <i>Plant Growth Regulation</i> , 2018, 85, 437-445.	1.8	21
23	Leaf thickness to predict plant water status. <i>Biosystems Engineering</i> , 2017, 156, 148-156.	1.9	38
24	Seasonal variability in physiological and anatomical traits contributes to invasion success of <i>Prosopis juliflora</i> in tropical dry forest. <i>Tree Physiology</i> , 2017, 37, 326-337.	1.4	13
25	Leaf construction cost is related to water availability in three species of different growth forms in a Brazilian tropical dry forest. <i>Theoretical and Experimental Plant Physiology</i> , 2017, 29, 95-108.	1.1	19
26	Photosynthetic limitation and mechanisms of photoprotection under drought and recovery of <i>Calotropis procera</i> , an evergreen C3 from arid regions. <i>Plant Physiology and Biochemistry</i> , 2017, 118, 589-599.	2.8	39
27	Leaf epicuticular wax content changes under different rainfall regimes, and its removal affects the leaf chlorophyll content and gas exchanges of <i>Aspidosperma pyriforme</i> in a seasonally dry tropical forest. <i>South African Journal of Botany</i> , 2017, 111, 267-274.	1.2	19
28	Different physiological responses under drought stress result in different recovery abilities of two tropical woody evergreen species. <i>Acta Botanica Brasiliica</i> , 2017, 31, 153-160.	0.8	22
29	Transcription Factors Involved in Plant Resistance to Pathogens. <i>Current Protein and Peptide Science</i> , 2017, 18, 335-351.	0.7	134
30	Strategies of two tropical woody species to tolerate salt stress. <i>Pesquisa Florestal Brasileira</i> , 2017, 37, 63.	0.1	2
31	Ecophysiological leaf traits of native and exotic palm tree species under semi-arid conditions. <i>Bragantia</i> , 2016, 75, 128-134.	1.3	13
32	Symbiosis with AMF and leaf Pi supply increases water deficit tolerance of woody species from seasonal dry tropical forest. <i>Journal of Plant Physiology</i> , 2016, 207, 84-93.	1.6	39
33	Increase in biomass of two woody species from a seasonal dry tropical forest in association with AMF with different phosphorus levels. <i>Applied Soil Ecology</i> , 2016, 102, 46-52.	2.1	15
34	Drought tolerance in cowpea species is driven by less sensitivity of leaf gas exchange to water deficit and rapid recovery of photosynthesis after rehydration. <i>South African Journal of Botany</i> , 2016, 103, 101-107.	1.2	63
35	Can the critical temperature for photochemical damage in common bean plants be changed after a drought event?. <i>Bragantia</i> , 2015, 74, 374-378.	1.3	2
36	Phenotypic plasticity and ecophysiological strategies in a tropical dry forest chronosequence: A study case with <i>Poincianella pyramidalis</i> . <i>Forest Ecology and Management</i> , 2015, 340, 62-69.	1.4	37

#	ARTICLE	IF	CITATIONS
37	Changes in leaf epicuticular wax, gas exchange and biochemistry metabolism between <i>Jatropha mollissima</i> and <i>Jatropha curcas</i> under semi-arid conditions. <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1.	1.0	12
38	Ecophysiological, anatomical and biochemical aspects of in vitro culture of zygotic <i>Syagrus coronata</i> embryos and of young plants under drought stress. <i>Trees - Structure and Function</i> , 2015, 29, 1219-1233.	0.9	16
39	Overcoming seed dormancy using gibberellic acid and the performance of young <i>Syagrus coronata</i> plants under severe drought stress and recovery. <i>Plant Physiology and Biochemistry</i> , 2015, 97, 278-286.	2.8	8
40	Stress Tolerance and Ecophysiological Ability of an Invader and a Native Species in a Seasonally Dry Tropical Forest. <i>PLoS ONE</i> , 2014, 9, e105514.	1.1	30
41	Desempenho ecofisiológico de milho, sorgo e braquiária sob déficit hídrico e reidratação. <i>Bragantia</i> , 2014, 73, 203-212.	1.3	5
42	Photosynthesis, antioxidant activities and transcriptional responses in two sugarcane (<i>Saccharum</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.0	21
43	Caatinga, the Brazilian dry tropical forest: can it tolerate climate changes?. <i>Theoretical and Experimental Plant Physiology</i> , 2014, 26, 83-99.	1.1	136
44	Different mechanisms drive the performance of native and invasive woody species in response to leaf phosphorus supply during periods of drought stress and recovery. <i>Plant Physiology and Biochemistry</i> , 2014, 82, 66-75.	2.8	29
45	Ecophysiological performance of <i>Calotropis procera</i> : an exotic and evergreen species in Caatinga, Brazilian semi-arid. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 335.	1.0	24
46	In vivo temperature limitations of photosynthesis in <i>Phaseolus vulgaris</i> L. <i>Environmental and Experimental Botany</i> , 2013, 91, 84-89.	2.0	7
47	Ecophysiological performance of three <i>Opuntia ficus-indica</i> cultivars exposed to carmine cochineal under field conditions. <i>Scientia Horticulturae</i> , 2013, 150, 419-424.	1.7	13
48	Three cycles of water deficit from seed to young plants of <i>Moringa oleifera</i> woody species improves stress tolerance. <i>Plant Physiology and Biochemistry</i> , 2013, 63, 200-208.	2.8	57
49	Gas exchange, growth, and antioxidant activity in sugarcane under biological nitrogen fixation. <i>Photosynthetica</i> , 2012, 50, 519-528.	0.9	4
50	Seasonal effects on the relationship between photosynthesis and leaf carbohydrates in orange trees. <i>Functional Plant Biology</i> , 2012, 39, 471.	1.1	29
51	Epicuticular-wax removal influences gas exchange and water relations in the leaves of an exotic and native species from a Brazilian semiarid region under induced drought stress. <i>Australian Journal of Botany</i> , 2012, 60, 685.	0.3	22
52	Allelopathic and bioherbicidal potential of <i>Cladonia verticillaris</i> on the germination and growth of <i>Lactuca sativa</i> . <i>Ecotoxicology and Environmental Safety</i> , 2012, 84, 125-132.	2.9	52
53	Leaf Photosynthetic Metabolism and N ₂ Fixation at the Flowering Stage in Three Genotypes of Cowpea [<i>Vigna unguiculata</i> (L.) Walp.]. <i>Journal of Agricultural Science</i> , 2012, 4, .	0.1	2
54	Water relations in physic nut according to climatic seasonality, in semiarid conditions. <i>Pesquisa Agropecuaria Brasileira</i> , 2011, 46, 1112-1115.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Water relations and some aspects of leaf metabolism of <i>Jatropha curcas</i> young plants under two water deficit levels and recovery. <i>Brazilian Journal of Plant Physiology</i> , 2011, 23, 123-130.	0.5	20
56	Características fotossintéticas de <i>Phaseolus vulgaris</i> L. <i>Hoehnea</i> (revista), 2011, 38, 273-280.	0.2	2
57	Water relations and chlorophyll fluorescence responses of two leguminous trees from the Caatinga to different watering regimes. <i>Acta Physiologiae Plantarum</i> , 2010, 32, 235-244.	1.0	34
58	Ecophysiology parameters of four Brazilian Atlantic Forest species under shade and drought stress. <i>Acta Physiologiae Plantarum</i> , 2010, 32, 729-737.	1.0	5
59	Photosynthesis, photoprotection and antioxidant activity of purging nut under drought deficit and recovery. <i>Biomass and Bioenergy</i> , 2010, 34, 1207-1215.	2.9	117
60	Tolerance to water deficit in young trees of jackfruit and sugar apple. <i>Revista Ciencia Agronomica</i> , 2010, 41, 245-252.	0.1	24
61	Crescimento de plantas jovens de Nim-Indiano (<i>Azadirachta indica</i> a. juss. - Meliaceae) sob diferentes regimes hídricos. <i>Revista Arvore</i> , 2010, 34, 771-779.	0.5	12
62	Seasonal and diurnal changes in photosynthetic limitation of young sweet orange trees. <i>Environmental and Experimental Botany</i> , 2009, 66, 203-211.	2.0	68
63	Photosynthetic parameters and leaf water potential of five common bean genotypes under mild water deficit. <i>Biologia Plantarum</i> , 2009, 53, 229-236.	1.9	71
64	Photosynthesis and water relations of well-watered orange plants as affected by winter and summer conditions. <i>Photosynthetica</i> , 2009, 47, 215-222.	0.9	104
65	Daily balance of leaf sugars and amino acids as indicators of common bean (<i>Phaseolus vulgaris</i> L.) metabolic response and drought intensity. <i>Physiology and Molecular Biology of Plants</i> , 2009, 15, 23-30.	1.4	32
66	Photochemical heat-shock response in common bean leaves as affected by previous water deficit. <i>Russian Journal of Plant Physiology</i> , 2008, 55, 350-358.	0.5	15
67	The role of inorganic phosphate on photosynthesis recovery of common bean after a mild water deficit. <i>Plant Science</i> , 2006, 170, 659-664.	1.7	59
68	Foliar phosphorus supply and CO ₂ assimilation in common bean (<i>Phaseolus vulgaris</i> L.) under water deficit. <i>Brazilian Journal of Plant Physiology</i> , 2006, 18, 407-411.	0.5	3
69	Approximate Entropy as a measure of complexity in sap flow temporal dynamics of two tropical tree species under water deficit. <i>Anais Da Academia Brasileira De Ciencias</i> , 2004, 76, 625-630.	0.3	9
70	Functional groups of forest succession as dissipative structures: an applied study. <i>Brazilian Journal of Biology</i> , 2004, 64, 707-718.	0.4	17
71	Environmental effects on photosynthetic capacity of bean genotypes. <i>Pesquisa Agropecuaria Brasileira</i> , 2004, 39, 615-623.	0.9	28
72	Effects of changes in the photosynthetic photon flux density on net gas exchange of <i>Citrus limon</i> and <i>Nicotiana tabacum</i> . <i>Brazilian Journal of Plant Physiology</i> , 2004, 16, 77-82.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Gas exchange and yield response to foliar phosphorus application in <i>Phaseolus vulgaris</i> L. under drought. <i>Brazilian Journal of Plant Physiology</i> , 2004, 16, 171-179.	0.5	60