

David J Miklowitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7011883/publications.pdf>

Version: 2024-02-01

174
papers

13,594
citations

20817

60
h-index

22166

113
g-index

175
all docs

175
docs citations

175
times ranked

7564
citing authors

#	ARTICLE	IF	CITATIONS
1	Family communication and the efficacy of family focused therapy in individuals at clinical high risk for psychosis with comorbid anxiety. <i>Microbial Biotechnology</i> , 2023, 17, 281-289.	1.7	1
2	Therapeutic alliance in family therapy and clinical outcomes among adolescents at risk for mood disorders. <i>Journal of Affective Disorders</i> , 2022, 300, 66-70.	4.1	0
3	Effects of family intervention on psychosocial functioning and mood symptoms of youth at high risk for bipolar disorder.. <i>Journal of Consulting and Clinical Psychology</i> , 2022, 90, 161-171.	2.0	3
4	Mood Instability in Youth at High Risk for Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 1285-1295.	0.5	8
5	General and Specific Dimensions of Mood Symptoms Are Associated With Impairments in Common Executive Function in Adolescence and Young Adulthood. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 838645.	2.0	0
6	App-enhanced transdiagnostic CBT for adolescents with mood or psychotic spectrum disorders. <i>Journal of Affective Disorders</i> , 2022, 311, 319-326.	4.1	8
7	A Double-Blind Randomized Trial to Investigate Mechanisms of Antidepressant-Related Dysfunctional Arousal in Depressed or Anxious Youth at Familial Risk for Bipolar Disorder. <i>Journal of Personalized Medicine</i> , 2022, 12, 1006.	2.5	2
8	Computer-aided learning for managing stress: A feasibility trial with clinical high risk adolescents and young adults. <i>Microbial Biotechnology</i> , 2021, 15, 471-479.	1.7	1
9	Depression, family interaction and family intervention in adolescents at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 360-366.	1.7	1
10	Selection for psychosocial treatment for youth at clinical high risk for psychosis based on the North American Prodrome Longitudinal Study individualized risk calculator. <i>Microbial Biotechnology</i> , 2021, 15, 96-103.	1.7	9
11	Changes in Intrinsic Brain Connectivity in Family-Focused Therapy Versus Standard Psychoeducation Among Youths at High Risk for Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 458-469.	0.5	12
12	Adjunctive Psychotherapy for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2021, 78, 141.	11.0	115
13	Development and Open Trial of a Technology-Enhanced Family Intervention for Adolescents at Risk for Mood Disorders. <i>Journal of Affective Disorders</i> , 2021, 281, 438-446.	4.1	13
14	Neural changes in youth at high risk for bipolar disorder undergoing family-focused therapy or psychoeducation. <i>Bipolar Disorders</i> , 2021, 23, 604-614.	1.9	7
15	Social impairment in relation to clinical symptoms in youth at high risk for bipolar disorder. <i>Microbial Biotechnology</i> , 2021, , .	1.7	0
16	Effects of High-versus Low-Intensity Clinician Training on Implementation of Family-Focused Therapy for Youth with Mood and Psychotic Disorders. <i>Family Process</i> , 2021, 60, 727-740.	2.6	2
17	Using machine learning analyses of speech to classify levels of expressed emotion in parents of youth with mood disorders. <i>Journal of Psychiatric Research</i> , 2021, 136, 39-46.	3.1	8
18	Interpreting the Findings of a Meta-analysis of Psychosocial Interventions in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2021, 78, 448.	11.0	0

#	ARTICLE	IF	CITATIONS
19	Preventing Irritability and Temper Outbursts in Youth by Building Resilience. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2021, 30, 595-610.	1.9	3
20	Family-focused therapy for individuals at high clinical risk for psychosis: A confirmatory efficacy trial. <i>Microbial Biotechnology</i> , 2021, , .	1.7	1
21	Behavioral mediators of stress-related mood symptoms in adolescence & young adulthood. <i>Journal of Affective Disorders</i> , 2021, 294, 94-102.	4.1	5
22	Longitudinal relationship between maternal distress and pediatric mood symptoms in youth with mood disorders. <i>Journal of Psychiatric Research</i> , 2021, 144, 353-359.	3.1	0
23	A commentary on youth onset bipolar disorder. <i>Bipolar Disorders</i> , 2021, 23, 834-837.	1.9	6
24	Classifying Mood Symptom Trajectories in Adolescents With Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 381-390.	0.5	13
25	Network analysis of mood symptoms in adolescents with or at high risk for bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 128-138.	1.9	24
26	Applying a Transdiagnostic Cognitive-Behavioral Treatment to Adolescents at High Risk for Serious Mental Illness: Rationale and Preliminary Findings. <i>Cognitive and Behavioral Practice</i> , 2020, 27, 202-214.	1.5	22
27	Longitudinal trajectories of mood symptoms and global functioning in youth at high risk for bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 277, 394-401.	4.1	11
28	Isn't the evidence base for pediatric bipolar disorder already sufficient to inform clinical practice?. <i>Bipolar Disorders</i> , 2020, 22, 664-665.	1.9	5
29	Toward prevention of bipolar disorder in at-risk children: Potential strategies ahead of the data. <i>Journal of Affective Disorders</i> , 2020, 272, 508-520.	4.1	18
30	Effects of family-focused therapy on suicidal ideation and behavior in youth at high risk for bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 275, 14-22.	4.1	15
31	A Randomized Comparison of Two Psychosocial Interventions on Family Functioning in Adolescents with Bipolar Disorder. <i>Family Process</i> , 2020, 59, 376-389.	2.6	14
32	Effects of Family-Focused Therapy vs Enhanced Usual Care for Symptomatic Youths at High Risk for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 455.	11.0	42
33	Characteristics of youth at high risk for bipolar disorder compared to youth with bipolar I or II disorder. <i>Journal of Psychiatric Research</i> , 2020, 123, 48-53.	3.1	5
34	Helping Families to Understand and Cope With Psychiatric Disorders in Childhood—Beyond Basic Facts. <i>JAMA Psychiatry</i> , 2020, 77, 433.	11.0	1
35	Clinical state tracking in serious mental illness through computational analysis of speech. <i>PLoS ONE</i> , 2020, 15, e0225695.	2.5	44
36	The associations between illness perceptions and social rhythm stability on mood symptoms among patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 273, 517-523.	4.1	6

#	ARTICLE	IF	CITATIONS
37	Patient and Provider Cocreation of Mobile Texting Apps to Support Behavioral Health: Usability Study. JMIR MHealth and UHealth, 2020, 8, e12655.	3.7	12
38	Comorbid disorders as moderators of response to family interventions among adolescents with bipolar disorder. Journal of Affective Disorders, 2019, 246, 754-762.	4.1	13
39	The role of avoidance motivation in the relationship between reward sensitivity and depression symptoms in adolescents: An ERP study. Psychiatry Research, 2019, 279, 345-349.	3.3	5
40	A Longitudinal Study of Family Functioning in Offspring of Parents Diagnosed With Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 961-970.	0.5	22
41	“Did You Get My Text?”: Commentary on “Objective smartphone data as a potential diagnostic marker of bipolar disorder”. Australian and New Zealand Journal of Psychiatry, 2019, 53, 169-170.	2.3	0
42	Early intervention for youth at high risk for bipolar disorder: A multisite randomized trial of family-focused treatment. Microbial Biotechnology, 2019, 13, 208-216.	1.7	20
43	Mood instability as a predictor of clinical and functional outcomes in adolescents with bipolar I and bipolar II disorder. Journal of Affective Disorders, 2018, 236, 199-206.	4.1	34
44	Randomized trial comparing caregiver-only family-focused treatment to standard health education on the 6-month outcome of bipolar disorder. Bipolar Disorders, 2018, 20, 622-633.	1.9	31
45	The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 225, 234-245.	4.1	61
46	Family communication with teens at clinical high-risk for psychosis or bipolar disorder.. Journal of Family Psychology, 2018, 32, 507-516.	1.3	15
47	Expressed emotion, emotional distress, and individual and familial history of affective disorder among parents of adolescents with bipolar disorder. Psychiatry Research, 2018, 270, 656-660.	3.3	11
48	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. Australian and New Zealand Journal of Psychiatry, 2018, 52, 847-855.	2.3	9
49	Perceived Criticism in the Treatment of a High-Risk Adolescent. Journal of Clinical Psychology, 2017, 73, 570-578.	1.9	8
50	Do Sleep Disturbances Predict or Moderate the Response to Psychotherapy in Bipolar Disorder?. Journal of Nervous and Mental Disease, 2017, 205, 196-202.	1.0	5
51	Enhancing quality of life among adolescents with bipolar disorder: A randomized trial of two psychosocial interventions. Journal of Affective Disorders, 2017, 219, 201-208.	4.1	16
52	The International Society for Bipolar Disorders Task Force report on pediatric bipolar disorder: Knowledge to date and directions for future research. Bipolar Disorders, 2017, 19, 524-543.	1.9	152
53	A Pharmacologic Algorithm for Youth Who Are at High Risk for Bipolar Disorder. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 796-805.	1.3	23
54	Longitudinal mood monitoring in bipolar disorder: Course of illness as revealed through a short messaging service. Journal of Affective Disorders, 2017, 223, 139-145.	4.1	45

#	ARTICLE	IF	CITATIONS
55	Network meta-analysis: drawing conclusions regarding trials of psychosocial interventions for bipolar disorder. <i>British Journal of Psychiatry</i> , 2017, 211, 334-336.	2.8	1
56	Deconstructing Bipolar Disorder and Schizophrenia: A cross-diagnostic cluster analysis of cognitive phenotypes. <i>Journal of Affective Disorders</i> , 2017, 209, 71-79.	4.1	52
57	The difficult lives of individuals with bipolar disorder: A review of functional outcomes and their implications for treatment. <i>Journal of Affective Disorders</i> , 2017, 209, 147-154.	4.1	135
58	Caregiver burden as a predictor of depression among family and friends who provide care for persons with bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 183-191.	1.9	36
59	Inflammatory cytokines and nuclear factor-kappa B activation in adolescents with bipolar and major depressive disorders. <i>Psychiatry Research</i> , 2016, 241, 315-322.	3.3	88
60	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. <i>British Journal of Psychiatry</i> , 2016, 208, 352-358.	2.8	21
61	Psychoeducation and online mood tracking for patients with bipolar disorder: A randomised controlled trial. <i>Journal of Affective Disorders</i> , 2016, 205, 245-251.	4.1	25
62	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. <i>Journal of Affective Disorders</i> , 2016, 203, 152-157.	4.1	9
63	Family-Focused Therapy for Bipolar Disorder: Reflections on 30 Years of Research. <i>Family Process</i> , 2016, 55, 483-499.	2.6	167
64	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 667-677.	2.3	16
65	Family-focused therapy for individuals at clinical high risk for psychosis: treatment fidelity within a multisite randomized trial. <i>Microbial Biotechnology</i> , 2016, 10, 137-143.	1.7	28
66	Evidence-Based Family Interventions for Adolescents and Young Adults With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e05-e05.	2.2	3
67	Decreases in perceived maternal criticism predict improvement in subthreshold psychotic symptoms in a randomized trial of family-focused therapy for individuals at clinical high risk for psychosis. <i>Journal of Family Psychology</i> , 2015, 29, 945-951.	1.3	25
68	Perceived criticism: Biased patients or hypercritical relatives? Commentary on "perceived criticism: A research update for clinical practitioners". <i>Clinical Psychology: Science and Practice</i> , 2015, 22, 223-226.	0.9	3
69	Mindfulness-Based Cognitive Therapy for Perinatal Women with Depression or Bipolar Spectrum Disorder. <i>Cognitive Therapy and Research</i> , 2015, 39, 590-600.	1.9	26
70	Parental Expressed Emotion and Youth Psychopathology: New Directions for an Old Construct. <i>Child Psychiatry and Human Development</i> , 2015, 46, 863-873.	1.9	114
71	Psychosocial Approaches to the Treatment of Bipolar Disorder. <i>Focus (American Psychiatric Association)</i> , 2015, 13, 107-114.	0.8	1
72	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry</i> , 2015, 2, 548-563.	7.4	68

#	ARTICLE	IF	CITATIONS
73	The Long and Winding Road to Bipolar Disorder. American Journal of Psychiatry, 2015, 172, 599-600.	7.2	3
74	Relatives'™ emotional involvement moderates the effects of family therapy for bipolar disorder.. Journal of Consulting and Clinical Psychology, 2015, 83, 81-91.	2.0	34
75	Intervening early in children with bipolar disorder: is there a pot at the end of the Rainbow?. Evidence-Based Mental Health, 2015, 18, 65-66.	4.5	1
76	Changes in brain activation following psychotherapy for youth with mood dysregulation at familial risk for bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 56, 215-220.	4.8	49
77	Do Comorbid Anxiety Disorders Moderate the Effects of Psychotherapy for Bipolar Disorder? Results From STEP-BD. American Journal of Psychiatry, 2014, 171, 178-186.	7.2	54
78	Pharmacotherapy and Family-Focused Treatment for Adolescents With Bipolar I and II Disorders: A 2-Year Randomized Trial. American Journal of Psychiatry, 2014, 171, 658-667.	7.2	71
79	Delinquency, Depression, and Psychosis Among Adolescents in Foster Care: What Holds Three Heads Together?. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1251-1253.	0.5	4
80	Response to Parikh. American Journal of Psychiatry, 2014, 171, 1335-1336.	7.2	0
81	Reply to "Adolescents Are Like Adults (Sort of)". Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1338.	0.5	0
82	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. World Psychiatry, 2014, 13, 95-96.	10.4	8
83	Diagnostic Profiles and Clinical Characteristics of Youth Referred to a Pediatric Mood Disorders Clinic. Journal of Psychiatric Practice, 2014, 20, 154-162.	0.7	4
84	Treatment Development and Feasibility Study of Family- Focused Treatment for Adolescents with Bipolar Disorder and Comorbid Substance Use Disorders. Journal of Psychiatric Practice, 2014, 20, 237-248.	0.7	24
85	Impulsivity and Risk Taking in Bipolar Disorder and Schizophrenia. Neuropsychopharmacology, 2014, 39, 456-463.	5.4	148
86	Parental expressed emotion and suicidal ideation in adolescents with bipolar disorder. Psychiatry Research, 2014, 216, 213-216.	3.3	28
87	Family-Focused Treatment for Adolescents and Young Adults at High Risk for Psychosis: Results of a Randomized Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 848-858.	0.5	148
88	A randomized trial of family focused therapy with populations at clinical high risk for psychosis: Effects on interactional behavior.. Journal of Consulting and Clinical Psychology, 2014, 82, 90-101.	2.0	56
89	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. Journal of Psychiatric Research, 2013, 47, 1329-1336.	3.1	22
90	Treatment of bipolar disorder. Lancet, The, 2013, 381, 1672-1682.	13.7	614

#	ARTICLE	IF	CITATIONS
91	Early Intervention for Symptomatic Youth at Risk for Bipolar Disorder: A Randomized Trial of Family-Focused Therapy. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 121-131.	0.5	186
92	Extreme Attributions Predict the Course of Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 249-255.	2.2	21
93	Family Functioning, Social Impairment, and Symptoms Among Adolescents With Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 1085-1094.	0.5	41
94	Family Functioning and the Course of Adolescent Bipolar Disorder. <i>Behavior Therapy</i> , 2012, 43, 837-847.	2.4	61
95	Family Treatment for Bipolar Disorder and Substance Abuse in Late Adolescence. <i>Journal of Clinical Psychology</i> , 2012, 68, 502-513.	1.9	20
96	Beyond the Patient: Couple and Family Therapy for Individual Problems. <i>Journal of Clinical Psychology</i> , 2012, 68, 487-489.	1.9	1
97	A randomized trial of family focused treatment for adolescents and young adults at risk for psychosis: study rationale, design and methods. <i>Microbial Biotechnology</i> , 2012, 6, 283-291.	1.7	30
98	Facilitated Integrated Mood Management for adults with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 185-197.	1.9	67
99	Family-focused treatment for children and adolescents with bipolar disorder. <i>Israel Journal of Psychiatry</i> , 2012, 49, 95-101.	0.2	4
100	Early psychosocial intervention for youth at risk for bipolar I or II disorder: a one-year treatment development trial. <i>Bipolar Disorders</i> , 2011, 13, 67-75.	1.9	90
101	Functional Impairment, Stress, and Psychosocial Intervention in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2011, 13, 504-512.	4.5	46
102	Thought suppression in patients with bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 355-365.	1.9	13
103	Family functioning among adolescents with bipolar disorder.. <i>Journal of Family Psychology</i> , 2010, 24, 60-67.	1.3	49
104	Family-focused therapy via videoconferencing. <i>Journal of Telemedicine and Telecare</i> , 2009, 15, 211-214.	2.7	23
105	Manic Symptoms During Depressive Episodes in 1,380 Patients With Bipolar Disorder: Findings From the STEP-BD. <i>American Journal of Psychiatry</i> , 2009, 166, 173-181.	7.2	263
106	Group psychoeducation increases time to recurrence in stabilised bipolar disorders. <i>Evidence-Based Mental Health</i> , 2009, 12, 110-110.	4.5	4
107	Retrospective age at onset of bipolar disorder and outcome during two-year follow-up: results from the STEP-BD study. <i>Bipolar Disorders</i> , 2009, 11, 391-400.	1.9	229
108	Psychosocial treatments for bipolar disorder: cost-effectiveness, mediating mechanisms, and future directions. <i>Bipolar Disorders</i> , 2009, 11, 110-122.	1.9	156

#	ARTICLE	IF	CITATIONS
109	Suicidal ideation and depressive symptoms among bipolar patients as predictors of the health and well-being of caregivers. <i>Bipolar Disorders</i> , 2009, 11, 876-884.	1.9	23
110	Social and familial factors in the course of bipolar disorder: Basic processes and relevant interventions.. <i>Clinical Psychology: Science and Practice</i> , 2009, 16, 281-296.	0.9	65
111	Expressed Emotion Moderates the Effects of Family-Focused Treatment for Bipolar Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 643-651.	0.5	100
112	A Pilot Study of Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>International Journal of Cognitive Therapy</i> , 2009, 2, 373-382.	2.2	66
113	Depressive Illness Burden Associated With Complex Polypharmacy in Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 155-162.	2.2	130
114	correlates of high expressed emotion attitudes among parents of bipolar adolescents. <i>Journal of Clinical Psychology</i> , 2008, 64, 438-449.	1.9	24
115	Family-Focused Treatment for Adolescents With Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2008, 65, 1053.	12.3	224
116	Adjunctive Psychotherapy for Bipolar Disorder: State of the Evidence. <i>American Journal of Psychiatry</i> , 2008, 165, 1408-1419.	7.2	256
117	Prevention of bipolar disorder in at-risk children: Theoretical assumptions and empirical foundations. <i>Development and Psychopathology</i> , 2008, 20, 881-897.	2.3	75
118	Observed emotional involvement and overinvolvement in families of patients with bipolar disorder.. <i>Journal of Family Psychology</i> , 2008, 22, 71-79.	1.3	17
119	Common and Specific Elements of Psychosocial Treatments for Bipolar Disorder: A Survey of Clinicians Participating in Randomized Trials. <i>Journal of Psychiatric Practice</i> , 2008, 14, 77-85.	0.7	76
120	Intensive Psychosocial Intervention Enhances Functioning in Patients With Bipolar Depression: Results From a 9-Month Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2007, 164, 1340-1347.	7.2	238
121	Perceived stigma and depression among caregivers of patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 2007, 190, 535-536.	2.8	155
122	Psychosocial Treatments for Bipolar Depression. <i>Archives of General Psychiatry</i> , 2007, 64, 419.	12.3	485
123	Current Suicide Ideation and Prior Suicide Attempts of Bipolar Patients as Influences on Caregiver Burden. <i>Suicide and Life-Threatening Behavior</i> , 2007, 37, 482-491.	1.9	34
124	The Role of the Family in the Course and Treatment of Bipolar Disorder. <i>Current Directions in Psychological Science</i> , 2007, 16, 192-196.	5.3	84
125	Effectiveness of Adjunctive Antidepressant Treatment for Bipolar Depression. <i>New England Journal of Medicine</i> , 2007, 356, 1711-1722.	27.0	822
126	Life stress and the course of early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 37-44.	4.1	118

#	ARTICLE	IF	CITATIONS
127	Psychosocial interventions for bipolar disorder: a review of literature and introduction of the systematic treatment enhancement program. <i>Psychopharmacology Bulletin</i> , 2007, 40, 116-31.	0.0	27
128	The Psychopathology and Treatment of Bipolar Disorder. <i>Annual Review of Clinical Psychology</i> , 2006, 2, 199-235.	12.3	133
129	Early-onset bipolar disorder: A family treatment perspective. <i>Development and Psychopathology</i> , 2006, 18, 1247-65.	2.3	90
130	Psychotherapy, Symptom Outcomes, and Role Functioning Over One Year Among Patients With Bipolar Disorder. <i>Psychiatric Services</i> , 2006, 57, 959-965.	2.0	17
131	Prospective 12-month course of bipolar disorder in out-patients with and without comorbid anxiety disorders. <i>British Journal of Psychiatry</i> , 2006, 189, 20-25.	2.8	188
132	Family-focused treatment of the suicidal bipolar patient. <i>Bipolar Disorders</i> , 2006, 8, 640-651.	1.9	46
133	Social skills knowledge and performance among adolescents with bipolar disorder. <i>Bipolar Disorders</i> , 2006, 8, 350-361.	1.9	71
134	Prospective predictors of suicide and suicide attempts in 1,556 patients with bipolar disorders followed for up to 2½ years. <i>Bipolar Disorders</i> , 2006, 8, 566-575.	1.9	118
135	An update on the role of psychotherapy in the management of bipolar disorder. <i>Current Psychiatry Reports</i> , 2006, 8, 498-503.	4.5	11
136	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2006, 163, 217-224.	7.2	563
137	A review of evidence-based psychosocial interventions for bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67 Suppl 11, 28-33.	2.2	25
138	Psychological Treatment and Medication for the Mood and Anxiety Disorders: Moderators, Mediators, and Domains of Outcome.. <i>Clinical Psychology: Science and Practice</i> , 2005, 12, 97-99.	0.9	5
139	Perceived criticism from family members as a predictor of the one-year course of bipolar disorder. <i>Psychiatry Research</i> , 2005, 136, 101-111.	3.3	110
140	Expressed emotion as a predictor of outcome among bipolar patients undergoing family therapy. <i>Journal of Affective Disorders</i> , 2004, 82, 343-52.	4.1	116
141	Family-focused treatment for adolescents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2004, 82, S113-S128.	4.1	178
142	Psychosocial therapies in bipolar disorder. <i>Current Psychosis & Therapeutics Reports</i> , 2004, 2, 142-146.	0.1	1
143	The role of family systems in severe and recurrent psychiatric disorders: A developmental psychopathology view. <i>Development and Psychopathology</i> , 2004, 16, 667-88.	2.3	106
144	Psychosocial Service Utilization by Patients with Bipolar Disorders: Data from the First 500 Participants in the Systematic Treatment Enhancement Program. <i>Journal of Psychiatric Practice</i> , 2004, 10, 81-87.	0.7	27

#	ARTICLE	IF	CITATIONS
145	A Randomized Study of Family-Focused Psychoeducation and Pharmacotherapy in the Outpatient Management of Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2003, 60, 904.	12.3	548
146	Family-focused treatment versus individual treatment for bipolar disorder: Results of a randomized clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 482-492.	2.0	340
147	Integrated Family and Individual Therapy for Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 182-191.	2.2	99
148	Psychosocial intervention development for the prevention and treatment of depression: promoting innovation and increasing access. <i>Biological Psychiatry</i> , 2002, 52, 610-630.	1.3	288
149	Childhood mania, attention deficit hyperactivity disorder and conduct disorder: a critical review of diagnostic dilemmas. <i>Bipolar Disorders</i> , 2002, 4, 215-225.	1.9	105
150	Clinicians' Fidelity to a Manual-Based Family Treatment as a Predictor of the One-Year Course of Bipolar Disorder. <i>Family Process</i> , 2002, 41, 123-131.	2.6	28
151	Family Transactions and Relapse in Bipolar Disorder*. <i>Family Process</i> , 2001, 40, 5-14.	2.6	47
152	Expressed emotion and attributions in the relatives of bipolar patients: An analysis of problem-solving interactions.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 792-796.	1.9	62
153	Difficulty in Implementing a Family Intervention for Bipolar Disorder: The Predictive Role of Patient and Family Attributes*. <i>Family Process</i> , 2000, 39, 105-120.	2.6	15
154	Family-focused treatment of bipolar disorder: 1-year effects of a psychoeducational program in conjunction with pharmacotherapy. <i>Biological Psychiatry</i> , 2000, 48, 582-592.	1.3	412
155	Bipolar disorder and family communication: Effects of a psychoeducational treatment program.. <i>Journal of Abnormal Psychology</i> , 1999, 108, 588-597.	1.9	106
156	DEVELOPING FAMILY PSYCHOEDUCATIONAL TREATMENTS FOR PATIENTS WITH BIPOLAR AND OTHER SEVERE PSYCHIATRIC DISORDERS. <i>Journal of Marital and Family Therapy</i> , 1998, 24, 419-435.	1.1	44
157	Expressed emotion and interactional patterns in the families of bipolar patients.. <i>Journal of Abnormal Psychology</i> , 1998, 107, 497-507.	1.9	115
158	Nonverbal Interactional Behavior in the Families of Persons with Schizophrenic and Bipolar Disorders. <i>Family Process</i> , 1996, 35, 83-102.	2.6	14
159	Global Assessment of Relational Functioning Scale (GARF): II. Reliability and Validity in a Sample of Families of Bipolar Patients. <i>Family Process</i> , 1996, 35, 175-189.	2.6	33
160	Verbal interactions in the families of schizophrenic and bipolar affective patients.. <i>Journal of Abnormal Psychology</i> , 1995, 104, 268-276.	1.9	53
161	Stress-Indicative Patterns of Non-Verbal Behaviour Their Role in Family Interaction. <i>British Journal of Psychiatry</i> , 1992, 161, 103-113.	2.8	8
162	Behavioral Family Treatment for Patients with Bipolar Affective Disorder. <i>Behavior Modification</i> , 1990, 14, 457-489.	1.6	129

#	ARTICLE	IF	CITATIONS
163	Is Expressed Emotion an Index of a Transactional Process? I. Parents' Affective Style. Family Process, 1989, 28, 153-167.	2.6	102
164	Is Expressed Emotion an Index of a Transactional Process? II. Patient's Coping Style. Family Process, 1989, 28, 169-181.	2.6	103
165	Expressed Emotion and Reciprocal Affective Relationships in Families of Disturbed Adolescents. Family Process, 1989, 28, 337-348.	2.6	39
166	Expressed emotion and patient-relative interaction in families of recent onset schizophrenics.. Journal of Consulting and Clinical Psychology, 1989, 57, 11-18.	2.0	154
167	Family Factors and the Course of Bipolar Affective Disorder. Archives of General Psychiatry, 1988, 45, 225.	12.3	497
168	The Impact of Individual and Family Treatment on the Affective Climate of Families of Schizophrenics. British Journal of Psychiatry, 1986, 148, 279-287.	2.8	97
169	A brief method for assessing expressed emotion in relatives of psychiatric patients. Psychiatry Research, 1986, 17, 203-212.	3.3	695
170	Expressed emotion and communication deviance in the families of schizophrenics.. Journal of Abnormal Psychology, 1986, 95, 60-66.	1.9	33
171	Interactional Correlates of Expressed Emotion in the Families of Schizophrenics. British Journal of Psychiatry, 1984, 144, 482-487.	2.8	195
172	Premorbid and symptomatic characteristics of schizophrenics from families with high and low levels of expressed emotion.. Journal of Abnormal Psychology, 1983, 92, 359-367.	1.9	103
173	Relational Problem Related to a Mental Disorder or General Medical Condition. , 0, , 1794-1814.		1
174	Families and mental disorders.. , 0, , 687-703.		8