
Katherine O'Connell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7013007/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Resting state connectivity of the bed nucleus of the stria terminalis at ultraâ€high field. Human Brain Mapping, 2015, 36, 4076-4088.	3.6	84
2	Anxiety Patients Show Reduced Working Memory Related dlPFC Activation During Safety and Threat. Depression and Anxiety, 2017, 34, 25-36.	4.1	71
3	Extended amygdala connectivity changes during sustained shock anticipation. Translational Psychiatry, 2018, 8, 33.	4.8	39
4	Reduced social distancing early in the COVID-19 pandemic is associated with antisocial behaviors in an online United States sample. PLoS ONE, 2021, 16, e0244974.	2.5	39
5	Clinical anxiety promotes excessive response inhibition. Psychological Medicine, 2017, 47, 484-494.	4.5	37
6	The neural basis of improved cognitive performance by threat of shock. Social Cognitive and Affective Neuroscience, 2016, 11, 1677-1686.	3.0	29
7	Working memory maintenance is sufficient to reduce state anxiety. Psychophysiology, 2016, 53, 1660-1668.	2.4	27
8	Callous and uncaring traits are associated with reductions in amygdala volume among youths with varying levels of conduct problems. Psychological Medicine, 2019, 49, 1449-1458.	4.5	27
9	Distinct Responses to Predictable and Unpredictable Threat in Anxiety Pathologies: Effect of Panic Attack. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 575-581.	1.5	24
10	Increased similarity of neural responses to experienced and empathic distress in costly altruism. Scientific Reports, 2019, 9, 10774.	3.3	19
11	Anxiety-mediated facilitation of behavioral inhibition: Threat processing and defensive reactivity during a go/no-go task Emotion, 2017, 17, 259-266.	1.8	17
12	Amygdala–midbrain connectivity indicates a role for the mammalian parental care system in human altruism. Proceedings of the Royal Society B: Biological Sciences, 2017, 284, 20171731.	2.6	14
13	Mapping neural activity patterns to contextualized fearful facial expressions onto callous-unemotional (CU) traits: intersubject representational similarity analysis reveals less variation among high-CU adolescents. Personality Neuroscience, 2020, 3, e12.	1.6	10
14	Activation in bed nucleus of the stria terminalis (BNST) corresponds to everyday helping. Cortex, 2020, 127, 67-77.	2.4	9
15	Emotion recognition impairments and social well-being following right-hemisphere stroke. Neuropsychological Rehabilitation, 2022, 32, 1337-1355.	1.6	7
16	Bilateral amygdala damage linked to impaired ability to predict others' fear but preserved moral judgements about causing others fear. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20202651.	2.6	3
17	Response to commentaries regarding the Triadic Systems Model perspective. Brain and Cognition, 2014, 89, 122-126.	1.8	2

18 Title is missing!. , 2021, 16, e0244974.

#	Article	IF	CITATIONS
19	Title is missing!. , 2021, 16, e0244974.		0
20	Title is missing!. , 2021, 16, e0244974.		0
21	Title is missing!. , 2021, 16, e0244974.		0
22	Title is missing!. , 2021, 16, e0244974.		0
23	Title is missing!. , 2021, 16, e0244974.		0
24	Modeling Variation in Empathic Sensitivity Using Go/No-Go Social Reinforcement Learning. Affective Science, 0, , .	2.6	0