
Elsa Lorthe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7015373/publications.pdf Version: 2024-02-01



FISALODTHE

#	Article	IF	CITATIONS
1	Preterm premature rupture of the membranes: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 1-6.	1.1	66
2	Cause of Preterm Birth as a Prognostic Factor for Mortality. Obstetrics and Gynecology, 2016, 127, 40-48.	2.4	64
3	Preterm premature rupture of membranes at 22–25 weeks' gestation: perinatal and 2-year outcomes within a national population-based study (EPIPACE-2). American Journal of Obstetrics and Gynecology, 2018, 219, 298.e1-298.e14.	1.3	62
4	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. Journal of Pediatrics, 2017, 182, 47-52.e2.	1.8	57
5	Seroprevalence of anti-SARS-CoV-2 antibodies 6 months into the vaccination campaign in Geneva, Switzerland, 1 June to 7 July 2021. Eurosurveillance, 2021, 26, .	7.0	44
6	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 192, 61-65.	1.1	37
7	Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. Journal of Pediatrics, 2017, 187, 98-104.e3.	1.8	30
8	Large variation in anti-SARS-CoV-2 antibody prevalence among essential workers in Geneva, Switzerland. Nature Communications, 2021, 12, 3455.	12.8	30
9	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F476-F482.	2.8	29
10	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. American Journal of Obstetrics and Gynecology, 2017, 217, 212.e1-212.e12.	1.3	26
11	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. American Journal of Obstetrics and Gynecology, 2019, 220, 399.e1-399.e9.	1.3	24
12	Cohort Profile: the Etude Epidémiologique sur les Petits Ages Gestationnels-2 (EPIPAGE-2) preterm birth cohort. International Journal of Epidemiology, 2021, 50, 1428-1429m.	1.9	24
13	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPACE-2 Cohort Study. Journal of Pediatrics, 2020, 222, 71-78.e6.	1.8	21
14	Cause of preterm birth and late-onset sepsis in very preterm infants: the EPIPAGE-2 cohort study. Pediatric Research, 2021, 90, 584-592.	2.3	18
15	Planned delivery route of preterm breech singletons, and neonatal and 2â€year outcomes: a populationâ€based cohort study. BJOC: an International Journal of Obstetrics and Gynaecology, 2019, 126, 73-82.	2.3	16
16	The Corona Immunitas Digital Follow-Up eCohort to Monitor Impacts of the SARS-CoV-2 Pandemic in Switzerland: Study Protocol and First Results. International Journal of Public Health, 2022, 67, 1604506.	2.3	16
17	A SARS-CoV-2 omicron (B.1.1.529) variant outbreak in a primary school in Geneva, Switzerland. Lancet Infectious Diseases, The, 2022, 22, 767-768.	9.1	16
18	Completeness of Retention Data and Determinants of Attrition in Birth Cohorts of Very Preterm Infants: A Systematic Review. Frontiers in Pediatrics, 2021, 9, 529733.	1.9	15

Elsa Lorthe

#	Article	IF	CITATIONS
19	Early Antibiotic Exposure and Adverse Outcomes in Very Preterm Infants at Low Risk of Early-Onset Sepsis: The EPIPAGE-2 Cohort Study. Journal of Pediatrics, 2022, 243, 91-98.e4.	1.8	14
20	Association of Intraventricular Hemorrhage and Death With Tocolytic Exposure in Preterm Infants. JAMA Network Open, 2018, 1, e182355.	5.9	12
21	Specchio-COVID19 cohort study: a longitudinal follow-up of SARS-CoV-2 serosurvey participants in the canton of Geneva, Switzerland. BMJ Open, 2022, 12, e055515.	1.9	12
22	Maintaining and repeating tocolysis: A reflection on evidence. Seminars in Perinatology, 2017, 41, 468-476.	2.5	10
23	Planned Mode of Delivery of Preterm Twins and Neonatal and 2-Year Outcomes. Obstetrics and Gynecology, 2019, 133, 71-80.	2.4	10
24	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGEâ€2 cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 281-291.	2.3	9
25	Neurodevelopment at 2 years and umbilical artery Doppler in cases of very preterm birth after prenatal hypertensive disorder or suspected fetal growth restriction: EPIPAGE â€2 prospective populationâ€based cohort study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 557-565.	1.7	8
26	Association between extremely preterm caesarean delivery and maternal depressive and anxious symptoms: a national populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 594-602.	2.3	8
27	Antibiotic prophylaxis in preterm premature rupture of membranes at 24–31Âweeks' gestation: Perinatal and 2â€year outcomes in the EPIPAGEâ€2 cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1560-1573.	2.3	8
28	Incidence and risk factors of caesarean section in preterm breech births: A population-based cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 212, 37-43.	1.1	7
29	Language Proficiency and Migrant–Native Disparities in Postpartum Depressive Symptoms. International Journal of Environmental Research and Public Health, 2021, 18, 4782.	2.6	7
30	Early extubation is not associated with severe intraventricular hemorrhage in preterm infants born before 29 weeks of gestation. Results of an EPIPAGE-2 cohort study. PLoS ONE, 2019, 14, e0214232.	2.5	6
31	Planned delivery route and outcomes of cephalic singletons born spontaneously at 24â€31Âweeks' gestation: The EPIPAGEâ€2 cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1682-1690.	2.8	6
32	Tocolysis in the management of preterm prelabor rupture of membranes at 22–33 weeks of gestation: study protocol for a multicenter, double-blind, randomized controlled trial comparing nifedipine with placebo (TOCOPROM). BMC Pregnancy and Childbirth, 2021, 21, 614.	2.4	6
33	Preterm Breech Presentation. Obstetrics and Gynecology, 2016, 127, 1170.	2.4	5
34	Accuracy of the combination of commercially available biomarkers and cervical length measurement to predict preterm birth in symptomatic women: A systematic review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 258, 198-207.	1.1	5
35	Survey of data collection methods and retention strategies in European birth cohorts of children and adults born very preterm. Paediatric and Perinatal Epidemiology, 2021, , .	1.7	5
36	Prolonged latency after preterm premature rupture ofÂmembranes: an independent risk factor for neonatal sepsis?. American Journal of Obstetrics and Gynecology, 2017, 216, 84.	1.3	4

Elsa Lorthe

#	Article	IF	CITATIONS
37	Preterm and term prelabour rupture of membranes: A review of timing and methods of labour induction. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2021, 77, 27-41.	2.8	4
38	Unit policies regarding tocolysis after preterm premature rupture of membranes: association with latency, neonatal and 2-year outcomes (EPICE cohort). Scientific Reports, 2020, 10, 9535.	3.3	3
39	Hostâ€country language proficiency and migrantâ€native disparities in prenatal care utilization: A nationwide study in Portugal. Birth, 2022, 49, 474-485.	2.2	3
40	Association of early antibiotic exposure and necrotizing enterocolitis: causality or confounding bias?. Journal of Pediatrics, 2020, 226, 315-316.	1.8	2
41	<scp>COVID</scp> â€19â€Related School Disruptions and Wellâ€Being of Children and Adolescents in Geneva. Journal of Paediatrics and Child Health, 2022, 58, 937-939.	0.8	2
42	303: Comparison of neonatal mortality in cases of planned vaginal delivery versus planned cesarean delivery from 26 to 29 weeks gestation. American Journal of Obstetrics and Gynecology, 2012, 206, S145.	1.3	1
43	Obstetric interventions among native and migrant women: a survey of episiotomy in Portugal. European Journal of Public Health, 2019, 29, .	0.3	1
44	1022: Association between extremely preterm cesarean delivery and maternal depressive symptoms: a national population-based cohort study. American Journal of Obstetrics and Gynecology, 2020, 222, S634-S635.	1.3	0
45	Tocolysis after preterm premature rupture of membranes: Time for change?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 259, 223-224.	1.1	0