

Elsa Lorthe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7015373/publications.pdf>

Version: 2024-02-01

45
papers

803
citations

516710

16
h-index

580821

25
g-index

55
all docs

55
docs citations

55
times ranked

804
citing authors

#	ARTICLE	IF	CITATIONS
1	Specchio-COVID19 cohort study: a longitudinal follow-up of SARS-CoV-2 serosurvey participants in the canton of Geneva, Switzerland. <i>BMJ Open</i> , 2022, 12, e055515.	1.9	12
2	Antibiotic prophylaxis in preterm premature rupture of membranes at 24–31 weeks gestation: Perinatal and 2-year outcomes in the EIPAGE-2 cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1560-1573.	2.3	8
3	Host-country language proficiency and migrant-native disparities in prenatal care utilization: A nationwide study in Portugal. <i>Birth</i> , 2022, 49, 474-485.	2.2	3
4	The Corona Immunitas Digital Follow-Up eCohort to Monitor Impacts of the SARS-CoV-2 Pandemic in Switzerland: Study Protocol and First Results. <i>International Journal of Public Health</i> , 2022, 67, 1604506.	2.3	16
5	Early Antibiotic Exposure and Adverse Outcomes in Very Preterm Infants at Low Risk of Early-Onset Sepsis: The EIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2022, 243, 91-98.e4.	1.8	14
6	A SARS-CoV-2 omicron (B.1.1.529) variant outbreak in a primary school in Geneva, Switzerland. <i>Lancet Infectious Diseases</i> , 2022, 22, 767-768.	9.1	16
7	COVID-19-Related School Disruptions and Well-Being of Children and Adolescents in Geneva. <i>Journal of Paediatrics and Child Health</i> , 2022, 58, 937-939.	0.8	2
8	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EIPAGE-2 cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 281-291.	2.3	9
9	Association between extremely preterm caesarean delivery and maternal depressive and anxious symptoms: a national population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 594-602.	2.3	8
10	Cause of preterm birth and late-onset sepsis in very preterm infants: the EIPAGE-2 cohort study. <i>Pediatric Research</i> , 2021, 90, 584-592.	2.3	18
11	Completeness of Retention Data and Determinants of Attrition in Birth Cohorts of Very Preterm Infants: A Systematic Review. <i>Frontiers in Pediatrics</i> , 2021, 9, 529733.	1.9	15
12	Accuracy of the combination of commercially available biomarkers and cervical length measurement to predict preterm birth in symptomatic women: A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 198-207.	1.1	5
13	Tocolysis after preterm premature rupture of membranes: Time for change?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 223-224.	1.1	0
14	Language Proficiency and Migrant- ¹ Native Disparities in Postpartum Depressive Symptoms. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4782.	2.6	7
15	Cohort Profile: the Etude Epidémiologique sur les Petits Ages Gestationnels-2 (EIPAGE-2) preterm birth cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1428-1429m.	1.9	24
16	Large variation in anti-SARS-CoV-2 antibody prevalence among essential workers in Geneva, Switzerland. <i>Nature Communications</i> , 2021, 12, 3455.	12.8	30
17	Tocolysis in the management of preterm prelabor rupture of membranes at 22–33 weeks of gestation: study protocol for a multicenter, double-blind, randomized controlled trial comparing nifedipine with placebo (TOCOPROM). <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 614.	2.4	6
18	Preterm and term prelabour rupture of membranes: A review of timing and methods of labour induction. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021, 77, 27-41.	2.8	4

#	ARTICLE	IF	CITATIONS
19	Seroprevalence of anti-SARS-CoV-2 antibodies 6 months into the vaccination campaign in Geneva, Switzerland, 1 June to 7 July 2021. <i>Eurosurveillance</i> , 2021, 26, .	7.0	44
20	Survey of data collection methods and retention strategies in European birth cohorts of children and adults born very preterm. <i>Paediatric and Perinatal Epidemiology</i> , 2021, , .	1.7	5
21	Association of early antibiotic exposure and necrotizing enterocolitis: causality or confounding bias?. <i>Journal of Pediatrics</i> , 2020, 226, 315-316.	1.8	2
22	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020, 222, 71-78.e6.	1.8	21
23	Planned delivery route and outcomes of cephalic singletons born spontaneously at 24-31 weeks' gestation: The EPIPAGE-2 cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1682-1690.	2.8	6
24	1022: Association between extremely preterm cesarean delivery and maternal depressive symptoms: a national population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, S634-S635.	1.3	0
25	Unit policies regarding tocolysis after preterm premature rupture of membranes: association with latency, neonatal and 2-year outcomes (EPICE cohort). <i>Scientific Reports</i> , 2020, 10, 9535.	3.3	3
26	Neurodevelopment at 2½ years and umbilical artery Doppler in cases of very preterm birth after prenatal hypertensive disorder or suspected fetal growth restriction: EPIPAGE-2 prospective population-based cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 557-565.	1.7	8
27	Preterm premature rupture of the membranes: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 236, 1-6.	1.1	66
28	Early extubation is not associated with severe intraventricular hemorrhage in preterm infants born before 29 weeks of gestation. Results of an EPIPAGE-2 cohort study. <i>PLoS ONE</i> , 2019, 14, e0214232.	2.5	6
29	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 399.e1-399.e9.	1.3	24
30	Obstetric interventions among native and migrant women: a survey of episiotomy in Portugal. <i>European Journal of Public Health</i> , 2019, 29, .	0.3	1
31	Planned delivery route of preterm breech singletons, and neonatal and 2-year outcomes: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 73-82.	2.3	16
32	Planned Mode of Delivery of Preterm Twins and Neonatal and 2-Year Outcomes. <i>Obstetrics and Gynecology</i> , 2019, 133, 71-80.	2.4	10
33	Association of Intraventricular Hemorrhage and Death With Tocolytic Exposure in Preterm Infants. <i>JAMA Network Open</i> , 2018, 1, e182355.	5.9	12
34	Preterm premature rupture of membranes at 22-25 weeks' gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 298.e1-298.e14.	1.3	62
35	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	1.8	57
36	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 212.e1-212.e12.	1.3	26

#	ARTICLE	IF	CITATIONS
37	Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. <i>Journal of Pediatrics</i> , 2017, 187, 98-104.e3.	1.8	30
38	Incidence and risk factors of caesarean section in preterm breech births: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 212, 37-43.	1.1	7
39	Maintaining and repeating tocolysis: A reflection on evidence. <i>Seminars in Perinatology</i> , 2017, 41, 468-476.	2.5	10
40	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F476-F482.	2.8	29
41	Prolonged latency after preterm premature rupture of membranes: an independent risk factor for neonatal sepsis?. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 84.	1.3	4
42	Cause of Preterm Birth as a Prognostic Factor for Mortality. <i>Obstetrics and Gynecology</i> , 2016, 127, 40-48.	2.4	64
43	Preterm Breech Presentation. <i>Obstetrics and Gynecology</i> , 2016, 127, 1170.	2.4	5
44	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 61-65.	1.1	37
45	303: Comparison of neonatal mortality in cases of planned vaginal delivery versus planned cesarean delivery from 26 to 29 weeks gestation. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S145.	1.3	1