

Carlo Petrongolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7015830/publications.pdf>

Version: 2024-02-01

88
papers

2,462
citations

159585
30
h-index

223800
46
g-index

92
all docs

92
docs citations

92
times ranked

986
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantum Dynamics of Nonadiabatic Renner-Teller Effects in Atom + Diatom Collisions. <i>Journal of Physical Chemistry A</i> , 2021, 125, 6637-6652.	2.5	3
2	Non-adiabatic quantum dynamics of the electronic quenching OH(A ² F ⁺) + Kr. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 17091-17105.	2.8	3
3	Non-adiabatic Quantum Dynamics of the Dissociative Charge Transfer He++H ₂ → He+H+H+. <i>Frontiers in Chemistry</i> , 2019, 7, 249.	3.6	7
4	Nonadiabatic Renner-Teller quantum dynamics of OH(X ² I) + H ⁺ reactive collisions. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 4454-4461.	2.8	5
5	Born-Oppenheimer and Renner-Teller Quantum Dynamics of CH(X ² I) + D(² S) Reactions on Three CHD Potential Surfaces. <i>Journal of Physical Chemistry A</i> , 2015, 119, 11254-11264.	2.5	9
6	Born-Oppenheimer and Renner-Teller coupled-channel quantum reaction dynamics of O(³ P) + H ₂ → X ² I + H ⁺ . <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 23392-23402.	2.8	15
7	Quantum Dynamics of the Reaction H(² S) + HeH → X ² I + He(¹ S) from Cold to Hyperthermal Energies: Time-Dependent Wavepacket Study and Comparison with Time-Independent Calculations. <i>Journal of Physical Chemistry A</i> , 2014, 118, 6451-6456.	2.5	11
8	Conical-intersection quantum dynamics of OH(A ² I) + H(² S) collisions. <i>Journal of Chemical Physics</i> , 2013, 139, 094303.	3.0	10
9	Nonadiabatic dynamics of O(¹ D) + N ₂ (X ¹ Sigma _g ⁺) → O(³ I) + N ₂ (X ¹ Sigma _g ⁺) on three coupled potential surfaces: Symmetry, Coriolis, spin-orbit, and Renner-Teller effects. <i>Journal of Chemical Physics</i> , 2012, 136, 054308.	3.0	15
10	Adiabatic Quantum Dynamics of CH(X ² I) + H(² S) Reactions on the CH ₂ (X ¹ I ³) Surface and Role of the Excited Electronic States. <i>Journal of Physical Chemistry A</i> , 2012, 116, 8291-8296.	2.5	14
11	Quantum mechanical and quasiclassical Born-Oppenheimer dynamics of the reaction N ₂ on the N ₂ O surfaces. <i>Chemical Physics</i> , 2012, 398, 81-89.	1.9	22
12	Quantum dynamics of Renner-Teller and isotopic effects in NH(a ¹ I) + D(2S) reactions. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 8470.	2.8	8
13	Nonadiabatic quantum dynamics of C(¹ D) + H ₂ → CH + H: Coupled-channel calculations including Renner-Teller and Coriolis terms. <i>Journal of Chemical Physics</i> , 2011, 135, 114308.	3.0	38
14	Quantum calculations of nonadiabatic 2A ¹ → 2B ² conical-intersection effects in the reactions and N(4S) + O ₂ (A ³ I ^u). <i>Chemical Physics</i> , 2010, 375, 46-51.	1.9	3
15	Quantum dynamics of the C(D) + HD and C(D) + D ² reactions on the a ¹ f ⁰ A ¹ ^E and b ¹ f ⁰ A ¹ ^E surfaces. <i>Journal of Chemical Physics</i> , 2010, 132, 104306.	3.0	24
16	Renner-Teller Quantum Dynamics of NH(a ¹ I) + H Reactions on the NH ₂ (X ² I ³) and X ¹ I ³ B ¹ ^E Coupled Surfaces. <i>Journal of Physical Chemistry A</i> , 2010, 114, 9749-9754.	2.5	16
17	Rotational, Steric, and Coriolis Effects on the F + HCl → HF + Cl Reaction on the 12A ² Ground-State Surface. <i>Journal of Physical Chemistry A</i> , 2009, 113, 4208-4212.	2.5	35
18	Relaxation of NH(a ¹ I, v = 1) in Collisions with H(2S): An Experimental and Theoretical Study. <i>Journal of Physical Chemistry A</i> , 2009, 113, 14458-14464.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Born–Oppenheimer quantum dynamics of the C(D1)+H2 reaction on the CH2 A ₁ A ₁ and B ₁ B ₁ surfaces. Journal of Chemical Physics, 2009, 131, 114303.	3.0	25
20	Quantum dynamics of NH(a ³ P ₁)+H reactions on the NH ₂ A ₁ A ₁ surface. Journal of Chemical Physics, 2008, 129, 174307.	3.0	14
21	Renner–Teller coupled-channel dynamics of the N(D2)+H ₂ reaction and the role of the NH ₂ A ₁ A ₁ electronic state. Journal of Chemical Physics, 2008, 129, 244307.	3.0	36
22	Coriolis coupling effects on the initial-state-resolved dynamics of the N(D2)+H ₂ †'NH+H reaction. Journal of Chemical Physics, 2007, 127, 204311.	3.0	32
23	Searching for resonances in the reaction Cl+CH ₄ †'HCl+CH ₃ : Quantum versus quasiclassical dynamics and comparison with experiments. Journal of Chemical Physics, 2007, 127, 104302.	3.0	29
24	Renner-Teller quantum dynamics of the N(D2)+H ₂ †'NH+H reaction. Journal of Chemical Physics, 2006, 125, 064308.	3.0	40
25	Quantum real wave-packet dynamics of the N(S ₄)+NO(X ₁ f ₂)†'N ₂ (X ₁ f ₁ g ₁ +1)+O(P ₃) reaction on the ground and first excited triplet potential energy surfaces: Rate constants, cross sections, and product distributions. Journal of Chemical Physics, 2006, 124, 174303.	3.0	34
26	Product distributions, rate constants, and mechanisms of LiH+H reactions. Journal of Chemical Physics, 2005, 122, 214303.	3.0	33
27	Absorption cross sections and correlation functions of the NH ₂ A ₁ A ₁ –X ₁ fB ₁ B ₁ Renner–Teller system. Journal of Chemical Physics, 2005, 122, 234315.	3.0	6
28	Fluorescence spectra of NH ₂ X ₁ f ₂ B ₁ †'A ₁ bands: Experiment and theory. Journal of Chemical Physics, 2003, 119, 2614–2617.	3.0	4
29	Quantum wave packet dynamics of the 1 ^Δ 3A ³ A(4S)+NO(X ₁ f ₂)†'N ₂ (X ₁ f ₁ g ₁ +1)+O(3P) reaction. Journal of Chemical Physics, 2003, 119, 7156–7162.	3.0	20
30	DYNAMICS OF THE N(2D)+H ₂ REACTION ON THE \$ilde{X}^2A^{\prime\prime}\$ SURFACE, PROPAGATING REAL WAVE PACKETS WITH AN ARCCOS MAPPING OF THE HAMILTONIAN. Journal of Theoretical and Computational Chemistry, 2003, 02, 547–551.	1.8	24
31	Quantum dynamics of the N(4S)+O ₂ reaction on the X ₁ A ₁ and A ₁ A ₁ surfaces: Reaction probabilities, cross sections, rate constants, and product distributions. Journal of Chemical Physics, 2002, 117, 3647–3655.	3.0	26
32	Trajectory-Surface-Hopping Study of the Renner–Teller Effect in the N(2D) + H ₂ Reaction. Journal of Physical Chemistry A, 2002, 106, 8276–8284.	2.5	42
33	On the energy dependence of the hyperfine interaction in excited states of NO ₂ . Journal of Chemical Physics, 2001, 115, 8868–8875.	3.0	7
34	Wave packet dynamics of the N(4S)+O ₂ (X ₁ E ₃ 1 ₁ g ₁ g ₂)†'NO(X ₁ E ₂ 1 ₁)†+O(3P) reaction on the X ₁ E ₂ A ₁ A ₁ potential energy surface. Journal of Chemical Physics, 2001, 115, 3208–3214.	3.0	17
35	Quantum and semiclassical dynamics of the Franck–Condon wave packet on the coupled potential surfaces of the conical intersection. Chemical Physics, 2000, 259, 193–200.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Time- and frequency-resolved spontaneous emission: Theory and application to the NO ₂ X̄f̄S2Ā ² /Āf̄S2Ā ² conical intersection. <i>Journal of Chemical Physics</i> , 2000, 113, 4073-4082.	3.0	15
38	Quantum scattering study of collisional energy transfer in He+NO ₂ : The importance of the vibronic mixing. <i>Journal of Chemical Physics</i> , 2000, 112, 5672-5678.	3.0	9
39	Nonadiabatic wave packet dynamics of NO ₂ on the X̄f̄S2Ā ² /Āf̄S2Ā ² conical intersection. <i>Journal of Chemical Physics</i> , 1999, 110, 4419-4427.	3.0	41
40	Nonadiabatic radiative lifetimes and fluorescence spectra of NO ₂ . <i>Journal of Chemical Physics</i> , 1999, 111, 9651-9657.	3.0	11
41	Quantum Wave Packet Study of Nonadiabatic Effects in O(1D) + H ₂ † OH + H. <i>Journal of Physical Chemistry A</i> , 1999, 103, 9448-9459.	2.5	72
42	Recent Theoretical Developments in Conical-Intersection Effects in Triatomic Spectra. <i>Advances in Quantum Chemistry</i> , 1998, , 127-144.	0.8	0
43	Ab initio study of NO ₂ . VI. Vibrational and vibronic coupling in the X̄f̄2A1/Āf̄2B2 conical intersection up to 16000cm̄ ¹ . <i>Journal of Chemical Physics</i> , 1997, 106, 10066-10071.	3.0	37
44	MRD-CI Stationary Points, Dissociation Energies, and Conical-Intersection Potentials of the Four Lowest Doublet States of NH ₂ . <i>Journal of Physical Chemistry A</i> , 1997, 101, 5696-5699.	2.5	11
45	Ab initio study of NO ₂ . VII. Āf̄2B2†X̄f̄2A1 nonadiabatic Franck-Condon absorption spectrum. <i>Chemical Physics</i> , 1997, 225, 55-62.	1.9	18
46	Ab initio study of NO ₂ . V. Nonadiabatic vibronic states and levels of the X̄f̄2A1/Āf̄2B2 conical intersection. <i>Journal of Chemical Physics</i> , 1996, 105, 9051-9067.	3.0	79
47	Ab initio study of NO ₂ . <i>Molecular Physics</i> , 1994, 82, 553-565.	1.7	30
48	On the nature of the reaction path from the 2B2 stationary point to the [X̄f̄]2A1 minimum on the lowest 2Ā ² potential energy surface of NO ₂ . <i>Molecular Physics</i> , 1992, 76, 1261-1263.	1.7	15
49	Nonadiabatic theory of triatomics: Formalism for 1?u/1?g interaction, for electronic spin, and for 2? Renner-Teller effect. <i>International Journal of Quantum Chemistry</i> , 1992, 42, 907-916.	2.0	2
50	Ab initio study of NO ₂ . <i>Molecular Physics</i> , 1991, 73, 1085-1099.	1.7	67
51	Diabatic representation of the Āf̄ ² A ₁ [B̄]2₂₂ conical intersection in NH ₂ . <i>Molecular Physics</i> , 1990, 70, 825-834.	1.7	75
52	Ab initio study of NO ₂ . <i>Molecular Physics</i> , 1990, 70, 835-848.	1.7	120
53	MRD-CI quartet potential surfaces for the collinear reactions N(4S)+N ₂ (X1̄Fg+, A3̄Fu+, and B3̄G). <i>Computational and Theoretical Chemistry</i> , 1989, 202, 135-142.	1.5	23
54	MRD-CI ground state geometry and vertical spectrum of N ₃ . <i>Journal of Molecular Structure</i> , 1988, 175, 215-220.	3.6	40

#	ARTICLE	IF	CITATIONS
55	Nonadiabatic theory of triatomics: General formalism and application to Renner-Teller and conical intersection effects. <i>Journal of Chemical Physics</i> , 1988, 89, 1297-1308.	3.0	69
56	Configuration interaction study of the lowest π and π^* states in the succinimidyl radical. <i>Computational and Theoretical Chemistry</i> , 1986, 138, 69-76.	1.5	2
57	Potential surfaces and vibronic coupling for the conical intersection of the $\tilde{\Lambda}f\text{2A1}$ and $\tilde{\Lambda}^*\text{2B2}$ states of NH ₂ . <i>Chemical Physics Letters</i> , 1985, 115, 249-252.	2.6	22
58	Nonadiabatic investigation of the VN spectrum of ethylene in a new diabatic representation. <i>Journal of Chemical Physics</i> , 1983, 78, 7284-7289.	3.0	42
59	Nonadiabatic treatment of the intensity distribution in the VN bands of ethylene. <i>Journal of Chemical Physics</i> , 1982, 76, 3655-3667.	3.0	148
60	AB-INITIO MODPOT/VRDDO/MERGE CALCULATIONS ON LARGE BIOMEDICAL MOLECULES AND ELECTROSTATIC MOLECULAR POTENTIAL CONTOUR MAPS. <i>Annals of the New York Academy of Sciences</i> , 1981, 367, 452-477.	3.8	7
61	Theoretical prediction of the potential curves for the lowest-lying states of the CSi ⁺ and Si ²⁺ molecular ions. <i>Journal of Chemical Physics</i> , 1981, 74, 4611-4620.	3.0	44
62	Theoretical prediction of the potential curves for the lowest-lying states of the C ²⁺ molecular ion. <i>Journal of Chemical Physics</i> , 1981, 74, 4594-4602.	3.0	87
63	Electrostatic Molecular Potential Contour Maps from Ab-initio Calculations. 1. Biologically Significant Molecules. 2. Mechanism of Cationic Polymerization. , 1981, , 335-380.		15
64	Basis set superposition effect on difference electrostatic molecular potential contour maps. <i>International Journal of Quantum Chemistry</i> , 1980, 18, 165-171.	2.0	16
65	Molecular calculations with the nonempirical ab initioMODPOT, VRDDO, and MODPOT/VRDDO procedures. XI. Theoretical study of the [C ₆ H ₅ OH?OC ₆ H ₅]? molecular complex: Ab initioMODPOT/VRDDO calculations and electrostatic molecular potential contour maps. <i>International Journal of Quantum Chemistry</i> , 1980, 18, 173-184.	2.0	13
66	Ab initio study of β -lactam antibiotics. I. Potential energy surface for the amidic CN bond breaking in the β -lactam + OH ⁻ reaction. <i>Chemical Physics</i> , 1980, 45, 279-290.	1.9	31
67	Ab initio study of β -lactam antibiotics. II. Potential energy surface for the amidic CN bond breaking in the 3-cephem + OH ⁻ reaction and comparison with the β -lactam + OH ⁻ reaction. <i>Chemical Physics</i> , 1980, 45, 291-304.	1.9	33
68	Internal rotation potential energy for the glycine molecule in its zwitterionic and neutral forms. A comparison among several methods. <i>The Journal of Physical Chemistry</i> , 1980, 84, 435-442.	2.9	50
69	Ab initio study of the internal rotation and of the electrostatic molecular potential of a model compound of tazolol and comparison with similar compounds. <i>The Journal of Physical Chemistry</i> , 1980, 84, 105-109.	2.9	9
70	Ab initio Study of γ -lactam antibiotics. <i>Theoretica Chimica Acta</i> , 1979, 54, 239-243.	0.8	19
71	Ab initioLCAO-MO-SCF calculation of the electrostatic molecular potential of chlorpromazine and promazine. <i>International Journal of Quantum Chemistry</i> , 1978, 13, 457-468.	2.0	29
72	Conformational studies of molecules partially oriented in nematic phase: nuclear magnetic resonance and theoretical investigation of 2,2'-bifuryl. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1977, , 314-318.	0.9	14

#	ARTICLE	IF	CITATIONS
73	Molecular orbital studies on the mechanism of drug-receptor interaction. 2. .beta.-Adrenergic drugs. An approach to explain the role of the aromatic moiety. <i>Journal of Medicinal Chemistry</i> , 1977, 20, 1645-1653.	6.4	30
74	Ab initio study of the internal rotation in peroxyformic acid. <i>Chemical Physics</i> , 1977, 26, 243-249.	1.9	14
75	AB initio study of the internal rotation in 2-furancarboxaldehyde. <i>Chemical Physics Letters</i> , 1976, 42, 512-516.	2.6	18
76	Structure-activity relations of phenethylamine. Comparison of quantum mechanical SCF ab initio and semiempirical calculations. <i>Journal of the American Chemical Society</i> , 1975, 97, 1338-1347.	13.7	36
77	Nematic phase nuclear magnetic resonance, ultrasonic relaxation, and theoretical ab initio investigation of internal rotation in pyridine-2-carbaldehyde. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1975, , 1673.	0.9	9
78	The use of the electrostatic molecular potential in quantum pharmacology. I. Ab initio results. <i>International Journal of Quantum Chemistry</i> , 1975, 9, 181-190.	2.0	5
79	Molecular orbital studies on the mechanism of drug-receptor interaction. 1. Adrenergic drugs. Conformation and reactivity of isoproterenol and 1-(p-nitrophenyl)-2-isopropylaminoethanol. <i>Journal of Medicinal Chemistry</i> , 1974, 17, 501-507.	6.4	28
80	The protonation of organic molecules: electrostatic versus SCF CNDO calculations for three-membered ring molecules. <i>Chemical Physics Letters</i> , 1973, 20, 201-206.	2.6	31
81	Theoretical investigations on the solvation process. <i>Theoretica Chimica Acta</i> , 1971, 20, 331-342.	0.8	106
82	An iterative extended Hückel calculation for some amino acids containing sulphur and selenium. <i>Theoretica Chimica Acta</i> , 1971, 20, 31-40.	0.8	3
83	Electric and magnetic properties of LiH molecule according to Hartree-Fock perturbation theory. <i>Theoretica Chimica Acta</i> , 1970, 18, 341-353.	0.8	16
84	SCF wavefunction for the ground state of CN ⁻ and the change of the correlation energy in some simple protonation processes. <i>Chemical Physics Letters</i> , 1969, 3, 473-475.	2.6	27
85	Configuration-interaction calculations for the ground state of OF ₂ , NO ₂ ? , CN?: Canonical orbitals and exclusive orbitals. <i>Theoretica Chimica Acta</i> , 1969, 15, 332-343.	0.8	22
86	Double-Å LCAO SCF MO Calculations for NO ₂ and OF ₂ . <i>Journal of Chemical Physics</i> , 1968, 48, 1497-1499.	3.0	30
87	SCF Minimal Basis Set Calculations and Exclusive Orbitals for CN ⁻ , HCN, N ₃ ⁻ , HN ₃ , NCO ⁻ , and HNCO. <i>Journal of Chemical Physics</i> , 1968, 48, 1500-1508.	3.0	79
88	Minimal-Basis-Set LCAO-SCF MO Calculations for the Ground State of O ₃ , NO ₂ , NOF, and OF ₂ Molecules. <i>Journal of Chemical Physics</i> , 1968, 48, 407-411.	3.0	40