

Peter A Philipsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7016294/publications.pdf>

Version: 2024-02-01

137
papers

4,494
citations

117625

34
h-index

123424

61
g-index

137
all docs

137
docs citations

137
times ranked

4142
citing authors

#	ARTICLE	IF	CITATIONS
1	A one-time pneumatic jet-injection of 5-fluorouracil and triamcinolone acetonide for treatment of hypertrophic scars—A blinded randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 663-671.	2.1	2
2	Imaging of the nail unit in psoriatic patients: A systematic scoping review of techniques and terminology. <i>Experimental Dermatology</i> , 2022, 31, 828-840.	2.9	7
3	Adverse skin reactions among health care workers using face personal protective equipment during the coronavirus disease 2019 pandemic: A cross-sectional survey of six hospitals in Denmark. <i>Contact Dermatitis</i> , 2022, 86, 266-275.	1.4	17
4	Bringing the gentle properties of daylight photodynamic therapy indoors: A systematic review of efficacy and safety. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022, 39, 102858.	2.6	10
5	Fractional CO ₂ laser ablation leads to enhanced permeation of a fluorescent dye in healthy and mycotic nails—An imaging investigation of laser-tissue effects and their impact on unguinal drug delivery. <i>Lasers in Surgery and Medicine</i> , 2022, .	2.1	3
6	Morphometric Optical Imaging of Microporated Nail Tissue: An Investigation of Intermethod Agreement, Reliability, and Technical Limitations. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 838-848.	2.1	5
7	Noninvasive Assessment of Mycotic Nail Tissue Using an Ultraviolet Fluorescence Excitation Imaging System. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 245-251.	2.1	2
8	Impregnation of healthy nail tissue with optical clearing agents for improved optical coherence tomography imaging. <i>Skin Research and Technology</i> , 2021, 27, 178-182.	1.6	2
9	Subclinical effects of adapalene-benzoyl peroxide: a prospective <i>in vivo</i> imaging study on acne micromorphology and transfollicular delivery. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1377-1385.	2.4	5
10	How Much Protoporphyrin IX Must Be Activated to Obtain Full Efficacy of Methyl Aminolevulinate Photodynamic Therapy? Implication for Treatment Modifications. <i>Pharmaceuticals</i> , 2021, 14, 333.	3.8	6
11	A Skin Cancer Prophylaxis Study in Hairless Mice Using Methylene Blue, Riboflavin, and Methyl Aminolevulinate as Photosensitizing Agents in Photodynamic Therapy. <i>Pharmaceuticals</i> , 2021, 14, 433.	3.8	7
12	A revised action spectrum for vitamin D synthesis by suberythemal UV radiation exposure in humans <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	24
13	Few X-ray and PUVA treatments accelerate photocarcinogenesis in hairless mice. <i>Photochemical and Photobiological Sciences</i> , 2021, 20, 1299-1307.	2.9	1
14	The effect of vitamin D recommendations on serum 25-hydroxyvitamin D level in erythropoietic protoporphyria patients. <i>Nutrition</i> , 2021, 93, 111477.	2.4	4
15	Low vitamin D in dark-skinned immigrants is mainly due to clothing habits and low UVR exposure: a Danish observational study. <i>Photochemical and Photobiological Sciences</i> , 2021, 20, 1573-1584.	2.9	2
16	Basal cell carcinoma treated with combined ablative fractional laser and ingenol mebutate — an exploratory study monitored by optical coherence tomography and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 502-509.	2.4	12
17	Improving Photoprotection and Implications for 25(OH)D Formation. <i>Anticancer Research</i> , 2020, 40, 511-518.	1.1	3
18	Lifetime UVR Dose and Skin Cancer Risk, Determined by Their Common Relation to Solar Lentigines. <i>Anticancer Research</i> , 2020, 40, 557-564.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Melanin has a Small Inhibitory Effect on Cutaneous Vitamin D Synthesis: A Comparison of Extreme Phenotypes. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1418-1426.e1.	0.7	36
20	Inactivation of protoporphyrin IX in erythrocytes in patients with erythropoietic protoporphyria: A new treatment modality. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 29, 101582.	2.6	1
21	Measurements of sun sensitivity in five European countries confirm the relative nature of Fitzpatrick skin phototype scale. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020, 36, 179-184.	1.5	8
22	Light-provoked skin symptoms on the hands of erythropoietic protoporphyria patients related to personal dosimeter measurements, skin symptoms, light protection and priming. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020, 213, 112054.	3.8	8
23	Skin surface Protoporphyrin IX fluorescence is associated with epidermal but not dermal fluorescence intensities. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 30, 101681.	2.6	2
24	A Handful of Sunscreen for Whole-Body Application. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1268, 381-385.	1.6	5
25	Acne vulgaris severity graded by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 104-113.	2.1	22
26	Advancement through epidermis using tape stripping technique and Reflectance Confocal Microscopy. <i>Scientific Reports</i> , 2019, 9, 12217.	3.3	38
27	Pigment genes not skin pigmentation affect UVB-induced vitamin D. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 448-458.	2.9	15
28	Adult UVR exposure changes with life stage – a 14-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 467-476.	2.9	3
29	A novel LC-MS/MS method to quantify eumelanin and pheomelanin and their relation to UVR sensitivity – A study on human skin biopsies. <i>Pigment Cell and Melanoma Research</i> , 2019, 32, 809-816.	3.3	10
30	Serum 25(OH)D levels after oral vitamin D 3 supplementation and UVB exposure correlate. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 344-353.	1.5	3
31	Optimal sunscreen use, during a sun holiday with a very high ultraviolet index, allows vitamin D synthesis without sunburn. <i>British Journal of Dermatology</i> , 2019, 181, 1052-1062.	1.5	59
32	Transfollicular delivery of gold microparticles in healthy skin and acne vulgaris, assessed by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 430-438.	2.1	25
33	Association between quality of life and sun exposure behaviour in patients treated for cutaneous malignant melanoma. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 286-289.	1.5	1
34	Visual scales are superior to questionnaires in skin phototype self-assessment by children. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 238-245.	1.5	5
35	The ablative fractional coagulation zone influences skin fluorescence intensities of topically applied test molecules – An in vitro study with fluorescence microscopy and fluorescence confocal microscopy. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 68-78.	2.1	17
36	Skin cancer phototype: A new classification directly related to skin cancer and based on responses from 2869 individuals. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 116-123.	1.5	16

#	ARTICLE	IF	CITATIONS
37	Sunscreen applied at 2 mg cm^{-2} during a sunny holiday prevents erythema, a biomarker of ultraviolet radiation-induced DNA damage and suppression of acquired immunity. <i>British Journal of Dermatology</i> , 2019, 180, 604-614.	1.5	29
38	Prevalence of skin tears in the extremities in inpatients at a hospital in Denmark. <i>International Wound Journal</i> , 2018, 15, 212-217.	2.9	26
39	Children sustain high levels of skin DNA photodamage, with a modest increase of serum 25-hydroxyvitamin D ₃ , after a summer holiday in Northern Europe. <i>British Journal of Dermatology</i> , 2018, 179, 940-950.	1.5	15
40	Photoprotection by sunscreen depends on time spent on application. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018, 34, 117-121.	1.5	14
41	Sun behaviour on the beach monitored by webcam photos. <i>Public Health</i> , 2018, 155, 88-90.	2.9	7
42	Early intervention with non-ablative fractional laser to improve cutaneous scarring: A randomized controlled trial on the impact of intervention time and fluence levels. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 28-36.	2.1	30
43	Skin autofluorescence reflects individual seasonal UV exposure, skin photodamage and skin cancer development in organ transplant recipients. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 178, 577-583.	3.8	7
44	Organ transplant recipients express enhanced skin autofluorescence and pigmentation at skin cancer sites. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 188, 1-5.	3.8	2
45	Phototype reproducibility and relation to objectively measured skin sensitivity is best when burn and tan reactivity to sun are answered separately. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018, 34, 366-373.	1.5	2
46	Photodynamic therapy of necrobiosis lipoidica using methyl aminolevulinate: A retrospective follow-up study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 22, 223-226.	2.6	15
47	Sunscreen use optimized by two consecutive applications. <i>PLoS ONE</i> , 2018, 13, e0193916.	2.5	11
48	Comparison of Physical Pretreatment Regimens to Enhance Protoporphyrin IX Uptake in Photodynamic Therapy. <i>JAMA Dermatology</i> , 2017, 153, 270.	4.1	74
49	The half-life of 25(OH)D after UVB exposure depends on gender and vitamin D receptor polymorphism but mainly on the start level. <i>Photochemical and Photobiological Sciences</i> , 2017, 16, 985-995.	2.9	33
50	Can constitutive pigmentation be measured on upper inner arm? Correlation between arm and buttocks pigmentation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017, 33, 233-236.	1.5	3
51	Fractional laser-assisted drug uptake: Impact of time-related topical application to achieve enhanced delivery. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 348-354.	2.1	43
52	Side effects from intense pulsed light: Importance of skin pigmentation, fluence level and ultraviolet radiation: A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 88-96.	2.1	22
53	Fractional CO ₂ laser treatment of caesarean section scars: A randomized controlled split-scar trial with long term follow-up assessment. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 189-197.	2.1	24
54	Long-term Trend in Sunscreen Use among Beachgoers in Denmark. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1202-1205.	1.3	24

#	ARTICLE	IF	CITATIONS
55	Impact of UVR Exposure Pattern on Squamous Cell Carcinoma-A Dose-Response Study in Pigmented Hairless Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2738.	4.1	7
56	Fractional laser-assisted drug delivery: Laser channel depth influences biodistribution and skin deposition of methotrexate. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 519-529.	2.1	56
57	Factors associated with cessation of sunbed use among Danish women. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016, 32, 191-198.	1.5	7
58	Adjuvant eflornithine to maintain IPL-induced hair reduction in women with facial hirsutism: a randomized controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 314-319.	2.4	18
59	Short-term chemical pretreatment cannot replace curettage in photodynamic therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016, 32, 146-152.	1.5	17
60	Thickness of Actinic Keratosis Does Not Predict Dysplasia Severity or P53 Expression. <i>Scientific Reports</i> , 2016, 6, 33952.	3.3	35
61	Repeated treatments with ingenol mebutate for prophylaxis of UV-induced squamous cell carcinoma in hairless mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 163, 144-149.	3.8	5
62	Major inter-personal variation in the increase and maximal level of 25-hydroxy vitamin D induced by UVB. <i>Photochemical and Photobiological Sciences</i> , 2016, 15, 536-545.	2.9	23
63	Actinic keratosis: a cross-sectional study of disease characteristics and treatment patterns in Danish dermatology clinics. <i>International Journal of Dermatology</i> , 2016, 55, 309-316.	1.0	6
64	Sun behaviour and personal UVR exposure among Europeans on short term holidays. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2015, 151, 264-269.	3.8	21
65	Protoporphyrin IX formation after topical application of methyl aminolaevulinate and BF-200 aminolaevulinic acid declines with age. <i>British Journal of Dermatology</i> , 2015, 173, 760-766.	1.5	17
66	Correlation between treatment time, photobleaching, inflammation and pain after photodynamic therapy with methyl aminolevulinic acid on tape-stripped skin in healthy volunteers. <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 875-882.	2.9	17
67	Sun exposure patterns of urban, suburban, and rural children: a dosimetry and diary study of 150 children. <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 1282-1289.	2.9	15
68	Topically applied methotrexate is rapidly delivered into skin by fractional laser ablation. <i>Expert Opinion on Drug Delivery</i> , 2015, 12, 1059-1069.	5.0	45
69	Quantitative assessment of growing hair counts, thickness and colour during and after treatments with a low-fluence, home-device laser: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015, 172, 151-159.	1.5	11
70	Ultraviolet radiation after exposure to a low-fluence IPL home-use device: a randomized clinical trial. <i>Lasers in Medical Science</i> , 2015, 30, 2171-2177.	2.1	4
71	Black light visualized solar lentigines on the shoulders and upper back are associated with objectively measured UVR exposure and cutaneous malignant melanoma. <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 481-487.	2.9	9
72	Combination of ablative fractional laser and daylight-mediated photodynamic therapy for actinic keratosis in organ transplant recipients - a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015, 172, 467-474.	1.5	112

#	ARTICLE	IF	CITATIONS
73	Sun and Ski Holidays Improve Vitamin D Status, but Are Associated with High Levels of DNA Damage. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2806-2813.	0.7	74
74	The role of natural and UV-induced skin pigmentation on low-fluence IPL-induced side effects: A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 104-111.	2.1	6
75	Sun exposure and Protection Behavior of Danish Farm Children: Parental Influence on Their Children. <i>Photochemistry and Photobiology</i> , 2014, 90, 1193-1198.	2.5	9
76	Fractional ablative erbium YAG laser: Histological characterization of relationships between laser settings and micropore dimensions. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 281-289.	2.1	53
77	Skin temperature during sunbathing – relevance for skin cancer. <i>Photochemical and Photobiological Sciences</i> , 2014, 13, 1123-1125.	2.9	12
78	A 3-Year Follow-up of Sun Behavior in Patients With Cutaneous Malignant Melanoma. <i>JAMA Dermatology</i> , 2014, 150, 163.	4.1	39
79	X-rays and photocarcinogenesis in hairless mice. <i>Archives of Dermatological Research</i> , 2013, 305, 529-533.	1.9	4
80	A sun holiday is a sunburn holiday. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013, 29, 221-224.	1.5	34
81	Determinants of personal ultraviolet-radiation exposure doses on a sun holiday. <i>British Journal of Dermatology</i> , 2013, 168, 1073-1079.	1.5	34
82	Artificial daylight photodynamic therapy with non-inflammatory doses of hexyl aminolevulinate only marginally delays SCC development in UV-exposed hairless mice. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 2130.	2.9	7
83	Sun behaviour after cutaneous malignant melanoma: a study based on ultraviolet radiation measurements and sun diary data. <i>British Journal of Dermatology</i> , 2013, 168, 367-373.	1.5	23
84	Diagnosis of malignant melanoma and basal cell carcinoma by in vivo NIR-FT Raman spectroscopy is independent of skin pigmentation. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 770-776.	2.9	44
85	Influence of having a home garden on personal UVR exposure behavior and risk of cutaneous malignant melanoma in Denmark. <i>International Journal of Cancer</i> , 2013, 132, 1383-1388.	5.1	9
86	Good agreement between minimal erythema dose test reactions and objective measurements: an in vivo study of human skin. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013, 29, 190-195.	1.5	14
87	Protoporphyrin IX formation and photobleaching in different layers of normal human skin: Methyl- and hexylaminolevulinate and different light sources. <i>Experimental Dermatology</i> , 2012, 21, 745-750.	2.9	25
88	Increase in serum 25-hydroxyvitamin-D3 in humans after solar exposure under natural conditions compared to artificial UVB exposure of hands and face. <i>Photochemical and Photobiological Sciences</i> , 2012, 11, 1817-1824.	2.9	25
89	A small suberythematous ultraviolet B dose every second week is sufficient to maintain summer vitamin D levels: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2012, 166, 430-433.	1.5	37
90	Zinc sulphate: a new concept of treatment of erythropoietic protoporphyria. <i>British Journal of Dermatology</i> , 2012, 166, 1129-1131.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Porphyrin biodistribution in UV α -exposed murine skin after methyl α - and hexyl α -aminolevulinic acid incubation. <i>Experimental Dermatology</i> , 2012, 21, 260-264.	2.9	13
92	An explorative study of non-invasive ultra-weak photon emission and the anti-oxidative influence of oral zinc sulphate in light-sensitive patients with erythropoietic protoporphyria. <i>Skin Research and Technology</i> , 2012, 18, 405-412.	1.6	9
93	Topical nutlin-3a does not decrease photocarcinogenesis induced by simulated solar radiation in hairless mice. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2012, 28, 207-212.	1.5	2
94	Daylight-mediated photodynamic therapy of moderate to thick actinic keratoses of the face and scalp: a randomized multicentre study. <i>British Journal of Dermatology</i> , 2012, 166, 1327-1332.	1.5	131
95	The relation between sunscreen layer thickness and vitamin D production after ultraviolet B exposure: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2012, 167, 391-395.	1.5	65
96	The relation between methyl aminolevulinic acid concentration and inflammation after photodynamic therapy in healthy volunteers. <i>Photochemical and Photobiological Sciences</i> , 2012, 12, 117-123.	2.9	13
97	Sunscreen use and failures "on site observations on a sun-holiday. <i>Photochemical and Photobiological Sciences</i> , 2012, 12, 190-196.	2.9	65
98	People maintain their sun exposure behaviour in a 5-7-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2012, 12, 111-116.	2.9	11
99	Interdependence between body surface area and ultraviolet B dose in vitamin D production: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2011, 164, 163-169.	1.5	58
100	A randomized, multicentre study of directed daylight exposure times of 1 $\frac{1}{2}$ vs. 2 $\frac{1}{2}$ h in daylight-mediated photodynamic therapy with methyl aminolaevulinic acid in patients with multiple thin actinic keratoses of the face and scalp. <i>British Journal of Dermatology</i> , 2011, 164, 1083-1090.	1.5	157
101	Sun exposure before and after a diagnosis of cutaneous malignant melanoma: estimated by developments in serum vitamin D, skin pigmentation and interviews. <i>British Journal of Dermatology</i> , 2011, 165, 164-170.	1.5	14
102	Vitamin D production depends on ultraviolet-B dose but not on dose rate: A randomized controlled trial. <i>Experimental Dermatology</i> , 2011, 20, 14-18.	2.9	39
103	High death rate in mice treated topically with diclofenac. <i>Experimental Dermatology</i> , 2011, 20, 336-338.	2.9	6
104	Sun protection factor persistence on human skin during a day without physical activity or ultraviolet exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 22-27.	1.5	21
105	Variables in full-body ultraviolet B treatment of skin diseases. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 165-169.	1.5	5
106	The minimal melanogenesis dose/minimal erythema dose ratio declines with increasing skin pigmentation using solar simulator and narrowband ultraviolet B exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 133-137.	1.5	6
107	Minimal erythema dose and minimal melanogenesis dose relate better to objectively measured skin type than to Fitzpatrick's skin type. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 280-284.	1.5	28
108	Photocarcinogenesis and toxicity of benzoyl peroxide in hairless mice after simulated solar radiation. <i>Experimental Dermatology</i> , 2010, 19, 381-386.	2.9	12

#	ARTICLE	IF	CITATIONS
109	Topical hydrocortisone, clobetasol propionate, and calcipotriol do not increase photocarcinogenesis induced by simulated solar irradiation in hairless mice. <i>Experimental Dermatology</i> , 2010, 19, 973-979.	2.9	17
110	Vitamin D Production after UVB Exposure Depends on Baseline Vitamin D and Total Cholesterol but Not on Skin Pigmentation. <i>Journal of Investigative Dermatology</i> , 2010, 130, 546-553.	0.7	173
111	Skin Pigmentation Kinetics after Exposure to Ultraviolet A. <i>Acta Dermato-Venereologica</i> , 2009, 89, 357-363.	1.3	16
112	Topical pimecrolimus and tacrolimus do not accelerate photocarcinogenesis in hairless mice after UVA or simulated solar radiation. <i>Experimental Dermatology</i> , 2009, 18, 246-251.	2.9	24
113	Vitamin D Level in Summer and Winter Related to Measured UVR Exposure and Behavior. <i>Photochemistry and Photobiology</i> , 2009, 85, 1480-1484.	2.5	50
114	Photocarcinogenesis of topical tazarotene and isotretinoin alone and in combination with valproic acid in hairless mice. <i>Experimental Dermatology</i> , 2008, 17, 972-974.	2.9	19
115	Sun protection factor persistence during a day with physical activity and bathing. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2008, 24, 296-300.	1.5	40
116	Sunbed Radiation Provokes Cutaneous Vitamin D Synthesis in Humans—A Randomized Controlled Trial. <i>Photochemistry and Photobiology</i> , 2008, 84, 1487-1492.	2.5	62
117	Continuous activation of PpIX by daylight is as effective as and less painful than conventional photodynamic therapy for actinic keratoses; a randomized, controlled, single-blinded study. <i>British Journal of Dermatology</i> , 2008, 158, 740-746.	1.5	313
118	Pain during photodynamic therapy is associated with protoporphyrin IX fluorescence and fluence rate. <i>British Journal of Dermatology</i> , 2008, 158, 727-733.	1.5	120
119	Immediate Whealing Urticaria in Red Light Exposed Areas During Photodynamic Therapy. <i>Acta Dermato-Venereologica</i> , 2008, 88, 480-483.	1.3	15
120	Skin Pigmentation Kinetics After UVB Exposure. <i>Acta Dermato-Venereologica</i> , 2008, 88, 223-228.	1.3	22
121	Factors Affecting the Recurrence Rate of Basal Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , 2007, 87, 330-334.	1.3	49
122	Topical tacrolimus in combination with simulated solar radiation does not enhance photocarcinogenesis in hairless mice. <i>Experimental Dermatology</i> , 2007, 17, 070920220651002-???	2.9	19
123	Compliance and data reliability in sun exposure studies with diaries and personal, electronic UV dosimeters. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2006, 22, 93-99.	1.5	34
124	Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings. <i>British Journal of Dermatology</i> , 2006, 154, 133-138.	1.5	52
125	Morphine Gel 0.3% Does Not Relieve Pain During Topical Photodynamic Therapy: A Randomized, Double-blind, Placebo-controlled Study. <i>Acta Dermato-Venereologica</i> , 2006, 86, 409-411.	1.3	62
126	Sunscreen Use Related to UV Exposure, Age, Sex, and Occupation Based on Personal Dosimeter Readings and Sun-Exposure Behavior Diaries. <i>Archives of Dermatology</i> , 2005, 141, 967-73.	1.4	108

#	ARTICLE	IF	CITATIONS
127	Sunburn Related to UV Radiation Exposure, Age, Sex, Occupation, and Sun Bed Use Based on Time-Stamped Personal Dosimetry and Sun Behavior Diaries. Archives of Dermatology, 2005, 141, 482-8.	1.4	45
128	Ultraviolet exposure patterns of Irish and Danish gardeners during work and leisure. British Journal of Dermatology, 2005, 153, 795-801.	1.5	63
129	How Finsen's light cured lupus vulgaris. Photodermatology Photoimmunology and Photomedicine, 2005, 21, 118-124.	1.5	109
130	UV Radiation Exposure Related to Age, Sex, Occupation, and Sun Behavior Based on Time-Stamped Personal Dosimeter Readings. Archives of Dermatology, 2004, 140, 197-203.	1.4	160
131	Ocular lens blue autofluorescence cannot be used as a measure of individual cumulative UVR exposure. Photodermatology Photoimmunology and Photomedicine, 2004, 20, 41-46.	1.5	3
132	Proportion of Lifetime UV Dose Received by Children, Teenagers and Adults Based on Time-Stamped Personal Dosimetry. Journal of Investigative Dermatology, 2004, 123, 1147-1150.	0.7	69
133	Detection of Skin Cancer by Classification of Raman Spectra. IEEE Transactions on Biomedical Engineering, 2004, 51, 1784-1793.	4.2	231
134	Dermal echogenicity: a biological indicator of individual cumulative UVR exposure?. Archives of Dermatological Research, 2004, 295, 498-504.	1.9	21
135	Melanoma Diagnosis by Raman Spectroscopy and Neural Networks: Structure Alterations in Proteins and Lipids in Intact Cancer Tissue. Journal of Investigative Dermatology, 2004, 122, 443-449.	0.7	286
136	Imputating missing values in diary records of sun-exposure study. , 0, , .		2
137	Clustering of Sun exposure measurements. , 0, , .		0