

Yoichi Nishino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7017117/publications.pdf>

Version: 2024-02-01

156
papers

3,185
citations

186265

28
h-index

197818

49
g-index

160
all docs

160
docs citations

160
times ranked

1427
citing authors

#	ARTICLE	IF	CITATIONS
1	Improving thermoelectric performance of Fe ₂ VAl-based Heusler compounds via high-pressure torsion. Applied Physics A: Materials Science and Processing, 2022, 128, 1.	2.3	12
2	Suppressed atomic diffusion in flash sintering of bismuth telluride. Journal of the European Ceramic Society, 2022, , .	5.7	1
3	Hard X-Ray Photoemission Study on Bulk Electronic Structure of Heusler-Type Fe ₂ Al _{1-x} Al Alloys. Journal of the Physical Society of Japan, 2022, 91, .	1.6	1
4	Machine learning based prediction of lattice thermal conductivity for half-Heusler compounds using atomic information. Scientific Reports, 2021, 11, 13410.	3.3	22
5	Pseudogap engineering of Fe ₂ VAl-based thermoelectric Heusler compounds. , 2021, , 143-156.		2
6	Near-Net-Shape Fabrication of Thermoelectric Legs by Flash Sintering. Journal of Electronic Materials, 2020, 49, 593-600.	2.2	4
7	Probing local distortion around structural defects in half-Heusler thermoelectric NiZrSn alloy. Scientific Reports, 2020, 10, 19820.	3.3	13
8	Local structure and atomic dynamics in Fe ₂ VAl Heusler-type thermoelectric material: The effect of heavy element doping. Physical Review B, 2020, 101, .	3.2	20
9	Rapid Fabrication of Thermoelectric Compounds by Flash Sintering. Funtai Oyobi Fummatsumu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2020, 67, 478-483.	0.2	0
10	Significant reduction in the thermal conductivity of Si-substituted $\text{Fe}_{2-x}\text{Mn}_x\text{VAl}$ epilayers. Physical Review B, 2019, 99, .	3.2	16
11	Current Research and Future Prospective of Iron-Based Heusler Alloys as Thermoelectric Materials. Nanotechnologies in Russia, 2019, 14, 281-289.	0.7	2
12	Effects of off-stoichiometry and Ti doping on thermoelectric performance of Fe ₂ VAl Heusler compound. AIP Advances, 2019, 9, 125003.	1.3	13
13	Direct observation of pseudo-gap electronic structure in the Heusler-type Fe ₂ VAl thin film. Journal of Electron Spectroscopy and Related Phenomena, 2019, 232, 1-4.	1.7	9
14	Flash-sintering of antimony telluride and its thermoelectric properties. Journal of Applied Physics, 2018, 124, 105104.	2.5	9
15	Amplitude-Dependent Internal Friction Study of Fatigue Deterioration in Carbon Fiber Reinforced Plastic Laminates. Materials Research, 2018, 21, .	1.3	3
16	Effect of high-pressure torsion on the microstructure and thermoelectric properties of Fe ₂ VAl-based compounds. Journal of Applied Physics, 2018, 124, .	2.5	34
17	Structure and thermoelectric property of bulk CaMgSi intermetallic compound. AIP Conference Proceedings, 2017, , .	0.4	1
18	Thermoelectric property of bulk CaMgSi intermetallic compound. Journal of Alloys and Compounds, 2017, 691, 914-918.	5.5	19

#	ARTICLE	IF	CITATIONS
19	Thermoelectric Properties of Al-Mn-Si Based C54 Phase Containing Small Amount of C40 Phase. Materials Transactions, 2016, 57, 1055-1058.	1.2	0
20	Effects of Grain Size on Deformation Behavior of Heusler-type $\text{Fe}_{2-x}\text{VAl}$ Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2016, 80, 317-320.	0.4	0
21	Effect of Ta substitution on the electronic structure of Heusler-type Fe_2VAl -based alloy. Journal of Applied Physics, 2016, 120, 125106.	2.5	10
22	Thermoelectric properties of supersaturated Re solid solution of higher manganese silicides. Japanese Journal of Applied Physics, 2016, 55, 020301.	1.5	55
23	Effect of Off-Stoichiometry on the Thermoelectric Properties of Heusler-Type Fe_2VAl Sintered Alloys. Journal of Electronic Materials, 2016, 45, 1284-1289.	2.2	29
24	Electronic and crystal structures of thermoelectric CaMgSi intermetallic compound. Journal of Electron Spectroscopy and Related Phenomena, 2016, 206, 18-23.	1.7	10
25	New Development of Thermoelectric Materials Based on Heusler Compounds. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 79, 548-554.	0.4	2
26	Thermoelectric Properties of Off-Stoichiometric $\text{Fe}_{2-x}\text{V}_{1+y}\text{Al}$ Sintered Alloys and Design of Thermoelectric Power Generation Module. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 79, 627-632.	0.4	1
27	Thermoelectric Properties of Al-Mn-Si Based C54-Phase Containing Small Amount of C40-Phase. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 79, 577-580.	0.4	0
28	Thermoelectric Properties of the Off-Stoichiometric Heusler Alloys $\text{Fe}_{2-x}\text{V}_{1+y}\text{Al}$. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 79, 621-626.	0.4	1
29	Electrons per Atom Ratio Determination and Hume-Rothery Electron Concentration Rule for P-Based Polar Compounds Studied by FLAPW-Fourier Calculations. Inorganic Chemistry, 2015, 54, 930-946.	4.0	20
30	Thermoelectric properties of $\text{Al}_{1-x}\text{Mn}_x\text{Si}$ C40 phase containing small amount of W or Ta. Japanese Journal of Applied Physics, 2015, 54, 071801.	1.5	37
31	Direct observation of the electronic structure in thermoelectric half-Heusler alloys $\text{Zr}_{1-x}\text{M}_x\text{NiSn}$ ($\text{M} = \text{W}$, Nb). Journal of Applied Physics, 2015, 117, .	2.5	13
32	Doping effects on thermoelectric properties of the off-stoichiometric Heusler compounds $\text{Fe}_{2-x}\text{V}_{1+x}\text{Al}$. Journal of Applied Physics, 2014, 115, 123707.	2.5	56
33	Thermoelectric properties of Heusler-type off-stoichiometric $\text{Fe}_{2-x}\text{V}_{1+x}\text{Al}$ alloys. Materials Research Express, 2014, 1, 015901.	1.6	47
34	Thermoelectric properties of the Heusler-type $\text{Fe}_2\text{V}_{1+x}\text{Al}$ alloys. Journal of Applied Physics, 2014, 115, .	2.5	58
35	Electronic structure of Heusler-type $\text{Fe}_2\text{V}_{1+x}\text{Al}$ thermoelectric materials. Journal of Electron Spectroscopy and Related Phenomena, 2014, 195, 185-188.	1.7	14
36	Electronic and Local Crystal Structures of the ZrNiSn Half-Heusler Thermoelectric Material. Materials Transactions, 2014, 55, 1209-1214.	1.2	25

#	ARTICLE	IF	CITATIONS
37	Semiconducting Transport Properties in Off-Stoichiometric Fe _{2-x} Al _{1+x} . , 2014, , .		1
38	Development of Heusler-Type Fe ₂ Al Alloys for Thermoelectric Power Generation. , 2014, , 371-378.		1
39	Damping Capacity of Fe–17mass%Mn High Damping Alloy with Variant Controlled Microstructure. Materials Transactions, 2013, 54, 1288-1294.	1.2	11
40	Stress Relaxation Behavior of Cu-Ni-P Alloys Evaluated from Amplitude-Dependent Internal Friction. Solid State Phenomena, 2012, 184, 245-250.	0.3	0
41	Interaction Potential between a Dislocation and a Pinning Atom in FCC Metals. Solid State Phenomena, 2012, 184, 131-136.	0.3	0
42	Internal friction study of the stress relaxation behavior in Cu–Ni–P alloys. Scripta Materialia, 2012, 66, 686-689.	5.2	5
43	Development of thermoelectric materials based on Fe ₂ Al Heusler compound for energy harvesting applications. IOP Conference Series: Materials Science and Engineering, 2011, 18, 142001.	0.6	38
44	Origin of large thermoelectric power in off-stoichiometric Fe _{2-x} Al-based alloys. IOP Conference Series: Materials Science and Engineering, 2011, 18, 142004.	0.6	11
45	Development of Thermoelectric Materials Based on Fe ₂ Al Heusler Compound and Application to Thermoelectric Module. Materia Japan, 2011, 50, 155-157.	0.1	0
46	Soft X-ray photoemission study of thermoelectric alloys Fe _{2-x} Al _{1+x} and Fe _{2-x} Al _{1+x} Ti _y Al. Journal of Electron Spectroscopy and Related Phenomena, 2011, 184, 236-239.	1.7	13
47	Off-stoichiometric Effects on Thermoelectric Properties of Fe ₂ Al-based Compounds. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2010, 57, 207-212.	0.2	19
48	Soft X-ray Photoelectron Spectroscopy of Heusler-type Thermoelectric Alloys Fe _{2-x} Al _{1+x} . Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2010, 57, 213-217.	0.2	4
49	Development of Thermoelectric Materials Based on Heusler Compounds for Energy Harvesting Applications. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2010, 57, 201-206.	0.2	2
50	Fermi surface–Brillouin-zone-induced pseudogap in $\text{Fe}_3\text{Mg}_{17}\text{Al}_{12}$ and a possible stabilization mechanism of $\text{Fe}_2\text{Al}_3\text{Mg}_2$. Journal of Physics Condensed Matter, 2010, 22, 485501.	1.8	9
51	Internal friction and magnetic properties of thermally aged Fe–1 wt.% Cu alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 521-522, 209-212.	5.6	4
52	Effects of ϵ -martensite and dislocations behavior by thermo-mechanical treatment on Fe–Cr–Mn damping alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 521-522, 368-371.	5.6	20
53	Effects of training temperature on damping capacity in thermally cycled Fe–20 mass%Mn alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 521-522, 376-379.	5.6	13
54	Doping Effects of Transition Metals on Thermoelectric Properties of Off-Stoichiometric Fe ₂ Al Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2009, 73, 846-851.	0.4	24

#	ARTICLE	IF	CITATIONS
55	Training effect on damping capacity in Fe-20mass% Mn binary alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 490, 138-145.	5.6	29
56	Migration of Cell Broadband Engine from 65nm SOI to 45nm SOI. , 2008, , .		9
57	Thermoelectric Properties of Heusler-Type (Fe _{1-x} Co _x) ₂ TiAl Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2008, 72, 464-469.	0.4	6
58	Thermoelectric Properties of p-Type Fe ₂ (V _{1-x} Y _x Ti _{1-y} Ta _y) Al Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2008, 72, 593-598.	0.4	13
59	Thermoelectric Properties of P-Type Heusler Compounds (Fe _{2-x} Co _x)(V _{1-y} Ti _y Al _z)Al. Materials Transactions, 2008, 49, 1858-1862.		15
60	SYNCHROTRON RADIATION PHOTOELECTRON STUDY OF HEUSLER-TYPE Fe ₂ VAl-BASED ALLOYS. Advances in Synchrotron Radiation, 2008, 01, 235-243.	0.0	7
61	The Effect of Bi Addition on Thermoelectric Properties of the Sintered Heusler Fe ₂ VAl Alloy. Materials Research Society Symposia Proceedings, 2007, 1044, 1.	0.1	0
62	Effects of Re Substitution on Thermoelectric Properties of Pseudogap System Fe ₂ VAl. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2007, 71, 208-212.	0.4	18
63	Research and Development of 3d Multinary Functional Materials for Substitution of Rare and Toxic Elements. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2007, 71, 876-884.	0.4	1
64	Soft X-ray photoemission study of the Heusler-type Fe ₂ VAl _{1-x} Ge _x alloys. Journal of Electron Spectroscopy and Related Phenomena, 2007, 156-158, 347-350.	1.7	14
65	Internal friction study of microplasticity in polycrystalline gold thin films. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 442, 347-351.	5.6	5
66	Effect of frequency on amplitude-dependent internal friction in niobium. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 442, 156-159.	5.6	7
67	Thermal and transport properties of the Heusler-type Fe ₂ VAl _{1-x} Gex (0 ≤ x ≤ 0.20) alloys: Effect of doping on lattice thermal conductivity, electrical resistivity, and Seebeck coefficient. Physical Review B, 2006, 74, .	3.2	182
68	Power supply noise simulation considering dynamic effect of on-chip current. , 2006, , .		5
69	Surface and bulk electronic structures of Heusler-type Fe ₂ VAl. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2006, 24, 1464-1467.	2.1	23
70	Effects of Order-Disorder Transition on High-Temperature Deformation Behavior of (Fe _{1-x} V _x) ₃ Al Alloys (x = 1/3). Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2005, 69, 880-885.	0.4	2
71	Pseudogap Formation and Thermoelectric Properties of Heusler-type Compounds. Materia Japan, 2005, 44, 648-653.	0.1	8
72	High-resolution soft x-ray photoelectron study of density of states and thermoelectric properties of the Heusler-type alloys (Fe ₂ V _{1-x} Al _x) ₃ Al _y . Physical Review B, 2005, 71, .	3.2	33

#	ARTICLE	IF	CITATIONS
73	Transport and magnetic properties of the Heusler-type $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$ system ($x=0.01$ to 0.08). Physical Review B, 2005, 71, .	3.2	55
74	Thermoelectric Properties of the Pseudogap $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$ System. Materials Science Forum, 2004, 449-452, 909-912.	0.3	13
75	Amplitude-dependent internal friction in copper thin films on silicon substrates. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 146-149.	5.6	4
76	Effect of molybdenum substitution on the yield stress anomaly in Fe_{3-x}Al -based alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 387-389, 973-976.	5.6	10
77	Magnetic circular dichroism at Fe and V $L_{2,3}$ thresholds of Heusler-type $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$. Physica B: Condensed Matter, 2004, 351, 338-340.	2.7	9
78	Effects of Ru Substitution on Transport and Magnetic Properties of a Heusler-Type Fe_2VAl Alloy. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2004, 68, 395-400.	0.4	1
79	Doping Effects on Thermoelectric Properties of the Pseudogap $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$ System. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2002, 66, 767-771.	0.4	62
80	High-resolution photoelectron spectroscopy of Heusler-type Fe_2VAl alloy. Journal of Synchrotron Radiation, 2002, 9, 233-236.	2.4	32
81	Microplasticity of copper thin films on silicon substrates. Philosophical Magazine Letters, 2001, 81, 743-750.	1.2	7
82	Effect of Silicon Substitution on Thermoelectric Properties of Heusler-type $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$ Alloy. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2001, 65, 652-656.	0.4	80
83	Electronic Structure and Transport Properties of Pseudogap System $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$. Materials Transactions, 2001, 42, 902-910.	1.2	52
84	Magnetic circular dichroism at transition metal $L_{2,3}$ edges in DO_3 -type $(\text{Fe}_{1-x}\text{Mn}_x)_3\text{Al}$ alloys. Journal of Synchrotron Radiation, 2001, 8, 455-456.	2.4	4
85	Magnetic circular dichroism at transition metal $L_{2,3}$ edges in DO_3 -type $(\text{Fe}_{1-x}\text{V}_x)_3\text{Al}$ alloys. Journal of Synchrotron Radiation, 2001, 8, 457-459.	2.4	4
86	Effect of vanadium substitution on strength properties of Fe_3Al -based alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2001, 319-321, 368-371.	5.6	13
87	Effects of gas transports in metals on negative pressures in water in Mo/Cu Berthelot tubes. Journal Physics D: Applied Physics, 2001, 34, 1717-1726.	2.8	8
88	Effect of off-stoichiometry on the transport properties of the Heusler-type Fe_2VAl compound. Physical Review B, 2001, 63, .	3.2	129
89	Electrical Resistivity Anomaly and Magnetic Properties in Heusler-Type $\text{Fe}_{2-x}\text{V}_1+x\text{Al}$ Alloy. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2001, 65, 771-774.	0.4	10
90	Pseudogap Formation in the Intermetallic Compounds $(\text{Fe}_{1-x}\text{V}_x)_3\text{Al}$. Physical Review Letters, 2000, 84, 3674-3677.	7.8	138

#	ARTICLE	IF	CITATIONS
91	Unusual electron transport in Heusler-type Fe ₂ VAl compound. <i>Intermetallics</i> , 2000, 8, 1233-1241.	3.9	29
92	Microstructural evolution and stability of (Fe _{1-x} V _x) ₃ Al alloys in relation to the electronic structure. <i>Intermetallics</i> , 2000, 8, 1209-1214.	3.9	39
93	Electronic, magnetic and transport properties of (Fe _{1-x} V _x) ₃ Al alloys. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 1769-1779.	1.8	38
94	Temperature dependence of electrical resistivity in (Fe _{1-x} Ti _x) ₃ Al alloys. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 9153-9162.	1.8	17
95	Strain amplitude-dependent anelasticity in Cu-Ni solid solution due to thermally activated and athermal dislocation-point obstacle interactions. <i>Journal of Applied Physics</i> , 1999, 85, 1444-1459.	2.5	21
96	Mechanical properties of thin-film materials evaluated from amplitude-dependent internal friction. <i>Journal of Electronic Materials</i> , 1999, 28, 1023-1031.	2.2	10
97	Photoemission Study of D ₀ -related (Fe _{1-x} V _x) ₃ Al Alloys. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 496.	1.5	14
98	Electrical resistance anomaly in Fe ₃ Al-based alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 258, 50-58.	5.6	30
99	Electronic structure of possible 3d 'heavy-fermion' compound. <i>Journal of Physics Condensed Matter</i> , 1998, 10, L119-L126.	1.8	108
100	Effect of molybdenum substitution on phase stability and high-temperature strength of Fe ₃ Al alloys. <i>Philosophical Magazine Letters</i> , 1998, 78, 97-103.	1.2	10
101	Influence of impurity content on the acoustoplastic effect, internal friction, and Young's modulus defect during deformation of Cu-Ni single crystals. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1998, 77, 151-166.	0.6	15
102	Electrical Resistance Anomaly and Hall Effect in (Fe _{1-x} Al _x) ₃ Al Alloys. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 1998, 62, 669-674.	0.4	36
103	Semiconductorlike Behavior of Electrical Resistivity in Heusler-type Fe ₂ VAl Compound. <i>Physical Review Letters</i> , 1997, 79, 1909-1912.	7.8	359
104	Phase stability of Fe ₃ Al with addition of 3d transition elements. <i>Scripta Materialia</i> , 1997, 36, 461-466.	5.2	81
105	Phase stability and mechanical properties of Fe ₃ Al with addition of transition elements. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997, 234-236, 271-274.	5.6	46
106	Amplitude-Dependent Internal Friction and Microplasticity in Thin-Film Materials. <i>European Physical Journal Special Topics</i> , 1996, 06, C8-783-C8-786.	0.2	7
107	Mechanical Properties of Aluminum Thin Films Evaluated from Amplitude-Dependent Internal Friction. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 1996, 60, 952-956.	0.4	4
108	Amplitude-Dependent Internal Friction in SiC-Whisker-Reinforced Al ₂ O ₃ Ceramics. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 1996, 60, 377-381.	0.4	3

#	ARTICLE	IF	CITATIONS
109	Influence of Ni Content on Internal Friction and Acoustoplastic Effect in Cu-Ni Single Crystals. European Physical Journal Special Topics, 1996, 06, C8-297-C8-300.	0.2	0
110	Internal Friction Study of Microplasticity of Aluminum Thin Films on Silicon Substrates. Materials Transactions, JIM, 1995, 36, 1476-1482.	0.9	1
111	Determination of dislocation mobility from amplitude-dependent internal friction. Physica Status Solidi A, 1995, 151, 83-91.	1.7	9
112	Fabrication and Characterization of Three-Dimensional Carbon Fiber Reinforced Silicon Carbide and Silicon Nitride Composites. Journal of the American Ceramic Society, 1995, 78, 2811-2814.	3.8	38
113	Internal Friction and Microplasticity of Carbon-Fiber-Reinforced SiC Ceramics. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1995, 59, 788-792.	0.4	4
114	Analysis of strain-amplitude-dependent internal friction in thin-layer materials. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1995, 71, 139-148.	0.6	10
115	Stabilization of the HCP ϵ phase in an Fe-21%Mn alloy subjected to cathodic hydrogen charging. Scripta Metallurgica Et Materialia, 1993, 29, 135-137.	1.0	5
116	Anomalous temperature dependence of the electrical resistivity in binary and pseudobinary alloys based on Fe ₃ Si. Physical Review B, 1993, 48, 13607-13613.	3.2	71
117	Preferential Absorption of Hydrogen into ϵ Phase in Fe-Mn Alloys. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1993, 57, 384-388.	0.4	3
118	Microplasticity of Alumina in Forerunning Process of Fracture. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1993, 57, 389-393.	0.4	0
119	Bond-length relaxation in crystalline Si _{1-x} Ge _x alloys: An extended x-ray-absorption fine-structure study. Physical Review B, 1992, 45, 14005-14010.	3.2	64
120	Mechanical hysteresis due to microplasticity in alumina with microcracks. Philosophical Magazine Letters, 1992, 66, 313-316.	1.2	10
121	Strain-amplitude-dependent internal friction and microplasticity in alumina with microcracks. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 65, 1187-1197.	0.6	11
122	Microplasticity and Dislocation Mobility in Copper-Nickel Single Crystals Evaluated from Strain-Amplitude-Dependent Internal Friction. Physica Status Solidi A, 1992, 129, 409-419.	1.7	17
123	Anomalies in Young's modulus of Fe ₆₅ (Ni _{1-x} Mn _x) ₃₅ alloys. Scripta Metallurgica Et Materialia, 1991, 25, 1071-1073.	1.0	2
124	Stability of the DO ₃ phase in (Fe _{1-x} M _x) ₃ Ga (M; 3d transition metals). Scripta Metallurgica Et Materialia, 1991, 25, 2291-2296.	1.0	25
125	Effect of Grain Size on Amplitude-Dependent Internal Friction in Polycrystalline Copper. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1991, 55, 848-852.	0.4	14
126	Electrical-resistance maximum near the Curie point in (Fe _{1-x} V _x) ₃ Ga and (Fe _{1-x} Ti _x) ₃ Ga. Physical Review B, 1991, 44, 12406-12412.	3.2	54

#	ARTICLE	IF	CITATIONS
127	Internal Friction and Phase Transformation in FCC Fe–Ni–Mn Alloys Subjected to Cathodic Hydrogen Charging. <i>Materials Transactions, JIM</i> , 1990, 31, 995-998.	0.9	18
128	Strain Aging in Czochralski-Grown Silicon Crystals. <i>Physica Status Solidi A</i> , 1990, 122, 163-169.	1.7	1
129	Calculation of Bond Lengths in Si _{1-x} Ge _x Alloys Based on the Valence-Force-Field Model. <i>Japanese Journal of Applied Physics</i> , 1990, 29, 842-843.	1.5	12
130	Cross-Sectional X-Ray Topographic Study of Lattice Distortion in Silicon Crystals with Oxide Film. <i>Japanese Journal of Applied Physics</i> , 1990, 29, 1048-1049.	1.5	0
131	Some remarks on frequency spectra of internal friction based on the relaxation mechanism. <i>Scripta Metallurgica Et Materialia</i> , 1990, 24, 191-194.	1.0	1
132	Hydrogen-induced phase transformations in Fe ₅₀ Ni _{50-x} Mn _x alloys. <i>Scripta Metallurgica Et Materialia</i> , 1990, 24, 703-708.	1.0	9
133	The frequency dependence of internal friction caused by hydrogen and deuterium in iron-nickel invar alloy. <i>Scripta Metallurgica</i> , 1989, 23, 197-202.	1.2	3
134	Photoelectric and structural properties of a-Si _{1-x} Ge _x : H alloys prepared using Si ₂ H ₆ and GeH ₄ . <i>Applied Surface Science</i> , 1988, 33-34, 735-741.	6.1	6
135	Extended x-ray-absorption fine-structure study of hydrogenated amorphous silicon-germanium alloys. II. Dependence of bond length and coordination on composition. <i>Physical Review B</i> , 1988, 38, 1942-1946.	3.2	32
136	Extended x-ray-absorption fine-structure study of hydrogenated amorphous silicon-germanium alloys. I. Analysis based on spherical waves of photoelectrons. <i>Physical Review B</i> , 1988, 38, 1938-1941.	3.2	6
137	Internal friction caused by dissolved hydrogen in FCC iron-nickel alloys. <i>Scripta Metallurgica</i> , 1987, 21, 1235-1239.	1.2	13
138	Development of EXAFS Spectrometer and Structural Characterization of Amorphous Silicon. <i>Japanese Journal of Applied Physics</i> , 1986, 25, 885-890.	1.5	5
139	Temperature dependence of friction force acting on dislocations in silicon crystals. <i>Journal of Materials Science</i> , 1984, 19, 245-253.	3.7	6
140	X-ray topography study of crack-induced dislocations in MgO single crystals. <i>Materials Science and Engineering</i> , 1984, 68, L1-L4.	0.1	1
141	Hardening of MgO single crystals by X-ray irradiation at room temperature. <i>Materials Science and Engineering</i> , 1983, 61, 117-118.	0.1	1
142	X-ray topographic in-situ observation of slip band propagation in MgO single crystals. <i>Physica Status Solidi A</i> , 1983, 76, 277-284.	1.7	7
143	Dislocation configurations induced by cyclic deformation in silicon crystals. <i>Physica Status Solidi A</i> , 1983, 78, 655-663.	1.7	1
144	Dislocation Generation in the Initiation of Fractures in Silicon Crystals. <i>Japanese Journal of Applied Physics</i> , 1982, 21, 1283-1286.	1.5	9

#	ARTICLE	IF	CITATIONS
145	Dislocation configurations characteristic of deformed czochralski-grown silicon crystals. <i>Physica Status Solidi A</i> , 1982, 70, 729-737.	1.7	8
146	Generation Process of Dislocations in Precipitate-Containing Silicon Crystals. <i>Physica Status Solidi A</i> , 1982, 73, 173-182.	1.7	9
147	Viscoelastic Behaviour of Oxide Films on Silicon Crystals. <i>Physica Status Solidi A</i> , 1982, 74, 193-200.	1.7	14
148	Straining Apparatus for Dynamic Observation by X-Ray Topography. <i>Japanese Journal of Applied Physics</i> , 1981, 20, 1533-1539.	1.5	22
149	Lattice Hardening and Anomalous Softening of Iron and Steel Caused by Electrolytic Hydrogen Charging. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 1979, 43, 241-248.	0.4	13
150	Effects of Environmental Gas on HVEM Radiation Damage in Aluminum. <i>Crystal Research and Technology: Journal of Experimental and Industrial Crystallography</i> , 1979, 14, 1219-1222.	0.3	2
151	Training Effects on Damping Capacity in Fe-Mn and Fe-Mn-Cr Alloys. <i>Materials Science Forum</i> , 0, 638-642, 2201-2206.	0.3	9
152	Internal Friction Study of Vacancy Hardening in B2 Fe Al Alloys. <i>Solid State Phenomena</i> , 0, 184, 81-86.	0.3	2
153	Training Effects on Damping Capacity in Mn-22.5mass%Cu-5mass%Ni-2mass%Fe Alloy. <i>Materials Science Forum</i> , 0, 706-709, 2026-2031.	0.3	1
154	Local Structure of Heusler-type $\text{Fe}_2\text{V}_{1-x}\text{Ta}_x\text{Al}$ Thermoelectric Materials Studied by X-Ray Absorption Fine Structure Spectroscopy. <i>Physica Status Solidi (B): Basic Research</i> , 0, , 2100602.	1.5	0
155	Synthesis and electronic characterization of Weyl semimetal TaSb_2 polycrystalline material. <i>Physica Status Solidi (B): Basic Research</i> , 0, , .	1.5	0
156	Hard X-ray Photoemission Study of Heusler-type $\text{Fe}_2\text{Re}_x\text{V}_{1-x}\text{Al}$ Thermoelectric Compounds. <i>Physica Status Solidi (B): Basic Research</i> , 0, , .	1.5	1