

# Yong Hoon Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7022405/publications.pdf>

Version: 2024-02-01

60  
papers

1,246  
citations

759055

12  
h-index

377752

34  
g-index

62  
all docs

62  
docs citations

62  
times ranked

1390  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.	3.8	418
2	Effect of Ticagrelor Monotherapy vs Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events in Patients With Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2407.	3.8	326
3	Effect of Intravascular Ultrasound-Guided Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 62-71.	1.1	151
4	Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. <i>Atherosclerosis</i> , 2019, 280, 166-173.	0.4	34
5	Preoperative left atrial volume index is a predictor of successful sinus rhythm restoration and maintenance after the maze operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 448-453.	0.4	27
6	Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 55-67.	1.3	18
7	Impact of stent generation on 2-year clinical outcomes in ST-segment elevation myocardial infarction patients with multivessel disease who underwent culprit-only or multivessel percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, E40-E55.	0.7	16
8	Effects of prediabetes on long-term clinical outcomes of patients with acute myocardial infarction who underwent PCI using new-generation drug-eluting stents. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107994.	1.1	16
9	Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 431-440.	1.1	16
10	One-year clinical outcomes between biodegradable-polymer-coated biolimus-eluting stent and durable-polymer-coated drug-eluting stents in STEMI patients with multivessel coronary artery disease undergoing culprit-only or multivessel PCI. <i>Atherosclerosis</i> , 2019, 284, 102-109.	0.4	15
11	Hemorrhagic hemangioma in the liver: A case report. <i>World Journal of Gastroenterology</i> , 2015, 21, 7326-7330.	1.4	15
12	Effects of stent generation on clinical outcomes after acute myocardial infarction compared between prediabetes and diabetes patients. <i>Scientific Reports</i> , 2021, 11, 9364.	1.6	13
13	Two-year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of new-generation drug-eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1264-1275.	0.7	12
14	Ticagrelor Monotherapy After 3-Month Dual Antiplatelet Therapy in Acute Coronary Syndrome by High Bleeding Risk: The Subanalysis From the TICO Trial. <i>Korean Circulation Journal</i> , 2022, 52, 324.	0.7	12
15	Routine Angiographic Follow-Up versus Clinical Follow-Up after Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2017, 58, 720.	0.9	9
16	A comparison between statin with ACE inhibitor or ARB therapy in STEMI patients who underwent successful PCI with drug-eluting stents. <i>Atherosclerosis</i> , 2019, 289, 109-117.	0.4	9
17	Impact of current smoking on 2-year clinical outcomes between durable-polymer-coated stents and biodegradable-polymer-coated stents in acute myocardial infarction after successful percutaneous coronary intervention: Data from the KAMIR. <i>PLoS ONE</i> , 2018, 13, e0205046.	1.1	8
18	A comparison of the impact of current smoking on 2-year major clinical outcomes of first- and second-generation drug-eluting stents in acute myocardial infarction. <i>Medicine (United States)</i> , 2019, 98, e14797.	0.4	8

#	ARTICLE	IF	CITATIONS
19	The impact of angiotensin-converting-enzyme inhibitors versus angiotensin receptor blockers on 3-year clinical outcomes in patients with acute myocardial infarction without hypertension. <i>PLoS ONE</i> , 2020, 15, e0242314.	1.1	8
20	Culprit-only versus multivessel or complete versus incomplete revascularization in patients with non-ST-segment elevation myocardial infarction and multivessel disease who underwent successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Atherosclerosis</i> , 2020, 301, 54-64.	0.4	7
21	Effect of Adjunct Balloon Dilation after Long Everolimus-eluting Stent Deployment on Major Adverse Cardiac Events. <i>Korean Circulation Journal</i> , 2017, 47, 694.	0.7	6
22	Which is the worst risk factor for the long-term clinical outcome? Comparison of long-term clinical outcomes between antecedent hypertension and diabetes mellitus in South Korean acute myocardial infarction patients after stent implantation. <i>Journal of Diabetes</i> , 2020, 12, 119-133.	0.8	6
23	Two-Year Clinical Outcomes Between Prediabetic and Diabetic Patients With STEMI and Multivessel Disease Who Underwent Successful PCI Using Drug-Eluting Stents. <i>Angiology</i> , 2021, 72, 50-61.	0.8	6
24	Comparison of clinical outcomes between ACE inhibitor and ARB in AMI patients with dyslipidemia after successful stent implantation. <i>Anatolian Journal of Cardiology</i> , 2019, 23, 86-98.	0.5	6
25	Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. <i>Heart and Vessels</i> , 2019, 34, 237-250.	0.5	5
26	Five-year major clinical outcomes between first-generation and second-generation drug-eluting stents in acute myocardial infarction patients underwent percutaneous coronary intervention. <i>Journal of Geriatric Cardiology</i> , 2018, 15, 523-533.	0.2	5
27	Outcomes between prediabetes and type 2 diabetes mellitus in older adults with acute myocardial infarction in the era of newer-generation drug-eluting stents: a retrospective observational study. <i>BMC Geriatrics</i> , 2021, 21, 653.	1.1	5
28	Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 403-414.	1.0	4
29	ACE Inhibitors Versus ARBs in Patients With NSTEMI With Preserved LV Systolic Function Who Underwent PCI With New Generation Drug-Eluting Stents. <i>Angiology</i> , 2020, 71, 139-149.	0.8	4
30	Effect of renin-angiotensin system inhibitors on major clinical outcomes in patients with acute myocardial infarction and prediabetes or diabetes after successful implantation of newer-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107574.	1.2	4
31	Effect of statin treatment in patients with acute myocardial infarction with prediabetes and type 2 diabetes mellitus. <i>Medicine (United States)</i> , 2021, 100, e24733.	0.4	4
32	Long-term clinical outcome between beta-blocker with ACEI or ARB in patients with NSTEMI who underwent PCI with drug-eluting stents. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 280-290.	0.2	4
33	Outcome of early versus delayed invasive strategy in patients with non-ST-segment elevation myocardial infarction and chronic kidney disease not on dialysis. <i>Atherosclerosis</i> , 2022, 344, 60-70.	0.4	4
34	Different Statin Effects of ST-elevation Versus Non-ST-Elevation Acute Myocardial Infarction After Stent Implantation. <i>American Journal of the Medical Sciences</i> , 2020, 359, 156-167.	0.4	3
35	Outcomes in prediabetes vs. diabetes in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous intervention. <i>Coronary Artery Disease</i> , 2021, 32, 211-223.	0.3	3
36	Two-Year Clinical Outcomes According to Pre-PCI TIMI Flow Grade and Reperfusion Timing in Non-STEMI After Newer-Generation Drug-Eluting Stents Implantation. <i>Angiology</i> , 2021, , 000331972110125.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Predictors of Favorable Angiographic Outcomes After Drug-Coated Balloon Use for de novo Small Vessel Coronary Disease (DCB-ONLY). <i>Angiology</i> , 2021, 72, 000331972110155.	0.8	3
38	Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 386.	0.7	3
39	Prediabetes versus type 2 diabetes mellitus based on pre-percutaneous coronary intervention thrombolysis in myocardial infarction flow grade in patients with ST-segment elevation myocardial infarction after successful newer-generation drug-eluting stent implantation. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412199150.	0.9	2
40	Impact of preprocedural coronary flow grade on duration of dual antiplatelet therapy in acute myocardial infarction. <i>Scientific Reports</i> , 2021, 11, 11735.	1.6	2
41	Real-World Three-Year Clinical Outcomes of Biolimus-Eluting Stents versus Other Contemporary Drug-Eluting Stents in Patients with Acute Myocardial Infarction Patients: Data from the Korea Acute Myocardial Infarction Registry (KAMIR). <i>Journal of Interventional Cardiology</i> , 2021, 2021, 1-7.	0.5	2
42	Comparison of two-year clinical outcomes according to glycemic status and renal function in patients with acute myocardial infarction following implantation of new-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108019.	1.2	2
43	Outcomes of Different Reperfusion Strategies of Multivessel Disease Undergoing Newer-Generation Drug-Eluting Stent Implantation in Patients with Non-ST-Elevation Myocardial Infarction and Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 4629.	1.0	2
44	Sex difference after acute myocardial infarction patients with a history of current smoking and long-term clinical outcomes: Results of KAMIR Registry. <i>Cardiology Journal</i> , 2022, 29, 954-965.	0.5	2
45	Two-year outcomes between ST-elevation and non-ST-elevation myocardial infarction in patients with chronic kidney disease undergoing newer-generation drug-eluting stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2021, , .	0.7	2
46	Outcomes of early versus delayed invasive strategy in older adults with non-ST-segment elevation myocardial infarction. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
47	Impacts of renin-angiotensin system inhibitors on two-year clinical outcomes in diabetic and dyslipidemic acute myocardial infarction patients after a successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Medicine (United States)</i> , 2020, 99, e21289.	0.4	1
48	Beta-Blocker and Renin-Angiotensin System Inhibitor Combination Therapy in Patients with Acute Myocardial Infarction and Prediabetes or Diabetes Who Underwent Successful Implantation of Newer-Generation Drug-Eluting Stents: A Retrospective Observational Registry Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3447.	1.0	1
49	Efficacy of Statin Treatment according to Baseline Renal Function in Korean Patients with Acute Myocardial Infarction Not Requiring Dialysis Undergoing Newer-Generation Drug-Eluting Stent Implantation. <i>Journal of Clinical Medicine</i> , 2021, 10, 3504.	1.0	1
50	Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with ST-Segment Elevation Myocardial Infarction Based on Pre-Percutaneous Coronary Intervention Thrombolysis in Myocardial Infarction Flow Grade. <i>Journal of Clinical Medicine</i> , 2021, 10, 367.	1.0	1
51	ST-segment elevation versus non-ST-segment elevation myocardial infarction in current smokers after newer-generation drug-eluting stent implantation. <i>Medicine (United States)</i> , 2021, 100, e28214.	0.4	1
52	Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes Based on the Hemoglobin A1c Level. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-11.	0.5	0
53	ST-elevation versus non-ST-elevation myocardial infarction after combined use of statin with renin-angiotensin system inhibitor: Data from the Korea Acute Myocardial Infarction Registry. <i>Cardiology Journal</i> , 2021, , .	0.5	0
54	Association of pre-percutaneous coronary flow grade and clinical outcomes in patients with non-ST-segment elevation myocardial infarction. <i>Medicine (United States)</i> , 2021, 100, e26947.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Angiotensin converting enzyme inhibitors versus angiotensin II type 1 receptor blockers in patients with acute myocardial infarction and prediabetes after successful implantation of newer-generation drug-eluting stents. <i>Cardiology Journal</i> , 2021, , .	0.5	0
56	Experience of evidence based goal setting and monitoring of cardiocerebrovascular disease prevention and management. <i>Korean Journal of Health Education and Promotion</i> , 2019, 36, 75-85.	0.1	0
57	Monotherapy versus combination therapy of statin and renin-angiotensin system inhibitor in ST-segment elevation myocardial infarction. <i>Cardiology Journal</i> , 2022, 29, 93-104.	0.5	0
58	Comparison of the Major Clinical Outcomes for the Use of Endeavor <sup>®</sup> and Resolute Integrity <sup>®</sup> Zotarolimus-Eluting Stents During a Three-Year Follow-up. <i>Global Heart</i> , 2020, 15, 4.	0.9	0
59	Effects of Hypertension on Two-Year Outcomes According to Glycemic Status in Patients With Acute Myocardial Infarction Receiving Newer-Generation Drug-Eluting Stents. <i>Angiology</i> , 2022, , 000331972210982.	0.8	0
60	Prediabetes versus type 2 diabetes in patients with acute myocardial infarction and current smoking. <i>American Journal of the Medical Sciences</i> , 2022, , .	0.4	0