

Suzana D Savkovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7025063/publications.pdf>

Version: 2024-02-01

16
papers

420
citations

759233

12
h-index

940533

16
g-index

17
all docs

17
docs citations

17
times ranked

602
citing authors

#	ARTICLE	IF	CITATIONS
1	FOXO3 Expression in Macrophages Is Lowered by a High-Fat Diet and Regulates Colonic Inflammation and Tumorigenesis. <i>Metabolites</i> , 2022, 12, 250.	2.9	7
2	Ulcerative colitis immune cell landscapes and differentially expressed gene signatures determine novel regulators and predict clinical response to biologic therapy. <i>Scientific Reports</i> , 2021, 11, 9010.	3.3	15
3	Elevated ATGL in colon cancer cells and cancer stem cells promotes metabolic and tumorigenic reprogramming reinforced by obesity. <i>Oncogenesis</i> , 2021, 10, 82.	4.9	20
4	Bacterial TLR4 and NOD2 signaling linked to reduced mitochondrial energy function in active inflammatory bowel disease. <i>Gut Microbes</i> , 2020, 11, 350-363.	9.8	14
5	Gut microbes effects on host metabolic alterations in health and disease. <i>Gut Microbes</i> , 2020, 11, 249-252.	9.8	5
6	Loss of Forkhead Box O3 Facilitates Inflammatory Colon Cancer: Transcriptome Profiling of the Immune Landscape and Novel Targets. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 391-408.	4.5	28
7	Human Adipose-Derived Hydrogel Characterization Based on <i>In Vitro</i> ASC Biocompatibility and Differentiation. <i>Stem Cells International</i> , 2019, 2019, 1-13.	2.5	23
8	Reduced mitochondrial activity in colonocytes facilitates AMPK α -dependent inflammation. <i>FASEB Journal</i> , 2017, 31, 2013-2025.	0.5	24
9	High-fat diet induced leptin and Wnt expression: RNA-sequencing and pathway analysis of mouse colonic tissue and tumors. <i>Carcinogenesis</i> , 2017, 38, 302-311.	2.8	34
10	In colonic $\gamma\delta$ (rho0) cells reduced mitochondrial function mediates transcriptomic alterations associated with cancer. <i>Oncoscience</i> , 2017, 4, 189-198.	2.2	11
11	Intestinal inflammation requires FOXO3 and prostaglandin E2-dependent lipogenesis and elevated lipid droplets. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, G844-G854.	3.4	19
12	Epidermal growth factor receptor mediated proliferation depends on increased lipid droplet density regulated via a negative regulatory loop with FOXO3/Sirtuin6. <i>Biochemical and Biophysical Research Communications</i> , 2016, 469, 370-376.	2.1	41
13	FOXO3 Growth Inhibition of Colonic Cells Is Dependent on Intraepithelial Lipid Droplet Density. <i>Journal of Biological Chemistry</i> , 2013, 288, 16274-16281.	3.4	51
14	Tumor suppressor FOXO3 mediates signals from the EGF receptor to regulate proliferation of colonic cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G264-G272.	3.4	26
15	Tumor suppressor FOXO3 participates in the regulation of intestinal inflammation. <i>Laboratory Investigation</i> , 2009, 89, 1053-1062.	3.7	54
16	Tumor Suppressor Foxo3a Is Involved in the Regulation of Lipopolysaccharide-Induced Interleukin-8 in Intestinal HT-29 Cells. <i>Infection and Immunity</i> , 2008, 76, 4677-4685.	2.2	48