

Sandrine Florquin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7025660/publications.pdf>

Version: 2024-02-01

273
papers

17,538
citations

15504

65
h-index

17592

121
g-index

278
all docs

278
docs citations

278
times ranked

19310
citing authors

#	ARTICLE	IF	CITATIONS
1	Bruton's Tyrosine Kinase in Neutrophils Is Crucial for Host Defense against <i>Klebsiella pneumoniae</i> . <i>Journal of Innate Immunity</i> , 2023, 15, 1-15.	3.8	1
2	Hematopoietic stem cell transplantation in a patient with proteasome-associated autoinflammatory syndrome (PRAAS). <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1120-1127.e8.	2.9	11
3	Deep learning-based classification of kidney transplant pathology: a retrospective, multicentre, proof-of-concept study. <i>The Lancet Digital Health</i> , 2022, 4, e18-e26.	12.3	43
4	Advanced Tertiary Lymphoid Tissues in Protocol Biopsies in Kidney Transplant Recipients: Addressing Additional Methods To Detect Intragraft B Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, , ASN.2021111509.	6.1	1
5	Immunometabolic rewiring of tubular epithelial cells in kidney disease. <i>Nature Reviews Nephrology</i> , 2022, 18, 588-603.	9.6	32
6	Renal amyloidosis: validation of a proposed histological scoring system in an independent cohort. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 855-862.	2.9	9
7	Interleukin-33 improves local immunity during Gram-negative pneumonia by a combined effect on neutrophils and inflammatory monocytes. <i>Journal of Pathology</i> , 2021, 253, 374-383.	4.5	10
8	The dysregulation of metabolic pathways and induction of the pentose phosphate pathway in renal ischaemia-reperfusion injury. <i>Journal of Pathology</i> , 2021, 253, 404-414.	4.5	16
9	Cellular origin and microRNA profiles of circulating extracellular vesicles in different stages of diabetic nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 358-365.	2.9	15
10	Bisphosphonate nephropathy: A case series and review of the literature. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3485-3491.	2.4	18
11	Bruton's Tyrosine Kinase-Mediated Signaling in Myeloid Cells Is Required for Protective Innate Immunity During Pneumococcal Pneumonia. <i>Frontiers in Immunology</i> , 2021, 12, 723967.	4.8	5
12	Urinary mitochondrial DNA associates with delayed graft function following renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1320-1327.	0.7	16
13	Experimental thrombocytopenia does not affect acute kidney injury 24 hours after renal ischemia reperfusion in mice. <i>Platelets</i> , 2020, 31, 383-391.	2.3	1
14	Comparison of Two Different Immunohistochemical Quadruple Staining Approaches to Identify Innate Lymphoid Cells in Formalin-fixed Paraffin-embedded Human Tissue. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 127-138.	2.5	5
15	Viral presence and immunopathology in patients with lethal COVID-19: a prospective autopsy cohort study. <i>Lancet Microbe</i> , The, 2020, 1, e290-e299.	7.3	422
16	Authors' Response to Letter to the Editor on "Unidentified Variables May Account for Variability in Multiplexing Results". <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 355-356.	2.5	0
17	Platelet inhibition by ticagrelor is protective against diabetic nephropathy in mice. <i>FASEB Journal</i> , 2020, 34, 13750-13761.	0.5	7
18	Caspase-11 contributes to pulmonary host defense against <i>Klebsiella pneumoniae</i> and local activation of coagulation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020, 319, L105-L114.	2.9	11

#	ARTICLE	IF	CITATIONS
19	Metabolic Flexibility and Innate Immunity in Renal Ischemia Reperfusion Injury: The Fine Balance Between Adaptive Repair and Tissue Degeneration. <i>Frontiers in Immunology</i> , 2020, 11, 1346.	4.8	56
20	Pharmacological PAR α 1 inhibition reduces blood glucose levels but does not improve kidney function in experimental type 2 diabetic nephropathy. <i>FASEB Journal</i> , 2019, 33, 10966-10972.	0.5	7
21	TREM1/3 Deficiency Impairs Tissue Repair After Acute Kidney Injury and Mitochondrial Metabolic Flexibility in Tubular Epithelial Cells. <i>Frontiers in Immunology</i> , 2019, 10, 1469.	4.8	20
22	Deep Learning-Based Histopathologic Assessment of Kidney Tissue. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1968-1979.	6.1	226
23	Role of tissue factor in the procoagulant and antibacterial effects of human adipose-derived mesenchymal stem cells during pneumosepsis in mice. <i>Stem Cell Research and Therapy</i> , 2019, 10, 286.	5.5	16
24	Histological characteristics of Acute Tubular Injury during Delayed Graft Function predict renal function after renal transplantation. <i>Physiological Reports</i> , 2019, 7, e14000.	1.7	26
25	NLRX1 does not play a role in diabetes nor the development of diabetic nephropathy induced by multiple low doses of streptozotocin. <i>PLoS ONE</i> , 2019, 14, e0214437.	2.5	6
26	Platelet Btk is Required for Maintaining Lung Vascular Integrity during Murine Pneumococcal Pneumosepsis. <i>Thrombosis and Haemostasis</i> , 2019, 119, 930-940.	3.4	6
27	Challenges and opportunities for nephrology in Western Europe. <i>Kidney International</i> , 2019, 95, 1037-1040.	5.2	6
28	Prevention of relapses with levamisole as adjuvant therapy in children with a first episode of idiopathic nephrotic syndrome: study protocol for a double blind, randomised placebo-controlled trial (the LEARNS study). <i>BMJ Open</i> , 2019, 9, e027011.	1.9	16
29	β -Cyclodextrin counteracts obesity in Western diet-fed mice but elicits a nephrotoxic effect. <i>Scientific Reports</i> , 2019, 9, 17633.	3.3	9
30	A Multicenter Application of the 2018 Banff Classification for BK Polyomavirus-associated Nephropathy in Renal Transplantation. <i>Transplantation</i> , 2019, 103, 2692-2700.	1.0	8
31	Evaluation of the current post-transplantation Human Leukocyte Antigen antibody screening in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2019, 23, e13338.	1.0	2
32	Btk inhibitor ibrutinib reduces inflammatory myeloid cell responses in the lung during murine pneumococcal pneumonia. <i>Molecular Medicine</i> , 2019, 25, 3.	4.4	53
33	Calcineurin inhibitor Tacrolimus impairs host immune response against urinary tract infection. <i>Scientific Reports</i> , 2019, 9, 106.	3.3	21
34	Protease-activated receptor-1 contributes to renal injury and interstitial fibrosis during chronic obstructive nephropathy. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 1268-1279.	3.6	33
35	Deletion of NLRX1 increases fatty acid metabolism and prevents diet-induced hepatic steatosis and metabolic syndrome. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1883-1895.	3.8	30
36	Combining streptozotocin and unilateral nephrectomy is an effective method for inducing experimental diabetic nephropathy in the α -resistant C57Bl/6J mouse strain. <i>Scientific Reports</i> , 2018, 8, 5542.	3.3	41

#	ARTICLE	IF	CITATIONS
37	CD44 is required for the pathogenesis of experimental crescentic glomerulonephritis and collapsing focal segmental glomerulosclerosis. <i>Kidney International</i> , 2018, 93, 626-642.	5.2	52
38	Aryl hydrocarbon receptor expression by macrophages and lymphocytes within infiltrates in BK polyomavirus associated nephropathy. <i>Transplant Immunology</i> , 2018, 47, 18-21.	1.2	1
39	Diagnostic dilemmas in a girl with acute glomerulonephritis: Answers. <i>Pediatric Nephrology</i> , 2018, 33, 65-69.	1.7	2
40	Diagnostic dilemmas in a girl with acute glomerulonephritis: Questions. <i>Pediatric Nephrology</i> , 2018, 33, 63-64.	1.7	1
41	ASC and NLRP3 impair host defense during lethal pneumonia caused by serotype 3 <i>Streptococcus pneumoniae</i> in mice. <i>European Journal of Immunology</i> , 2018, 48, 66-79.	2.9	25
42	Mitochondrial DNA is Released in Urine of SIRS Patients With Acute Kidney Injury and Correlates With Severity of Renal Dysfunction. <i>Shock</i> , 2018, 49, 301-310.	2.1	47
43	Diagnostic accuracy of immunofluorescence versus immunoperoxidase staining to distinguish immune complex-mediated glomerulonephritis and C3 dominant glomerulopathy. <i>Histopathology</i> , 2018, 72, 601-608.	2.9	13
44	Vorapaxar treatment reduces mesangial expansion in streptozotocin-induced diabetic nephropathy in mice. <i>Oncotarget</i> , 2018, 9, 21655-21662.	1.8	10
45	Early Steroid Withdrawal Compared With Standard Immunosuppression in Kidney Transplantation - Interim Analysis of the Amsterdam-Leiden-Groningen Randomized Controlled Trial. <i>Transplantation Direct</i> , 2018, 4, e354.	1.6	9
46	The role of platelets in acute kidney injury. <i>Nature Reviews Nephrology</i> , 2018, 14, 457-471.	9.6	59
47	No difference in renal injury and fibrosis between wild-type and NOD1/NOD2 double knockout mice with chronic kidney disease induced by ureteral obstruction. <i>BMC Nephrology</i> , 2018, 19, 78.	1.8	7
48	S100A8/A9 promotes parenchymal damage and renal fibrosis in obstructive nephropathy. <i>Clinical and Experimental Immunology</i> , 2018, 193, 361-375.	2.6	45
49	Excessive dietary lipid intake provokes an acquired form of lysosomal lipid storage disease in the kidney. <i>Journal of Pathology</i> , 2018, 246, 470-484.	4.5	32
50	TREM-1 and its potential ligands in non-infectious diseases: from biology to clinical perspectives. , 2017, 177, 81-95.		183
51	Epithelial Myeloid-Differentiation Factor 88 Is Dispensable during <i>Klebsiella</i> Pneumonia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2017, 56, 648-656.	2.9	8
52	Evidence from the Oxford Classification cohort supports the clinical value of subclassification of focal segmental glomerulosclerosis in IgA nephropathy. <i>Kidney International</i> , 2017, 91, 235-243.	5.2	62
53	NLRX1 dampens oxidative stress and apoptosis in tissue injury via control of mitochondrial activity. <i>Journal of Experimental Medicine</i> , 2017, 214, 2405-2420.	8.5	90
54	Metabolic injury-induced NLRP3 inflammasome activation dampens phospholipid degradation. <i>Scientific Reports</i> , 2017, 7, 2861.	3.3	30

#	ARTICLE	IF	CITATIONS
55	A novel mutation of laminin Î22 (LAMB2) in two siblings with renal failure. <i>European Journal of Pediatrics</i> , 2017, 176, 515-519.	2.7	8
56	Depletion of Gut Microbiota Protects against Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1450-1461.	6.1	100
57	High glucose induces HGF-independent activation of Met receptor in human renal tubular epithelium. <i>Journal of Receptor and Signal Transduction Research</i> , 2017, 37, 535-542.	2.5	17
58	Absence of Intragraft B Cells in Rejection Biopsies After Rituximab Induction Therapy: Consequences for Clinical Outcome. <i>Transplantation Direct</i> , 2017, 3, e143.	1.6	10
59	Increased Circulating and Urinary Levels of Soluble TAM Receptors in Diabetic Nephropathy. <i>American Journal of Pathology</i> , 2017, 187, 1971-1983.	3.8	16
60	Release of extracellular DNA influences renal ischemia reperfusion injury by platelet activation and formation of neutrophil extracellular traps. <i>Kidney International</i> , 2017, 91, 352-364.	5.2	116
61	Expression and Function of Granzymes A and B in <i>Escherichia coli</i> Peritonitis and Sepsis. <i>Mediators of Inflammation</i> , 2017, 2017, 1-11.	3.0	22
62	Human Alpha-1-Antitrypsin (hAAT) therapy reduces renal dysfunction and acute tubular necrosis in a murine model of bilateral kidney ischemia-reperfusion injury. <i>PLoS ONE</i> , 2017, 12, e0168981.	2.5	21
63	Protease activated receptor 2 in diabetic nephropathy: a double edged sword. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 4512-4520.	0.0	4
64	The Effects of Early Postnatal Diuretics Treatment on Kidney Development and Long-Term Kidney Function in Wistar Rats. <i>Nephron</i> , 2016, 132, 110-118.	1.8	3
65	Activated protein C protects against renal ischaemia/reperfusion injury, independent of its anticoagulant properties. <i>Thrombosis and Haemostasis</i> , 2016, 116, 124-133.	3.4	9
66	Toll-Like Receptor 9 Enhances Bacterial Clearance and Limits Lung Consolidation in Murine Pneumonia Caused by Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Molecular Medicine</i> , 2016, 22, 292-299.	4.4	12
67	Receptor for Advanced Glycation End Products (RAGE) Serves a Protective Role during <i>Klebsiella pneumoniae</i> - Induced Pneumonia. <i>PLoS ONE</i> , 2016, 11, e0141000.	2.5	26
68	Predominant Tubular Interleukin-18 Expression in Polyomavirus-Associated Nephropathy. <i>Transplantation</i> , 2016, 100, e88-e95.	1.0	16
69	Renal endothelial protein C receptor expression and shedding during diabetic nephropathy. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 1171-1182.	3.8	21
70	Effect of TREM-1 blockade and single nucleotide variants in experimental renal injury and kidney transplantation. <i>Scientific Reports</i> , 2016, 6, 38275.	3.3	29
71	Donor and recipient genetic variants in NLRP3 associate with early acute rejection following kidney transplantation. <i>Scientific Reports</i> , 2016, 6, 36315.	3.3	27
72	Granzymes A and B Regulate the Local Inflammatory Response during <i>Klebsiella pneumoniae</i> Pneumonia. <i>Journal of Innate Immunity</i> , 2016, 8, 258-268.	3.8	28

#	ARTICLE	IF	CITATIONS
73	Endoplasmic reticulum chaperone gp96 in macrophages is essential for protective immunity during Gram-negative pneumonia. <i>Journal of Pathology</i> , 2016, 238, 74-84.	4.5	21
74	Lung epithelial MyD88 drives early pulmonary clearance of <i>Pseudomonas aeruginosa</i> by a flagellin dependent mechanism. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 311, L219-L228.	2.9	30
75	Protease-activated receptor-1 deficiency protects against streptozotocin-induced diabetic nephropathy in mice. <i>Scientific Reports</i> , 2016, 6, 33030.	3.3	34
76	1,25-Vitamin D3 Deficiency Induces Albuminuria. <i>American Journal of Pathology</i> , 2016, 186, 794-804.	3.8	20
77	Intragraft Blood Dendritic Cell Antigen-1-Positive Myeloid Dendritic Cells Increase during BK Polyomavirus-Associated Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2502-2510.	6.1	10
78	Unique Renal Manifestation of Type I Cryoglobulinemia, With Massive Crystalloid Deposits in Glomerular Histiocytes, Podocytes, and Endothelial Cells. <i>American Journal of Clinical Pathology</i> , 2016, 145, 282-285.	0.7	3
79	Generation of Alloreactive-Anergized Tr1 Cells From Patients on Dialysis for the Induction of Renal Transplant Tolerance. <i>Transplantation</i> , 2015, 99, 1551-1552.	1.0	0
80	Impact of Early Postnatal NSAID Treatment on Nephrogenesis in Wistar Rats. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2015, 104, 218-226.	1.4	9
81	Modular Transcriptional Networks of the Host Pulmonary Response during Early and Late Pneumococcal Pneumonia. <i>Molecular Medicine</i> , 2015, 21, 430-441.	4.4	12
82	The Polysaccharide Capsule of <i>Streptococcus pneumoniae</i> Partially Impedes MyD88-Mediated Immunity during Pneumonia in Mice. <i>PLoS ONE</i> , 2015, 10, e0118181.	2.5	25
83	Deficiency for the Chemokine Monocyte Chemoattractant Protein-1 Aggravates Tubular Damage after Renal Ischemia/Reperfusion Injury. <i>PLoS ONE</i> , 2015, 10, e0123203.	2.5	18
84	TLR9 Mediates Remote Liver Injury following Severe Renal Ischemia Reperfusion. <i>PLoS ONE</i> , 2015, 10, e0137511.	2.5	36
85	Toll-Like Receptor Family Polymorphisms Are Associated with Primary Renal Diseases but Not with Renal Outcomes Following Kidney Transplantation. <i>PLoS ONE</i> , 2015, 10, e0139769.	2.5	10
86	Role of Nucleotide-Binding Oligomerization Domain-Containing (NOD) 2 in Host Defense during Pneumococcal Pneumonia. <i>PLoS ONE</i> , 2015, 10, e0145138.	2.5	6
87	Chronic kidney disease and an uncertain diagnosis of Fabry disease: Approach to a correct diagnosis. <i>Molecular Genetics and Metabolism</i> , 2015, 114, 242-247.	1.1	51
88	The lectin like domain of thrombomodulin is involved in the defence against pyelonephritis. <i>Thrombosis Research</i> , 2015, 136, 1325-1331.	1.7	9
89	The calcium-binding protein complex S100A8/A9 has a crucial role in controlling macrophage-mediated renal repair following ischemia/reperfusion. <i>Kidney International</i> , 2015, 87, 85-94.	5.2	63
90	Role of Triggering Receptor Expressed on Myeloid Cells-1/3 in <i>Klebsiella</i> -Derived Pneumosepsis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2015, 53, 647-655.	2.9	14

#	ARTICLE	IF	CITATIONS
91	Myeloid-related protein-14 deficiency promotes inflammation in staphylococcal pneumonia. <i>European Respiratory Journal</i> , 2015, 46, 464-473.	6.7	26
92	The prognostic significance of glomerular infiltrating leukocytes during acute renal allograft rejection. <i>Transplant Immunology</i> , 2015, 33, 168-175.	1.2	7
93	TIR-Domain-Containing Adaptor-Inducing Interferon- γ (TRIF) Mediates Antibacterial Defense during Gram-Negative Pneumonia by Inducing Interferon- γ . <i>Journal of Innate Immunity</i> , 2015, 7, 637-646.	3.8	9
94	Eculizumab in Pediatric Dense Deposit Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1773-1782.	4.5	51
95	Nlrp3 Prevents Early Renal Interstitial Edema and Vascular Permeability in Unilateral Ureteral Obstruction. <i>PLoS ONE</i> , 2014, 9, e85775.	2.5	55
96	Protease Activated Receptor-1 Deficiency Diminishes Bleomycin-Induced Skin Fibrosis. <i>Molecular Medicine</i> , 2014, 20, 410-416.	4.4	18
97	Myeloid-related protein-8/14 facilitates bacterial growth during pneumococcal pneumonia. <i>Thorax</i> , 2014, 69, 1034-1042.	5.6	36
98	Opposite role of CD44-standard and CD44-variant-3 in tubular injury and development of renal fibrosis during chronic obstructive nephropathy. <i>Kidney International</i> , 2014, 86, 558-569.	5.2	14
99	Nlrp3 is a key modulator of diet-induced nephropathy and renal cholesterol accumulation. <i>Kidney International</i> , 2014, 85, 1112-1122.	5.2	78
100	Hematopoietic but Not Endothelial Cell MyD88 Contributes to Host Defense during Gram-negative Pneumonia Derived Sepsis. <i>PLoS Pathogens</i> , 2014, 10, e1004368.	4.7	23
101	Epac-Rap Signaling Reduces Oxidative Stress in the Tubular Epithelium. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1474-1485.	6.1	31
102	CCAAT-enhancer binding protein delta (C/EBP δ) attenuates tubular injury and tubulointerstitial fibrogenesis during chronic obstructive nephropathy. <i>Laboratory Investigation</i> , 2014, 94, 89-97.	3.7	15
103	The interplay between antiviral immunity and allo-immune reactivity after renal transplantation. <i>Transplant Immunology</i> , 2014, 31, 191-194.	1.2	2
104	Single Immunoglobulin Interleukin-1 Receptor-Related Molecule Impairs Host Defense during Pneumonia and Sepsis Caused by <i>Streptococcus Pneumoniae</i> . <i>Journal of Innate Immunity</i> , 2014, 6, 542-552.	3.8	19
105	DNAX-Activating Protein of 12 kDa Impairs Host Defense in Pneumococcal Pneumonia. <i>Critical Care Medicine</i> , 2014, 42, e783-e790.	0.9	2
106	Triggering receptor expressed on myeloid cells (TREM) improves host defence in pneumococcal pneumonia. <i>Journal of Pathology</i> , 2014, 233, 357-367.	4.5	45
107	NLRP3 and ASC Differentially Affect the Lung Transcriptome during Pneumococcal Pneumonia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014, 50, 699-712.	2.9	29
108	A Tissue-Specific Role for Nlrp3 in Tubular Epithelial Repair after Renal Ischemia/Reperfusion. <i>American Journal of Pathology</i> , 2014, 184, 2013-2022.	3.8	67

#	ARTICLE	IF	CITATIONS
109	Pattern recognition receptors and the inflammasome in kidney disease. <i>Nature Reviews Nephrology</i> , 2014, 10, 398-414.	9.6	153
110	High-mobility group box 1 and the receptor for advanced glycation end products contribute to lung injury during <i>Staphylococcus aureus</i> pneumonia. <i>Critical Care</i> , 2013, 17, R296.	5.8	43
111	Cyclosporine versus everolimus: effects on the glomerulus. <i>Clinical Transplantation</i> , 2013, 27, 535-540.	1.6	8
112	CD44v3-v10 reduces the profibrotic effects of TGF- β 1 and attenuates tubular injury in the early stage of chronic obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1445-F1454.	2.7	9
113	Role of Interleukin 1 Receptor Like 1 (ST2) in Gram-Negative and Gram-Positive Sepsis in Mice. <i>Shock</i> , 2013, 40, 290-296.	2.1	5
114	<sc>CCAAT</sc>/enhancerâ€binding protein delta (C<sc>EBP</sc>Î) plays a minor role in renal host defense against uropathogenic <i><sc>E</sc>scherichia coli</i>. <i>Transplant Infectious Disease</i> , 2013, 15, E119-21.	1.7	1
115	Limited Role of the Receptor for Advanced Glycation End Products during <i><sc>Streptococcus pneumoniae</sc></i>; Bacteremia. <i>Journal of Innate Immunity</i> , 2013, 5, 603-612.	3.8	15
116	Limited Anti-Inflammatory Role for Interleukin-1 Receptor Like 1 (ST2) in the Host Response to Murine Postinfluenza Pneumococcal Pneumonia. <i>PLoS ONE</i> , 2013, 8, e58191.	2.5	10
117	Renal and Urinary Levels of Endothelial Protein C Receptor Correlate with Acute Renal Allograft Rejection. <i>PLoS ONE</i> , 2013, 8, e64994.	2.5	10
118	Role of TREM1-DAP12 in Renal Inflammation during Obstructive Nephropathy. <i>PLoS ONE</i> , 2013, 8, e82498.	2.5	23
119	CD44-Deficiency Attenuates the Immunologic Responses to LPS and Delays the Onset of Endotoxic Shock-Induced Renal Inflammation and Dysfunction. <i>PLoS ONE</i> , 2013, 8, e84479.	2.5	19
120	Myeloid-Related Protein-14 Contributes to Protective Immunity in Gram-Negative Pneumonia Derived Sepsis. <i>PLoS Pathogens</i> , 2012, 8, e1002987.	4.7	123
121	The Toll Interleukin-1 Receptor (IL-1R) 8/Single Ig Domain IL-1R-Related Molecule Modulates the Renal Response to Bacterial Infection. <i>Infection and Immunity</i> , 2012, 80, 3812-3820.	2.2	29
122	Viral double-stranded RNA sensors induce antiviral, pro-inflammatory, and pro-apoptotic responses in human renal tubular epithelial cells. <i>Kidney International</i> , 2012, 82, 664-675.	5.2	18
123	Interleukin 1 Receptorâ€Associated Kinase M Impairs Host Defense During Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2012, 205, 1849-1857.	4.0	26
124	CCAAT/enhancer-binding protein Î facilitates bacterial dissemination during pneumococcal pneumonia in a platelet-activating factor receptor-dependent manner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9113-9118.	7.1	31
125	SerpB9 expression in human renal tubular epithelial cells is induced by triggering of the viral dsRNA sensors TLR3, MDA5 and RIG-I. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2746-2754.	0.7	19
126	Phenotyping of Nod1/2 double deficient mice and characterization of Nod1/2 in systemic inflammation and associated renal disease. <i>Biology Open</i> , 2012, 1, 1239-1247.	1.2	13

#	ARTICLE	IF	CITATIONS
127	CCAAT-Enhancer Binding Protein Delta (C/EBP δ) Protects Against <i>Klebsiella pneumoniae</i> -Induced Pulmonary Infection: Potential Role for Macrophage Migration. <i>Journal of Infectious Diseases</i> , 2012, 206, 1826-1835.	4.0	17
128	Plasminogen activator inhibitor type I may contribute to transient, non-specific changes in immunity in the subacute phase of murine tuberculosis. <i>Microbes and Infection</i> , 2012, 14, 748-755.	1.9	6
129	The role of TLR2 in the host response to pneumococcal pneumonia in absence of the spleen. <i>BMC Infectious Diseases</i> , 2012, 12, 139.	2.9	13
130	RAGE Does Not Contribute to Renal Injury and Damage upon Ischemia/Reperfusion-Induced Injury. <i>Journal of Innate Immunity</i> , 2012, 4, 80-85.	3.8	22
131	Interleukin-1 Receptor-Associated Kinase M-Deficient Mice Demonstrate an Improved Host Defense during Gram-negative Pneumonia. <i>Molecular Medicine</i> , 2012, 18, 1067-1075.	4.4	27
132	Circulating lymphocyte subsets in different clinical situations after renal transplantation. <i>Immunology</i> , 2012, 136, 198-207.	4.4	39
133	Proliferation and maturation of microvessels in arteriovenous malformations – expression patterns of angiogenic and cell cycle-dependent factors. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 610-620.	1.3	14
134	Receptor for advanced glycation end products is protective during murine tuberculosis. <i>Molecular Immunology</i> , 2012, 52, 183-189.	2.2	24
135	Delineation of the Role of Toll-like Receptor Signaling during Peritonitis by a Gradually Growing Pathogenic <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 36603-36618.	3.4	20
136	CD44 Is Protective during Hyperoxia-Induced Lung Injury. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 44, 377-383.	2.9	38
137	Enhanced vulnerability for <i>Streptococcus pneumoniae</i> sepsis during asplenia is determined by the bacterial capsule. <i>Immunobiology</i> , 2011, 216, 863-870.	1.9	31
138	Spatial Differences in the Presence of FOXP3+ and GranzymeB+ T Cells between the Intra- and Extravascular Compartments in Renal Allograft Vasculopathy. <i>PLoS ONE</i> , 2011, 6, e18656.	2.5	0
139	Interleukin-17 positive cells accumulate in renal allografts during acute rejection and are independent predictors of worse graft outcome. <i>Transplant International</i> , 2011, 24, 1008-1017.	1.6	32
140	The role of CD44 in the acute and resolution phase of the host response during pneumococcal pneumonia. <i>Laboratory Investigation</i> , 2011, 91, 588-597.	3.7	20
141	Endogenous MCP-1 promotes lung inflammation induced by LPS and LTA. <i>Molecular Immunology</i> , 2011, 48, 1468-1476.	2.2	51
142	Acute respiratory distress syndrome leads to reduced ratio of ACE/ACE2 activities and is prevented by angiotensin(1-7) or an angiotensin II receptor antagonist. <i>Journal of Pathology</i> , 2011, 225, 618-627.	4.5	276
143	Loss of Suppression of Tumorigenicity 2 (ST2) Gene Reverses Sepsis-induced Inhibition of Lung Host Defense in Mice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 932-940.	5.6	34
144	Osteopontin Impairs Host Defense During Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2011, 203, 1850-1858.	4.0	35

#	ARTICLE	IF	CITATIONS
145	Nephrotic syndrome in Kimura's disease: apropos a case of the glomerular tip lesion in an African-Caribbean male. CKJ: Clinical Kidney Journal, 2011, 4, 60-62.	2.9	2
146	Intragraft Tubular Vimentin and CD44 Expression Correlate With Long-Term Renal Allograft Function and Interstitial Fibrosis and Tubular Atrophy. Transplantation, 2010, 90, 502-509.	1.0	23
147	Ligands of the receptor for advanced glycation end products, including high-mobility group box 1, limit bacterial dissemination during Escherichia coli peritonitis*. Critical Care Medicine, 2010, 38, 1414-1422.	0.9	23
148	S100A8/A9 Is Not Involved in Host Defense against Murine Urinary Tract Infection. PLoS ONE, 2010, 5, e13394.	2.5	22
149	CD44 Deficiency Is Associated with Enhanced Escherichia coli-Induced Proinflammatory Cytokine and Chemokine Release by Peritoneal Macrophages. Infection and Immunity, 2010, 78, 115-124.	2.2	26
150	TLR4 Promotes Fibrosis but Attenuates Tubular Damage in Progressive Renal Injury. Journal of the American Society of Nephrology: JASN, 2010, 21, 1299-1308.	6.1	138
151	Chemokine expression in renal ischemia/reperfusion injury is most profound during the reparative phase. International Immunology, 2010, 22, 433-442.	4.0	69
152	Ultrastructural Analysis of Dermal Fibroblasts in Mucopolysaccharidosis Type I: Effects of Enzyme Replacement Therapy and Hematopoietic Cell Transplantation. Ultrastructural Pathology, 2010, 34, 126-132.	0.9	8
153	Expression and Function of Macrophage Migration Inhibitory Factor (MIF) in Melioidosis. PLoS Neglected Tropical Diseases, 2010, 4, e605.	3.0	17
154	Osteopontin Impairs Host Defense during Established Gram-Negative Sepsis Caused by Burkholderia pseudomallei (Melioidosis). PLoS Neglected Tropical Diseases, 2010, 4, e806.	3.0	13
155	The Oxford IgA nephropathy clinicopathological classification is valid for children as well as adults. Kidney International, 2010, 77, 921-927.	5.2	181
156	Urinary granzyme A mRNA is a biomarker to diagnose subclinical and acute cellular rejection in kidney transplant recipients. Kidney International, 2010, 78, 1033-1040.	5.2	33
157	SDF-1 provides morphological and functional protection against renal ischaemia/reperfusion injury. Nephrology Dialysis Transplantation, 2010, 25, 3852-3859.	0.7	53
158	Intragraft Toll-like receptor profiling in acute renal allograft rejection. Nephrology Dialysis Transplantation, 2010, 25, 4087-4092.	0.7	18
159	Toll-like receptor 9 is not important for host defense against Haemophilus influenzae. Immunobiology, 2010, 215, 910-914.	1.9	6
160	Ventilator-Induced Inflammatory Response in Lipopolysaccharide-Exposed Rat Lung Is Mediated by Angiotensin-Converting Enzyme. American Journal of Pathology, 2010, 176, 2219-2227.	3.8	39
161	CD44 Deficiency Is Associated with Increased Bacterial Clearance but Enhanced Lung Inflammation During Gram-Negative Pneumonia. American Journal of Pathology, 2010, 177, 2483-2494.	3.8	43
162	Stem Cell Factor Expression after Renal Ischemia Promotes Tubular Epithelial Survival. PLoS ONE, 2010, 5, e14386.	2.5	28

#	ARTICLE	IF	CITATIONS
163	The Oxford classification of IgA nephropathy: pathology definitions, correlations, and reproducibility. <i>Kidney International</i> , 2009, 76, 546-556.	5.2	892
164	Necrotic cells trigger a sterile inflammatory response through the Nlrp3 inflammasome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20388-20393.	7.1	593
165	Expression and Role of Myeloid-related Protein-14 in Clinical and Experimental Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 180, 1098-1106.	5.6	112
166	Plasminogen activator inhibitor-1 regulates neutrophil influx during acute pyelonephritis. <i>Kidney International</i> , 2009, 75, 52-59.	5.2	35
167	Improved preservation and microcirculation with POLYSOL after transplantation in a porcine kidney autotransplantation model. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 816-824.	0.7	43
168	Haematopoietic stem cell migration to the ischemic damaged kidney is not altered by manipulating the SDF-1/CXCR4-axis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2082-2088.	0.7	29
169	The Receptor for Advanced Glycation End Products Impairs Host Defense in Pneumococcal Pneumonia. <i>Journal of Immunology</i> , 2009, 182, 4349-4356.	0.8	99
170	Hydrogen Sulfide-Induced Hypometabolism Prevents Renal Ischemia/Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1901-1905.	6.1	751
171	ROLE OF TOLL-LIKE RECEPTORS 2 AND 4, AND THE RECEPTOR FOR ADVANCED GLYCATION END PRODUCTS IN HIGH-MOBILITY GROUP BOX 1-INDUCED INFLAMMATION IN VIVO. <i>Shock</i> , 2009, 31, 280-284.	2.1	237
172	Receptor for Advanced Glycation End Products Facilitates Host Defense during <i>Escherichia coli</i> -Induced Abdominal Sepsis in Mice. <i>Journal of Infectious Diseases</i> , 2009, 200, 765-773.	4.0	62
173	Intestinal <i>Enterococcus faecium</i> Colonization Improves Host Defense during Polymicrobial Peritonitis. <i>Journal of Infectious Diseases</i> , 2009, 200, 735-744.	4.0	12
174	Receptor for advanced glycation end products is detrimental during influenza A virus pneumonia. <i>Virology</i> , 2009, 391, 265-273.	2.4	75
175	Cecal ligation and puncture induced sepsis impairs host defense against <i>Enterococcus faecium</i> peritonitis. <i>Intensive Care Medicine</i> , 2009, 35, 924-932.	8.2	6
176	Osteopontin is not crucial to protective immunity during murine tuberculosis. <i>Immunology</i> , 2009, 128, e766-76.	4.4	7
177	ST2 deficient mice display a normal host defense against pulmonary infection with <i>Mycobacterium tuberculosis</i> . <i>Microbes and Infection</i> , 2009, 11, 524-530.	1.9	19
178	The Oxford classification of IgA nephropathy: rationale, clinicopathological correlations, and classification. <i>Kidney International</i> , 2009, 76, 534-545.	5.2	1,028
179	Urokinase Plasminogen Activator Receptor-Deficient Mice Demonstrate Reduced Hyperoxia-Induced Lung Injury. <i>American Journal of Pathology</i> , 2009, 174, 2182-2189.	3.8	12
180	Intragraft FOXP3 Protein or mRNA During Acute Renal Allograft Rejection Correlates With Inflammation, Fibrosis, and Poor Renal Outcome. <i>Transplantation</i> , 2009, 87, 1377-1380.	1.0	23

#	ARTICLE	IF	CITATIONS
181	The thiazolidinedione ciglitazone reduces bacterial outgrowth and early inflammation during <i>Streptococcus pneumoniae</i> pneumonia in mice*. <i>Critical Care Medicine</i> , 2009, 37, 614-618.	0.9	24
182	Evaluation of a Novel System for Hypothermic Oxygenated Pulsatile Perfusion Preservation. <i>International Journal of Artificial Organs</i> , 2009, 32, 728-738.	1.4	17
183	The Role of Toll-Like Receptor 2 in Inflammation and Fibrosis during Progressive Renal Injury. <i>PLoS ONE</i> , 2009, 4, e5704.	2.5	112
184	Tubulointerstitial Injury in IgA Nephropathy. , 2009, , 55-67.		0
185	CD14 contributes to pulmonary inflammation and mortality during murine tuberculosis. <i>Immunology</i> , 2008, 125, 272-279.	4.4	54
186	Platelet-Activating Factor Receptor Contributes to Host Defense against <i>Pseudomonas aeruginosa</i> Pneumonia but Is Not Essential for the Accompanying Inflammatory and Procoagulant Response. <i>Journal of Immunology</i> , 2008, 180, 3357-3365.	0.8	16
187	Neutrophil-dependent tumor rejection and priming of tumoricidal CD8+T cell response induced by dendritic cells overexpressing CD95L. <i>Journal of Leukocyte Biology</i> , 2008, 84, 713-720.	3.3	13
188	TLR2-Dependent MyD88 Signaling Contributes to Early Host Defense in Murine <i>Enterococcus faecium</i> Peritonitis. <i>Journal of Immunology</i> , 2008, 180, 4865-4874.	0.8	53
189	Deficiency of $\alpha 7$ Cholinergic Receptors Facilitates Bacterial Clearance in <i>Escherichia coli</i> Peritonitis. <i>Journal of Infectious Diseases</i> , 2008, 198, 750-757.	4.0	36
190	Endogenous tissue-type plasminogen activator is protective during ascending urinary tract infection. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 801-808.	0.7	8
191	B Cells in Cluster or in a Scattered Pattern Do Not Correlate With Clinical Outcome of Renal Allograft Rejection. <i>Transplantation</i> , 2008, 86, 772-778.	1.0	40
192	Acute phase response impairs host defense against <i>Pseudomonas aeruginosa</i> pneumonia in mice*. <i>Critical Care Medicine</i> , 2008, 36, 580-587.	0.9	48
193	The Multiple Facets of Toll-Like Receptors in Transplantation Biology. <i>Transplantation</i> , 2008, 86, 1-9.	1.0	66
194	Toll-Like Receptor-4 Coordinates the Innate Immune Response of the Kidney to Renal Ischemia/Reperfusion Injury. <i>PLoS ONE</i> , 2008, 3, e3596.	2.5	198
195	Endogenous Interleukin-18 Improves the Early Antimicrobial Host Response in Severe Melioidosis. <i>Infection and Immunity</i> , 2007, 75, 3739-3746.	2.2	37
196	Interobserver agreement of scoring of histopathological characteristics and classification of lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 223-230.	0.7	84
197	CD14 Facilitates Invasive Respiratory Tract Infection by <i>Streptococcus pneumoniae</i> . <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 604-611.	5.6	49
198	Toll-Like Receptor 2 Does Not Contribute to Host Response during Postinfluenza Pneumococcal Pneumonia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007, 36, 609-614.	2.9	31

#	ARTICLE	IF	CITATIONS
199	Interleukin 18 Participates in the Early Inflammatory Response and Bacterial Clearance during Pneumonia Caused by Nontypeable <i>Haemophilus influenzae</i> . <i>Infection and Immunity</i> , 2007, 75, 5068-5072.	2.2	8
200	Plasminogen activator inhibitor type 1 is protective during severe Gram-negative pneumonia. <i>Blood</i> , 2007, 109, 1593-1601.	1.4	113
201	Enhanced mobilization of bone marrow cells does not ameliorate renal fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 483-491.	0.7	21
202	Nicotine Protects Kidney from Renal Ischemia/Reperfusion Injury through the Cholinergic Anti-Inflammatory Pathway. <i>PLoS ONE</i> , 2007, 2, e469.	2.5	116
203	CD14 plays a limited role during influenza A virus infection in vivo. <i>Immunology Letters</i> , 2007, 113, 47-51.	2.5	7
204	Mice lacking SIGNR1 have stronger T helper 1 responses to <i>Mycobacterium tuberculosis</i> . <i>Microbes and Infection</i> , 2007, 9, 134-141.	1.9	49
205	Toll-like receptor 2 contributes to antibacterial defence against pneumolysin-deficient pneumococci. <i>Cellular Microbiology</i> , 2007, 10, 070817225835002-???	2.1	55
206	Cellular mechanisms underlying acute graft rejection: time for reassessment. <i>Current Opinion in Immunology</i> , 2007, 19, 563-568.	5.5	58
207	Toll-Like Receptor 2 Impairs Host Defense in Gram-Negative Sepsis Caused by <i>Burkholderia pseudomallei</i> (Meliodiosis). <i>PLoS Medicine</i> , 2007, 4, e248.	8.4	128
208	The Vagus Nerve and Nicotinic Receptors Modulate Experimental Pancreatitis Severity in Mice. <i>Gastroenterology</i> , 2006, 130, 1822-1830.	1.3	431
209	Urothelial CD44 Facilitates <i>Escherichia coli</i> Infection of the Murine Urinary Tract. <i>Journal of Immunology</i> , 2006, 177, 7225-7232.	0.8	44
210	Local activation of the tissue factor-factor VIIa pathway in patients with pneumonia and the effect of inhibition of this pathway in murine pneumococcal pneumonia*. <i>Critical Care Medicine</i> , 2006, 34, 1725-1730.	0.9	93
211	Interleukin-1 contributes to an effective clearance of <i>Mycobacterium kansasii</i> from the respiratory tract. <i>Microbes and Infection</i> , 2006, 8, 2409-2413.	1.9	7
212	CD4+ Cells Play a Limited Role in Murine Lung Infection with <i>Mycobacterium kansasii</i> . <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2006, 34, 167-173.	2.9	11
213	Differential Roles of CD14 and Toll-like Receptors 4 and 2 in Murine <i>Acinetobacter</i> Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 122-129.	5.6	166
214	CD27 contributes to the early systemic immune response to <i>Mycobacterium tuberculosis</i> infection but does not affect outcome. <i>International Immunology</i> , 2006, 18, 1531-1539.	4.0	5
215	Involvement of the platelet-activating factor receptor in host defense against <i>Streptococcus pneumoniae</i> during postinfluenza pneumonia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2006, 290, L194-L199.	2.9	83
216	Effects on Coagulation and Fibrinolysis Induced by Influenza in Mice With a Reduced Capacity to Generate Activated Protein C and a Deficiency in Plasminogen Activator Inhibitor Type 1. <i>Circulation Research</i> , 2006, 99, 1261-1269.	4.5	77

#	ARTICLE	IF	CITATIONS
217	No Difference in Degree of Interstitial Sirius Redâ€“Stained Area in Serial Biopsies from Area under Concentration-over-Time Curvesâ€“Guided Cyclosporine versus Tacrolimus-Treated Renal Transplant Recipients at One Year. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 305-312.	6.1	84
218	Monocyte Chemoattractant Protein 1 Does Not Contribute to Protective Immunity against Pneumococcal Pneumonia. <i>Infection and Immunity</i> , 2006, 74, 7021-7023.	2.2	9
219	Influenzaâ€“Induced Expression of Indoleamine 2,3â€“Dioxygenase Enhances Interleukinâ€“10 Production and Bacterial Outgrowth during Secondary Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2006, 193, 214-222.	4.0	100
220	Untreated Rejection in 6-Month Protocol Biopsies Is Not Associated with Fibrosis in Serial Biopsies or with Loss of Graft Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2622-2632.	6.1	68
221	Tissue-Type Plasminogen Activator Modulates Inflammatory Responses and Renal Function in Ischemia Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 131-140.	6.1	80
222	Urokinaseâ€“Type Plasminogen Activator Receptor Plays a Role in Neutrophil Migration during Lipopolysaccharideâ€“Induced Peritoneal Inflammation but Not during <i>Escherichia coli</i> â€“Induced Peritonitis. <i>Journal of Infectious Diseases</i> , 2006, 193, 522-530.	4.0	31
223	Matrix Metalloproteinase-9 Deficiency Impairs Host Defense against Abdominal Sepsis. <i>Journal of Immunology</i> , 2006, 176, 3735-3741.	0.8	106
224	Endogenous Tissue-Type Plasminogen Activator Is Protective during <i>Escherichia coli</i> -Induced Abdominal Sepsis in Mice. <i>Journal of Immunology</i> , 2006, 177, 1189-1196.	0.8	51
225	CD44 Disruption Prevents Degeneration of the Capillary Network in Obstructive Nephropathy via Reduction of TGF- β 1â€“Induced Apoptosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 746-753.	6.1	36
226	ENDOGENOUS INTERLEUKIN-12 IMPROVES THE EARLY ANTIMICROBIAL HOST RESPONSE TO MURINE ESCHERICHIA COLI PERITONITIS. <i>Shock</i> , 2005, 23, 54-58.	2.1	10
227	A thrombomodulin mutation that impairs activated protein C generation results in uncontrolled lung inflammation during murine tuberculosis. <i>Blood</i> , 2005, 106, 2761-2768.	1.4	28
228	Specific ICAM-3 grabbing nonintegrin-related 1 (SIGNR1) expressed by marginal zone macrophages is essential for defense against pulmonary <i>Streptococcus pneumoniae</i> infection. <i>European Journal of Immunology</i> , 2005, 35, 2962-2969.	2.9	70
229	Protection against Renal Ischemia Reperfusion Injury by CD44 Disruption. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2034-2043.	6.1	119
230	The Cholinergic Antiâ€“Inflammatory Pathway Regulates the Host Response during Septic Peritonitis. <i>Journal of Infectious Diseases</i> , 2005, 191, 2138-2148.	4.0	358
231	Absence of Thrombin-Activatable Fibrinolysis Inhibitor Protects against Sepsis-Induced Liver Injury in Mice. <i>Journal of Immunology</i> , 2005, 175, 6764-6771.	0.8	56
232	The MyD88-Dependent, but Not the MyD88-Independent, Pathway of TLR4 Signaling Is Important in Clearing Nontypeable <i>Haemophilus influenzae</i> from the Mouse Lung. <i>Journal of Immunology</i> , 2005, 175, 6042-6049.	0.8	141
233	CD11b Limits Bacterial Outgrowth and Dissemination during Murine Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2005, 191, 1755-1760.	4.0	60
234	Hematopoietic Stem Cell Mobilization Therapy Accelerates Recovery of Renal Function Independent of Stem Cell Contribution. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1684-1692.	6.1	78

#	ARTICLE	IF	CITATIONS
235	Lipopolysaccharide binding protein-deficient mice have a normal defense against pulmonary mycobacterial infection. <i>Clinical Immunology</i> , 2005, 116, 174-181.	3.2	9
236	Therapeutic Effects of Troglitazone in Experimental Chronic Pancreatitis in Mice. <i>American Journal of Pathology</i> , 2005, 166, 721-728.	3.8	68
237	Pulmonary Mycobacterium tuberculosis infection in leptin-deficient ob/ob mice. <i>International Immunology</i> , 2005, 17, 1399-1408.	4.0	116
238	Renal-associated TLR2 mediates ischemia/reperfusion injury in the kidney. <i>Journal of Clinical Investigation</i> , 2005, 115, 2894-2903.	8.2	496
239	Non- α -Mannose-capped Lipoarabinomannan Induces Lung Inflammation via Toll-like Receptor 2. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 170, 1367-1374.	5.6	45
240	Role of Toll-Like Receptor 4 in Gram-Positive and Gram-Negative Pneumonia in Mice. <i>Infection and Immunity</i> , 2004, 72, 788-794.	2.2	222
241	Inhibition of the Tissue Factor/Factor VIIa Pathway Does Not Influence the Inflammatory or Antibacterial Response to Abdominal Sepsis Induced by <i>Escherichia coli</i> in Mice. <i>Journal of Infectious Diseases</i> , 2004, 189, 2308-2317.	4.0	50
242	Toll-Like Receptor 2 Plays a Role in the Early Inflammatory Response to Murine Pneumococcal Pneumonia but Does Not Contribute to Antibacterial Defense. <i>Journal of Immunology</i> , 2004, 172, 3132-3138.	0.8	246
243	Activation of Neutrophils and Inhibition of the Proinflammatory Cytokine Response by Endogenous Granulocyte Colony-Stimulating Factor in Murine Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2004, 189, 1506-1515.	4.0	89
244	Improved Host Defense against Pneumococcal Pneumonia in Platelet-Activating Factor Receptor-Deficient Mice. <i>Journal of Infectious Diseases</i> , 2004, 189, 711-716.	4.0	114
245	IL-10 Is an Important Mediator of the Enhanced Susceptibility to Pneumococcal Pneumonia after Influenza Infection. <i>Journal of Immunology</i> , 2004, 172, 7603-7609.	0.8	323
246	Toll-like receptor 4 plays a protective role in pulmonary tuberculosis in mice. <i>International Immunology</i> , 2004, 16, 509-516.	4.0	98
247	CD44 Deficiency Increases Tubular Damage But Reduces Renal Fibrosis in Obstructive Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 674-686.	6.1	103
248	Hyperexpression of the granzyme B inhibitor PI-9 in human renal allografts: A potential mechanism for stable renal function in patients with subclinical rejection. <i>Kidney International</i> , 2004, 66, 1417-1422.	5.2	47
249	Podocyte foot process effacement is not correlated with the level of proteinuria in human glomerulopathies. <i>Kidney International</i> , 2004, 66, 1901-1906.	5.2	148
250	Thrombomodulin mutant mice with a strongly reduced capacity to generate activated protein C have an unaltered pulmonary immune response to respiratory pathogens and lipopolysaccharide. <i>Blood</i> , 2004, 103, 1702-1709.	1.4	111
251	Toll-like receptor 4 is not involved in host defense against respiratory tract infection with Sendai virus. <i>Immunology Letters</i> , 2003, 89, 201-206.	2.5	37
252	Reciprocal functions of hepatocyte growth factor and transforming growth factor- β 1 in the progression of renal diseases: A role for CD44?. <i>Kidney International</i> , 2003, 64, S15-S20.	5.2	24

#	ARTICLE	IF	CITATIONS
253	Interleukin-18 Impairs the Pulmonary Host Response to <i>Pseudomonas aeruginosa</i> . <i>Infection and Immunity</i> , 2003, 71, 1630-1634.	2.2	67
254	Interleukin-18 Facilitates the Early Antimicrobial Host Response to <i>Escherichia coli</i> Peritonitis. <i>Infection and Immunity</i> , 2003, 71, 5488-5497.	2.2	30
255	Anti-Tumor Necrosis Factor Antibody Impairs the Therapeutic Effect of Ceftriaxone in Murine Pneumococcal Pneumonia. <i>Journal of Infectious Diseases</i> , 2003, 188, 282-285.	4.0	53
256	Lipopolysaccharide Binding Protein Is an Essential Component of the Innate Immune Response to <i>Escherichia coli</i> Peritonitis in Mice. <i>Infection and Immunity</i> , 2003, 71, 6747-6753.	2.2	58
257	Alveolar Macrophages Have a Protective Antiinflammatory Role during Murine Pneumococcal Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003, 167, 171-179.	5.6	289
258	Plasminogen activator inhibitor type-1 deficiency does not influence the outcome of murine pneumococcal pneumonia. <i>Blood</i> , 2003, 102, 934-939.	1.4	113
259	CD44 is a macrophage binding site for <i>Mycobacterium tuberculosis</i> that mediates macrophage recruitment and protective immunity against tuberculosis. <i>Journal of Clinical Investigation</i> , 2003, 111, 681-689.	8.2	47
260	CD44 is a macrophage binding site for <i>Mycobacterium tuberculosis</i> that mediates macrophage recruitment and protective immunity against tuberculosis. <i>Journal of Clinical Investigation</i> , 2003, 111, 681-689.	8.2	103
261	Interleukin-1 receptor antagonist transiently impairs antibacterial defense but not survival in murine pneumococcal pneumonia. <i>European Cytokine Network</i> , 2003, 14, 242-5.	2.0	11
262	Urokinase Receptor Is Necessary for Adequate Host Defense Against Pneumococcal Pneumonia. <i>Journal of Immunology</i> , 2002, 168, 3507-3511.	0.8	165
263	IL-18 Improves the Early Antimicrobial Host Response to Pneumococcal Pneumonia. <i>Journal of Immunology</i> , 2002, 168, 372-378.	0.8	102
264	Differential Role of Interleukin-6 in Lung Inflammation Induced by Lipoteichoic Acid and Peptidoglycan from <i>Staphylococcus aureus</i> . <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 1445-1450.	5.6	93
265	Role of interleukin-1 in the pulmonary immune response during <i>Pseudomonas aeruginosa</i> pneumonia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002, 282, L285-L290.	2.9	150
266	CD44 expression in IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 2002, 39, 407-414.	1.9	42
267	Release of urokinase plasminogen activator receptor during urosepsis and endotoxemia. <i>Kidney International</i> , 2001, 59, 2054-2061.	5.2	68
268	CXC Chemokine Receptor 2 Contributes to Host Defense in Murine Urinary Tract Infection. <i>Journal of Infectious Diseases</i> , 2001, 184, 301-307.	4.0	52
269	Depletion of Alveolar Macrophages Exerts Protective Effects in Pulmonary Tuberculosis in Mice. <i>Journal of Immunology</i> , 2001, 166, 4604-4611.	0.8	184
270	TNF- α Compensates for the Impaired Host Defense of IL-1 Type I Receptor-Deficient Mice During Pneumococcal Pneumonia. <i>Journal of Immunology</i> , 2001, 167, 5240-5246.	0.8	140

#	ARTICLE	IF	CITATIONS
271	Impairment of host defence by exotoxin A in <i>Pseudomonas aeruginosa</i> pneumonia in mice. <i>Journal of Medical Microbiology</i> , 2001, 50, 822-827.	1.8	22
272	Interleukin-1 Signaling Is Essential for Host Defense during Murine Pulmonary Tuberculosis. <i>Journal of Infectious Diseases</i> , 2000, 182, 902-908.	4.0	259
273	NLRX1 is not involved in the host defense against <i>Escherichia coli</i> induced pyelonephritis. <i>F1000Research</i> , 0, 7, 1197.	1.6	1