Kerry S Courneya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7026233/publications.pdf

Version: 2024-02-01

504 papers

43,103 citations

97 h-index 183 g-index

515 all docs

515 does citations

515 times ranked 21684 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------|-----------|
| 1 | American College of Sports Medicine Roundtable on Exercise Guidelines for Cancer Survivors. Medicine and Science in Sports and Exercise, 2010, 42, 1409-1426. | 0.4 | 2,203 |
| 2 | Nutrition and physical activity guidelines for cancer survivors. Ca-A Cancer Journal for Clinicians, 2012, 62, 242-274. | 329.8 | 1,600 |
| 3 | Exercise Guidelines for Cancer Survivors: Consensus Statement from International Multidisciplinary Roundtable. Medicine and Science in Sports and Exercise, 2019, 51, 2375-2390. | 0.4 | 1,443 |
| 4 | An update of controlled physical activity trials in cancer survivors: a systematic review and meta-analysis. Journal of Cancer Survivorship, 2010, 4, 87-100. | 2.9 | 1,082 |
| 5 | Effects of Aerobic and Resistance Exercise in Breast Cancer Patients Receiving Adjuvant Chemotherapy: A Multicenter Randomized Controlled Trial. Journal of Clinical Oncology, 2007, 25, 4396-4404. | 1.6 | 909 |
| 6 | Effects of exercise on breast cancer patients and survivors: a systematic review and meta-analysis. Cmaj, 2006, 175, 34-41. | 2.0 | 883 |
| 7 | Cancer Survivors' Adherence to Lifestyle Behavior Recommendations and Associations With Health-Related Quality of Life: Results From the American Cancer Society's SCS-II. Journal of Clinical Oncology, 2008, 26, 2198-2204. | 1.6 | 858 |
| 8 | Physical Activity, Biomarkers, and Disease Outcomes in Cancer Survivors: A Systematic Review. Journal of the National Cancer Institute, 2012, 104, 815-840. | 6.3 | 712 |
| 9 | Resistance Exercise in Men Receiving Androgen Deprivation Therapy for Prostate Cancer. Journal of Clinical Oncology, 2003, 21, 1653-1659. | 1.6 | 697 |
| 10 | Randomized Controlled Trial of Exercise Training in Postmenopausal Breast Cancer Survivors: Cardiopulmonary and Quality of Life Outcomes. Journal of Clinical Oncology, 2003, 21, 1660-1668. | 1.6 | 656 |
| 11 | Nutrition and Physical Activity During and After Cancer Treatment: An American Cancer Society Guide for Informed Choices. Ca-A Cancer Journal for Clinicians, 2006, 56, 323-353. | 329.8 | 649 |
| 12 | Controlled Physical Activity Trials in Cancer Survivors: A Systematic Review and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1588-1595. | 2.5 | 567 |
| 13 | Randomized Controlled Trial of Resistance or Aerobic Exercise in Men Receiving Radiation Therapy for Prostate Cancer. Journal of Clinical Oncology, 2009, 27, 344-351. | 1.6 | 476 |
| 14 | American Society of Clinical Oncology Position Statement on Obesity and Cancer. Journal of Clinical Oncology, 2014, 32, 3568-3574. | 1.6 | 418 |
| 15 | Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104. | 7.7 | 398 |
| 16 | Investigating multiple components of attitude, subjective norm, and perceived control: An examination of the theory of planned behaviour in the exercise domain. British Journal of Social Psychology, 2003, 42, 129-146. | 2.8 | 384 |
| 17 | Cardiopulmonary Function and Age-Related Decline Across the Breast Cancer Survivorship Continuum. Journal of Clinical Oncology, 2012, 30, 2530-2537. | 1.6 | 355 |
| 18 | Exercise in Cancer Survivors: An Overview of Research. Medicine and Science in Sports and Exercise, 2003, 35, 1846-1852. | 0.4 | 344 |

| # | Article | IF | Citations |
|----|--|-------|-----------|
| 19 | Physical exercise and quality of life following cancer diagnosis: A literature review. Annals of Behavioral Medicine, 1999, 21, 171-179. | 2.9 | 337 |
| 20 | A randomized trial of exercise and quality of life in colorectal cancer survivors. European Journal of Cancer Care, 2003, 12, 347-357. | 1.5 | 331 |
| 21 | A systematic review and meta-analysis of social cognitive theory-based physical activity and/or nutrition behavior change interventions for cancer survivors. Journal of Cancer Survivorship, 2015, 9, 305-338. | 2.9 | 322 |
| 22 | Randomized Controlled Trial of the Effects of Aerobic Exercise on Physical Functioning and Quality of Life in Lymphoma Patients. Journal of Clinical Oncology, 2009, 27, 4605-4612. | 1.6 | 316 |
| 23 | Effects of an oncologist's recommendation to exercise on self-reported exercise behavior in newly diagnosed breast cancer survivors: a single-blind, randomized controlled trial. Annals of Behavioral Medicine, 2004, 28, 105-113. | 2.9 | 309 |
| 24 | Randomized Controlled Trial of the Effects of Print Materials and Step Pedometers on Physical Activity and Quality of Life in Breast Cancer Survivors. Journal of Clinical Oncology, 2007, 25, 2352-2359. | 1.6 | 289 |
| 25 | Effects of presurgical exercise training on cardiorespiratory fitness among patients undergoing thoracic surgery for malignant lung lesions. Cancer, 2007, 110, 590-598. | 4.1 | 280 |
| 26 | The Effects of Source Credibility and Message Framing on Exercise Intentions, Behaviors, and Attitudes: An Integration of the Elaboration Likelihood Model and Prospect Theory 1. Journal of Applied Social Psychology, 2003, 33, 179-196. | 2.0 | 263 |
| 27 | Nutrition and Physical Activity During and After Cancer Treatment: An American Cancer Society Guide for Informed Choices. Ca-A Cancer Journal for Clinicians, 2003, 53, 268-291. | 329.8 | 257 |
| 28 | The group psychotherapy and home-based physical exercise (group-hope) trial in cancer survivors: Physical fitness and quality of life outcomes. Psycho-Oncology, 2003, 12, 357-374. | 2.3 | 252 |
| 29 | The Role of Obesity in Cancer Survival and Recurrence. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1244-1259. | 2.5 | 248 |
| 30 | Do Adults Change Their Lifestyle Behaviors After a Cancer Diagnosis?. American Journal of Health Behavior, 2003, 27, 246-256. | 1.4 | 242 |
| 31 | Exercise Counseling and Programming Preferences of Cancer Survivors. Cancer Practice, 2002, 10, 208-215. | 0.7 | 231 |
| 32 | Effects of Exercise Dose and Type During Breast Cancer Chemotherapy: Multicenter Randomized Trial. Journal of the National Cancer Institute, 2013, 105, 1821-1832. | 6.3 | 231 |
| 33 | Relationship Between Exercise Pattern Across the Cancer Experience and Current Quality of Life in Colorectal Cancer Survivors. Journal of Alternative and Complementary Medicine, 1997, 3, 215-226. | 2.1 | 228 |
| 34 | Physical Activity and Cancer Outcomes: A Precision Medicine Approach. Clinical Cancer Research, 2016, 22, 4766-4775. | 7.0 | 228 |
| 35 | American Cancer Society nutrition and physical activity guideline for cancer survivors. Ca-A Cancer Journal for Clinicians, 2022, 72, 230-262. | 329.8 | 228 |
| 36 | Personality correlates of exercise behavior, motives, barriers and preferences: An application of the five-factor model. Personality and Individual Differences, 1998, 24, 625-633. | 2.9 | 220 |

| # | Article | IF | Citations |
|----|--|-------|-----------|
| 37 | Effects of a combined aerobic and resistance exercise program in breast cancer survivors: a randomized controlled trial. Breast Cancer Research and Treatment, 2008, 108, 279-288. | 2.5 | 218 |
| 38 | The Lifetime Total Physical Activity Questionnaire: development and reliability. Medicine and Science in Sports and Exercise, 1998, 30, 266-274. | 0.4 | 217 |
| 39 | Effects of Aerobic and Resistance Exercise on Metabolic Syndrome, Sarcopenic Obesity, and Circulating Biomarkers in Overweight or Obese Survivors of Breast Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 875-883. | 1.6 | 216 |
| 40 | Randomized controlled trial of exercise and blood immune function in postmenopausal breast cancer survivors. Journal of Applied Physiology, 2005, 98, 1534-1540. | 2.5 | 209 |
| 41 | Understanding readiness for regular physical activity in older individuals: An application of the theory of planned behavior Health Psychology, 1995, 14, 80-87. | 1.6 | 207 |
| 42 | Effects of a Telephone-Delivered Multiple Health Behavior Change Intervention (CanChange) on Health and Behavioral Outcomes in Survivors of Colorectal Cancer: A Randomized Controlled Trial. Journal of Clinical Oncology, 2013, 31, 2313-2321. | 1.6 | 199 |
| 43 | Exercise Effects on Depressive Symptoms in Cancer Survivors: A Systematic Review and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 3-19. | 2.5 | 197 |
| 44 | Effects of Exercise during Adjuvant Chemotherapy on Breast Cancer Outcomes. Medicine and Science in Sports and Exercise, 2014, 46, 1744-1751. | 0.4 | 197 |
| 45 | Effect of exercise on upper extremity pain and dysfunction in head and neck cancer survivors. Cancer, 2008, 113, 214-222. | 4.1 | 196 |
| 46 | Alberta Physical Activity and Breast Cancer Prevention Trial: Sex Hormone Changes in a Year-Long Exercise Intervention Among Postmenopausal Women. Journal of Clinical Oncology, 2010, 28, 1458-1466. | 1.6 | 192 |
| 47 | Practical clinical interventions for diet, physical activity, and weight control in cancer survivors. Ca-A Cancer Journal for Clinicians, 2015, 65, 167-189. | 329.8 | 191 |
| 48 | Associations among exercise, body weight, and quality of life in a population-based sample of endometrial cancer survivors. Gynecologic Oncology, 2005, 97, 422-430. | 1.4 | 188 |
| 49 | A Randomized Trial to Increase Physical Activity in Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2009, 41, 935-946. | 0.4 | 188 |
| 50 | Physical Activity and Cancer Control. Seminars in Oncology Nursing, 2007, 23, 242-252. | 1.5 | 179 |
| 51 | Physical activity and obesity in Canadian cancer survivors. Cancer, 2008, 112, 2475-2482. | 4.1 | 178 |
| 52 | Which exercise prescriptions improve quality of life and physical function in patients with cancer during and following treatment? A systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2018, 52, 505-513. | 6.7 | 177 |
| 53 | Implementing the Exercise Guidelines for Cancer Survivors. The Journal of Supportive Oncology, 2012, 10, 171-177. | 2.3 | 175 |
| 54 | Reliability and Validity of the Past Year Total Physical Activity Questionnaire. American Journal of Epidemiology, 2006, 163, 959-970. | 3.4 | 169 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Effect of exercise training on C-reactive protein in postmenopausal breast cancer survivors: A randomized controlled trial. Brain, Behavior, and Immunity, 2005, 19, 381-388. | 4.1 | 168 |
| 56 | Physical Activity and Survival After Prostate Cancer. European Urology, 2016, 70, 576-585. | 1.9 | 168 |
| 57 | Factors Associated with Physical Activity in Canadian Adults with Diabetes. Medicine and Science in Sports and Exercise, 2006, 38, 1526-1534. | 0.4 | 162 |
| 58 | Transtheoretical model: Examining adolescent exercise behavior. Journal of Adolescent Health, 1998, 22, 214-224. | 2.5 | 161 |
| 59 | Cognitive mediators of the social influence-exercise adherence relationship: A test of the theory of planned behavior. Journal of Behavioral Medicine, 1995, 18, 499-515. | 2.1 | 159 |
| 60 | Social Support and the Theory of Planned Behavior in the Exercise Domain. American Journal of Health Behavior, 2000, 24, 300-308. | 1.4 | 155 |
| 61 | A Longitudinal Study of Exercise Barriers in Colorectal Cancer Survivors Participating in a Randomized Controlled Trial. Annals of Behavioral Medicine, 2005, 29, 147-153. | 2.9 | 154 |
| 62 | Aerobic and resistance exercise improves physical fitness, bone health, and quality of life in overweight and obese breast cancer survivors: a randomized controlled trial. Breast Cancer Research, 2018, 20, 124. | 5.0 | 153 |
| 63 | Utility of the theory of planned behavior for understanding exercise during breast cancer treatment. , 1999, 8, 112-122. | | 149 |
| 64 | Predicting Repeated Behavior from Intention: The Issue of Scale Correspondence. Journal of Applied Social Psychology, 1994, 24, 580-594. | 2.0 | 145 |
| 65 | Exercise and the Transtheoretical Model: A Longitudinal Test of a Population Sample. Preventive Medicine, 2001, 33, 441-452. | 3.4 | 145 |
| 66 | Associations among physical activity, body mass index, and healthâ€related quality of life by race/ethnicity in a diverse sample of breast cancer survivors. Cancer, 2012, 118, 4024-4031. | 4.1 | 141 |
| 67 | Relationship Between Exercise During Treatment and Current Quality of Life Among Survivors of Breast Cancer. Journal of Psychosocial Oncology, 1997, 15, 35-57. | 1.2 | 140 |
| 68 | Prospective cohort study of lifetime physical activity and breast cancer survival. International Journal of Cancer, 2009, 124, 1954-1962. | 5.1 | 140 |
| 69 | A systematic review of physical activity in prostate cancer survivors: outcomes, prevalence, and determinants. Supportive Care in Cancer, 2008, 16, 987-997. | 2.2 | 138 |
| 70 | Physical exercise and immune system function in cancer survivors. Cancer, 2002, 94, 539-551. | 4.1 | 136 |
| 71 | Effects of the BEAT Cancer physical activity behavior change intervention on physical activity, aerobic fitness, and quality of life in breast cancer survivors: a multicenter randomized controlled trial. Breast Cancer Research and Treatment, 2015, 149, 109-119. | 2.5 | 135 |
| 72 | Physical exercise and quality of life in cancer patients following high dose chemotherapy and autologous bone marrow transplantation., 2000, 9, 127-136. | | 134 |

| # | Article | IF | Citations |
|----|---|-------|-----------|
| 73 | Three independent factors predicted adherence in a randomized controlled trial of resistance exercise training among prostate cancer survivors. Journal of Clinical Epidemiology, 2004, 57, 571-579. | 5.0 | 133 |
| 74 | Correlates of adherence and contamination in a randomized controlled trial of exercise in cancer survivors: An application of the theory of planned behavior and the five factor model of personality. Annals of Behavioral Medicine, 2002, 24, 257-268. | 2.9 | 129 |
| 75 | Feasibility and effectiveness of a lifestyle intervention program in obese endometrial cancer patients: A randomized trial. Gynecologic Oncology, 2008, 109, 19-26. | 1.4 | 128 |
| 76 | The Colon Health and Life-Long Exercise Change (CHALLENGE) trial (CO.21). Current Oncology, 2008, 15, 279-85. | 2.2 | 124 |
| 77 | Framework PEACE: An organizational model for examining physical exercise across the cancer experience. Annals of Behavioral Medicine, 2001, 23, 263-272. | 2.9 | 123 |
| 78 | Physical activity and quality of life in head and neck cancer survivors. Supportive Care in Cancer, 2006, 14, 1012-1019. | 2.2 | 123 |
| 79 | Predictors of Supervised Exercise Adherence during Breast Cancer Chemotherapy. Medicine and Science in Sports and Exercise, 2008, 40, 1180-1187. | 0.4 | 123 |
| 80 | Impact of resistance and aerobic exercise on sarcopenia and dynapenia in breast cancer patients receiving adjuvant chemotherapy: a multicenter randomized controlled trial. Breast Cancer Research and Treatment, 2016, 158, 497-507. | 2.5 | 122 |
| 81 | A pilot study of a randomized controlled trial to evaluate the effects of progressive resistance exercise training on shoulder dysfunction caused by spinal accessory neurapraxia/neurectomy in head and neck cancer survivors. Head and Neck, 2004, 26, 518-530. | 2.0 | 121 |
| 82 | Does the Theory of Planned Behavior Mediate the Relation Between Personality and Exercise Behavior?. Basic and Applied Social Psychology, 1999, 21, 317-324. | 2.1 | 120 |
| 83 | Association between current lifestyle behaviors and health-related quality of life in breast, colorectal, and prostate cancer survivors. Psychology and Health, 2004, 19, 1-13. | 2.2 | 120 |
| 84 | Coping With Cancer. Physician and Sportsmedicine, 2000, 28, 49-73. | 2.1 | 119 |
| 85 | Six-Month Follow-up of Patient-Rated Outcomes in a Randomized Controlled Trial of Exercise Training during Breast Cancer Chemotherapy. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2572-2578. | 2.5 | 116 |
| 86 | Survivors of uterine cancer empowered by exercise and healthy diet (SUCCEED): A randomized controlled trial. Gynecologic Oncology, 2012, 125, 699-704. | 1.4 | 114 |
| 87 | Exercise adherence in breast cancer survivors training for a dragon boat race competition: a preliminary investigation. Psycho-Oncology, 2001, 10, 444-452. | 2.3 | 111 |
| 88 | Social Cognitive Theory and Physical Activity During Breast Cancer Treatment. Oncology Nursing Forum, 2005, 32, 807-815. | 1.2 | 110 |
| 89 | Barriers to Supervised Exercise Training in a Randomized Controlled Trial of Breast Cancer Patients Receiving Chemotherapy. Annals of Behavioral Medicine, 2008, 35, 116-122. | 2.9 | 110 |
| 90 | Weight management and physical activity throughout the cancer care continuum. Ca-A Cancer Journal for Clinicians, 2018, 68, 64-89. | 329.8 | 109 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Oncologists' opinions towards recommending exercise to patients with cancer: a Canadian national survey. Supportive Care in Cancer, 2005, 13, 929-937. | 2.2 | 108 |
| 92 | Understanding exercise motivation in colorectal cancer patients: A prospective study using the theory of planned behavior Rehabilitation Psychology, 1999, 44, 68-84. | 1.3 | 107 |
| 93 | Physical Activity and Health Outcomes Three Months After Completing a Physical Activity Behavior Change Intervention: Persistent and Delayed Effects. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1410-1418. | 2.5 | 106 |
| 94 | Rural breast cancer survivors: exercise preferences and their determinants. Psycho-Oncology, 2009, 18, 412-421. | 2.3 | 106 |
| 95 | Effects of a Physical Activity Behavior Change Intervention on Inflammation and Related Health Outcomes in Breast Cancer Survivors. Integrative Cancer Therapies, 2013, 12, 323-335. | 2.0 | 106 |
| 96 | Differences in quality of life between non-Hodgkin's lymphoma survivors meeting and not meeting public health exercise guidelines. Psycho-Oncology, 2005, 14, 979-991. | 2.3 | 105 |
| 97 | Safety and feasibility of cardiopulmonary exercise testing in patients with advanced cancer. Lung Cancer, 2007, 55, 225-232. | 2.0 | 105 |
| 98 | Effects of strength training on body composition, physical functioning, and quality of life in prostate cancer patients during androgen deprivation therapy. Acta Oncol \tilde{A}^3 gica, 2015, 54, 1805-1813. | 1.8 | 105 |
| 99 | Effects of a Multiple Health Behavior Change Intervention for Colorectal Cancer Survivors on Psychosocial Outcomes and Quality of Life: a Randomized Controlled Trial. Annals of Behavioral Medicine, 2014, 48, 359-370. | 2.9 | 102 |
| 100 | Associations between physical activity and quality of life in ovarian cancer survivors. Gynecologic Oncology, 2007, 106, 244-250. | 1.4 | 101 |
| 101 | Physical Activity and Social Cognitive Theory: A Test in a Population Sample of Adults with Type 1 or Type 2 Diabetes. Applied Psychology, 2008, 57, 628-643. | 7.1 | 101 |
| 102 | Self-Determination Theory and Physical Activity among Breast Cancer Survivors. Journal of Sport and Exercise Psychology, 2008, 30, 23-38. | 1.2 | 101 |
| 103 | Self-efficacy, Controllability and Intention in the Theory of Planned Behavior: Measurement Redundancy or Causal Independence?. Psychology and Health, 2003, 18, 79-91. | 2.2 | 99 |
| 104 | Predicting the Physical Activity Intention–Behavior Profiles of Adopters and Maintainers Using Three Social Cognition Models. Annals of Behavioral Medicine, 2008, 36, 244-252. | 2.9 | 99 |
| 105 | Extending the Theory of Planned Behavior in the Exercise Domain: A Comparison of Social Support and Subjective Norm. Research Quarterly for Exercise and Sport, 2002, 73, 193-199. | 1.4 | 98 |
| 106 | Exercise Programs for Cancer-Related Fatigue: Evidence and Clinical Guidelines. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 945-953. | 4.9 | 98 |
| 107 | Changes in insulin resistance indicators, IGFs, and adipokines in a year-long trial of aerobic exercise in postmenopausal women. Endocrine-Related Cancer, 2011, 18, 357-369. | 3.1 | 98 |
| 108 | Associations Between Exercise, Quality of Life, and Fatigue in Colorectal Cancer Survivors. Diseases of the Colon and Rectum, 2008, 51, 1242-1248. | 1.3 | 97 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Self-Efficacy Relationships With Affective and Exertion Responses to Exercise 1. Journal of Applied Social Psychology, 1992, 22, 312-326. | 2.0 | 96 |
| 110 | Association between exercise and quality of life in multiple myeloma cancer survivors. Supportive Care in Cancer, 2004, 12, 780-788. | 2.2 | 96 |
| 111 | Analyzing Theoretical Mechanisms of Physical Activity Behavior Change in Breast Cancer Survivors: Results from the Activity Promotion (ACTION) Trial. Annals of Behavioral Medicine, 2008, 35, 150-158. | 2.9 | 96 |
| 112 | Effects of exercise training on fasting insulin, insulin resistance, insulin-like growth factors, and insulin-like growth factor binding proteins in postmenopausal breast cancer survivors: a randomized controlled trial. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 721-7. | 2.5 | 96 |
| 113 | Predicting exercise stage transitions over two consecutive 6-month periods: A test of the theory of planned behaviour in a population-based sample. British Journal of Health Psychology, 2001, 6, 135-150. | 3.5 | 95 |
| 114 | Exercise for Breast Cancer Survivors. Physician and Sportsmedicine, 2002, 30, 33-42. | 2.1 | 95 |
| 115 | Effects of Exercise on Insulin, IGF Axis, Adipocytokines, and Inflammatory Markers in Breast Cancer Survivors: A Systematic Review and Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 355-365. | 2.5 | 95 |
| 116 | Integrating the theory of planned behavior with the processes and stages of change in the exercise domain. Psychology of Sport and Exercise, 2000, 1, 41-56. | 2.1 | 93 |
| 117 | Predictors of adherence and contamination in a randomized trial of exercise in colorectal cancer survivors. Psycho-Oncology, 2004, 13, 857-866. | 2.3 | 92 |
| 118 | Exercise Discussions During Cancer Treatment Consultations. Cancer Practice, 2002, 10, 66-74. | 0.7 | 91 |
| 119 | Physical activity correlates and barriers in head and neck cancer patients. Supportive Care in Cancer, 2008, 16, 19-27. | 2.2 | 90 |
| 120 | Moderators of the effects of exercise training in breast cancer patients receiving chemotherapy. Cancer, 2008, 112, 1845-1853. | 4.1 | 90 |
| 121 | Determinants of Exercise Intention and Behavior in Survivors of Breast and Prostate Cancer: An Application of the Theory of Planned Behavior. Cancer Nursing, 2002, 25, 88-95. | 1.5 | 89 |
| 122 | Associations between Exercise and Quality of Life in Bladder Cancer Survivors: A Population-Based Study. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 984-990. | 2.5 | 86 |
| 123 | Physical Activity in Ovarian Cancer Survivors: Associations With Fatigue, Sleep, and Psychosocial Functioning. International Journal of Gynecological Cancer, 2009, 19, 73-78. | 2.5 | 86 |
| 124 | Exercise Interventions During Cancer Treatment: Biopsychosocial Outcomes. Exercise and Sport Sciences Reviews, 2001, 29, 60-64. | 3.0 | 85 |
| 125 | Relationships between personality, an extended theory of planned behaviour model and exercise behaviour. British Journal of Health Psychology, 2003, 8, 19-36. | 3.5 | 85 |
| 126 | Intense Exercise for Survival among Men with Metastatic Castrate-Resistant Prostate Cancer (INTERVAL-GAP4): a multicentre, randomised, controlled phase III study protocol. BMJ Open, 2018, 8, e022899. | 1.9 | 85 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The theory of planned behavior and lower-order personality traits: interaction effects in the exercise domain. Personality and Individual Differences, 2005, 38, 251-265. | 2.9 | 84 |
| 128 | Adherence to exercise and physical activity as health-promoting behaviors: Attitudinal and self-efficacy influences. Applied and Preventive Psychology, 1993, 2, 65-77. | 0.8 | 82 |
| 129 | Exploring Social Cognitive Theory Constructs for Promoting Exercise Among Breast Cancer Patients. Cancer Nursing, 2004, 27, 462???473. | 1.5 | 82 |
| 130 | Physical activity preferences of ovarian cancer survivors. Psycho-Oncology, 2009, 18, 422-428. | 2.3 | 82 |
| 131 | Case–Control Study of the Metabolic Syndrome and Metabolic Risk Factors for Endometrial Cancer. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2384-2395. | 2.5 | 82 |
| 132 | Lifestyle Challenges in Endometrial Cancer Survivorship. Obstetrics and Gynecology, 2011, 117, 93-100. | 2.4 | 82 |
| 133 | Diabetes NetPLAY: A physical activity website and linked email counselling randomized intervention for individuals with type 2 diabetes. International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 18. | 4.6 | 80 |
| 134 | Physical activity interests and preferences in palliative cancer patients. Supportive Care in Cancer, 2010, 18, 1469-1475. | 2.2 | 80 |
| 135 | Translating Exercise Intentions into Behavior: Personality and Social Cognitive Correlates. Journal of Health Psychology, 2003, 8, 447-458. | 2.3 | 79 |
| 136 | Ethnicity, Gender, and the Theory of Planned Behavior: The Case of Playing the Lottery. Journal of Leisure Research, 2006, 38, 224-248. | 1.4 | 79 |
| 137 | Effects of different measurement scales on the variability and predictive validity of the "two-component―model of the theory of planned behavior in the exercise domain. Psychology and Health, 2006, 21, 557-570. | 2.2 | 79 |
| 138 | Are there Different Determinants of the Frequency, Intensity, and Duration of Physical Activity?. Behavioral Medicine, 1994, 20, 84-90. | 1.9 | 78 |
| 139 | Does the Theory of Planned Behavior Mediate the Effects of an Oncologist's Recommendation to Exercise in Newly Diagnosed Breast Cancer Survivors? Results From a Randomized Controlled Trial Health Psychology, 2005, 24, 189-197. | 1.6 | 77 |
| 140 | Exercise barrier and task self-efficacy in breast cancer patients during treatment. Supportive Care in Cancer, 2006, 14, 84-90. | 2.2 | 77 |
| 141 | Translating Physical Activity Interventions for Breast Cancer Survivors into Practice: An Evaluation of Randomized Controlled Trials. Annals of Behavioral Medicine, 2009, 37, 10-19. | 2.9 | 77 |
| 142 | Exercise as Rehabilitation for Cancer Patients. Clinical Journal of Sport Medicine, 1996, 6, 237-244. | 1.8 | 76 |
| 143 | Associations of objectively assessed physical activity and sedentary time with healthâ€related quality of life among colon cancer survivors. Cancer, 2014, 120, 2919-2926. | 4.1 | 76 |
| 144 | An Examination of Physical Activity Behaviors in a Sample of Adolescent Cancer Survivors. Journal of Pediatric Oncology Nursing, 2006, 23, 135-142. | 1.5 | 75 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------|
| 145 | Exercise programming and counseling preferences in bladder cancer survivors: a population-based study. Journal of Cancer Survivorship, 2007, 1, 27-34. | 2.9 | 75 |
| 146 | Effects of a Structured Exercise Program on Physical Activity and Fitness in Colon Cancer Survivors: One Year Feasibility Results from the CHALLENGE Trial. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 969-977. | 2. 5 | 75 |
| 147 | Effects of a multicomponent physical activity behavior change intervention on fatigue, anxiety, and depressive symptomatology in breast cancer survivors: randomized trial. Psycho-Oncology, 2017, 26, 1901-1906. | 2.3 | 75 |
| 148 | Inflammatory Marker Changes in a Yearlong Randomized Exercise Intervention Trial among Postmenopausal Women. Cancer Prevention Research, 2012, 5, 98-108. | 1.5 | 74 |
| 149 | Effects of highâ€intensity aerobic interval training on cardiovascular disease risk in testicular cancer survivors: A phase 2 randomized controlled trial. Cancer, 2017, 123, 4057-4065. | 4.1 | 74 |
| 150 | Effects of exercise dose and type on sleep quality in breast cancer patients receiving chemotherapy: a multicenter randomized trial. Breast Cancer Research and Treatment, 2014, 144, 361-369. | 2.5 | 73 |
| 151 | Effects of a clinician referral and exercise program for men who have completed active treatment for prostate cancer: A multicenter cluster randomized controlled trial (<scp>ENGAGE</scp>). Cancer, 2015, 121, 2646-2654. | 4.1 | 73 |
| 152 | Exercise training for neural recovery in a restricted sample of pediatric brain tumor survivors: a controlled clinical trial with crossover of training versus no training. Neuro-Oncology, 2017, 19, now177. | 1.2 | 73 |
| 153 | Exercise Preferences of Endometrial Cancer Survivors. Cancer Nursing, 2006, 29, 259-265. | 1.5 | 72 |
| 154 | Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200. | 6.3 | 72 |
| 155 | Case-control study of anthropometric measures and breast cancer risk. International Journal of Cancer, 2002, 99, 445-452. | 5.1 | 71 |
| 156 | Is the Theory of Planned Behavior a Useful Framework for Understanding Exercise Adherence During Phase II Cardiac Rehabilitation?. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 29-39. | 0.5 | 71 |
| 157 | Exercise issues in older cancer survivors. Critical Reviews in Oncology/Hematology, 2004, 51, 249-261. | 4.4 | 71 |
| 158 | Predictors of follow-up exercise behavior 6Âmonths after a randomized trial of exercise training during breast cancer chemotherapy. Breast Cancer Research and Treatment, 2009, 114, 179-187. | 2. 5 | 71 |
| 159 | Relationships among the theory of planned behavior, stages of change, and exercise behavior in older persons over a three year period. Psychology and Health, 1998, 13, 355-367. | 2.2 | 70 |
| 160 | Effects of high-intensity interval training on fatigue and quality of life in testicular cancer survivors. British Journal of Cancer, 2018, 118, 1313-1321. | 6.4 | 70 |
| 161 | Promoting exercise behaviour: An integration of persuasion theories and the theory of planned behaviour. British Journal of Health Psychology, 2004, 9, 505-521. | 3.5 | 68 |
| 162 | Correlates of exercise motivation and behavior in a population-based sample of endometrial cancer survivors: an application of the Theory of Planned Behavior. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 21. | 4.6 | 68 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Reduced Barriers Mediated Physical Activity Maintenance Among Breast Cancer Survivors. Journal of Sport and Exercise Psychology, 2011, 33, 235-254. | 1.2 | 68 |
| 164 | Effects of Aerobic Exercise Training in Anemic Cancer Patients Receiving Darbepoetin Alfa: A Randomized Controlled Trial. Oncologist, 2008, 13, 1012-1020. | 3.7 | 67 |
| 165 | Physical Activity and Sleep Quality in Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2017, 49, 2009-2015. | 0.4 | 67 |
| 166 | Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. British Journal of Sports Medicine, 2019, 53, 812-812. | 6.7 | 67 |
| 167 | Physical activity as a supportive care intervention in palliative cancer patients: a systematic review. The Journal of Supportive Oncology, 2009, 7, 27-34. | 2.3 | 67 |
| 168 | Top 10 Research Questions Related to Physical Activity and Cancer Survivorship. Research Quarterly for Exercise and Sport, 2015, 86, 107-116. | 1.4 | 66 |
| 169 | Effects of Exercise Training on Antitumor Efficacy of Doxorubicin in MDA-MB-231 Breast Cancer Xenografts. Clinical Cancer Research, 2005, 11, 6695-6698. | 7.0 | 65 |
| 170 | Maintenance of Physical Activity in Breast Cancer Survivors after a Randomized Trial. Medicine and Science in Sports and Exercise, 2008, 40, 173-180. | 0.4 | 65 |
| 171 | Do ethnicity and gender matter when using the theory of planned behavior to understand fruit and vegetable consumption?. Appetite, 2009, 52, 15-20. | 3.7 | 65 |
| 172 | Efficacy, effectiveness, and behavior change trials in exercise research. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 81. | 4.6 | 65 |
| 173 | Physical activity type and intensity among rural breast cancer survivors: patterns and associations with fatigue and depressive symptoms. Journal of Cancer Survivorship, 2011, 5, 54-61. | 2.9 | 65 |
| 174 | Effects of Exercise on Quality of Life and Prognosis in Cancer Survivors. Current Sports Medicine Reports, 2009, 8, 176-181. | 1.2 | 64 |
| 175 | Feasibility and preliminary efficacy of progressive resistance exercise training in lung cancer survivors. Lung Cancer, 2012, 75, 126-132. | 2.0 | 64 |
| 176 | Effects of a High vs Moderate Volume of Aerobic Exercise on Adiposity Outcomes in Postmenopausal Women. JAMA Oncology, 2015, 1, 766. | 7.1 | 64 |
| 177 | Exercise preferences among a population-based sample of non-Hodgkin's lymphoma survivors. European Journal of Cancer Care, 2006, 15, 34-43. | 1.5 | 63 |
| 178 | Breast cancer survival among young women: a review of the role of modifiable lifestyle factors. Cancer Causes and Control, 2016, 27, 459-472. | 1.8 | 63 |
| 179 | Determinants of exercise intention and behavior during and after phase 2 cardiac rehabilitation: An application of the theory of planned behavior Rehabilitation Psychology, 2002, 47, 308-323. | 1.3 | 62 |
| 180 | A randomized trial of a lifestyle intervention in obese endometrial cancer survivors: quality of life outcomes and mediators of behavior change. Health and Quality of Life Outcomes, 2009, 7, 17. | 2.4 | 62 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 181 | Case–control study of lifetime total physical activity and endometrial cancer risk. Cancer Causes and Control, 2010, 21, 1105-1116. | 1.8 | 62 |
| 182 | Biobehavioral Factors Mediate Exercise Effects on Fatigue in Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2014, 46, 1077-1088. | 0.4 | 62 |
| 183 | Control Group Design, Contamination and Drop-Out in Exercise Oncology Trials: A Systematic Review. PLoS ONE, 2015, 10, e0120996. | 2.5 | 62 |
| 184 | Personality, the Theory of Planned Behavior, and Exercise: A Unique Role for Extroversion's Activity Facet1. Journal of Applied Social Psychology, 2002, 32, 1721-1736. | 2.0 | 61 |
| 185 | Energetics in Colorectal and Prostate Cancer. Journal of Clinical Oncology, 2010, 28, 4066-4073. | 1.6 | 61 |
| 186 | Protection motivation theory and the prediction of physical activity among adults with type 1 or type 2 diabetes in a large population sample. British Journal of Health Psychology, 2010, 15, 643-661. | 3.5 | 60 |
| 187 | Exercise and Self-Esteem in Breast Cancer Survivors: An Application of the Exercise and Self-Esteem Model. Journal of Sport and Exercise Psychology, 1997, 19, 347-358. | 1.2 | 59 |
| 188 | Personality and social cognitive influences on exercise behavior: adding the activity trait to the theory of planned behavior. Psychology of Sport and Exercise, 2004, 5, 243-254. | 2.1 | 59 |
| 189 | Understanding physical activity in adolescent cancer survivors: an application of the theory of planned behavior. Psycho-Oncology, 2007, 16, 448-457. | 2.3 | 59 |
| 190 | Associations Between Physical Activity and Quality of Life in Cancer Patients Receiving Palliative Care: A Pilot Survey. Journal of Pain and Symptom Management, 2009, 38, 785-796. | 1.2 | 58 |
| 191 | Agreement between accelerometer-assessed and self-reported physical activity and sedentary time in colon cancer survivors. Supportive Care in Cancer, 2015, 23, 1121-1126. | 2.2 | 57 |
| 192 | Medical, demographic, and psychosocial correlates of exercise in colorectal cancer survivors: an application of self-determination theory. Supportive Care in Cancer, 2008, 16, 9-17. | 2.2 | 56 |
| 193 | Body Mass Index, Physical Activity, and Health-Related Quality of Life in Cancer Survivors. Medicine and Science in Sports and Exercise, 2010, 42, 665-671. | 0.4 | 56 |
| 194 | Better exercise adherence after treatment for cancer (BEAT Cancer) study: Rationale, design, and methods. Contemporary Clinical Trials, 2012, 33, 124-137. | 1.8 | 56 |
| 195 | The Effects of Exercise on Body Weight and Composition in Breast Cancer Survivors: An Integrative Systematic Review. Oncology Nursing Forum, 2006, 33, 937-950. | 1.2 | 55 |
| 196 | Association between physical activity and quality of life among Western Australian breast cancer survivors. Psycho-Oncology, 2007, 16, 1059-1068. | 2.3 | 55 |
| 197 | Factors Associated With Exercise Counseling and Program Preferences Among Breast Cancer Survivors. Journal of Physical Activity and Health, 2008, 5, 688-705. | 2.0 | 55 |
| 198 | Self-Efficacy and Mood in Cardiac Rehabilitation: Should Gender Be Considered?. Behavioral Medicine, 2002, 27, 149-160. | 1.9 | 54 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Threshold assessment of attitude, subjective norm, and perceived behavioral control for predicting exercise intention and behavior. Psychology of Sport and Exercise, 2005, 6, 349-361. | 2.1 | 54 |
| 200 | Moderator Effects in a Randomized Controlled Trial of Exercise Training in Lymphoma Patients. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2600-2607. | 2.5 | 54 |
| 201 | Physical activity and health-related quality of life in young adult cancer survivors: a Canadian provincial survey. Journal of Cancer Survivorship, 2011, 5, 44-53. | 2.9 | 54 |
| 202 | A Survey of Physical Activity Programming and Counseling Preferences in Young-Adult Cancer Survivors. Cancer Nursing, 2012, 35, 48-54. | 1.5 | 54 |
| 203 | Leisure-Time Physical Activity and Psychosocial Wen-Being in Adolescents After Cancer Diagnosis. Journal of Pediatric Oncology Nursing, 1999, 16, 180-188. | 1.5 | 53 |
| 204 | Personality and exercise participation across the breast cancer experience. Psycho-Oncology, 2001, 10, 380-388. | 2.3 | 53 |
| 205 | Effects of presurgical exercise training on systemic inflammatory markers among patients with malignant lung lesions. Applied Physiology, Nutrition and Metabolism, 2009, 34, 197-202. | 1.9 | 53 |
| 206 | Predictors of adherence to different types and doses of supervised exercise during breast cancer chemotherapy. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 85. | 4.6 | 53 |
| 207 | Relation between intensity of physical activity and breast cancer risk reduction. Medicine and Science in Sports and Exercise, 2001, 33, 1538-1545. | 0.4 | 52 |
| 208 | Effects of Presurgical Exercise Training on Quality of Life in Patients Undergoing Lung Resection for Suspected Malignancy. Cancer Nursing, 2009, 32, 158-165. | 1.5 | 52 |
| 209 | Pilot Evaluation of an Iyengar Yoga Program for Breast Cancer Survivors. Cancer Nursing, 2010, 33, 369-381. | 1.5 | 52 |
| 210 | Correlates of physical activity in a population-based sample of kidney cancer survivors: an application of the theory of planned behavior. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 96. | 4.6 | 52 |
| 211 | Effects of supervised exercise on progression-free survival in lymphoma patients: an exploratory follow-up of the HELP Trial. Cancer Causes and Control, 2015, 26, 269-276. | 1.8 | 52 |
| 212 | The Efficacy of Stage-Matched and Standard Public Health Materials for Promoting Physical Activity in the Workplace: The Physical Activity Workplace Study (PAWS). American Journal of Health Promotion, 2007, 21, 501-509. | 1.7 | 51 |
| 213 | Predictors of aerobic physical activity and resistance training among Canadian adults with type 2 diabetes: An application of the Protection Motivation Theory. Psychology of Sport and Exercise, 2009, 10, 320-328. | 2.1 | 51 |
| 214 | Hemoglobin and Aerobic Fitness Changes with Supervised Exercise Training in Breast Cancer Patients Receiving Chemotherapy. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2826-2832. | 2.5 | 51 |
| 215 | Validating Motivational Readiness for Exercise Behavior with Adolescents. Research Quarterly for Exercise and Sport, 2001, 72, 401-410. | 1.4 | 50 |
| 216 | A prospective study of the determinants of exercise in bladder cancer survivors using the Theory of Planned Behavior. Supportive Care in Cancer, 2009, 17, 171-179. | 2.2 | 50 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Recommendations for Obesity Clinical Trials in Cancer Survivors: American Society of Clinical Oncology Statement. Journal of Clinical Oncology, 2015, 33, 3961-3967. | 1.6 | 50 |
| 218 | Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314. | 0.4 | 50 |
| 219 | Physical Activity Preferences Among a Population-Based Sample of Colorectal Cancer Survivors. Oncology Nursing Forum, 2013, 40, 44-52. | 1.2 | 49 |
| 220 | Patterns and correlates of accelerometer-assessed physical activity and sedentary time among colon cancer survivors. Cancer Causes and Control, 2016, 27, 59-68. | 1.8 | 48 |
| 221 | Does barrier efficacy mediate the gender-exercise adherence relationship during phase II cardiac rehabilitation?. Rehabilitation Psychology, 2002, 47, 106-120. | 1.3 | 47 |
| 222 | A Comparison of Physical Activity of Posttreatment Breast Cancer Survivors and Noncancer Controls. Behavioral Medicine, 2003, 28, 140-149. | 1.9 | 47 |
| 223 | Case-control study of anthropometric measures and prostate cancer risk. International Journal of Cancer, 2004, 110, 278-283. | 5.1 | 47 |
| 224 | Physical Activity and Fatigue in Breast Cancer and Multiple Sclerosis: Psychosocial Mechanisms. Psychosomatic Medicine, 2010, 72, 88-96. | 2.0 | 47 |
| 225 | Correlates of physical activity self-efficacy among breast cancer survivors. American Journal of Health Behavior, 2008, 32, 594-603. | 1.4 | 47 |
| 226 | Effects of Acute Exercise on Neutrophils in Pediatric Acute Lymphoblastic Leukemia Survivors: A Pilot Study. Journal of Pediatric Hematology/Oncology, 2006, 28, 671-677. | 0.6 | 46 |
| 227 | Impact of a Combined Resistance and Aerobic Exercise Program on Motivational Variables in Breast Cancer Survivors: A Randomized Controlled Trial. Annals of Behavioral Medicine, 2008, 36, 158-166. | 2.9 | 46 |
| 228 | Factors Affecting the Intention-Physical Activity Relationship: Intention versus Expectation and Scale Correspondence. Research Quarterly for Exercise and Sport, 1994, 65, 280-285. | 1.4 | 45 |
| 229 | Exercise preferences among patients with head and neck cancer: Prevalence and associations with quality of life, symptom severity, depression, and rural residence. Head and Neck, 2009, 31, 994-1005. | 2.0 | 45 |
| 230 | A Population-Based Study of the Determinants of Physical Activity in Ovarian Cancer Survivors. Journal of Physical Activity and Health, 2009, 6, 339-346. | 2.0 | 45 |
| 231 | Feasibility of a lifestyle intervention for ovarian cancer patients receiving adjuvant chemotherapy. Gynecologic Oncology, 2011, 122, 328-333. | 1.4 | 45 |
| 232 | Predictors of Adherence to Supervised and Unsupervised Exercise in the Alberta Physical Activity and Breast Cancer Prevention Trial. Journal of Physical Activity and Health, 2012, 9, 857-866. | 2.0 | 45 |
| 233 | Inflammation and psychosocial factors mediate exercise effects on sleep quality in breast cancer survivors: pilot randomized controlled trial. Psycho-Oncology, 2015, 24, 302-310. | 2.3 | 45 |
| 234 | Possible links between behavioral and physiological indices of tiredness, fatigue, and exhaustion in advanced cancer. Supportive Care in Cancer, 2008, 16, 241-249. | 2,2 | 44 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | A comparison of physical activity correlates across breast, prostate and colorectal cancer survivors in Nova Scotia, Canada. Supportive Care in Cancer, 2014, 22, 891-903. | 2.2 | 44 |
| 236 | African-American breast cancer survivors' preferences for various types of physical activity interventions: a Sisters Network Inc. web-based survey. Journal of Cancer Survivorship, 2014, 8, 31-38. | 2.9 | 44 |
| 237 | Feasibility and Preliminary Efficacy of an Online Intervention to Increase Physical Activity in Nova Scotian Cancer Survivors: A Randomized Controlled Trial. JMIR Cancer, 2015, 1, e12. | 2.4 | 44 |
| 238 | Correlates of Exercise Intentions in Non-Hodgkin's Lymphoma Survivors: An Application of the Theory of Planned Behavior. Journal of Sport and Exercise Psychology, 2005, 27, 335-349. | 1.2 | 43 |
| 239 | Perceived benefits and barriers to exercise for recently treated patients with multiple myeloma: a qualitative study. BMC Cancer, 2013, 13, 319. | 2.6 | 43 |
| 240 | Effect of Aerobic and Resistance Exercise Intervention on Cardiovascular Disease Risk in Women With Early-Stage Breast Cancer. JAMA Oncology, 2019, 5, 710. | 7.1 | 43 |
| 241 | Activity Tracker to Prescribe Various Exercise Intensities in Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2019, 51, 930-940. | 0.4 | 43 |
| 242 | Effects of Exercise on Cardiorespiratory Fitness and Biochemical Progression in Men With Localized Prostate Cancer Under Active Surveillance. JAMA Oncology, 2021, 7, 1487. | 7.1 | 42 |
| 243 | Is absolute amount or change in exercise more associated with quality of life in adult cancer survivors?. Preventive Medicine, 2003, 37, 389-395. | 3.4 | 41 |
| 244 | Ethnicity and the Theory of Planned Behavior in the Exercise Domain. American Journal of Health Behavior, 2003, 27, 579-591. | 1.4 | 41 |
| 245 | Physical Activity and Type 2 Diabetes. The Diabetes Educator, 2007, 33, 128-143. | 2.5 | 41 |
| 246 | Mammographic Density Change with 1 Year of Aerobic Exercise among Postmenopausal Women: A Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1112-1121. | 2.5 | 41 |
| 247 | Exercise behavior in cancer survivors and associated factors. Journal of Cancer Survivorship, 2011, 5, 35-43. | 2.9 | 41 |
| 248 | Associations Between Physical Activity and Quality of Life in a Population-Based Sample of Kidney Cancer Survivors. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 859-868. | 2.5 | 41 |
| 249 | A Randomized Trial of Aerobic Exercise and Sleep Quality in Lymphoma Patients Receiving Chemotherapy or No Treatments. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 887-894. | 2.5 | 41 |
| 250 | Case–control study of markers of insulin resistance and endometrial cancer risk. Endocrine-Related Cancer, 2012, 19, 785-792. | 3.1 | 40 |
| 251 | Case–control study of lifetime alcohol intake and prostate cancer risk. Cancer Causes and Control, 2013, 24, 451-461. | 1.8 | 40 |
| 252 | Effects of Different Combinations of Intensity Categories on Self-Reported Exercise. Research Quarterly for Exercise and Sport, 2004, 75, 429-433. | 1.4 | 39 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 253 | Effects of Supervised Exercise on Motivational Outcomes and Longer-Term Behavior. Medicine and Science in Sports and Exercise, 2012, 44, 542-549. | 0.4 | 39 |
| 254 | Healthy Living after Cancer: a dissemination and implementation study evaluating a telephone-delivered healthy lifestyle program for cancer survivors. BMC Cancer, 2015, 15, 992. | 2.6 | 39 |
| 255 | Effects of exercise dose and type during breast cancer chemotherapy on longerâ€term patientâ€reported outcomes and healthâ€related fitness: A randomized controlled trial. International Journal of Cancer, 2020, 146, 150-160. | 5.1 | 39 |
| 256 | Social cognitive determinants of hospital-based exercise in cancer patients following high-dose chemotherapy and bone marrow transplantation. International Journal of Behavioral Medicine, 2000, 7, 189-203. | 1.7 | 38 |
| 257 | Feeling state responses to acute exercise of high and low intensity. Journal of Science and Medicine in Sport, 2001, 4, 30-38. | 1.3 | 38 |
| 258 | Physical activity in cancer survivors: a field in motion. Psycho-Oncology, 2009, 18, 337-342. | 2.3 | 38 |
| 259 | Predictors of Adherence to Supervised Exercise in Lymphoma Patients Participating in a Randomized Controlled Trial. Annals of Behavioral Medicine, 2010, 40, 30-39. | 2.9 | 38 |
| 260 | A Multicenter Randomized Trial of the Effects of Exercise Dose and Type on Psychosocial Distress in Breast Cancer Patients Undergoing Chemotherapy. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 857-864. | 2.5 | 38 |
| 261 | Accelerometer-assessed physical activity and sedentary time among colon cancer survivors: associations with psychological health outcomes. Journal of Cancer Survivorship, 2015, 9, 404-411. | 2.9 | 38 |
| 262 | Exercise motivation and adherence in cancer survivors after participation in a randomized controlled trial: An attribution theory perspective. International Journal of Behavioral Medicine, 2004, 11, 8-17. | 1.7 | 37 |
| 263 | Identifying Belief-Based Targets for the Promotion of Leisure-Time Walking. Health Education and Behavior, 2009, 36, 381-393. | 2.5 | 37 |
| 264 | Physical Activity and Cancer: An Introduction. Recent Results in Cancer Research, 2010, 186, 1-10. | 1.8 | 37 |
| 265 | Physical activity preferences in a population-based sample of kidney cancer survivors. Supportive Care in Cancer, 2012, 20, 1709-1717. | 2.2 | 37 |
| 266 | Leisure-time physical activity and psychosocial well-being in adolescents after cancer diagnosis. Journal of Pediatric Oncology Nursing, 1999, 16, 180-188. | 1.5 | 36 |
| 267 | Exercise beliefs of breast cancer survivors before and after participation in a randomized controlled trial. International Journal of Behavioral Medicine, 2006, 13, 259-264. | 1.7 | 36 |
| 268 | Development and Evaluation of a Theory-Based Physical Activity Guidebook for Breast Cancer Survivors. Health Education and Behavior, 2008, 35, 174-189. | 2.5 | 36 |
| 269 | Doseâ€response effects of exercise on bone mineral density and content in postâ€menopausal women. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1121-1129. | 2.9 | 36 |
| 270 | Understanding Physical Activity Maintenance in Breast Cancer Survivors. American Journal of Health Behavior, 2010, 34, 225-36. | 1.4 | 35 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Predicting OptimaL cAncer Rehabllitation and Supportive care (POLARIS): rationale and design for meta-analyses of individual patient data of randomized controlled trials that evaluate the effect of physical activity and psychosocial interventions on health-related quality of life in cancer survivors. Systematic Reviews, 2013, 2, 75. | 5.3 | 35 |
| 272 | Case–control study of inflammatory markers and the risk of endometrial cancer. European Journal of Cancer Prevention, 2013, 22, 374-379. | 1.3 | 35 |
| 273 | Effects of supervised exercise on motivational outcomes in breast cancer survivors at 5-year follow-up. European Journal of Oncology Nursing, 2014, 18, 557-563. | 2.1 | 35 |
| 274 | Dose–response effects of aerobic exercise on body composition among colon cancer survivors: a randomised controlled trial. British Journal of Cancer, 2017, 117, 1614-1620. | 6.4 | 35 |
| 275 | A randomised controlled trial of a tele-based lifestyle intervention for colorectal cancer survivors ('CanChange'): study protocol. BMC Cancer, 2009, 9, 286. | 2.6 | 34 |
| 276 | Randomized Controlled Trial of a Behavior Change Intervention to Increase Physical Activity and Quality of Life in Prostate Cancer Survivors. Annals of Behavioral Medicine, 2013, 46, 382-393. | 2.9 | 34 |
| 277 | Effects of Exercise on Cancer Treatment Efficacy: A Systematic Review of Preclinical and Clinical Studies. Cancer Research, 2021, 81, 4889-4895. | 0.9 | 34 |
| 278 | Assessing the Validity of a Stage Measure on Physical Activity in a Population-Based Sample of Individuals With Type 1 or Type 2 Diabetes. Measurement in Physical Education and Exercise Science, 2007, 11, 73-91. | 1.8 | 33 |
| 279 | Study design and methods for the Breast Cancer and Exercise Trial in Alberta (BETA). BMC Cancer, 2014, 14, 919. | 2.6 | 33 |
| 280 | Associations Between Objectively Measured Physical Activity and Quality of Life in Cancer Patients With Brain Metastases. Journal of Pain and Symptom Management, 2014, 48, 322-332. | 1.2 | 33 |
| 281 | Associations between exercise and posttraumatic growth in gynecologic cancer survivors. Supportive Care in Cancer, 2015, 23, 705-714. | 2.2 | 33 |
| 282 | Breast cancer survivors' preferences for mHealth physical activity interventions: findings from a mixed methods study. Journal of Cancer Survivorship, 2019, 13, 292-305. | 2.9 | 33 |
| 283 | Predicting physical activity among cancer survivors: Meta-analytic path modeling of longitudinal studies Health Psychology, 2020, 39, 269-280. | 1.6 | 33 |
| 284 | Personal accounts of exercise and quality of life from the perspective of breast cancer survivors. Quality of Life Research, 2007, 16, 1473-1481. | 3.1 | 32 |
| 285 | The Alberta moving beyond breast cancer (AMBER) cohort study: a prospective study of physical activity and health-related fitness in breast cancer survivors. BMC Cancer, 2012, 12, 525. | 2.6 | 32 |
| 286 | Correlates of meeting the combined and independent aerobic and strength exercise guidelines in hematologic cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 44. | 4.6 | 32 |
| 287 | Dose-response Effects of Aerobic Exercise Among Colon Cancer Survivors: A Randomized Phase II Trial. Clinical Colorectal Cancer, 2018, 17, 32-40. | 2.3 | 32 |
| 288 | Examination of the Transtheoretical Model and Exercise in 3 Populations. American Journal of Health Behavior, 2001, 25, 33-41. | 1.4 | 31 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 289 | Understanding the Determinants of Exercise Intentions in Multiple Myeloma Cancer Survivors. Cancer Nursing, 2006, 29, 167-175. | 1.5 | 31 |
| 290 | Exercise Preference Patterns, Resources, and Environment Among Rural Breast Cancer Survivors. Journal of Rural Health, 2009, 25, 388-391. | 2.9 | 31 |
| 291 | Anthropometric Measures and the Risk of Endometrial Cancer, Overall and by Tumor Microsatellite Status and Histological Subtype. American Journal of Epidemiology, 2013, 177, 1378-1387. | 3.4 | 31 |
| 292 | Effects of exercise on circulating tumor cells among patients with resected stage I-III colon cancer. PLoS ONE, 2018, 13, e0204875. | 2.5 | 31 |
| 293 | Lifestyle Behaviors of African American Breast Cancer Survivors: A Sisters Network, Inc. Study. PLoS ONE, 2013, 8, e61854. | 2.5 | 31 |
| 294 | Physical Activity and Stages of Change: A Longitudinal Test in Types 1 and 2 Diabetes Samples. Annals of Behavioral Medicine, 2010, 40, 138-149. | 2.9 | 30 |
| 295 | Associations of objectively measured moderate-to-vigorous physical activity and sedentary behavior with quality of life and psychological well-being in prostate cancer survivors. Cancer Causes and Control, 2016, 27, 1093-1103. | 1.8 | 30 |
| 296 | Feasibility and preliminary efficacy of an exercise telephone counseling intervention for hematologic cancer survivors: a phase II randomized controlled trial. Journal of Cancer Survivorship, 2018, 12, 357-370. | 2.9 | 29 |
| 297 | Physical Activity Preferences and Type 2 Diabetes. The Diabetes Educator, 2010, 36, 801-815. | 2.5 | 28 |
| 298 | Predictors of adherence to an exercise program for shoulder pain and dysfunction in head and neck cancer survivors. Supportive Care in Cancer, 2012, 20, 515-522. | 2.2 | 28 |
| 299 | Effects of Targeted Print Materials on Physical Activity and Quality of Life in Young Adult Cancer Survivors During and After Treatment: An Exploratory Randomized Controlled Trial. Journal of Adolescent and Young Adult Oncology, 2014, 3, 83-91. | 1.3 | 28 |
| 300 | Physical Activity and Cancer Survivorship. Exercise and Sport Sciences Reviews, 2014, 42, 102-109. | 3.0 | 28 |
| 301 | Feasibility and efficacy of a 12-week supervised exercise intervention for colorectal cancer survivors. Applied Physiology, Nutrition and Metabolism, 2014, 39, 715-723. | 1.9 | 28 |
| 302 | Ethnicity and the theory of planned behavior in an exercise context: A mediation and moderation perspective. Psychology of Sport and Exercise, 2008, 9, 527-545. | 2.1 | 27 |
| 303 | Predictors of Physical Activity in Adults With Type 2 Diabetes. American Journal of Health Behavior, 2011, 35, 359-370. | 1.4 | 27 |
| 304 | A Phase I Study Examining the Feasibility and Safety of an Aerobic Exercise Intervention in Patients With Rectal Cancer During and After Neoadjuvant Chemoradiotherapy. Oncology Nursing Forum, 2016, 43, 352-362. | 1.2 | 27 |
| 305 | Effects of a multicomponent physical activity behavior change intervention on breast cancer survivor health status outcomes in a randomized controlled trial. Breast Cancer Research and Treatment, 2016, 159, 283-291. | 2.5 | 27 |
| 306 | Dose–response effects of exercise on insulin among colon cancer survivors. Endocrine-Related Cancer, 2018, 25, 11-19. | 3.1 | 27 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 307 | Anthropometric measurements and survival after a prostate cancer diagnosis. British Journal of Cancer, 2018, 118, 607-610. | 6.4 | 27 |
| 308 | Exercise Motivation and Behavior Change. , 2007, , 113-132. | | 26 |
| 309 | Exercise, aging, and cancer. Applied Physiology, Nutrition and Metabolism, 2007, 32, 1001-1007. | 1.9 | 26 |
| 310 | The Alberta physical activity and breast cancer prevention trial: Quality of life outcomes 11 Trial registration clinical trials. gov identifier: NCT00522262 Preventive Medicine, 2011, 52, 26-32. | 3.4 | 26 |
| 311 | Efficacy of a referral and physical activity program for survivors of prostate cancer [ENGAGE]: Rationale and design for a cluster randomised controlled trial. BMC Cancer, 2011, 11, 237. | 2.6 | 26 |
| 312 | Meeting Physical Activity Guidelines in Rural Breast Cancer Survivors. American Journal of Health Behavior, 2014, 38, 890-899. | 1.4 | 26 |
| 313 | A randomized controlled trial of a multiple health behavior change intervention delivered to colorectal cancer survivors: Effects on sedentary behavior. Cancer, 2014, 120, 2665-2672. | 4.1 | 26 |
| 314 | Update on the Colon Health and Life-Long Exercise Change Trial: A Phase III Study of the Impact of an Exercise Program on Disease-Free Survival in Colon Cancer Survivors. Current Colorectal Cancer Reports, 2014, 10, 321-328. | 0.5 | 26 |
| 315 | Effects of exercise on markers of oxidative stress: an Ancillary analysis of the Alberta Physical Activity and Breast Cancer Prevention Trial. BMJ Open Sport and Exercise Medicine, 2016, 2, e000171. | 2.9 | 26 |
| 316 | Optimization of a technology-supported physical activity intervention for breast cancer survivors: Fit2Thrive study protocol. Contemporary Clinical Trials, 2018, 66, 9-19. | 1.8 | 26 |
| 317 | Barrier self-efficacy and physical activity over a 12-month period in men and women who do and do not attend cardiac rehabilitation Rehabilitation Psychology, 2007, 52, 65-73. | 1.3 | 25 |
| 318 | Associations between mammographic density and serum and dietary cholesterol. Breast Cancer Research and Treatment, 2011, 125, 181-189. | 2.5 | 25 |
| 319 | Associations of overall and abdominal adiposity with area and volumetric mammographic measures among postmenopausal women. International Journal of Cancer, 2011, 129, 440-448. | 5.1 | 25 |
| 320 | Inflammatory Marker Changes in Postmenopausal Women after a Year-long Exercise Intervention Comparing High Versus Moderate Volumes. Cancer Prevention Research, 2016, 9, 196-203. | 1.5 | 25 |
| 321 | Evaluation of Online Learning Modules for Improving Physical Activity Counseling Skills, Practices, and Knowledge of Oncology Nurses. Oncology Nursing Forum, 2017, 44, 729-738. | 1.2 | 25 |
| 322 | A Simple Reinforcement Strategy for Increasing Attendance at a Fitness Facility. Health Education and Behavior, 1997, 24, 708-715. | 2.5 | 24 |
| 323 | Systemic Inflammation, Cardiorespiratory Fitness, and Quality of Life in Patients with Advanced Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2008, 3, 194-195. | 1.1 | 24 |
| 324 | Determinants of quality of life in type 2 diabetes population: the inclusion of personality. Quality of Life Research, 2011, 20, 551-558. | 3.1 | 24 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Impact of aerobic exercise on levels of <scp>IL</scp> â€4 and <scp>IL</scp> â€10: results from two randomized intervention trials. Cancer Medicine, 2016, 5, 2385-2397. | 2.8 | 24 |
| 326 | Exploring the Feasibility of a Broad-Reach Physical Activity Behavior Change Intervention for Women Receiving Chemotherapy for Breast Cancer: A Randomized Trial. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 391-398. | 2.5 | 24 |
| 327 | 2b or not 2b? Shoulder function after level 2b neck dissection: A doubleâ€blind randomized controlled clinical trial. Cancer, 2020, 126, 1492-1501. | 4.1 | 24 |
| 328 | Rising Incidence of Colorectal Cancer in Young Adults Corresponds With Increasing Surgical Resections in Obese Patients. Clinical and Translational Gastroenterology, 2020, 11, e00160. | 2.5 | 24 |
| 329 | Can Short-Range Intentions Predict Physical Activity Participation?. Perceptual and Motor Skills, 1993, 77, 115-122. | 1.3 | 23 |
| 330 | Women's perceptions of home-based exercise performed during adjuvant chemotherapy for breast cancer. European Journal of Oncology Nursing, 2010, 14, 238-243. | 2.1 | 23 |
| 331 | Predictors of followâ€up exercise behavior 6 months after a randomized trial of supervised exercise training in lymphoma patients. Psycho-Oncology, 2012, 21, 1124-1131. | 2.3 | 23 |
| 332 | Association between sex hormones, glucose homeostasis, adipokines, and inflammatory markers and mammographic density among postmenopausal women. Breast Cancer Research and Treatment, 2013, 139, 255-265. | 2.5 | 23 |
| 333 | A new paradigm for examining the correlates of aerobic, strength, and combined exercise: an application to gynecologic cancer survivors. Supportive Care in Cancer, 2016, 24, 3533-3541. | 2.2 | 23 |
| 334 | A Randomized Trial of the Effects of Exercise on Anxiety, Fear of Cancer Progression and Quality of Life in Prostate Cancer Patients on Active Surveillance. Journal of Urology, 2022, 207, 814-822. | 0.4 | 23 |
| 335 | Effect of Response Scales on Self-Reported Exercise Frequency. American Journal of Health Behavior, 2003, 27, 613-622. | 1.4 | 22 |
| 336 | Associations between Aerobic Fitness and Estrogen Metabolites in Premenopausal Women. Medicine and Science in Sports and Exercise, 2005, 37, 585-592. | 0.4 | 22 |
| 337 | A Comparison of Fitness Training to a Pedometer-Based Walking Program Matched for Total Energy Cost. Journal of Physical Activity and Health, 2010, 7, 203-213. | 2.0 | 22 |
| 338 | Risk of endometrial cancer in relation to individual nutrients from diet and supplements. Public Health Nutrition, 2011, 14, 1948-1960. | 2.2 | 22 |
| 339 | Case-Control Study of Dietary Patterns and Endometrial Cancer Risk. Nutrition and Cancer, 2011, 63, 673-686. | 2.0 | 22 |
| 340 | Rationale and design of the Caloric Restriction and Exercise protection from Anthracycline Toxic Effects (CREATE) study: a 3-arm parallel group phase II randomized controlled trial in early breast cancer. BMC Cancer, 2018, 18, 864. | 2.6 | 22 |
| 341 | Prospective Cohort Study of Pre- and Postdiagnosis Physical Activity and Endometrial Cancer Survival. Journal of Clinical Oncology, 2020, 38, 4107-4117. | 1.6 | 22 |
| 342 | Determinants of Physical Activity in Young Adult Cancer Survivors. American Journal of Health Behavior, 2012, 36, 483-494. | 1.4 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Identification and Evaluation of the Salient Physical Activity Beliefs of Colorectal Cancer Survivors. Cancer Nursing, 2014, 37, 14-22. | 1.5 | 21 |
| 344 | Sustainability of Outcomes after a Randomized Crossover Trial of Resistance Exercise for Shoulder Dysfunction in Survivors of Head and Neck Cancer. Physiotherapy Canada Physiotherapie Canada, 2015, 67, 85-93. | 0.6 | 21 |
| 345 | Effect of a 12-month exercise intervention on leukocyte telomere length: Results from the ALPHA Trial. Cancer Epidemiology, 2018, 56, 67-74. | 1.9 | 21 |
| 346 | Predictors of adherence to an Iyengar yoga program in breast cancer survivors. International Journal of Yoga, 2012, 5, 3. | 1.0 | 21 |
| 347 | Co-morbidity, functionality and time since diagnosis as predictors of physical activity in individuals with type 1 or type 2 diabetes. Diabetes Research and Clinical Practice, 2007, 78, 115-122. | 2.8 | 20 |
| 348 | Changes in Motivational Outcomes After a Supervised Resistance Exercise Training Intervention in Lung Cancer Survivors. Cancer Nursing, 2013, 36, E27-E35. | 1.5 | 20 |
| 349 | Understanding strength exercise intentions and behavior in hematologic cancer survivors: an analysis of the intention-behavior gap. Journal of Cancer Survivorship, 2016, 10, 945-955. | 2.9 | 20 |
| 350 | A randomized phase II dose–response exercise trial among colon cancer survivors: Purpose, study design, methods, and recruitment results. Contemporary Clinical Trials, 2016, 47, 366-375. | 1.8 | 20 |
| 351 | Social-ecological correlates of physical activity in kidney cancer survivors. Journal of Cancer Survivorship, 2016, 10, 164-175. | 2.9 | 20 |
| 352 | A Clinician Referral and 12-Week Exercise Training Program for Men With Prostate Cancer: Outcomes to 12 Months of the ENGAGE Cluster Randomized Controlled Trial. Journal of Physical Activity and Health, 2017, 14, 353-359. | 2.0 | 20 |
| 353 | Associations of Postdiagnosis Physical Activity and Change from Prediagnosis Physical Activity with Quality of Life in Prostate Cancer Survivors. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 179-187. | 2.5 | 20 |
| 354 | Aerobic and Resistance Exercise Improves Shoulder Function in Women Who Are Overweight or Obese and Have Breast Cancer: A Randomized Controlled Trial. Physical Therapy, 2019, 99, 1334-1345. | 2.4 | 20 |
| 355 | Prospective cohort study of metabolic syndrome and endometrial cancer survival. Gynecologic Oncology, 2020, 158, 727-733. | 1.4 | 20 |
| 356 | Maintaining Attendance at a Fitness Center: An Application of the Decision Balance Sheet. Behavioral Medicine, 1997, 23, 130-137. | 1.9 | 19 |
| 357 | Correlates of Adherence to Supervised Exercise in Patients Awaiting Surgical Removal of Malignant Lung Lesions: Results of a Pilot Study. Oncology Nursing Forum, 2009, 36, 287-295. | 1.2 | 19 |
| 358 | Mediators and moderators of the effects of a year-long exercise intervention on endogenous sex hormones in postmenopausal women. Cancer Causes and Control, 2011, 22, 1365-1373. | 1.8 | 19 |
| 359 | Determinants of Physical Activity in Palliative Cancer Patients: An Application of the Theory of Planned Behavior. The Journal of Supportive Oncology, 2012, 10, 30-36. | 2.3 | 19 |
| 360 | Home-based functional walking program for advanced cancer patients receiving palliative care: a case series. BMC Palliative Care, 2013, 12, 22. | 1.8 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Correlates of Strength Exercise in Colorectal Cancer Survivors. American Journal of Health Behavior, 2013, 37, 162-170. | 1.4 | 19 |
| 362 | Effects of exercise dose on endogenous estrogens in postmenopausal women: a randomized trial. Endocrine-Related Cancer, 2015, 22, 863-876. | 3.1 | 19 |
| 363 | Predictors of adherence to a 12â€week exercise program among men treated for prostate cancer: ENGAGE study. Cancer Medicine, 2016, 5, 787-794. | 2.8 | 19 |
| 364 | Dose-Response Effects of Aerobic Exercise on Quality of Life in Postmenopausal Women: Results from the Breast Cancer and Exercise Trial in Alberta (BETA). Annals of Behavioral Medicine, 2017, 51, 356-364. | 2.9 | 19 |
| 365 | Breast cancer survivors' preferences for social support features in technology-supported physical activity interventions: findings from a mixed methods evaluation. Translational Behavioral Medicine, 2020, 10, 423-434. | 2.4 | 19 |
| 366 | Rationale and design of the Diet Restriction and Exercise-induced Adaptations in Metastatic breast cancer (DREAM) study: a 2-arm, parallel-group, phase II, randomized control trial of a short-term, calorie-restricted, and ketogenic diet plus exercise during intravenous chemotherapy versus usual care. BMC Cancer, 2021, 21, 1093. | 2.6 | 19 |
| 367 | Exercise Interventions During Cancer Treatment: Biopsychosocial Outcomes. Exercise and Sport Sciences Reviews, 2001, 29, 60-64. | 3.0 | 19 |
| 368 | Effect of Acute Exercise on Upper-Limb Volume in Breast Cancer Survivors: A Pilot Study. Physiotherapy Canada Physiotherapie Canada, 2009, 61, 244-251. | 0.6 | 18 |
| 369 | A Comparison of Physical Activity Preferences Among Breast, Prostate, and Colorectal Cancer Survivors in Nova Scotia, Canada. Journal of Physical Activity and Health, 2015, 12, 823-833. | 2.0 | 18 |
| 370 | Endogenous sex hormone exposure and repetitive element DNA methylation in healthy postmenopausal women. Cancer Causes and Control, 2017, 28, 1369-1379. | 1.8 | 18 |
| 371 | Physical Activity Preferences for People Living With Multiple Myeloma. Cancer Nursing, 2017, 40, E1-E8. | 1.5 | 18 |
| 372 | Lessons Learned in the Trenches. Cancer Nursing, 2010, 33, E10-E17. | 1.5 | 17 |
| 373 | Development and Assessment of a Physical Activity Guidebook for the Colon Health and Life-Long Exercise Change (CHALLENGE) Trial (NCIC CO.21). Journal of Physical Activity and Health, 2010, 7, 794-801. | 2.0 | 17 |
| 374 | Sport participation in colorectal cancer survivors: an unexplored approach to promoting physical activity. Supportive Care in Cancer, 2013, 21, 139-147. | 2.2 | 17 |
| 375 | Lower rate-pressure product during submaximal walking: a link to fatigue improvement following a physical activity intervention among breast cancer survivors. Journal of Cancer Survivorship, 2016, 10, 927-934. | 2.9 | 17 |
| 376 | Social Cognitive Constructs Did Not Mediate the BEAT Cancer Intervention Effects on Objective Physical Activity Behavior Based on Multivariable Path Analysis. Annals of Behavioral Medicine, 2017, 51, 321-326. | 2.9 | 17 |
| 377 | Postâ€diagnosis alcohol intake and prostate cancer survival: A populationâ€based cohort study. International Journal of Cancer, 2018, 143, 253-262. | 5.1 | 17 |
| 378 | Hispanic ethnicity as a moderator of the effects of aerobic and resistance exercise in survivors of breast cancer. Cancer, 2019, 125, 910-920. | 4.1 | 17 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 379 | Understanding breast cancer patients' preference for two types of exercise training during chemotherapy in an unblinded randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2008, 5, 52. | 4.6 | 16 |
| 380 | Testing the utility of three socialâ€cognitive models for predicting objective and selfâ€report physical activity in adults with type 2 diabetes. British Journal of Health Psychology, 2014, 19, 329-346. | 3.5 | 16 |
| 381 | Correlates of resistance training in post-treatment breast cancer survivors. Supportive Care in Cancer, 2014, 22, 2757-2766. | 2.2 | 16 |
| 382 | Predictors of physical activity at 12Âmonth follow-up after a supervised exercise intervention in postmenopausal women. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 55. | 4.6 | 16 |
| 383 | Associations between physical activity and comorbidities in Korean cancer survivors. Journal of Cancer Survivorship, 2018, 12, 441-449. | 2.9 | 16 |
| 384 | Mechanisms of Physical Activity Behavior Change for Prostate Cancer Survivors: A Cluster Randomized Controlled Trial. Annals of Behavioral Medicine, 2018, 52, 798-808. | 2.9 | 16 |
| 385 | Patterns and predictors of exercise behavior during 24 months of follow-up after a supervised exercise program during breast cancer chemotherapy. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 23. | 4.6 | 16 |
| 386 | Cohesion Correlates with Affect in Structured Exercise Classes. Perceptual and Motor Skills, 1995, 81, 1021-1022. | 1.3 | 15 |
| 387 | Understanding Intentions to Exercise Following a Structured Exercise Program: An Attributional Perspective1. Journal of Applied Social Psychology, 1996, 26, 670-685. | 2.0 | 15 |
| 388 | Ethnicity as a Moderator of the Theory of Planned Behavior and Physical Activity in College Students. Research Quarterly for Exercise and Sport, 2007, 78, 531-541. | 1.4 | 15 |
| 389 | Testing mediator variables in a physical activity intervention forÂwomen with type 2 diabetes. Psychology of Sport and Exercise, 2014, 15, 1-8. | 2.1 | 15 |
| 390 | The Alberta Moving Beyond Breast Cancer (AMBER) Cohort Study: Recruitment, Baseline Assessment, and Description of the First 500 Participants. BMC Cancer, 2016, 16, 481. | 2.6 | 15 |
| 391 | A pilot study on the motivational effects of an internet-delivered physical activity behaviour change programme in Nova Scotian cancer survivors. Psychology and Health, 2017, 32, 234-252. | 2.2 | 15 |
| 392 | The impact of exercise on growth factors (VEGF and FGF2): results from a 12-month randomized intervention trial. European Review of Aging and Physical Activity, 2019, 16, 8. | 2.9 | 15 |
| 393 | Peer support for the maintenance of physical activity and health in cancer survivors: the PEER trial - a study protocol of a randomised controlled trial. BMC Cancer, 2019, 19, 656. | 2.6 | 15 |
| 394 | Hispanic ethnicity as a moderator of the effects of aerobic and resistance exercise on physical fitness and quality-of-life in breast cancer survivors. Journal of Cancer Survivorship, 2021, 15, 127-139. | 2.9 | 15 |
| 395 | Physical Activity and Gastrointestinal Cancer Survivorship. Recent Results in Cancer Research, 2010, 186, 237-253. | 1.8 | 15 |
| 396 | A Lifestyle Intervention via Email in Minority Breast Cancer Survivors: Randomized Parallel-Group Feasibility Study. JMIR Cancer, 2017, 3, e13. | 2.4 | 15 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 397 | Physical Activity After Breast Cancer: Effect on Survival and Patient-Reported Outcomes. Current Breast Cancer Reports, 2014, 6, 193-204. | 1.0 | 14 |
| 398 | Exercise motivation in rectal cancer patients during and after neoadjuvant chemoradiotherapy. Supportive Care in Cancer, 2016, 24, 2919-26. | 2.2 | 14 |
| 399 | Effects of prescribed aerobic exercise volume on physical activity and sedentary time in postmenopausal women: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 27. | 4.6 | 14 |
| 400 | Exercise during and after neoadjuvant rectal cancer treatment (the EXERT trial): study protocol for a randomized controlled trial. Trials, 2018, 19, 35. | 1.6 | 14 |
| 401 | Determinants of changes in physical activity from pre-diagnosis to post-diagnosis in a cohort of prostate cancer survivors. Supportive Care in Cancer, 2019, 27, 2819-2828. | 2.2 | 14 |
| 402 | Aerobic and resistance exercise improve patient-reported sleep quality and is associated with cardiometabolic biomarkers in Hispanic and non-Hispanic breast cancer survivors who are overweight or obese: results from a secondary analysis. Sleep, 2021, 44, . | 1.1 | 14 |
| 403 | Feasibility, Safety, and Preliminary Efficacy of Exercise During and After Neoadjuvant Rectal Cancer Treatment: A Phase II Randomized Controlled Trial. Clinical Colorectal Cancer, 2021, 20, 216-226. | 2.3 | 14 |
| 404 | Moderators of the Exercise/Feeling-State Relationship: The Influence of Self-Efficacy, Baseline, and In-Task Feeling States at Moderate- and High-Intensity Exercise. Journal of Applied Social Psychology, 2002, 32, 1379-1395. | 2.0 | 13 |
| 405 | Alberta Diabetes and Physical Activity Trial (ADAPT): A randomized theory-based efficacy trial for adults with type 2 diabetes - rationale, design, recruitment, evaluation, and dissemination. Trials, 2010, 11, 4. | 1.6 | 13 |
| 406 | Associations between sitting time and quality of life in a population-based sample of kidney cancer survivors. Mental Health and Physical Activity, 2013, 6, 16-23. | 1.8 | 13 |
| 407 | Patient satisfaction with participation in a randomized exercise trial: Effects of randomization and a usual care posttrial exercise program. Clinical Trials, 2013, 10, 959-966. | 1.6 | 13 |
| 408 | Feasibility and Preliminary Efficacy of Adding Behavioral Counseling to Supervised Physical Activity in Kidney Cancer Survivors. Cancer Nursing, 2014, 37, E8-E22. | 1.5 | 13 |
| 409 | Explaining the Aerobic Exercise Intention-behavior Gap in Cancer Survivors. American Journal of Health Behavior, 2016, 40, 675-684. | 1.4 | 13 |
| 410 | Acceptability of a Mobile Phone App for Measuring Time Use in Breast Cancer Survivors (Life in a Day): Mixed-Methods Study. JMIR Cancer, 2018, 4, e9. | 2.4 | 13 |
| 411 | Optimization of a technologyâ€supported physical activity promotion intervention for breast cancer survivors: Results from Fit2Thrive. Cancer, 2022, 128, 1122-1132. | 4.1 | 13 |
| 412 | Caseâ€"control study of lifetime alcohol consumption and endometrial cancer risk. Cancer Causes and Control, 2013, 24, 1995-2003. | 1.8 | 12 |
| 413 | Prevalence, correlates, and psychosocial outcomes of sport participation in young adult cancer survivors. Psychology of Sport and Exercise, 2013, 14, 298-304. | 2.1 | 12 |
| 414 | Physical activity interests and preferences of cancer patients with brain metastases: a cross-sectional survey. BMC Palliative Care, 2016, 15, 7. | 1.8 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 415 | Exercise and health-related fitness predictors of chemotherapy completion in breast cancer patients: pooled analysis of two multicenter trials. Breast Cancer Research and Treatment, 2021, 188, 399-407. | 2.5 | 12 |
| 416 | A test of cognitive mediation in a 12-month physical activity workplace intervention: does it explain behaviour change in women?. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 32. | 4.6 | 11 |
| 417 | A case–control study of lifetime occupational sitting and likelihood of breast cancer. Cancer Causes and Control, 2013, 24, 1257-1262. | 1.8 | 11 |
| 418 | Physical activity in advanced cancer patients: a systematic review protocol. Systematic Reviews, 2016, 5, 43. | 5.3 | 11 |
| 419 | Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data metaâ€analyses. Psycho-Oncology, 2020, 29, 1772-1785. | 2.3 | 11 |
| 420 | An examination of the beliefs, attitudes and counselling practices of paediatric oncologists toward physical activity: A provincial survey. Paediatrics and Child Health, 2007, 12, 289-293. | 0.6 | 10 |
| 421 | Identification and prediction of healthâ€related quality of life trajectories after a prostate cancer diagnosis. International Journal of Cancer, 2017, 140, 1517-1527. | 5.1 | 10 |
| 422 | Modalityâ€specific exercise guidelines and quality of life in kidney cancer survivors: A crossâ€sectional study. Psycho-Oncology, 2018, 27, 2419-2426. | 2.3 | 10 |
| 423 | Effects of Exercise and Cardiorespiratory Fitness on Estrogen Metabolism in Postmenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1480-1482. | 2.5 | 10 |
| 424 | Exercise duRing Active Surveillance for prostatE cancerâ€"the ERASE trial: a study protocol of a phase II randomised controlled trial. BMJ Open, 2019, 9, e026438. | 1.9 | 10 |
| 425 | Long-term Effects of Moderate versus High Durations of Aerobic Exercise on Biomarkers of Breast Cancer Risk: Follow-up to a Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1725-1734. | 2.5 | 10 |
| 426 | Social Cognitive Effects and Mediators of a Pilot Telephone Counseling Intervention to Increase Aerobic Exercise in Hematologic Cancer Survivors. Journal of Physical Activity and Health, 2019, 16, 43-51. | 2.0 | 10 |
| 427 | Translating research into practice: outcomes from the Healthy Living after Cancer partnership project. BMC Cancer, 2020, 20, 963. | 2.6 | 10 |
| 428 | Replacing sedentary time with physical activity and sleep: associations with quality of life in kidney cancer survivors. Cancer Causes and Control, 2020, 31, 669-681. | 1.8 | 10 |
| 429 | Adherence to a lower versus higher intensity physical activity intervention in the Breast Cancer & Physical Activity Level (BC-PAL) Trial. Journal of Cancer Survivorship, 2022, 16, 353-365. | 2.9 | 10 |
| 430 | Personality Correlates of Patients' Subjective Well-Being After Surgery for Colorectal Cancer. Journal of Psychosocial Oncology, 2000, 18, 61-72. | 1.2 | 9 |
| 431 | Correlates of objectively measured sedentary behavior in cancer patients with brain metastases: an application of the theory of planned behavior. Psycho-Oncology, 2015, 24, 757-762. | 2.3 | 9 |
| 432 | Glycemic load and endometrial cancer risk in a case-control study of Canadian women. Cancer Epidemiology, 2015, 39, 170-173. | 1.9 | 9 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 433 | Motivation for Different Types and Doses of Exercise During Breast Cancer Chemotherapy: a Randomized Controlled Trial. Annals of Behavioral Medicine, 2016, 50, 554-563. | 2.9 | 9 |
| 434 | Predictors of adherence to aerobic exercise in rectal cancer patients during and after neoadjuvant chemoradiotherapy. Psychology, Health and Medicine, 2018, 23, 224-231. | 2.4 | 9 |
| 435 | Case–control study of endogenous sex steroid hormones and risk of endometrial cancer. Cancer Causes and Control, 2020, 31, 161-171. | 1.8 | 9 |
| 436 | Tai Chi for cancer survivors: A systematic review toward consensusâ€based guidelines. Cancer Medicine, 2021, 10, 7447-7456. | 2.8 | 9 |
| 437 | The Alberta moving beyond breast cancer (AMBER) cohort study: baseline description of the full cohort. Cancer Causes and Control, 2022, 33, 441-453. | 1.8 | 9 |
| 438 | Racial differences in physical activity associations among primary care patients. Ethnicity and Disease, 2007, 17, 629-35. | 2.3 | 9 |
| 439 | Women's perceptions of heart disease and breast cancer and the association with media representations of the diseases. Journal of Public Health, 2015, 38, fdv177. | 1.8 | 8 |
| 440 | A Pilot Randomized, Controlled Trial of a Wall Climbing Intervention for Gynecologic Cancer Survivors. Oncology Nursing Forum, 2017, 44, 77-86. | 1.2 | 8 |
| 441 | Effects of BEAT Cancer randomized physical activity trial on subjective memory impairments in breast cancer survivors. Psycho-Oncology, 2018, 27, 687-690. | 2.3 | 8 |
| 442 | Predictors of Adherence to Different Volumes of Exercise in the Breast Cancer and Exercise Trial in Alberta. Annals of Behavioral Medicine, 2019, 53, 453-465. | 2.9 | 8 |
| 443 | Development process of an evidence-based exercise program for post-operative colorectal cancer patients. Supportive Care in Cancer, 2020, 28, 755-765. | 2.2 | 8 |
| 444 | Demographic, medical, social-cognitive, and environmental correlates of meeting independent and combined physical activity guidelines in kidney cancer survivors. Supportive Care in Cancer, 2020, 28, 43-54. | 2.2 | 8 |
| 445 | Prospective Cohort Study of Pre- and Postdiagnosis Obesity and Endometrial Cancer Survival. Journal of the National Cancer Institute, 2022, 114, 409-418. | 6.3 | 8 |
| 446 | Body Composition and Metabolomics in the Alberta Physical Activity and Breast Cancer Prevention Trial. Journal of Nutrition, 2022, 152, 419-428. | 2.9 | 8 |
| 447 | Effects of exercise during and after neoadjuvant chemoradiation on symptom burden and quality of life in rectal cancer patients: a phase II randomized controlled trial. Journal of Cancer Survivorship, 2021, , 1. | 2.9 | 8 |
| 448 | Aerobic exercise and DNA methylation in postmenopausal women: An ancillary analysis of the Alberta Physical Activity and Breast Cancer Prevention (ALPHA) Trial. PLoS ONE, 2018, 13, e0198641. | 2.5 | 7 |
| 449 | Physical activity levels and preferences of patients with breast cancer receiving chemotherapy in Chile. Supportive Care in Cancer, 2019, 27, 2941-2947. | 2.2 | 7 |
| 450 | Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. Clinical Psychology Review, 2020, 80, 101882. | 11.4 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Utility of the theory of planned behavior for understanding exercise during breast cancer treatment. Psycho-Oncology, 1999, 8, 112. | 2.3 | 7 |
| 452 | IMPORTANCE OF GAME LOCATION AND SCORING FIRST IN COLLEGE BASEBALL. Perceptual and Motor Skills, 1990, 71, 624. | 1.3 | 7 |
| 453 | Associations of insulin resistance and inflammatory biomarkers with endometrial cancer survival: The Alberta endometrial cancer cohort study. Cancer Medicine, 2022, 11, 1701-1711. | 2.8 | 7 |
| 454 | Effect of a Stimulus Control Intervention on Attendance at a University Fitness Center. Behavior Modification, 1996, 20, 202-215. | 1.6 | 6 |
| 455 | Effects of a lifestyle intervention on nutrient intake in overweight/obese endometrial cancer survivors. European E-journal of Clinical Nutrition and Metabolism, 2009, 4, e143-e147. | 0.4 | 6 |
| 456 | Longitudinal Changes in IGF-I and IGFBP-3, and Mammographic Density among Postmenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2116-2120. | 2.5 | 6 |
| 457 | Prevalence and interest in extreme/adventure activities among gynecologic cancer survivors: Associations with posttraumatic growth. Mental Health and Physical Activity, 2015, 9, 35-40. | 1.8 | 6 |
| 458 | Believability of messages about preventing breast cancer and heart disease through physical activity. BMC Psychology, 2018, 6, 2. | 2.1 | 6 |
| 459 | The effect of prescribed exercise volume on biomarkers of chronic stress in postmenopausal women: Results from the Breast Cancer and Exercise Trial in Alberta (BETA). Preventive Medicine Reports, 2019, 15, 100960. | 1.8 | 6 |
| 460 | Associations between postmenopausal endogenous sex hormones and C-reactive protein: a clearer picture with regional adiposity adjustment?. Menopause, 2017, 24, 1040-1048. | 2.0 | 5 |
| 461 | The role of the built environment in a randomized controlled trial to increase physical activity among men with prostate cancer: the PROMOTE trial. Supportive Care in Cancer, 2017, 25, 2993-2996. | 2.2 | 5 |
| 462 | Dog ownership and physical activity among breast, prostate, and colorectal cancer survivors. Psycho-Oncology, 2017, 26, 2186-2193. | 2.3 | 5 |
| 463 | Behavioral Predictors of Weight Regain in Postmenopausal Women: Exploratory Results From the Breast Cancer and Exercise Trial in Alberta. Obesity, 2019, 27, 1451-1463. | 3.0 | 5 |
| 464 | Exercise Dose Effects on Body Fat 12 Months after an Exercise Intervention: Follow-up from a Randomized Controlled Trial. Journal of Obesity, 2019, 2019, 1-11. | 2.7 | 5 |
| 465 | Aerobic and resistance exercise improves Reynolds risk score in overweight or obese breast cancer survivors. Cardio-Oncology, 2020, 6, 27. | 1.7 | 5 |
| 466 | User-centered development of a smartphone application (Fit2Thrive) to promote physical activity in breast cancer survivors. Translational Behavioral Medicine, 2022, 12, 203-213. | 2.4 | 5 |
| 467 | Comprehensive Lifestyle Improvement Program for Prostate Cancer (CLIPP): Protocol for a Feasibility and Exploratory Efficacy Study in Men on Androgen Deprivation Therapy. JMIR Research Protocols, 2019, 8, e12579. | 1.0 | 5 |
| 468 | Resistance exercise for post neck dissection shoulder pain: three case reports. Physiotherapy Theory and Practice, 2004, 20, 41-56. | 1.3 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | Changes in motivational outcomes following a supervised physical activity program with behavioral counseling in kidney cancer survivors: a pilot study. Psycho-Oncology, 2015, 24, 1204-1207. | 2.3 | 4 |
| 470 | A phase I/II pilot study assessing the preliminary efficacy of wall climbing for improving posttraumatic growth and quality of life in gynecologic cancer survivors. Mental Health and Physical Activity, 2016, 11, 60-66. | 1.8 | 4 |
| 471 | Dose-response effects of aerobic exercise on adiposity markers in postmenopausal women: pooled analyses from two randomized controlled trials. International Journal of Obesity, 2021, 45, 1298-1309. | 3.4 | 4 |
| 472 | An exploratory decision tree analysis to predict physical activity compliance rates in breast cancer survivors. Ethnicity and Health, 2019, 24, 754-766. | 2.5 | 4 |
| 473 | Resistance exercise for post neck dissection shoulder pain: three case reports. Physiotherapy Theory and Practice, 2004, 20, 41-56. | 1.3 | 3 |
| 474 | Physical activity does not alter prolactin levels in post-menopausal women: results from a dose-response randomized controlled trial. European Review of Aging and Physical Activity, 2017, 14, 10. | 2.9 | 3 |
| 475 | Effect and moderators of exercise on fatigue in patients with cancer: Meta-analysis of individual patient data Journal of Clinical Oncology, 2018, 36, 104-104. | 1.6 | 3 |
| 476 | Exercise Dose Effects on Insulin Resistance Indicators in Postmenopausal Women: A Randomized Trial. Journal of Endocrinology and Metabolism, 2016, 6, 35-45. | 0.4 | 3 |
| 477 | Exercise interventions in supportive oncology. , 2011, , 414-428. | | 2 |
| 478 | Heart disease and breast cancer perceptions: Ethnic differences and relationship to attentional bias. Health Psychology Open, 2016, 3, 205510291665767. | 1.4 | 2 |
| 479 | Extreme Sport/Adventure Activity Correlates in Gynecologic Cancer Survivors. American Journal of Health Behavior, 2016, 40, 172-181. | 1.4 | 2 |
| 480 | Associations between adiposity and repetitive element DNA methylation in healthy postmenopausal women. Epigenomics, 2017, 9, 1267-1277. | 2.1 | 2 |
| 481 | Investigating relationships between ancestry, lifestyle behaviors and perceptions of heart disease and breast cancer among Canadian women with British and with South Asian ancestry. European Journal of Cardiovascular Nursing, 2018, 17, 314-323. | 0.9 | 2 |
| 482 | Preliminary efficacy and feasibility of referral to exercise specialists, psychologists and provision of a technology-based behavior change support package to promote physical activity in school teachers †at risk' of, or diagnosed with, type 2 diabetes: The †SMART Health†Pilot Study Protocol. Contemporary Clinical Trials, 2019, 78, 53-62. | 1.8 | 2 |
| 483 | Bladder cancer and exeRcise trAining during intraVesical thErapyâ€"the BRAVE trial: a study protocol for a prospective, single-centre, phase II randomised controlled trial. BMJ Open, 2021, 11, e055782. | 1.9 | 2 |
| 484 | Physical Activity for Cancer Survivors., 2007,, 249-268. | | 2 |
| 485 | Energy Expenditure Characteristics Of Guo Lin Qi-gong Exercise In Cancer Survivors: A Preliminary Report. Medicine and Science in Sports and Exercise, 2009, 41, 110-111. | 0.4 | 2 |
| 486 | Effects of Exercise on Cancer Treatment Completion and Efficacy. , 2020, , 209-227. | | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 487 | Correlates of Aerobic and Strength Exercise in Korean Cancer Patients. Cancer Nursing, 2022, 45, E255-E262. | 1.5 | 2 |
| 488 | Special issue of Psycho-Oncology on physical activity in cancer survivors Guest Editor: Kerry S. Courneya, PhD, University of Alberta, Edmonton, Canada. Psycho-Oncology, 2008, 17, 207-207. | 2.3 | 1 |
| 489 | American Society of Clinical Oncology Position Statement on Obesity and Cancer. Obstetrical and Gynecological Survey, 2015, 70, 28-29. | 0.4 | 1 |
| 490 | Automatic associations of breast cancer and heart disease with fruit and vegetables and physical activity. SAGE Open Medicine, 2019, 7, 205031211987118. | 1.8 | 1 |
| 491 | Weight Regain and Breast Cancer–Related Biomarkers Following an Exercise Intervention in Postmenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1260-1269. | 2.5 | 1 |
| 492 | Physical Activity in Patients With Kidney Cancer: A Scoping Review. Clinical Genitourinary Cancer, 2022, 20, e369-e379. | 1.9 | 1 |
| 493 | Safety, feasibility, and effectiveness of implementing supervised exercise into the clinical care of individuals with advanced cancer. Clinical Rehabilitation, 2022, 36, 1666-1678. | 2.2 | 1 |
| 494 | Application of the theory of planned behavior to understand physical activity intentions and behavior among Korean breast cancer survivors. Supportive Care in Cancer, 0, , . | 2.2 | 1 |
| 495 | Psychosocial Outcomes 12 Months Following a Dose–Response Aerobic Exercise Intervention in Postmenopausal Women. Journal of Physical Activity and Health, 2018, 15, 219-225. | 2.0 | 0 |
| 496 | Reply to â€~Comment on â€~Anthropometric measurements and survival after prostate cancer diagnosis― British Journal of Cancer, 2018, 119, 525-526. | 6.4 | 0 |
| 497 | Breast Cancer and Physical Activity Level (BC-PAL) Trial. Medicine and Science in Sports and Exercise, 2018, 50, 255. | 0.4 | 0 |
| 498 | Breast Cancer-related Biomarkers And Weight Regain Following An Exercise Intervention In Postmenopausal Women. Medicine and Science in Sports and Exercise, 2021, 53, 468-468. | 0.4 | 0 |
| 499 | Weerstandsoefeningen voor schouderpijn na halsklierdissectie: drie casussen. , 2006, , 1087-1099. | | 0 |
| 500 | Exercise and Quality of Life in Head and Neck Cancer Patients. Medicine and Science in Sports and Exercise, 2006, 38, S55. | 0.4 | 0 |
| 501 | Moderators of the Effects of Exercise Training in Breast Cancer Patients Receiving Chemotherapy. Medicine and Science in Sports and Exercise, 2007, 39, S63. | 0.4 | 0 |
| 502 | Exercise and Cancer-Related Fatigue Syndrome. , 2010, , 17-36. | | 0 |
| 503 | Lower Rate-pressure Product During Submaximal Walking Is Associated With Fatigue Improvement Among Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2016, 48, 188. | 0.4 | 0 |
| 504 | Impact of Aerobic and Resistance Exercise on Global Shoulder Function in Breast Cancer Survivors. Medicine and Science in Sports and Exercise, 2019, 51, 879-879. | 0.4 | 0 |