

# Joseph Shiloach

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7026867/publications.pdf>

Version: 2024-02-01

150  
papers

7,821  
citations

41344

49  
h-index

54911

84  
g-index

152  
all docs

152  
docs citations

152  
times ranked

8717  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Expression and production of pigment epithelium-derived factor (PEDF) and PEDF receptor variants from mammalian and bacterial cells. <i>Protein Expression and Purification</i> , 2022, 194, 106072.   | 1.3 | 1         |
| 2  | Iron availability enhances the cellular energetics of aerobic <i>Escherichia coli</i> cultures while upregulating anaerobic respiratory chains. <i>New Biotechnology</i> , 2022, 71, 11-20.  | 4.4 | 4         |
| 3  | Knockout of the caspase 8-associated protein 2 gene improves recombinant protein expression in HEK293 cells through up-regulation of the cyclin-dependent kinase inhibitor 2A gene. <i>Biotechnology and Bioengineering</i> , 2021, 118, 186-198.                                      | 3.3 | 5         |
| 4  | Expression of the <i>ace</i> operon in <i>Escherichia coli</i> is triggered in response to growth rate-dependent flux-signal of ATP. <i>FEMS Microbiology Letters</i> , 2021, 368, .   | 1.8 | 2         |
| 5  | <i>Granulibacter bethesdensis</i> , a Pathogen from Patients with Chronic Granulomatous Disease, Produces a Penta-Acylated Hypostimulatory Glycerol-3-phosphate-2-ulosonic Acid "Lipid A Glycolipid (Ko-Lipid A). <i>International Journal of Molecular Sciences</i> , 2021, 22, 3303. | 4.1 | 4         |
| 6  | Affecting HEK293 Cell Growth and Production Performance by Modifying the Expression of Specific Genes. <i>Cells</i> , 2021, 10, 1667.  | 4.1 | 53        |
| 7  | Efficient biocatalysis of trillin through recombinant enzyme hydrolysis for clean diosgenin production. <i>Chemical Engineering Research and Design</i> , 2021, 153, 107-116.  | 5.6 | 2         |
| 8  | rAAV Production and Titration at the Microscale for High-Throughput Screening. <i>Human Gene Therapy</i> , 2021, . .   | 2.7 | 0         |
| 9  | Improved protein expression in HEK293 cells by over-expressing miR-22 and knocking-out its target gene, HIPK1. <i>New Biotechnology</i> , 2020, 54, 28-33.   | 4.4 | 8         |
| 10 | A novel knock out strategy to enhance recombinant protein expression in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2020, 19, 148.   | 4.0 | 24        |
| 11 | Linking Phospho-Gonadotropin Regulated Testicular RNA Helicase (GRTH/DDX25) to Histone Ubiquitination and Acetylation Essential for Spermatid Development During Spermiogenesis. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 310.                                    | 3.7 | 15        |
| 12 | Effect of restricted dissolved oxygen on expression of <i>Clostridium difficile</i> toxin A subunit from <i>E. coli</i> . <i>Scientific Reports</i> , 2020, 10, 3059.  | 3.3 | 5         |
| 13 | Hydrocortisone decreases lethality and inflammatory cytokine and nitric oxide production in rats challenged with <i>B. anthracis</i> cell wall peptidoglycan. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 67.   | 1.9 | 2         |
| 14 | Expression of multidrug transporter P-glycoprotein in <i>Pichia pastoris</i> affects the host's methanol metabolism. <i>Microbial Biotechnology</i> , 2019, 12, 1226-1236.   | 4.2 | 9         |
| 15 | A cross-species whole genome siRNA screen in suspension-cultured Chinese hamster ovary cells identifies novel engineering targets. <i>Scientific Reports</i> , 2019, 9, 8689.  | 3.3 | 21        |
| 16 | Effect of amino acids on transcription and translation of key genes in <i>E. coli</i> K and B grown at a steady state in minimal medium. <i>New Biotechnology</i> , 2019, 49, 120-128.   | 4.4 | 7         |
| 17 | Continuous production process of retroviral vector for adoptive T- cell therapy. <i>Biochemical Engineering Journal</i> , 2018, 132, 145-151.  | 3.6 | 1         |
| 18 | Identifying HIPK1 as Target of miR-22a-3p Enhancing Recombinant Protein Production From HEK 293 Cell by Using Microarray and HTP siRNA Screen. <i>Biotechnology Journal</i> , 2018, 13, 1700342.   | 3.5 | 10        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of over expressing protective antigen on global gene transcription in Bacillus anthracis BH500. Scientific Reports, 2018, 8, 16108.  | 3.3  | 3         |
| 20 | Genome-Wide High-Throughput RNAi Screening for Identification of Genes Involved in Protein Production. Methods in Molecular Biology, 2018, 1850, 209-219.   | 0.9  | 4         |
| 21 | Progressing from transient to stable packaging cell lines for continuous production of lentiviral and gammaretroviral vectors. Current Opinion in Chemical Engineering, 2018, 22, 128-137.                  | 7.8  | 11        |
| 22 | A genetic model to study O-GlcNAc cycling in immortalized mouse embryonic fibroblasts. Journal of Biological Chemistry, 2018, 293, 13673-13681.   | 3.4  | 9         |
| 23 | Methods for Using Small Non-Coding RNAs to Improve Recombinant Protein Expression in Mammalian Cells. Genes, 2018, 9, 25.   | 2.4  | 11        |
| 24 | Knocking out Ornithine Decarboxylase Antizyme 1 (OAZ1) Improves Recombinant Protein Expression in the HEK293 Cell Line. Medical Sciences (Basel, Switzerland), 2018, 6, 48.                                 | 2.9  | 3         |
| 25 | Mathematical modeling of mutant transferrin-CRM107 molecular conjugates for cancer therapy. Journal of Theoretical Biology, 2017, 416, 88-98.   | 1.7  | 6         |
| 26 | Electronic control of gene expression and cell behaviour in Escherichia coli through redox signalling. Nature Communications, 2017, 8, 14030.   | 12.8 | 120       |
| 27 | The $\beta$ -reducing end in $\alpha$ -D-GlcNAc-6S-polysialic acid constitutes a unique structural motif. Glycobiology, 2017, 27, 900-911.  | 2.5  | 11        |
| 28 | Structures of the Multidrug Transporter P-glycoprotein Reveal Asymmetric ATP Binding and the Mechanism of Polyspecificity. Journal of Biological Chemistry, 2017, 292, 446-461.                             | 3.4  | 152       |
| 29 | Increasing dissolved-oxygen disrupts iron homeostasis in production cultures of Escherichia coli. Antonie Van Leeuwenhoek, 2017, 110, 115-124.  | 1.7  | 5         |
| 30 | Improving E. coli growth performance by manipulating small RNA expression. Microbial Cell Factories, 2017, 16, 198.   | 4.0  | 18        |
| 31 | Genome-scale RNA interference screen identifies antizyme 1 (OAZ1) as a target for improvement of recombinant protein production in mammalian cells. Biotechnology and Bioengineering, 2016, 113, 2403-2415. | 3.3  | 17        |
| 32 | Polyol accumulation in muscle and liver in a mouse model of type 2 diabetes. Journal of Diabetes and Its Complications, 2016, 30, 999-1007.   | 2.3  | 16        |
| 33 | Stable Ectopic Expression of ST6GALNAC5 Induces Autocrine MET Activation and Anchorage-Independence in MDCK Cells. PLoS ONE, 2016, 11, e0148075.  | 2.5  | 4         |
| 34 | A comparison of strategies for immortalizing mouse embryonic fibroblasts. Journal of Biological Methods, 2016, 3, e41.  | 0.6  | 13        |
| 35 | Constitutive expression of the sRNA GadY decreases acetate production and improves E. coli growth. Microbial Cell Factories, 2015, 14, 148.   | 4.0  | 12        |
| 36 | MIRNA mimic screen for improved expression of functional neurotensin receptor from HEK 293 cells. Biotechnology and Bioengineering, 2015, 112, 1632-1643.   | 3.3  | 19        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | ENPP1-Fc prevents mortality and vascular calcifications in rodent model of generalized arterial calcification of infancy. <i>Nature Communications</i> , 2015, 6, 10006.                            | 12.8 | 102       |
| 38 | The beta-3 adrenergic agonist (CL-316,243) restores the expression of down-regulated fatty acid oxidation genes in type 2 diabetic mice. <i>Nutrition and Metabolism</i> , 2015, 12, 8.             | 3.0  | 25        |
| 39 | Elucidation of the CHO Super-Ome (CHO-SO) by Proteoinformatics. <i>Journal of Proteome Research</i> , 2015, 14, 4687-4703.  | 3.7  | 35        |
| 40 | Construction of Recombinant HEK293 Cell Lines for the Expression of the Neurotensin Receptor NTSR1. <i>Methods in Molecular Biology</i> , 2015, 1272, 51-64.  | 0.9  | 2         |
| 41 | Multi-Tissue Computational Modeling Analyzes Pathophysiology of Type 2 Diabetes in MKR Mice. <i>PLoS ONE</i> , 2014, 9, e102319.  | 2.5  | 15        |
| 42 | Effect of elevated oxygen concentration on bacteria, yeasts, and cells propagated for production of biological compounds. <i>Microbial Cell Factories</i> , 2014, 13, 181.                          | 4.0  | 82        |
| 43 | Harnessing Chinese hamster ovary cell proteomics for biopharmaceutical processing. <i>Pharmaceutical Bioprocessing</i> , 2014, 2, 421-435.  | 0.8  | 3         |
| 44 | CtIP Maintains Stability at Common Fragile Sites and Inverted Repeats by End Resection-Independent Endonuclease Activity. <i>Molecular Cell</i> , 2014, 54, 1012-1021.                              | 9.7  | 122       |
| 45 | Engineering cells to improve protein expression. <i>Current Opinion in Structural Biology</i> , 2014, 26, 32-38.  | 5.7  | 52        |
| 46 | Use of hollow fiber tangential flow filtration for the recovery and concentration of HIV virus-like particles produced in insect cells. <i>Journal of Virological Methods</i> , 2014, 195, 240-246. | 2.1  | 37        |
| 47 | Exploiting the proteomics revolution in biotechnology: from disease and antibody targets to optimizing bioprocess development. <i>Current Opinion in Biotechnology</i> , 2014, 30, 80-86.           | 6.6  | 14        |
| 48 | Production of recombinant protein by a novel oxygen-induced system in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2014, 13, 50.   | 4.0  | 12        |
| 49 | Toward a new vaccine for pertussis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3213-3216.  | 7.1  | 34        |
| 50 | <i>Escherichia coli</i> avoids high dissolved oxygen stress by activation of SoxRS and manganese-superoxide dismutase. <i>Microbial Cell Factories</i> , 2013, 12, 23.                              | 4.0  | 67        |
| 51 | CHO microRNA engineering is growing up: Recent successes and future challenges. <i>Biotechnology Advances</i> , 2013, 31, 1501-1513.  | 11.7 | 77        |
| 52 | Stable inhibition of mmu-miR-466h-5p improves apoptosis resistance and protein production in CHO cells. <i>Metabolic Engineering</i> , 2013, 16, 87-94.   | 7.0  | 70        |
| 53 | Large-scale screening identifies a novel microRNA, miR-15a-3p, which induces apoptosis in human cancer cell lines. <i>RNA Biology</i> , 2013, 10, 287-300.  | 3.1  | 41        |
| 54 | Reducing acetate excretion from <i>E. coli</i> K-12 by over-expressing the small RNA SgrS. <i>New Biotechnology</i> , 2013, 30, 269-273.  | 4.4  | 21        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Transient and Stable Expression of the Neurotensin Receptor NTS1: A Comparison of the Baculovirus-Insect Cell and the T-REx-293 Expression Systems. PLoS ONE, 2013, 8, e63679.  | 2.5  | 11        |
| 56 | Anthrax Lethal Toxin Inhibits the Production of Proinflammatory Cytokines. Journal of Toxins, 2013, 2013, 1-7.  | 0.0  | 3         |
| 57 | Rad50 Zinc Hook Is Important for the Mre11 Complex to Bind Chromosomal DNA Double-stranded Breaks and Initiate Various DNA Damage Responses. Journal of Biological Chemistry, 2012, 287, 31747-31756.   | 3.4  | 31        |
| 58 | Phase 1 Study of a Recombinant Mutant Protective Antigen of Bacillus anthracis. Vaccine Journal, 2012, 19, 140-145.   | 3.1  | 24        |
| 59 | Glucose depletion activates mmu-miR-466h-5p expression through oxidative stress and inhibition of histone deacetylation. Nucleic Acids Research, 2012, 40, 7291-7302.   | 14.5 | 87        |
| 60 | Structure of the agonist-bound neurotensin receptor. Nature, 2012, 490, 508-513.  | 27.8 | 435       |
| 61 | Evidence for Helical Structure in a Tetramer of Î±2-8 Sialic Acid: Unveiling a Structural Antigen. Journal of the American Chemical Society, 2012, 134, 10717-10720.  | 13.7 | 52        |
| 62 | Role of anti-angiogenic factor endostatin in the pathogenesis of experimental ulcerative colitis. Life Sciences, 2011, 88, 74-81.   | 4.3  | 22        |
| 63 | Inappropriate Angiogenic Response as a Novel Mechanism of Duodenal Ulceration and Impaired Healing. Digestive Diseases and Sciences, 2011, 56, 2792-2801.   | 2.3  | 4         |
| 64 | The role of Cra in regulating acetate excretion and osmotic tolerance in E. coli K-12 and E. coli B at high density growth. Microbial Cell Factories, 2011, 10, 52.   | 4.0  | 34        |
| 65 | A novel microRNA mmu-miR-466h affects apoptosis regulation in mammalian cells. Biotechnology and Bioengineering, 2011, 108, 1651-1661.  | 3.3  | 86        |
| 66 | Bacillus anthracis cell wall produces injurious inflammation but paradoxically decreases the lethality of anthrax lethal toxin in a rat model. Intensive Care Medicine, 2010, 36, 148-156.  | 8.2  | 21        |
| 67 | Analyzing metabolic variations in different bacterial strains, historical perspectives and current trends – example E. coli. Current Opinion in Biotechnology, 2010, 21, 21-26.   | 6.6  | 19        |
| 68 | Glucose uptake regulation in E. coli by the small RNA SgrS: comparative analysis of E. coli K-12 (JM109) Tj ETQq0 0 0 rgBT /Overlock 10 T   | 4.0  | 35        |
| 69 | Production and antigenic properties of influenza virus from suspension MDCK-siat7e cells in a bench-scale bioreactor. Vaccine, 2010, 28, 7193-7201.   | 3.8  | 14        |
| 70 | Conversion of MDCK cell line to suspension culture by transfecting with human <i>siat7e</i> gene and its application for influenza virus production. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 14802-14807. | 7.1  | 66        |
| 71 | Synthesis, characterization, and immunogenicity in mice of <i>Shigella sonnei</i> O-specific oligosaccharide-core-protein conjugates. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7974-7978.                  | 7.1  | 63        |
| 72 | Production, purification, and characterization of human Î±1 proteinase inhibitor from <i>Aspergillus niger</i>. Biotechnology and Bioengineering, 2009, 102, 828-844.   | 3.3  | 19        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Cells by Design: A Mini-Review of Targeting Cell Engineering Using DNA Microarrays. <i>Molecular Biotechnology</i> , 2008, 39, 105-111.   | 2.4  | 12        |
| 74 | <i>Egr1</i> and <i>Gas6</i> facilitate the adaptation of HEK293 cells to serum-free media by conferring enhanced viability and higher growth rates. <i>Biotechnology and Bioengineering</i> , 2008, 99, 1443-1452.  | 3.3  | 14        |
| 75 | Modified <i>Escherichia coli</i> B (BL21), a superior producer of plasmid DNA compared with <i>Escherichia coli</i> K (DH5 $\alpha$ ). <i>Biotechnology and Bioengineering</i> , 2008, 101, 831-836.  | 3.3  | 77        |
| 76 | Vaccinia Virus-Based Expression of gp120 and EGFP: Survey of Mammalian Host Cell Lines. <i>Biotechnology Progress</i> , 2008, 21, 186-191.  | 2.6  | 1         |
| 77 | Evaluation of Production Parameters with the Vaccinia Virus Expression System Using Microcarrier Attached HeLa Cells. <i>Biotechnology Progress</i> , 2008, 21, 554-561.  | 2.6  | 12        |
| 78 | Structural Basis of Toll-Like Receptor 3 Signaling with Double-Stranded RNA. <i>Science</i> , 2008, 320, 379-381.   | 12.6 | 650       |
| 79 | Long-lasting and transmission-blocking activity of antibodies to <i>Plasmodium falciparum</i> elicited in mice by protein conjugates of Pfs25. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 293-298.   | 7.1  | 83        |
| 80 | Extracellular structure of polysialic acid explored by on cell solution NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11557-11561.   | 7.1  | 55        |
| 81 | Dimerization of the class A G protein-coupled neurotensin receptor NTS1 alters G protein interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12199-12204.  | 7.1  | 134       |
| 82 | Evaluating microarrays using a semiparametric approach: Application to the central carbon metabolism of <i>Escherichia coli</i> BL21 and JM109. <i>Genomics</i> , 2007, 89, 300-305.  | 2.9  | 16        |
| 83 | Application of microarrays to identify and characterize genes involved in attachment dependence in HeLa cells. <i>Metabolic Engineering</i> , 2007, 9, 241-251.   | 7.0  | 24        |
| 84 | Enhancement of cell proliferation in various mammalian cell lines by gene insertion of a cyclin-dependent kinase homolog. <i>BMC Biotechnology</i> , 2007, 7, 71.   | 3.3  | 49        |
| 85 | Control of carbon flux through enzymes of central and intermediary metabolism during growth of <i>Escherichia coli</i> on acetate. <i>Current Opinion in Microbiology</i> , 2006, 9, 173-179.   | 5.1  | 66        |
| 86 | The molecular structure of the TLR3 extracellular domain. <i>Journal of Endotoxin Research</i> , 2006, 12, 375-378.   | 2.5  | 31        |
| 87 | Impact of dissolved oxygen concentration on acetate accumulation and physiology of <i>E. coli</i> BL21, evaluating transcription levels of key genes at different dissolved oxygen conditions. <i>Metabolic Engineering</i> , 2005, 7, 353-363.   | 7.0  | 66        |
| 88 | Growing <i>E. coli</i> to high cell density—A historical perspective on method development. <i>Biotechnology Advances</i> , 2005, 23, 345-357.  | 11.7 | 363       |
| 89 | Production of recombinant proteins by vaccinia virus in a microcarrier based mammalian cell perfusion bioreactor. <i>Biotechnology and Bioengineering</i> , 2005, 90, 663-674.  | 3.3  | 26        |
| 90 | Glucose metabolism at high density growth of <i>E. coli</i> B and <i>E. coli</i> K: Differences in metabolic pathways are responsible for efficient glucose utilization in <i>E. coli</i> B as determined by microarrays and Northern blot analyses. <i>Biotechnology and Bioengineering</i> , 2005, 90, 805-820. | 3.3  | 122       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Large-scale Expression and Purification of a G-protein-coupled Receptor for Structure Determination – An Overview. <i>Journal of Structural and Functional Genomics</i> , 2005, 6, 159-163.  | 1.2  | 59        |
| 92  | Conjugates of Group A and W135 Capsular Polysaccharides of <i>Neisseria meningitidis</i> Bound to Recombinant <i>Staphylococcus aureus</i> Enterotoxin C1: Preparation, Physicochemical Characterization, and Immunological Properties in Mice. <i>Infection and Immunity</i> , 2005, 73, 7887-7893. | 2.2  | 7         |
| 93  | The molecular structure of the Toll-like receptor 3 ligand-binding domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10976-10980.  | 7.1  | 347       |
| 94  | Production of Recombinant Protein Using the HeLa S3-Vaccinia Virus Expression System: Bioreactor Perfusion and Effects of Post-Infection Temperature. <i>Bioscience, Biotechnology and Biochemistry</i> , 2005, 69, 1065-1072.   | 1.3  | 2         |
| 95  | Effect of Dosage on Immunogenicity of a Vi Conjugate Vaccine Injected Twice into 2- to 5-Year-Old Vietnamese Children. <i>Infection and Immunity</i> , 2004, 72, 6586-6588.  | 2.2  | 57        |
| 96  | The beginnings of mucin biosynthesis: The crystal structure of UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase-T1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15307-15312.   | 7.1  | 142       |
| 97  | Automated large-scale purification of a G protein-coupled receptor for neurotensin. <i>FEBS Letters</i> , 2004, 564, 289-293.  | 2.8  | 71        |
| 98  | Transcription levels of key metabolic genes are the cause for different glucose utilization pathways in <i>E. coli</i> B (BL21) and <i>E. coli</i> K (JM109). <i>Journal of Biotechnology</i> , 2004, 109, 21-30.  | 3.8  | 98        |
| 99  | Linderstrom-Lang-Schellmans Model for Protein Stabilization Revisited. <i>Current Protein and Peptide Science</i> , 2004, 5, 275-286.  | 1.4  | 0         |
| 100 | Effect of methanol feeding strategies on production and yield of recombinant mouse endostatin from <i>Pichia pastoris</i> . <i>Biotechnology and Bioengineering</i> , 2003, 82, 438-444.   | 3.3  | 73        |
| 101 | Endostatin capture from <i>Pichia pastoris</i> culture in a fluidized bed. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 790, 327-336.   | 2.3  | 14        |
| 102 | Exploring Vaccinia Virus as a Tool for Large-Scale Recombinant Protein Expression. <i>Biotechnology Progress</i> , 2003, 19, 130-136.  | 2.6  | 12        |
| 103 | Poly( $\alpha$ -D-glutamic acid) protein conjugates induce IgG antibodies in mice to the capsule of <i>Bacillus anthracis</i> : A potential addition to the anthrax vaccine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8945-8950.          | 7.1  | 130       |
| 104 | Safety and immunogenicity of <i>Shigella sonnei</i> -CRM9 and <i>Shigella flexneri</i> type 2a-r EPAsucc conjugate vaccines in one- to four-year-old children. <i>Pediatric Infectious Disease Journal</i> , 2003, 22, 701-706.  | 2.0  | 91        |
| 105 | Development of an improved vaccine for anthrax. <i>Journal of Clinical Investigation</i> , 2002, 110, 141-144.   | 8.2  | 71        |
| 106 | The Efficacy of a <i>Salmonella typhi</i> Vi Conjugate Vaccine in Two-to-Five-Year-Old Children. <i>New England Journal of Medicine</i> , 2001, 344, 1263-1269.  | 27.0 | 438       |
| 107 | A study of the influence of the hydrophobic core residues of yeast iso-2-cytochrome c on phosphate binding: a probe of the hydrophobic core-surface charge interactions. <i>The Protein Journal</i> , 2001, 20, 203-215.   | 1.1  | 4         |
| 108 | Safety and Immunogenicity of Improved <i>Shigella</i> O-Specific Polysaccharide-Protein Conjugate Vaccines in Adults in Israel. <i>Infection and Immunity</i> , 2001, 69, 1351-1357.   | 2.2  | 105       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Production of HIV-1 gp120 in Packed-Bed Bioreactor Using the Vaccinia Virus/T7 Expression System. <i>Biotechnology Progress</i> , 2000, 16, 744-750.  | 2.6 | 22        |
| 110 | Title is missing!. <i>Biochemical Genetics</i> , 2000, 38, 177-196.   | 1.7 | 4         |
| 111 | Recovery of mouse endostatin produced by <i>Pichia pastoris</i> using expanded bed adsorption. <i>Bioseparation</i> , 2000, 9, 223-230.   | 0.7 | 22        |
| 112 | <i>Vibrio cholerae</i> O139 Conjugate Vaccines: Synthesis and Immunogenicity of <i>V. cholerae</i> O139 Capsular Polysaccharide Conjugates with Recombinant Diphtheria Toxin Mutant in Mice. <i>Infection and Immunity</i> , 2000, 68, 5037-5043. | 2.2 | 59        |
| 113 | Expression, Purification, and Biochemical Characterization of the Amino-terminal Extracellular Domain of the Human Calcium Receptor. <i>Journal of Biological Chemistry</i> , 1999, 274, 11303-11309.   | 3.4 | 63        |
| 114 | Use of Streamline chelating for capture and purification of poly-His-tagged recombinant proteins. <i>Bioseparation</i> , 1999, 8, 145-151.  | 0.7 | 18        |
| 115 | Use of an ethanol sensor for feedback control of growth and expression of TBV25H in <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , 1999, 63, 285-289.  | 3.3 | 6         |
| 116 | Disruption of the KEX1 gene in <i>Pichia pastoris</i> allows expression of full-length murine and human endostatin. , 1999, 15, 563-572.  |     | 56        |
| 117 | The Combined Use of Expanded-Bed Adsorption and Gradient Elution for Capture and Partial Purification of Mutant Diphtheria Toxin (CRM 9) from <i>Corynebacterium diphtheriae</i> . <i>Separation Science and Technology</i> , 1999, 34, 29-40.    | 2.5 | 8         |
| 118 | Treatment with Succinic Anhydride Improves the Immunogenicity of <i>Shigella flexneri</i> Type 2a O-Specific Polysaccharide-Protein Conjugates in Mice. <i>Infection and Immunity</i> , 1999, 67, 5526-5529.                                      | 2.2 | 23        |
| 119 | Syntheses and Immunologic Properties of <i>Escherichia coli</i> O157 O-Specific Polysaccharide and Shiga Toxin 1 B Subunit Conjugates in Mice. <i>Infection and Immunity</i> , 1999, 67, 6191-6193.   | 2.2 | 40        |
| 120 | Proposed mechanism of acetate accumulation in two recombinant <i>Escherichia coli</i> strains during high density fermentation. , 1998, 57, 71-78.  |     | 88        |
| 121 | Zinc-Binding of Endostatin Is Essential for Its Antiangiogenic Activity. <i>Biochemical and Biophysical Research Communications</i> , 1998, 252, 190-194.   | 2.1 | 112       |
| 122 | PERITRANSPLANT TOLERANCE INDUCTION WITH ANTI-CD3-IMMUNOTOXIN. <i>Transplantation</i> , 1998, 65, 1159-1169.   | 1.0 | 77        |
| 123 | Treatment of Uveitis by Oral Administration of Retinal Antigens: Results of a Phase I/II Randomized Masked Trial. <i>American Journal of Ophthalmology</i> , 1997, 123, 583-592.  | 3.3 | 146       |
| 124 | Correction of the NMR structure of the ETS1/DNA complex. <i>Journal of Biomolecular NMR</i> , 1997, 10, 317-328.  | 2.8 | 63        |
| 125 | Production of a Malaria Transmission-Blocking Protein from Recombinant Yeast. <i>Annals of the New York Academy of Sciences</i> , 1996, 782, 123-132.   | 3.8 | 3         |
| 126 | Purification of Subunit B of Shiga Toxin Using a Synthetic Trisaccharide-Based Affinity Matrix. <i>Bioconjugate Chemistry</i> , 1996, 7, 45-55.   | 3.6 | 15        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Recovery of insect cells using hollow fiber microfiltration. <i>Biotechnology and Bioengineering</i> , 1995, 48, 401-405.  | 3.3  | 3         |
| 128 | The solution structure of the human ETS1-DNA complex reveals a novel mode of binding and true side chain intercalation. <i>Cell</i> , 1995, 83, 761-771.   | 28.9 | 124       |
| 129 | The cooperative binding of chromosomal protein HMG-14 to nucleosome cores is reduced by single point mutations in the nucleosomal binding domain. <i>Nucleic Acids Research</i> , 1994, 22, 4520-4526.         | 14.5 | 23        |
| 130 | Production, Purification and Immunogenicity of a Malaria Transmission-Blocking Vaccine Candidate: TBV25H Expressed in Yeast and Purified Using Nickel-NTA Agarose. <i>Bio/technology</i> , 1994, 12, 494-499.  | 1.5  | 127       |
| 131 | Online Monitoring of Bacterial Mass during Production of Recombinant Exotoxin A. <i>Annals of the New York Academy of Sciences</i> , 1994, 745, 244-250.   | 3.8  | 1         |
| 132 | Adaptive Control Strategy for Maintaining Dissolved Oxygen Concentration in High Density Growth of Recombinant E. coli. <i>Annals of the New York Academy of Sciences</i> , 1992, 665, 320-333.                | 3.8  | 25        |
| 133 | Recombinant human chromosomal proteins HMG-14 and HMG-17. <i>Nucleic Acids Research</i> , 1991, 19, 3115-3121.   | 14.5 | 30        |
| 134 | Production of cholera toxin subunit B by a mutant strain of <i>Vibrio cholerae</i> . <i>Applied Microbiology and Biotechnology</i> , 1990, 33, 389-394.  | 3.6  | 5         |
| 135 | Bioreactor operation for the production of exotoxin A by <i>Pseudomonas aeruginosa</i> . <i>Biotechnology and Bioengineering</i> , 1989, 34, 1214-1220.  | 3.3  | 0         |
| 136 | Gi affects the agonist-binding properties of beta-adrenoceptors in the presence of Gs. <i>FEBS Journal</i> , 1988, 172, 239-246.   | 0.2  | 33        |
| 137 | Large scale cultivation of <i>Bordetella pertussis</i> in submerged culture for production of pertussis toxin. <i>Applied Microbiology and Biotechnology</i> , 1988, 28, 356-360.                              | 3.6  | 7         |
| 138 | Clinical, metabolic, and antibody responses of adult volunteers to an investigational vaccine composed of pertussis toxin inactivated by hydrogen peroxide. <i>Journal of Pediatrics</i> , 1988, 113, 806-813. | 1.8  | 76        |
| 139 | Effect of Culturing Conditions on the Production of Exotoxin A by <i>Pseudomonas aeruginosa</i> . <i>Annals of the New York Academy of Sciences</i> , 1987, 506, 663-668.                                      | 3.8  | 9         |
| 140 | Hollow Fiber Microfiltration Methods for Recovery of Rat Basophilic Leukemia Cells (RBL-2H3) From Tissue Culture Media. <i>Biotechnology Progress</i> , 1986, 2, 230-233.                                      | 2.6  | 9         |
| 141 | Insulin-related material in prokaryotes. <i>FEMS Microbiology Letters</i> , 1985, 29, 53-58.   | 1.8  | 7         |
| 142 | Extraction of Insulin-Related Material and Other Peptide Hormones from <i>Tetrahymena pyriformis</i> . <i>ACS Symposium Series</i> , 1985, , 175-191.  | 0.5  | 5         |
| 143 | Insulin-related material in microbes: similarities and differences from mammalian insulins. <i>Canadian Journal of Biochemistry and Cell Biology</i> , 1985, 63, 839-849.                                      | 1.3  | 52        |
| 144 | <i>Bacillus subtilis</i> contains multiple forms of somatostatin-like material. <i>Biochemical and Biophysical Research Communications</i> , 1985, 127, 713-719.   | 2.1  | 42        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Evidence for an endogenous peptide ligand for the phencyclidine receptor. <i>Peptides</i> , 1984, 5, 967-973.  | 2.4  | 105       |
| 146 | The Evolutionary Origins of Hormones, Neurotransmitters, and Other Extracellular Chemical Messengers. <i>New England Journal of Medicine</i> , 1982, 306, 523-527. | 27.0 | 229       |
| 147 | Is there an earlier phylogenetic precursor that is common to both the nervous and endocrine systems?. <i>Peptides</i> , 1982, 3, 211-215.                          | 2.4  | 60        |
| 148 | [56] Glucocerebrosidase from human placenta. <i>Methods in Enzymology</i> , 1978, 50, 529-532.   | 1.0  | 8         |
| 149 | The influence of the peptide chain length on the activity of peptidyl-tRNA hydrolase from <i>E. coli</i> . <i>Nucleic Acids Research</i> , 1975, 2, 1941-1950.     | 14.5 | 15        |
| 150 | The specificity of peptidyl-tRNA hydrolase from <i>E. coli</i> . <i>FEBS Letters</i> , 1975, 57, 130-133.  | 2.8  | 18        |