

# Lisbeth Frostholtm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7029328/publications.pdf>

Version: 2024-02-01

54  
papers

1,768  
citations

361413

20  
h-index

289244

40  
g-index

58  
all docs

58  
docs citations

58  
times ranked

1922  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost Effectiveness of Internet-Delivered Acceptance and Commitment Therapy for Patients with Severe Health Anxiety: A Randomised Controlled Trial. <i>PharmacoEconomics - Open</i> , 2022, 6, 179-192.	1.8	4
2	Efficacy of internet-delivered acceptance and commitment therapy for severe health anxiety: results from a randomized, controlled trial. <i>Psychological Medicine</i> , 2021, 51, 2685-2695.	4.5	28
3	Efficacy and cost-effectiveness of a therapist-assisted web-based intervention for depression and anxiety in patients with ischemic heart disease attending cardiac rehabilitation [eMindYourHeart trial]: a randomised controlled trial protocol. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 20.	1.7	13
4	Development of an eHealth programme for self-management of persistent physical symptoms: a qualitative study on user needs in general practice. <i>BMC Family Practice</i> , 2021, 22, 33.	2.9	11
5	Development of an internet-delivered program and platform for the treatment of depression and anxiety in patients with ischemic heart disease in eMindYourHeart. <i>Informatics for Health and Social Care</i> , 2021, 46, 178-191.	2.6	6
6	Helpful explanatory models for somatoform symptoms (HERMES): study protocol of a randomised mixed-methods pilot trial. <i>BMJ Open</i> , 2021, 11, e044244.	1.9	3
7	A new measure of excessive parental worries about children's health: Development of the Health Anxiety by Proxy Scale (HAPYS). <i>Nordic Journal of Psychiatry</i> , 2021, 75, 523-531.	1.3	10
8	Internet-based treatment of anxiety and depression in patients with ischaemic heart disease attending cardiac rehabilitation: a feasibility study (eMindYourHeart). <i>European Heart Journal Digital Health</i> , 2021, 2, 323-335.	1.7	8
9	The impact of the Covid-19 pandemic on mental and physical health in Denmark – a longitudinal population-based study before and during the first wave. <i>BMC Public Health</i> , 2021, 21, 1418.	2.9	25
10	Application of ICD-11 among individuals with chronic pain: A post hoc analysis of the Stanford Self-Management Program. <i>European Journal of Pain</i> , 2020, 24, 297-311.	2.8	3
11	Autobiographical Memory and Episodic Future Thinking in Severe Health Anxiety: A Comparison with Obsessive-Compulsive Disorder. <i>Cognitive Therapy and Research</i> , 2020, 44, 89-107.	1.9	4
12	Detection of illness worry in the general population: A specific item on illness rumination improves the Whiteley Index. <i>Journal of Psychosomatic Research</i> , 2020, 138, 110245.	2.6	26
13	Study protocol: a randomized controlled trial comparing the efficacy of therapist guided internet-delivered cognitive therapy (TG-iConquerFear) with augmented treatment as usual in reducing fear of cancer recurrence in Danish colorectal cancer survivors. <i>BMC Cancer</i> , 2020, 20, 223.	2.6	6
14	Adverse life events in the general population - a validation of the cumulative lifetime adversity measure. <i>HÅrre Utbildning</i> , 2020, 11, 1717824.	3.0	14
15	Health Anxiety. <i>Zeitschrift Fur Psychologie / Journal of Psychology</i> , 2020, 228, 141-144.	1.0	3
16	Acceptance and Commitment group Therapy for patients with multiple functional somatic syndromes: a three-armed trial comparing ACT in a brief and extended version with enhanced care. <i>Psychological Medicine</i> , 2019, 49, 1005-1014.	4.5	12
17	Accuracy of self-referral in health anxiety: comparison of patients self-referring to internet-delivered treatment versus patients clinician-referred to face-to-face treatment. <i>BJPsych Open</i> , 2019, 5, e80.	0.7	6
18	Encoding and retrieval biases for health-related scenes in patients with severe health anxiety. <i>Memory</i> , 2019, 27, 1110-1121.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Development of an Internet-delivered educational video for acute whiplash injuries. Pilot and Feasibility Studies, 2019, 5, 60.	1.2	2
20	Acceptance and Commitment Therapy for Health Anxiety. , 2019, , 123-142.		5
21	Precollision Medical Diagnoses Predict Chronic Neck Pain Following Acute Whiplash Trauma. Clinical Journal of Pain, 2019, 35, 304-314.	1.9	10
22	Third Wave Treatments for Functional Somatic Syndromes and Health Anxiety Across the Age Span: A Narrative Review. Clinical Psychology in Europe, 2019, 1, .	1.1	10
23	Childhood and family factors in the development of health anxiety: A systematic review. Children's Health Care, 2018, 47, 198-238.	0.9	27
24	Using Illness Perceptions to Cluster Chronic Pain Patients. Clinical Journal of Pain, 2018, 34, 991-999.	1.9	10
25	Development and Feasibility Testing of Internet-Delivered Acceptance and Commitment Therapy for Severe Health Anxiety: Pilot Study. JMIR Mental Health, 2018, 5, e28.	3.3	30
26	Intervening variables in group-based acceptance & commitment therapy for severe health anxiety. Behaviour Research and Therapy, 2017, 92, 24-31.	3.1	24
27	The effect of a lay-led, group-based self-management program for patients with chronic pain: a randomized controlled trial of the Danish version of the Chronic Pain Self-Management Programme. Pain, 2017, 158, 1437-1445.	4.2	20
28	Effects of maternal health anxiety on children's health complaints, emotional symptoms, and quality of life. European Child and Adolescent Psychiatry, 2017, 26, 591-601.	4.7	19
29	Health anxiety by proxy in women with severe health anxiety: A case control study. Journal of Anxiety Disorders, 2017, 52, 8-14.	3.2	26
30	Core Outcome Domains for Clinical Trials on Somatic Symptom Disorder, Bodily Distress Disorder, and Functional Somatic Syndromes: European Network on Somatic Symptom Disorders Recommendations. Psychosomatic Medicine, 2017, 79, 1008-1015.	2.0	82
31	Neuroticism and maladaptive coping in patients with functional somatic syndromes. British Journal of Health Psychology, 2016, 21, 917-936.	3.5	29
32	Talking at cross purposes: Negotiation of the sick role with a MUS patient as a real time social process. Tidsskrift for Forskning I Sygdom Og Samfund, 2016, 13, 61.	0.1	1
33	Sick Leave within 5 Years of Whiplash Trauma Predicts Recovery: A Prospective Cohort and Register-Based Study. PLoS ONE, 2015, 10, e0130298.	2.5	20
34	Initial healthcare and coping preferences are associated with outcome 1 year after whiplash trauma: a multicentre 1-year follow-up study. BMJ Open, 2015, 5, e007239-e007239.	1.9	11
35	Physical symptom attributions: a defining characteristic of somatoform disorders?. General Hospital Psychiatry, 2015, 37, 147-152.	2.4	13
36	Long-term consequences of severe health anxiety on sick leave in treated and untreated patients: Analysis alongside a randomised controlled trial. Journal of Anxiety Disorders, 2015, 32, 95-102.	3.2	28

#	ARTICLE	IF	CITATIONS
37	A prospective evaluation of the Chronic Pain Self-Management Programme in a Danish population of chronic pain patients. <i>Patient Education and Counseling</i> , 2015, 98, 677-680.	2.2	14
38	Changes in illness perceptions mediated the effect of cognitive behavioural therapy in severe functional somatic syndromes. <i>Journal of Psychosomatic Research</i> , 2015, 78, 363-370.	2.6	97
39	The Role of Illness Perceptions in Predicting Outcome After Acute Whiplash Trauma. <i>Clinical Journal of Pain</i> , 2015, 31, 14-20.	1.9	28
40	Disclosure of mental health problems in general practice: The gradual emergence of latent topics and resources for achieving their consideration. <i>Communication and Medicine</i> , 2015, 11, 189-202.	0.2	2
41	Adolescent Neck and Shoulder Pain—The Association With Depression, Physical Activity, Screen-Based Activities, and Use of Health Care Services. <i>Journal of Adolescent Health</i> , 2014, 55, 366-372.	2.5	64
42	A pilot study of processes of change in group-based acceptance and commitment therapy for health anxiety. <i>Journal of Contextual Behavioral Science</i> , 2014, 3, 189-195.	2.6	15
43	Which is more important for outcome: the physician's or the patient's understanding of a health problem? A 2-year follow-up study in primary care. <i>General Hospital Psychiatry</i> , 2010, 32, 1-8.	2.4	21
44	Training General Practitioners in the Treatment of Functional Somatic Symptoms: Effects on Patient Health in a Cluster-Randomised Controlled Trial (the Functional Illness in Primary Care Study). <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 227-237.	8.8	49
45	Post-trauma ratings of pre-collision pain and psychological distress predict poor outcome following acute whiplash trauma: A 12-month follow-up study. <i>Pain</i> , 2008, 139, 248-259.	4.2	55
46	Do illness perceptions predict health outcomes in primary care patients? A 2-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2007, 62, 129-138.	2.6	106
47	The Uncertain Consultation and Patient Satisfaction: The Impact of Patients' Illness Perceptions and a Randomized Controlled Trial on the Training of Physicians' Communication Skills. <i>Psychosomatic Medicine</i> , 2005, 67, 897-905.	2.0	85
48	The Patients' Illness Perceptions and the Use of Primary Health Care. <i>Psychosomatic Medicine</i> , 2005, 67, 997-1005.	2.0	120
49	Mental disorders in primary care: prevalence and co-morbidity among disorders. Results from the Functional Illness in Primary care (FIP) study. <i>Psychological Medicine</i> , 2005, 35, 1175-1184.	4.5	214
50	A brief case-finding questionnaire for common mental disorders: the CMDQ. <i>Family Practice</i> , 2005, 22, 448-457.	1.9	136
51	Screening for common mental disorders: who will benefit? Results from a randomised clinical trial. <i>Family Practice</i> , 2005, 22, 428-434.	1.9	28
52	A New, Empirically Established Hypochondriasis Diagnosis. <i>American Journal of Psychiatry</i> , 2004, 161, 1680-1691.	7.2	178
53	Cervical Motor and Nociceptive Dysfunction After an Acute Whiplash Injury and the Association With Long-Term Non-Recovery: Revisiting a One-Year Prospective Cohort With Ankle Injured Controls. <i>Frontiers in Pain Research</i> , 0, 3, .	2.0	1
54	Adverse childhood experiences in patients with severe health anxiety: No evidence for an increased frequency compared to patients with obsessive-compulsive disorder. <i>Scandinavian Journal of Psychology</i> , 0, , .	1.5	0