Il Suh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7032205/publications.pdf

Version: 2024-02-01

94	6,275	147801	⁶⁶⁹¹¹ 78
papers	citations	h-index	g-index
100	100	100	10246
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Priority actions for the non-communicable disease crisis. Lancet, The, 2011, 377, 1438-1447.	13.7	1,339
2	Variance imputation for overviews of clinical trials with continuous response. Journal of Clinical Epidemiology, 1992, 45, 769-773.	5 . 0	1,137
3	Normal serum aminotransferase concentration and risk of mortality from liver diseases: prospective cohort study. BMJ: British Medical Journal, 2004, 328, 983.	2.3	477
4	The Effect of Chronic Coffee Drinking on Blood Pressure. Hypertension, 1999, 33, 647-652.	2.7	239
5	Smoking and Atherosclerotic Cardiovascular Disease in Men With Low Levels of Serum Cholesterol. JAMA - Journal of the American Medical Association, 1999, 282, 2149.	7.4	196
6	Country actions to meet UN commitments on non-communicable diseases: a stepwise approach. Lancet, The, 2013, 381, 575-584.	13.7	174
7	Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. Journal of Hypertension, 2007, 25, 73-79.	0.5	173
8	Smoking, quitting, and the risk of cardiovascular disease among women and men in the Asia-Pacific region. International Journal of Epidemiology, 2005, 34, 1036-1045.	1.9	156
9	Blood Pressure Indices and Cardiovascular Disease in the Asia Pacific Region. Hypertension, 2003, 42, 69-75.	2.7	155
10	Ambient Particulate Matter as a Risk Factor for Suicide. American Journal of Psychiatry, 2010, 167, 1100-1107.	7.2	154
11	Low serum cholesterol and haemorrhagic stroke in men: Korea Medical Insurance Corporation Study. Lancet, The, 2001, 357, 922-925.	13.7	127
12	Smoking and Elevated Blood Pressure Are the Most Important Risk Factors for Subarachnoid Hemorrhage in the Asia-Pacific Region. Stroke, 2005, 36, 1360-1365.	2.0	124
13	Cigarette Smoking, Systolic Blood Pressure, and Cardiovascular Diseases in the Asia-Pacific Region. Stroke, 2008, 39, 1694-1702.	2.0	88
14	The association between resting heart rate, cardiovascular disease and mortality: evidence from 112,680 men and women in 12 cohorts. European Journal of Preventive Cardiology, 2014, 21, 719-726.	1.8	83
15	Thirty-Year Trends in Mortality from Cardiovascular Diseases in Korea. Korean Circulation Journal, 2015, 45, 202.	1.9	80
16	Prevalence of Dyslipidemia among Korean Adults: Korea National Health and Nutrition Survey 1998-2005. Diabetes and Metabolism Journal, 2012, 36, 43.	4.7	65
17	Prevalence of Cardiovascular Risk Factors in South Korean Adults: Results from the Korea Medical Insurance Corporation (KMIC) Study. Annals of Epidemiology, 1998, 8, 14-21.	1.9	64
18	Smoking cessation and risk of type 2 diabetes mellitus: Korea Medical Insurance Corporation Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 244-249.	2.8	61

#	Article	IF	CITATIONS
19	Association Between Serum Uric Acid Level and Metabolic Syndrome. Journal of Preventive Medicine and Public Health, 2012, 45, 181-187.	1.9	58
20	Elevated Serum Aminotransferase Level as a Predictor of Intracerebral Hemorrhage. Stroke, 2005, 36, 1642-1647.	2.0	54
21	Prevalence of Comorbidity among People with Hypertension: The Korea National Health and Nutrition Examination Survey 2007-2013. Korean Circulation Journal, 2016, 46, 672.	1.9	54
22	Cardiovascular mortality in Korea. Acta Cardiologica, 2001, 56, 75-81.	0.9	51
23	Blood Pressure Is a Major Risk Factor for Renal Death. Hypertension, 2009, 54, 509-515.	2.7	50
24	Body Mass Index and Incident Ischemic Heart Disease in South Korean Men and Women. American Journal of Epidemiology, 2005, 162, 42-48.	3.4	49
25	The methylenetetrahydrofolate reductase gene is associated with increased cardiovascular risk in Japan, but not in other populations. Atherosclerosis, 2000, 153, 161-168.	0.8	40
26	Direct, Progressive Association of Cardiovascular Risk Factors With Incident Proteinuria. Archives of Internal Medicine, 2005, 165, 2299.	3.8	39
27	Comparison of Blood Pressure–Associated Risk of Intracerebral Hemorrhage and Subarachnoid Hemorrhage. Hypertension, 2005, 46, 393-397.	2.7	39
28	Spousal Concordance of Metabolic Syndrome in 3141 Korean Couples: A Nationwide Survey. Annals of Epidemiology, 2006, 16, 292-298.	1.9	38
29	Six-Year Survival and Causes of Death among Stroke Patients in Korea. Neuroepidemiology, 2009, 32, 94-100.	2.3	35
30	Moderate dietary fat consumption as a risk factor for ischemic heart disease in a population with a low fat intake: a case-control study in Korean men. American Journal of Clinical Nutrition, 2001, 73, 722-727.	4.7	33
31	The influence of sex and age on the relationship between sleep duration and metabolic syndrome in Korean adults. Diabetes Research and Clinical Practice, 2013, 102, 250-259.	2.8	32
32	Thirty-Year Trends in Mortality from Cerebrovascular Diseases in Korea. Korean Circulation Journal, 2016, 46, 507.	1.9	30
33	Gender differences in the association between smoking and dyslipidemia: 2005 Korean National Health and Nutrition Examination Survey. Clinica Chimica Acta, 2011, 412, 1600-1605.	1.1	29
34	Association between dry eye symptoms and suicidal ideation in a Korean adult population. PLoS ONE, 2018, 13, e0199131.	2.5	28
35	Age-differential association between serum uric acid and incident hypertension. Hypertension Research, 2019, 42, 428-437.	2.7	27
36	Sleep duration and chronic kidney disease: The Korean Genome and Epidemiology Study (KoGES)-Kangwha study. Korean Journal of Internal Medicine, 2017, 32, 323-334.	1.7	27

#	Article	IF	CITATIONS
37	Vitamin C Intake and Risk of Ischemic Heart Disease in a Population with a High Prevalence of Smoking. Journal of the American College of Nutrition, 2003, 22, 372-378.	1.8	24
38	Association between environmental tobacco smoke and depression among Korean women. BMJ Open, 2015, 5, e007131-e007131.	1.9	24
39	Age and gender differences in medical care utilization prior to suicide. Journal of Affective Disorders, 2013, 146, 181-188.	4.1	23
40	Longitudinal Standards for Height and Height Velocity in Korean Children and Adolescents: the Kangwha Cohort Study. Journal of Korean Medical Science, 2013, 28, 1512.	2.5	23
41	Relationship of Vitamin D Binding Protein Polymorphisms and Lung Function in Korean Chronic Obstructive Pulmonary Disease. Yonsei Medical Journal, 2014, 55, 1318.	2.2	23
42	The Association Between Serum Albumin Levels and Metabolic Syndrome in a Rural Population of Korea. Journal of Preventive Medicine and Public Health, 2012, 45, 98-104.	1.9	23
43	Familial Correlation and Heritability for Cardiovascular Risk Factors. Yonsei Medical Journal, 2002, 43, 160.	2.2	22
44	The Relationship between Modifiable Health Risks and Future Medical Care Expenditures: The Korea Medical Insurance Corporation (KMIC) Study. American Journal of Health Promotion, 2001, 15, 244-255.	1.7	19
45	Cross-sectional and longitudinal association between hemoglobin concentration and hypertension. Medicine (United States), 2016, 95, e5041.	1.0	19
46	Association between depression and bone mineral density in community-dwelling older men and women in Korea. Maturitas, 2012, 71, 142-146.	2.4	18
47	A 24-Year Follow-Up Study of Blood Pressure Tracking from Childhood to Adulthood in Korea: The Kangwha Study. Yonsei Medical Journal, 2014, 55, 360.	2.2	18
48	Triglyceride to high density lipoprotein cholesterol ratio among adolescents is associated with adult hypertension: the Kangwha study. Lipids in Health and Disease, 2018, 17, 212.	3.0	18
49	Underweight and mortality. Public Health Nutrition, 2016, 19, 1751-1756.	2.2	17
50	The Association Between Smoking Tobacco After a Diagnosis of Diabetes and the Prevalence of Diabetic Nephropathy in the Korean Male Population. Journal of Preventive Medicine and Public Health, 2016, 49, 108-117.	1.9	16
51	Factors Associated with a Low-sodium Diet: The Fourth Korean National Health and Nutrition Examination Survey. Epidemiology and Health, 2013, 35, e2013005.	1.9	16
52	Twelve-year tracking of blood pressure in Korean school children: the Kangwha Study. Yonsei Medical Journal, 1999, 40, 383.	2.2	15
53	MSX1 Polymorphism Associated with Risk of Oral Cleft in Korea: Evidence from Case-Parent Trio and Case-Control Studies. Yonsei Medical Journal, 2007, 48, 101.	2.2	15
54	Long-term Effects of Cumulative Average PM2.5 Exposure on the Risk of Hemorrhagic Stroke. Epidemiology, 2019, 30, S90-S98.	2.7	15

#	Article	IF	Citations
55	Association of appendicular skeletal muscle mass with carotid intima-media thickness according to body mass index in Korean adults. Epidemiology and Health, 2018, 40, e2018049.	1.9	15
56	Familial concordance of metabolic syndrome in Korean populationâ€"Korean National Health and Nutrition Examination Survey 2005. Diabetes Research and Clinical Practice, 2011, 93, 430-436.	2.8	14
57	Association between Serum 25-Hydroxyvitamin D Level and Insulin Resistance in a Rural Population. Yonsei Medical Journal, 2014, 55, 1036.	2.2	14
58	Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. Yonsei Medical Journal, 2015, 56, 921.	2.2	14
59	Association between changes in systolic blood pressure and incident diabetes in a community-based cohort study in Korea. Hypertension Research, 2017, 40, 710-716.	2.7	14
60	The 23-year tracking of blood lipids from adolescence to adulthood in Korea: the Kangwha study. Lipids in Health and Disease, 2017, 16 , 221 .	3.0	14
61	The Epidemiology of Stroke Amongst Women in the Asia–Pacific Region. Women's Health, 2011, 7, 305-317.	1.5	13
62	Smoking and the Risk of Upper Aero Digestive Tract Cancers for Men and Women in the Asia-Pacific Region. International Journal of Environmental Research and Public Health, 2009, 6, 1358-1370.	2.6	12
63	Association between stressful life events and resting heart rate. BMC Psychology, 2014, 2, 29.	2.1	12
64	The accuracy of myocardial infarction diagnosis in medical insurance claims. Korean Research Group for Cardiovascular Disease Prevention and Control Yonsei Medical Journal, 2000, 41, 570.	2.2	11
65	Association between Alanine Aminotransferase and Intracerebral Hemorrhage in East Asian Populations. Neuroepidemiology, 2013, 41, 131-138.	2.3	11
66	The impact of body mass index on the associations of lipids with the risk of coronary heart disease in the Asia Pacific region. Preventive Medicine Reports, 2016, 3, 79-82.	1.8	11
67	Active and Passive Smoking and Serum Total Bilirubin in a Rural Korean Population. Nicotine and Tobacco Research, 2016, 18, 572-579.	2.6	11
68	Association Between Meat Consumption and Carotid Intima-Media Thickness in Korean Adults with Metabolic Syndrome. Journal of Preventive Medicine and Public Health, 2010, 43, 486.	1.9	11
69	Sex disparities in risk and risk factors for ischemic heart disease in the Asia-Pacific region. European Journal of Preventive Cardiology, 2014, 21, 639-646.	1.8	10
70	Association between Mean Corpuscular Hemoglobin Concentration and Future Depressive Symptoms in Women. Tohoku Journal of Experimental Medicine, 2017, 241, 209-217.	1.2	10
71	Sex difference in the effect of the fasting serum glucose level on the risk of coronary heart disease. Journal of Cardiology, 2018, 71, 149-154.	1.9	10
72	Aminotransferase levels, body mass index, and the risk of diabetes: aÂprospective cohort study. Annals of Epidemiology, 2018, 28, 675-680.e6.	1.9	10

#	Article	IF	Citations
73	Incidence and survival of cancer in Kangwha County (1983-1987). Yonsei Medical Journal, 1989, 30, 256.	2.2	8
74	Coronary artery calcification and dietary cholesterol intake in Korean men. Acta Cardiologica, 2002, 57, 5-11.	0.9	8
75	Association of Estrogen Receptor-Alpha Gene Polymorphism with Pathogenesis of Osteoporosis in Korean Vegetarian Men. Medical Principles and Practice, 2010, 19, 200-205.	2.4	7
76	Impact of Multiple Cardiovascular Risk Factors on the Carotid Intima-media Thickness in Young Adults: The Kangwha Study. Journal of Preventive Medicine and Public Health, 2007, 40, 411.	1.9	6
77	The effect of smoking on health service utilization. Yonsei Medical Journal, 1993, 34, 223.	2.2	5
78	Dietary protein in relation to bone stiffness index and fat-free mass in a population consuming relatively low protein diets. Journal of Bone and Mineral Metabolism, 2013, 31, 433-441.	2.7	5
79	Elevation of Serum Aminotransferase Levels and Future Risk of Death from External Causes: A Prospective Cohort Study in Korea. Yonsei Medical Journal, 2015, 56, 1582.	2.2	5
80	Relationship between nutritional intake and dental caries experience of junior high students. Yonsei Medical Journal, 1997, 38, 101.	2.2	4
81	C-reactive Protein Concentration Is Associated With a Higher Risk of Mortality in a Rural Korean Population. Journal of Preventive Medicine and Public Health, 2016, 49, 275-287.	1.9	4
82	Relationship of change in body mass to blood pressure among children in Korea and black and white children in the United States. Yonsei Medical Journal, 1995, 36, 402.	2.2	3
83	Association between Depressive Symptoms and Bone Stiffness Index in Young Adults: The Kangwha Study. PLoS ONE, 2013, 8, e69929.	2.5	3
84	Suicide loss, changes in medical care utilization, and hospitalization for cardiovascular disease and diabetes mellitus. European Heart Journal, 2016, 37, 764-770.	2.2	3
85	Annual incidence and prevalence of obesity in childhood and young adulthood based on a 30-year longitudinal population-based cohort study in Korea: the Kangwha study. Annals of Epidemiology, 2021, 62, 1-6.	1.9	3
86	Distribution of Coronary Calcium Score in Healthy Middle-aged Korean. Journal of the Korean Radiological Society, 1999, 41, 885.	0.0	3
87	Serum cholesterol and haemorrhagic stroke. Lancet, The, 2001, 358, 508.	13.7	2
88	Heritability and Segregation Analysis of the Level of LDL-Cholesterol. Korean Circulation Journal, 2005, 35, 233.	1.9	2
89	Abstract P066: Tobacco Smoking After Diagnosis of Diabetes and the Risk of Diabetic Nephropathy. Circulation, 2016, 133, .	1.6	1
90	Asian Cohort Studies on Cardiovascular Risk Factors in Childhood. Cardiovascular Prevention and Pharmacotherapy, 2019, 1, 3.	0.1	1

#	Article	IF	CITATIONS
91	Familial Aggregation of Blood Pressure. Yonsei Medical Journal, 1987, 28, 199.	2.2	0
92	Methodological Review on Cardiovascular Disease Clinical Trials in Korea. Sunhwan'gi, 1995, 25, 1077.	0.3	0
93	Dr. Chang Sei Kim: A Public Health Pioneer Devoted to Korea's Independence Movement. Yonsei Medical Journal, 2017, 58, 895.	2.2	O
94	Abstract 19301: Blood Pressure Trajectories From Age 7 To 31 are Associated With Augmentation Index at Age 31 in Young Adults: The Kangwha Study. Circulation, 2015, 132, .	1.6	O