

# Il Suh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7032205/publications.pdf>

Version: 2024-02-01

94  
papers

6,275  
citations

147801

31  
h-index

66911

78  
g-index

100  
all docs

100  
docs citations

100  
times ranked

10246  
citing authors

#	ARTICLE	IF	CITATIONS
1	Annual incidence and prevalence of obesity in childhood and young adulthood based on a 30-year longitudinal population-based cohort study in Korea: the Kangwha study. <i>Annals of Epidemiology</i> , 2021, 62, 1-6.	1.9	3
2	Long-term Effects of Cumulative Average PM2.5 Exposure on the Risk of Hemorrhagic Stroke. <i>Epidemiology</i> , 2019, 30, S90-S98.	2.7	15
3	Age-differential association between serum uric acid and incident hypertension. <i>Hypertension Research</i> , 2019, 42, 428-437.	2.7	27
4	Asian Cohort Studies on Cardiovascular Risk Factors in Childhood. <i>Cardiovascular Prevention and Pharmacotherapy</i> , 2019, 1, 3.	0.1	1
5	Sex difference in the effect of the fasting serum glucose level on the risk of coronary heart disease. <i>Journal of Cardiology</i> , 2018, 71, 149-154.	1.9	10
6	Triglyceride to high density lipoprotein cholesterol ratio among adolescents is associated with adult hypertension: the Kangwha study. <i>Lipids in Health and Disease</i> , 2018, 17, 212.	3.0	18
7	Association between dry eye symptoms and suicidal ideation in a Korean adult population. <i>PLoS ONE</i> , 2018, 13, e0199131.	2.5	28
8	Aminotransferase levels, body mass index, and the risk of diabetes: a prospective cohort study. <i>Annals of Epidemiology</i> , 2018, 28, 675-680.e6.	1.9	10
9	Association of appendicular skeletal muscle mass with carotid intima-media thickness according to body mass index in Korean adults. <i>Epidemiology and Health</i> , 2018, 40, e2018049.	1.9	15
10	Association between changes in systolic blood pressure and incident diabetes in a community-based cohort study in Korea. <i>Hypertension Research</i> , 2017, 40, 710-716.	2.7	14
11	The 23-year tracking of blood lipids from adolescence to adulthood in Korea: the Kangwha study. <i>Lipids in Health and Disease</i> , 2017, 16, 221.	3.0	14
12	Dr. Chang Sei Kim: A Public Health Pioneer Devoted to Korea's Independence Movement. <i>Yonsei Medical Journal</i> , 2017, 58, 895.	2.2	0
13	Association between Mean Corpuscular Hemoglobin Concentration and Future Depressive Symptoms in Women. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 241, 209-217.	1.2	10
14	Sleep duration and chronic kidney disease: The Korean Genome and Epidemiology Study (KoGES)-Kangwha study. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 323-334.	1.7	27
15	C-reactive Protein Concentration Is Associated With a Higher Risk of Mortality in a Rural Korean Population. <i>Journal of Preventive Medicine and Public Health</i> , 2016, 49, 275-287.	1.9	4
16	Thirty-Year Trends in Mortality from Cerebrovascular Diseases in Korea. <i>Korean Circulation Journal</i> , 2016, 46, 507.	1.9	30
17	Prevalence of Comorbidity among People with Hypertension: The Korea National Health and Nutrition Examination Survey 2007-2013. <i>Korean Circulation Journal</i> , 2016, 46, 672.	1.9	54
18	Underweight and mortality. <i>Public Health Nutrition</i> , 2016, 19, 1751-1756.	2.2	17

#	ARTICLE	IF	CITATIONS
19	Cross-sectional and longitudinal association between hemoglobin concentration and hypertension. <i>Medicine (United States)</i> , 2016, 95, e5041.	1.0	19
20	The impact of body mass index on the associations of lipids with the risk of coronary heart disease in the Asia Pacific region. <i>Preventive Medicine Reports</i> , 2016, 3, 79-82.	1.8	11
21	Active and Passive Smoking and Serum Total Bilirubin in a Rural Korean Population. <i>Nicotine and Tobacco Research</i> , 2016, 18, 572-579.	2.6	11
22	Suicide loss, changes in medical care utilization, and hospitalization for cardiovascular disease and diabetes mellitus. <i>European Heart Journal</i> , 2016, 37, 764-770.	2.2	3
23	The Association Between Smoking Tobacco After a Diagnosis of Diabetes and the Prevalence of Diabetic Nephropathy in the Korean Male Population. <i>Journal of Preventive Medicine and Public Health</i> , 2016, 49, 108-117.	1.9	16
24	Abstract P066: Tobacco Smoking After Diagnosis of Diabetes and the Risk of Diabetic Nephropathy. <i>Circulation</i> , 2016, 133, .	1.6	1
25	Elevation of Serum Aminotransferase Levels and Future Risk of Death from External Causes: A Prospective Cohort Study in Korea. <i>Yonsei Medical Journal</i> , 2015, 56, 1582.	2.2	5
26	Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. <i>Yonsei Medical Journal</i> , 2015, 56, 921.	2.2	14
27	Thirty-Year Trends in Mortality from Cardiovascular Diseases in Korea. <i>Korean Circulation Journal</i> , 2015, 45, 202.	1.9	80
28	Association between environmental tobacco smoke and depression among Korean women. <i>BMJ Open</i> , 2015, 5, e007131-e007131.	1.9	24
29	Abstract 19301: Blood Pressure Trajectories From Age 7 To 31 are Associated With Augmentation Index at Age 31 in Young Adults: The Kangwha Study. <i>Circulation</i> , 2015, 132, .	1.6	0
30	A 24-Year Follow-Up Study of Blood Pressure Tracking from Childhood to Adulthood in Korea: The Kangwha Study. <i>Yonsei Medical Journal</i> , 2014, 55, 360.	2.2	18
31	Association between Serum 25-Hydroxyvitamin D Level and Insulin Resistance in a Rural Population. <i>Yonsei Medical Journal</i> , 2014, 55, 1036.	2.2	14
32	Relationship of Vitamin D Binding Protein Polymorphisms and Lung Function in Korean Chronic Obstructive Pulmonary Disease. <i>Yonsei Medical Journal</i> , 2014, 55, 1318.	2.2	23
33	Sex disparities in risk and risk factors for ischemic heart disease in the Asia-Pacific region. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 639-646.	1.8	10
34	Association between stressful life events and resting heart rate. <i>BMC Psychology</i> , 2014, 2, 29.	2.1	12
35	The association between resting heart rate, cardiovascular disease and mortality: evidence from 112,680 men and women in 12 cohorts. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 719-726.	1.8	83
36	Dietary protein in relation to bone stiffness index and fat-free mass in a population consuming relatively low protein diets. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 433-441.	2.7	5

#	ARTICLE	IF	CITATIONS
37	The influence of sex and age on the relationship between sleep duration and metabolic syndrome in Korean adults. <i>Diabetes Research and Clinical Practice</i> , 2013, 102, 250-259.	2.8	32
38	Age and gender differences in medical care utilization prior to suicide. <i>Journal of Affective Disorders</i> , 2013, 146, 181-188.	4.1	23
39	Country actions to meet UN commitments on non-communicable diseases: a stepwise approach. <i>Lancet, The</i> , 2013, 381, 575-584.	13.7	174
40	Association between Alanine Aminotransferase and Intracerebral Hemorrhage in East Asian Populations. <i>Neuroepidemiology</i> , 2013, 41, 131-138.	2.3	11
41	Longitudinal Standards for Height and Height Velocity in Korean Children and Adolescents: the Kangwha Cohort Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1512.	2.5	23
42	Association between Depressive Symptoms and Bone Stiffness Index in Young Adults: The Kangwha Study. <i>PLoS ONE</i> , 2013, 8, e69929.	2.5	3
43	Factors Associated with a Low-sodium Diet: The Fourth Korean National Health and Nutrition Examination Survey. <i>Epidemiology and Health</i> , 2013, 35, e2013005.	1.9	16
44	Association between depression and bone mineral density in community-dwelling older men and women in Korea. <i>Maturitas</i> , 2012, 71, 142-146.	2.4	18
45	Prevalence of Dyslipidemia among Korean Adults: Korea National Health and Nutrition Survey 1998-2005. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 43.	4.7	65
46	The Association Between Serum Albumin Levels and Metabolic Syndrome in a Rural Population of Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2012, 45, 98-104.	1.9	23
47	Association Between Serum Uric Acid Level and Metabolic Syndrome. <i>Journal of Preventive Medicine and Public Health</i> , 2012, 45, 181-187.	1.9	58
48	Gender differences in the association between smoking and dyslipidemia: 2005 Korean National Health and Nutrition Examination Survey. <i>Clinica Chimica Acta</i> , 2011, 412, 1600-1605.	1.1	29
49	Familial concordance of metabolic syndrome in Korean population—Korean National Health and Nutrition Examination Survey 2005. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, 430-436.	2.8	14
50	Priority actions for the non-communicable disease crisis. <i>Lancet, The</i> , 2011, 377, 1438-1447.	13.7	1,339
51	The Epidemiology of Stroke Amongst Women in the Asia-Pacific Region. <i>Women's Health</i> , 2011, 7, 305-317.	1.5	13
52	Association of Estrogen Receptor-Alpha Gene Polymorphism with Pathogenesis of Osteoporosis in Korean Vegetarian Men. <i>Medical Principles and Practice</i> , 2010, 19, 200-205.	2.4	7
53	Ambient Particulate Matter as a Risk Factor for Suicide. <i>American Journal of Psychiatry</i> , 2010, 167, 1100-1107.	7.2	154
54	Association Between Meat Consumption and Carotid Intima-Media Thickness in Korean Adults with Metabolic Syndrome. <i>Journal of Preventive Medicine and Public Health</i> , 2010, 43, 486.	1.9	11

#	ARTICLE	IF	CITATIONS
55	Smoking and the Risk of Upper Aero Digestive Tract Cancers for Men and Women in the Asia-Pacific Region. <i>International Journal of Environmental Research and Public Health</i> , 2009, 6, 1358-1370.	2.6	12
56	Blood Pressure Is a Major Risk Factor for Renal Death. <i>Hypertension</i> , 2009, 54, 509-515.	2.7	50
57	Six-Year Survival and Causes of Death among Stroke Patients in Korea. <i>Neuroepidemiology</i> , 2009, 32, 94-100.	2.3	35
58	Cigarette Smoking, Systolic Blood Pressure, and Cardiovascular Diseases in the Asia-Pacific Region. <i>Stroke</i> , 2008, 39, 1694-1702.	2.0	88
59	Smoking cessation and risk of type 2 diabetes mellitus: Korea Medical Insurance Corporation Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 244-249.	2.8	61
60	Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. <i>Journal of Hypertension</i> , 2007, 25, 73-79.	0.5	173
61	MSX1 Polymorphism Associated with Risk of Oral Cleft in Korea: Evidence from Case-Parent Trio and Case-Control Studies. <i>Yonsei Medical Journal</i> , 2007, 48, 101.	2.2	15
62	Impact of Multiple Cardiovascular Risk Factors on the Carotid Intima-media Thickness in Young Adults: The Kangwha Study. <i>Journal of Preventive Medicine and Public Health</i> , 2007, 40, 411.	1.9	6
63	Spousal Concordance of Metabolic Syndrome in 3141 Korean Couples: A Nationwide Survey. <i>Annals of Epidemiology</i> , 2006, 16, 292-298.	1.9	38
64	Direct, Progressive Association of Cardiovascular Risk Factors With Incident Proteinuria. <i>Archives of Internal Medicine</i> , 2005, 165, 2299.	3.8	39
65	Heritability and Segregation Analysis of the Level of LDL-Cholesterol. <i>Korean Circulation Journal</i> , 2005, 35, 233.	1.9	2
66	Body Mass Index and Incident Ischemic Heart Disease in South Korean Men and Women. <i>American Journal of Epidemiology</i> , 2005, 162, 42-48.	3.4	49
67	Comparison of Blood Pressure-associated Risk of Intracerebral Hemorrhage and Subarachnoid Hemorrhage. <i>Hypertension</i> , 2005, 46, 393-397.	2.7	39
68	Smoking, quitting, and the risk of cardiovascular disease among women and men in the Asia-Pacific region. <i>International Journal of Epidemiology</i> , 2005, 34, 1036-1045.	1.9	156
69	Smoking and Elevated Blood Pressure Are the Most Important Risk Factors for Subarachnoid Hemorrhage in the Asia-Pacific Region. <i>Stroke</i> , 2005, 36, 1360-1365.	2.0	124
70	Elevated Serum Aminotransferase Level as a Predictor of Intracerebral Hemorrhage. <i>Stroke</i> , 2005, 36, 1642-1647.	2.0	54
71	Normal serum aminotransferase concentration and risk of mortality from liver diseases: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2004, 328, 983.	2.3	477
72	Vitamin C Intake and Risk of Ischemic Heart Disease in a Population with a High Prevalence of Smoking. <i>Journal of the American College of Nutrition</i> , 2003, 22, 372-378.	1.8	24

#	ARTICLE	IF	CITATIONS
73	Blood Pressure Indices and Cardiovascular Disease in the Asia Pacific Region. <i>Hypertension</i> , 2003, 42, 69-75.	2.7	155
74	Familial Correlation and Heritability for Cardiovascular Risk Factors. <i>Yonsei Medical Journal</i> , 2002, 43, 160.	2.2	22
75	Coronary artery calcification and dietary cholesterol intake in Korean men. <i>Acta Cardiologica</i> , 2002, 57, 5-11.	0.9	8
76	Low serum cholesterol and haemorrhagic stroke in men: Korea Medical Insurance Corporation Study. <i>Lancet, The</i> , 2001, 357, 922-925.	13.7	127
77	Serum cholesterol and haemorrhagic stroke. <i>Lancet, The</i> , 2001, 358, 508.	13.7	2
78	Moderate dietary fat consumption as a risk factor for ischemic heart disease in a population with a low fat intake: a case-control study in Korean men. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 722-727.	4.7	33
79	Cardiovascular mortality in Korea. <i>Acta Cardiologica</i> , 2001, 56, 75-81.	0.9	51
80	The Relationship between Modifiable Health Risks and Future Medical Care Expenditures: The Korea Medical Insurance Corporation (KMIC) Study. <i>American Journal of Health Promotion</i> , 2001, 15, 244-255.	1.7	19
81	The accuracy of myocardial infarction diagnosis in medical insurance claims. Korean Research Group for Cardiovascular Disease Prevention and Control.. <i>Yonsei Medical Journal</i> , 2000, 41, 570.	2.2	11
82	The methylenetetrahydrofolate reductase gene is associated with increased cardiovascular risk in Japan, but not in other populations. <i>Atherosclerosis</i> , 2000, 153, 161-168.	0.8	40
83	Twelve-year tracking of blood pressure in Korean school children: the Kangwha Study. <i>Yonsei Medical Journal</i> , 1999, 40, 383.	2.2	15
84	Smoking and Atherosclerotic Cardiovascular Disease in Men With Low Levels of Serum Cholesterol. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 2149.	7.4	196
85	The Effect of Chronic Coffee Drinking on Blood Pressure. <i>Hypertension</i> , 1999, 33, 647-652.	2.7	239
86	Distribution of Coronary Calcium Score in Healthy Middle-aged Korean. <i>Journal of the Korean Radiological Society</i> , 1999, 41, 885.	0.0	3
87	Prevalence of Cardiovascular Risk Factors in South Korean Adults: Results from the Korea Medical Insurance Corporation (KMIC) Study. <i>Annals of Epidemiology</i> , 1998, 8, 14-21.	1.9	64
88	Relationship between nutritional intake and dental caries experience of junior high students. <i>Yonsei Medical Journal</i> , 1997, 38, 101.	2.2	4
89	Methodological Review on Cardiovascular Disease Clinical Trials in Korea. <i>Sunhwan'gi</i> , 1995, 25, 1077.	0.3	0
90	Relationship of change in body mass to blood pressure among children in Korea and black and white children in the United States. <i>Yonsei Medical Journal</i> , 1995, 36, 402.	2.2	3

#	ARTICLE	IF	CITATIONS
91	The effect of smoking on health service utilization. Yonsei Medical Journal, 1993, 34, 223.	2.2	5
92	Variance imputation for overviews of clinical trials with continuous response. Journal of Clinical Epidemiology, 1992, 45, 769-773.	5.0	1,137
93	Incidence and survival of cancer in Kangwha County (1983-1987). Yonsei Medical Journal, 1989, 30, 256.	2.2	8
94	Familial Aggregation of Blood Pressure. Yonsei Medical Journal, 1987, 28, 199.	2.2	0