

Helge Frieling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/70356/publications.pdf>

Version: 2024-02-01

236

papers

5,995

citations

66343

42

h-index

114465

63

g-index

257

all docs

257

docs citations

257

times ranked

7209

citing authors

#	ARTICLE	IF	CITATIONS
1	Dear Doctor Letters regarding citalopram and escitalopram: guidelines vs real-world data. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 65-74.	3.2	5
2	Serotonin system-associated genetic and epigenetic changes in pedophilia and child sexual offending. Journal of Psychiatric Research, 2022, 145, 60-69.	3.1	4
3	Sudden infant death syndrome revisited: serotonin transporter gene, polymorphisms and promoter methylation. Pediatric Research, 2022, 92, 694-699.	2.3	3
4	Leptin promoter methylation in female patients with painful multisomatoform disorder and chronic widespread pain. Clinical Epigenetics, 2022, 14, 13.	4.1	5
5	Electroconvulsive therapy and adiposity-related parameters in treatment-resistant depressed patients. Journal of Neural Transmission, 2022, 129, 331-341.	2.8	0
6	Impact of COVID-19 on Medical Supply in Adults With Congenital Heart Disease. Frontiers in Psychiatry, 2022, 13, 812611.	2.6	2
7	Early Detection and Prevention of Schizophrenic Psychosis—A Review. Brain Sciences, 2022, 12, 11.	2.3	7
8	Antipsychotic drug treatment of schizophrenia in later life: Results from the European cross-sectional AMSP study. World Journal of Biological Psychiatry, 2022, 23, 374-386.	2.6	7
9	Impact of fasting on stress systems and depressive symptoms in patients with major depressive disorder: a cross-sectional study. Scientific Reports, 2022, 12, 7642.	3.3	2
10	Pharmacological treatment of major depressive disorder according to severity in psychiatric inpatients: results from the AMSP pharmacovigilance program from 2001–2017. Journal of Neural Transmission, 2022, 129, 925-944.	2.8	3
11	Antidepressants Are Poor Inhibitors of Heat-Evoked Ion Currents Mediated by TRPM2. Pharmacology, 2022, , 1-8.	2.2	0
12	Decision Conflicts in Clinical Care during COVID-19: A Patient Perspective. Healthcare (Switzerland), 2022, 10, 1019.	2.0	5
13	How alcohol makes the epigenetic clock tick faster and the clock reversing effect of abstinence. Addiction Biology, 2022, 27, .	2.6	7
14	Genotype-dependent epigenetic regulation of DLGAP2 in alcohol use and dependence. Molecular Psychiatry, 2021, 26, 4367-4382.	7.9	18
15	Differential Methylation Pattern of Schizophrenia Candidate Genes in Tetrahydrocannabinol-Consuming Treatment-Resistant Schizophrenic Patients Compared to Non-Consumer Patients and Healthy Controls. Neuropsychobiology, 2021, 80, 36-44.	1.9	5
16	Association of Testosterone Levels and Steroid 5-Alpha-Reductase 2 Polymorphisms with Opioid Craving. Neuropsychobiology, 2021, 80, 64-73.	1.9	1
17	Effect of SSRI exposure on the proliferation rate and glucose uptake in breast and ovary cancer cell lines. Scientific Reports, 2021, 11, 1250.	3.3	6
18	Peripandemic psychiatric emergencies: impact of the COVID-19 pandemic on patients according to diagnostic subgroup. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 259-270.	3.2	27

#	ARTICLE	IF	CITATIONS
19	Promoter Methylation of <i>LEP</i> and <i>LEPR</i> before and after Bariatric Surgery: A Cross-Sectional Study. <i>Obesity Facts</i> , 2021, 14, 93-99.	3.4	10
20	Time trends in pharmacological treatment of major depressive disorder: Results from the AMSP Pharmacovigilance Program from 2001–2017. <i>Journal of Affective Disorders</i> , 2021, 281, 547-556.	4.1	15
21	Behavioural change in Prader–Willi syndrome during COVID-19 pandemic. <i>Journal of Intellectual Disability Research</i> , 2021, 65, 609-616.	2.0	16
22	TNF- α Increase in a Cohort of Depressive Patients. <i>Disease Markers</i> , 2021, 2021, 1-7.	1.3	3
23	Epigenetic Regulation of Neural Transmission after Cerebellar Fastigial Nucleus Lesions in Juvenile Rats. <i>Cerebellum</i> , 2021, , 1.	2.5	2
24	Sex differences in pharmacological treatment of major depressive disorder: results from the AMSP pharmacovigilance program from 2001 to 2017. <i>Journal of Neural Transmission</i> , 2021, 128, 827-843.	2.8	10
25	Therapeutic Drug Monitoring of Second- and Third-Generation Antipsychotic Drugs—Influence of Smoking Behavior and Inflammation on Pharmacokinetics. <i>Pharmaceuticals</i> , 2021, 14, 514.	3.8	17
26	Autoantibody-associated psychiatric syndromes in children: link to adult psychiatry. <i>Journal of Neural Transmission</i> , 2021, 128, 735-747.	2.8	6
27	An unusual presentation of Huntington’s disease. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04547.	0.5	2
28	Psychotropic drug-induced hyponatremia: results from a drug surveillance program—an update. <i>Journal of Neural Transmission</i> , 2021, 128, 1249-1264.	2.8	10
29	Sociodemographic, Circumstantial, and Psychopathological Predictors of Involuntary Admission of Patients with Acute Psychosis. <i>Psychiatry International</i> , 2021, 2, 310-324.	1.0	2
30	Epinephrine levels decrease in responders after electroconvulsive therapy. <i>Journal of Neural Transmission</i> , 2021, 128, 1917-1921.	2.8	2
31	Enhanced attentional processing during speech perception in adult high-functioning autism spectrum disorder: An ERP-study. <i>Neuropsychologia</i> , 2021, 161, 108022.	1.6	5
32	Differences in the promoter methylation of atrial natriuretic peptide and vasopressin in alcohol use disorder. A longitudinal case-control-study during withdrawal therapy. <i>Psychoneuroendocrinology</i> , 2021, 133, 105387.	2.7	0
33	Sertraline as a treatment option for temper outbursts in Prader–Willi syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2021, 185, 790-797.	1.2	15
34	Urological adverse drug reactions of psychotropic medication in psychiatric inpatients – A drug surveillance report from German-speaking countries. <i>Journal of Psychiatric Research</i> , 2021, 144, 412-420.	3.1	4
35	OXTR-Related Markers in Clinical Depression: a Longitudinal Case–Control Psychotherapy Study. <i>Journal of Molecular Neuroscience</i> , 2021, 72, 695.	2.3	0
36	N-Acetylcysteine provides limited efficacy as treatment option for skin picking in Prader–Willi syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2021, , .	1.2	4

#	ARTICLE	IF	CITATIONS
37	Neuroleptic malignant syndrome: evaluation of drug safety data from the AMSP program during 1993–2015. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 23-33.	3.2	13
38	Higher BDNF plasma levels are associated with a normalization of memory dysfunctions during an antidepressant treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 183-193.	3.2	10
39	Extrapyramidal reactions following treatment with antidepressants: Results of the AMSP multinational drug surveillance programme. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 308-316.	2.6	14
40	Diagnostic evaluation of the hospital depression scale (HADS) and the Beck depression inventory II (BDI-II) in adults with congenital heart disease using a structured clinical interview: Impact of depression severity. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 381-390.	1.8	28
41	Pharmacotherapy of psychiatric inpatients with adjustment disorder: current status and changes between 2000 and 2016. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 107-117.	3.2	4
42	Severe parkinsonism under treatment with antipsychotic drugs. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 35-47.	3.2	9
43	Transient receptor potential ankyrin 1 promoter methylation and peripheral pain sensitivity in Crohn's disease. <i>Clinical Epigenetics</i> , 2020, 12, 1.	4.1	71
44	Alcohol consumption alters Gdnf promoter methylation and expression in rats. <i>Journal of Psychiatric Research</i> , 2020, 121, 1-9.	3.1	17
45	Epigenetics: A new approach to understanding mechanisms in depression and to predict antidepressant treatment response. , 2020, , 375-383.		0
46	Autoantibody-associated psychiatric symptoms and syndromes in adults: A narrative review and proposed diagnostic approach. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 9, 100154.	2.5	41
47	Novel candidate genes for ECT response prediction—a pilot study analyzing the DNA methylome of depressed patients receiving electroconvulsive therapy. <i>Clinical Epigenetics</i> , 2020, 12, 114.	4.1	14
48	DNA methylation of ghrelin and leptin receptors in underweight and recovered patients with anorexia nervosa. <i>Journal of Psychiatric Research</i> , 2020, 131, 271-278.	3.1	3
49	Severe drug-induced liver injury in patients under treatment with antipsychotic drugs: Data from the AMSP study. <i>World Journal of Biological Psychiatry</i> , 2020, 22, 1-14.	2.6	8
50	Electroconvulsive therapy, changes in immune cell ratios, and their association with seizure quality and clinical outcome in depressed patients. <i>European Neuropsychopharmacology</i> , 2020, 36, 18-28.	0.7	9
51	Severe weight gain as an adverse drug reaction of psychotropics: Data from the AMSP project between 2001 and 2016. <i>European Neuropsychopharmacology</i> , 2020, 36, 60-71.	0.7	17
52	Altered neurometabolism in major depressive disorder: A whole brain 1H-magnetic resonance spectroscopic imaging study at 3T. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109916.	4.8	18
53	Simulating ComBat: how batch correction can lead to the systematic introduction of false positive results in DNA methylation microarray studies. <i>BMC Bioinformatics</i> , 2020, 21, 271.	2.6	49
54	DNA Methylation of the t-PA Gene Differs Between Various Immune Cell Subtypes Isolated From Depressed Patients Receiving Electroconvulsive Therapy. <i>Frontiers in Psychiatry</i> , 2020, 11, 571.	2.6	7

#	ARTICLE	IF	CITATIONS
55	Trauma Severity in Early Childhood Correlates with Stress and Satiety Hormone Levels in a Pilot Cohort Receiving Diamorphine Maintenance Treatment. <i>European Addiction Research</i> , 2020, 26, 103-108.	2.4	3
56	Attempted suicide during an episode of lycanthropy â€“ A case report and review of literature. <i>Psychiatry Research</i> , 2020, 286, 112796.	3.3	1
57	Cariprazine in the treatment of a long lasting psychosis in a female patient with Morbus Niemann-Pick Type B. , 2020, 53, .		1
58	Impact of Longâ€“Term Alcohol Consumption and Relapse on Genomeâ€“Wide DNA Methylation Changes in Alcoholâ€“Dependent Subjects: A Longitudinal Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1356-1365.	2.4	7
59	Appetite-regulating hormones, alcohol dependence and craving in a rodent model. <i>Pharmacopsychiatry</i> , 2020, 53, .	3.3	0
60	Seizure rates under treatment with antipsychotic drugs: Data from the AMSP project. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 732-741.	2.6	17
61	Psychopharmacology in transplantation medicine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 88, 74-85.	4.8	8
62	THE ASSOCIATION OF METHYLATION OF THE PROMOTER AND ANTIDEPRESSANTS IN TRANSCRIPTIONAL REGULATION OF THE BRAIN-DERIVED NEUROTROPHIC FACTOR EXON IV. <i>European Neuropsychopharmacology</i> , 2019, 29, S975-S976.	0.7	0
63	Psychopharmacological Treatment of Schizophrenia Over Time in 30 908 Inpatients: Data From the AMSP Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 560-573.	2.1	32
64	DNA-methylation of the dopamin receptor 2 gene is altered during alcohol withdrawal. <i>European Neuropsychopharmacology</i> , 2019, 29, 1250-1257.	0.7	8
65	Fluoxetine induces glucose uptake and modifies glucose transporter palmitoylation in human peripheral blood mononuclear cells. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 883-891.	3.4	15
66	Childhood traumatization is associated with differences in TRPA1 promoter methylation in female patients with multisomatoform disorder with pain as the leading bodily symptom. <i>Clinical Epigenetics</i> , 2019, 11, 126.	4.1	20
67	Child sexual offenders show prenatal and epigenetic alterations of the androgen system. <i>Translational Psychiatry</i> , 2019, 9, 28.	4.8	22
68	Alcohol Withdrawal and Proopiomelanocortin Neuropeptides in an Animal Model of Alcohol Dependence. <i>Neuropsychobiology</i> , 2019, 78, 118-127.	1.9	4
69	Preeclampsia-Associated Alteration of DNA Methylation in Fetal Endothelial Progenitor Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 32.	3.7	17
70	Association of Leptin Gene DNA Methylation With Diagnosis and Treatment Outcome of Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2019, 10, 197.	2.6	11
71	Disparate effects of first and second generation antipsychotics on cognition in schizophrenia â€“ Findings from the randomized NeSSy trial. <i>European Neuropsychopharmacology</i> , 2019, 29, 720-739.	0.7	29
72	Brief Sensory Training Narrows the Temporal Binding Window and Enhances Long-Term Multimodal Speech Perception. <i>Frontiers in Psychology</i> , 2019, 10, 2489.	2.1	19

#	ARTICLE	IF	CITATIONS
73	Short Communication: Interaction of Nerve Growth Factor (NGF) and Vascular Endothelial Growth Factor (VEGF) in Healthy Individuals. <i>Disease Markers</i> , 2019, 2019, 1-5.	1.3	3
74	Link between depression and cardiovascular diseases due to epigenomics and proteomics: Focus on energy metabolism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 146-157.	4.8	32
75	Priapism induced by various psychotropics: A case series. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 505-512.	2.6	7
76	Pharmacotherapeutic options for co-morbid depression and alcohol dependence. <i>Expert Opinion on Pharmacotherapy</i> , 2019, 20, 547-569.	1.8	17
77	Cutaneous adverse drug reactions to psychotropic drugs and their risk factors – a case-control study. <i>European Neuropsychopharmacology</i> , 2019, 29, 111-121.	0.7	15
78	DNA Methylation of the Leptin Gene Promoter is Altered by Chronic Alcohol Exposure in an Animal Model for Alcohol Dependence. <i>European Addiction Research</i> , 2019, 25, 49-55.	2.4	6
79	Allele-Specific Methylation of <i>SPDEF</i> : A Novel Moderator of Psychosocial Stress and Substance Abuse. <i>American Journal of Psychiatry</i> , 2019, 176, 146-155.	7.2	14
80	Smoking-induced changes in leptin serum levels and c/EBPalpha-related methylation status of the leptin core promotor during smoking cessation. <i>Psychoneuroendocrinology</i> , 2019, 100, 106-112.	2.7	5
81	Plasma brain-derived neurotrophic factor (pBDNF) and executive dysfunctions in patients with major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 519-530.	2.6	16
82	P11 promoter methylation predicts the antidepressant effect of electroconvulsive therapy. <i>Translational Psychiatry</i> , 2018, 8, 25.	4.8	32
83	Alcohol, microbiome, and their effect on psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 105-115.	4.8	61
84	Venous thromboembolism during treatment with antipsychotics: Results of a drug surveillance programme. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 175-186.	2.6	23
85	Effects of a 72 hours fasting on brain metabolism in healthy women studied in vivo with magnetic resonance spectroscopic imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 469-478.	4.3	12
86	Use and safety of antiepileptic drugs in psychiatric inpatients – data from the AMSP study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 191-208.	3.2	14
87	Epigenetics in Personality Disorders: Today's Insights. <i>Frontiers in Psychiatry</i> , 2018, 9, 579.	2.6	84
88	BDNF Plasma Levels and BDNF Exon IV Promoter Methylation as Predictors for Antidepressant Treatment Response. <i>Frontiers in Psychiatry</i> , 2018, 9, 511.	2.6	35
89	Desacylghrelin but not acylghrelin is reduced during smoking cessation. <i>Journal of Neural Transmission</i> , 2018, 125, 1885-1889.	2.8	6
90	Severe hair loss associated with psychotropic drugs in psychiatric inpatients – Data from an observational pharmacovigilance program in German-speaking countries. <i>European Psychiatry</i> , 2018, 54, 117-123.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Second generation atypical antipsychotics olanzapine and aripiprazole reduce expression and secretion of inflammatory cytokines in human immune cells. Journal of Psychiatric Research, 2018, 105, 95-102.	3.1	57
92	S100B, Homocysteine, Vitamin B12, Folic Acid, and Procalcitonin Serum Levels in Remitters to Electroconvulsive Therapy: A Pilot Study. Disease Markers, 2018, 2018, 1-8.	1.3	11
93	Suicidal Ideation and Suicidal Behavior as Rare Adverse Events of Antidepressant Medication: Current Report from the AMSP Multicenter Drug Safety Surveillance Project. International Journal of Neuropsychopharmacology, 2018, 21, 814-821.	2.1	34
94	Leptin Expression and Gene Methylation Patterns in Alcohol-Dependent Patients with Ethyltoxic Cirrhosis – Normalization After Liver Transplantation and Implications for Future Research. Alcohol and Alcoholism, 2018, 53, 511-517.	1.6	7
95	Epigenetic alterations of the POMC promoter in tobacco dependence. European Neuropsychopharmacology, 2018, 28, 875-879.	0.7	6
96	Elevated methylation and decreased serum concentrations of BDNF in patients in levomethadone compared to diamorphine maintenance treatment. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 33-40.	3.2	18
97	Functional effects of cannabinoids during dopaminergic specification of human neural precursors derived from induced pluripotent stem cells. Addiction Biology, 2017, 22, 1329-1342.	2.6	19
98	Gilles de la Tourette syndrome is associated with hypermethylation of the dopamine D2 receptor gene. Journal of Psychiatric Research, 2017, 86, 1-8.	3.1	30
99	Olanzapine and aripiprazole differentially affect glucose uptake and energy metabolism in human mononuclear blood cells. Journal of Psychiatric Research, 2017, 88, 18-27.	3.1	12
100	Reduced muscle mass in middle-aged depressed patients is associated with male gender and chronicity. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 58-64.	4.8	13
101	Positive association of personal distress with testosterone in opiate-addicted patients. Journal of Addictive Diseases, 2017, 36, 167-174.	1.3	5
102	Epigenetic divergence in the TRPA1 promoter correlates with pressure pain thresholds in healthy individuals. Pain, 2017, 158, 698-704.	4.2	27
103	Promoter Polymorphism rs886205 Genotype Interacts With DNA Methylation of the ALDH2 Regulatory Region in Alcohol Dependence. Alcohol and Alcoholism, 2017, 52, 269-276.	1.6	13
104	A cell culture model for investigation of synapse influenceability: epigenetics, expression and function of gene targets important for synapse formation and preservation in SH-SY5Y neuroblastoma cells differentiated by retinoic acid. Journal of Neural Transmission, 2017, 124, 1341-1367.	2.8	26
105	Epigenetic Regulation of the Promotor Region of Vascular Endothelial Growth Factor-A and Nerve Growth Factor in Opioid-Maintained Patients. European Addiction Research, 2017, 23, 249-259.	2.4	5
106	Joint Effects of the Epigenetic Alteration of Neurotrophins and Cytokine Signaling: A Possible Exploratory Model of Affective Symptoms in Alcohol-Dependent Patients?. Alcohol and Alcoholism, 2017, 52, 277-281.	1.6	9
107	Smoking and Promoter-Specific Deoxyribonucleic Acid Methylation of the Atrial Natriuretic Peptide Gene: Methylation of Smokers and Non-Smokers Differs Significantly during Withdrawal. European Addiction Research, 2017, 23, 306-311.	2.4	6
108	Homocysteine and Cognition in Bariatric Surgery. Bariatric Surgical Patient Care, 2017, 12, 190-196.	0.5	1

#	ARTICLE	IF	CITATIONS
109	Epigenetic Effects of Intravenous Diacetylmorphine on the Methylation of <i>POMC</i> and <i>NR3C1</i> . <i>Neuropsychobiology</i> , 2017, 75, 193-199.	1.9	7
110	Limitations of lymphoblastoid cell lines for functional analysis of SNPs. <i>BMC Research Notes</i> , 2017, 10, 548.	1.4	1
111	Mental disorders in adults with congenital heart disease: Unmet needs and impact on quality of life. <i>Journal of Affective Disorders</i> , 2016, 204, 180-186.	4.1	93
112	The Epigenetic Regulation of GATA4-Dependent Brain Natriuretic Peptide Expression during Alcohol Withdrawal. <i>Neuropsychobiology</i> , 2016, 74, 131-138.	1.9	6
113	P.4.017 Epigenetic alterations of the glia cell-derived neurotrophic factor and response to electroconvulsive stimulation. <i>European Neuropsychopharmacology</i> , 2016, 26, S99-S100.	0.7	0
114	Behavioral differences of male Wistar rats from different vendors in vulnerability and resilience to chronic mild stress are reflected in epigenetic regulation and expression of p11. <i>Brain Research</i> , 2016, 1642, 505-515.	2.2	32
115	Cortical electroconvulsive stimulation alleviates breeding-induced prepulse inhibition deficit in rats. <i>Experimental Neurology</i> , 2016, 275, 99-103.	4.1	4
116	Dopamine-receptor 2 gene-methylation and gambling behavior in relation to impulsivity. <i>Psychiatry Research</i> , 2016, 239, 154-155.	3.3	8
117	Impaired Regulation of ALDH2 Protein Expression Revealing a Yet Unknown Epigenetic Impact of rs886205 on Specific Methylation of a Negative Regulatory Promoter Region in Alcohol-Dependent Patients. <i>European Addiction Research</i> , 2016, 22, 59-69.	2.4	14
118	The treatment of chronic depression with cognitive behavioral analysis system of psychotherapy: a systematic review and meta-analysis of randomized-controlled clinical trials. <i>Brain and Behavior</i> , 2016, 6, e00486.	2.2	77
119	Transplantation in alcohol-induced liver diseases-a kind of gene therapy for addictive behaviour?. <i>Addiction</i> , 2016, 111, 2065-2066.	3.3	1
120	Gene-Environment Interaction of the Oxytocin Receptor Gene Polymorphism (rs53576) and Unresolved Attachment Status Predict Depersonalization Symptoms: An Exploratory Study. <i>Psychological Studies</i> , 2016, 61, 295-300.	1.0	7
121	Association of testosterone and BDNF serum levels with craving during alcohol withdrawal. <i>Alcohol</i> , 2016, 54, 67-72.	1.7	16
122	Psychopharmacological treatment of 1650 in-patients with acute mania-data from the AMSP study. <i>Journal of Affective Disorders</i> , 2016, 191, 164-171.	4.1	12
123	Altered DNA methylation of glucose transporter 1 and glucose transporter 4 in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016, 76, 66-73.	3.1	28
124	Combination of agomelatine and bupropion for treatment-resistant depression: results from a chart review study including a matched control group. <i>Brain and Behavior</i> , 2015, 5, e00318.	2.2	6
125	Altered DNA methylation status (BDNF gene exon IV) associated with prenatal maternal cigarette smoking in borderline patients and healthy controls. <i>Psychoneuroendocrinology</i> , 2015, 61, 29.	2.7	2
126	DNA methylation results depend on DNA integrity-Role of post mortem interval. <i>Frontiers in Genetics</i> , 2015, 6, 182.	2.3	30

#	ARTICLE	IF	CITATIONS
127	Effects of adjunctive exercise on physiological and psychological parameters in depression: A randomized pilot trial. <i>Journal of Affective Disorders</i> , 2015, 177, 1-6.	4.1	77
128	Alcohol abuse and cigarette smoking are associated with global DNA hypermethylation: Results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol</i> , 2015, 49, 97-101.	1.7	33
129	BDNF serum levels and promoter methylation of BDNF exon I, IV and VI in depressed patients receiving electroconvulsive therapy. <i>Journal of Neural Transmission</i> , 2015, 122, 925-928.	2.8	57
130	The Neurobiology and Psychology of Pedophilia: Recent Advances and Challenges. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 344.	2.0	100
131	Alterations in DNA-methylation of the dopamine-receptor 2 gene are associated with abstinence and health care utilization in individuals with a lifetime history of pathologic gambling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 63, 30-34.	4.8	38
132	Adrenal gland volume, intra-abdominal and pericardial adipose tissue in major depressive disorder. <i>Psychoneuroendocrinology</i> , 2015, 58, 1-8.	2.7	24
133	No association between the ALDH2 promoter polymorphism rs886205, alcohol dependence, and risky alcohol consumption in a German population. <i>Psychiatric Genetics</i> , 2015, 25, 41-42.	1.1	6
134	Cardiovascular Adverse Reactions During Antidepressant Treatment: A Drug Surveillance Report of German-Speaking Countries Between 1993 and 2010. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu080-pyu080.	2.1	51
135	Do changes in the BDNF promoter methylation indicate the risk of alcohol relapse?. <i>European Neuropsychopharmacology</i> , 2015, 25, 1892-1897.	0.7	33
136	DNA methylation of the LEP gene is associated with craving during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2015, 51, 371-377.	2.7	30
137	Psychiatric Symptoms in Patients with Shiga Toxin-Producing <i>E. coli</i> O104:H4 Induced Haemolytic-Uraemic Syndrome. <i>PLoS ONE</i> , 2014, 9, e101839.	2.5	17
138	Binge drinking and experiences of victimization among adolescents: findings of a nationwide representative study in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014, 22, 489-496.	1.6	6
139	Genetic variants of methionine metabolism and DNA methylation. <i>Epigenomics</i> , 2014, 6, 585-591.	2.1	18
140	Suicide Attempt by Poisoning Using Nicotine Liquid For Use in Electronic Cigarettes. <i>American Journal of Psychiatry</i> , 2014, 171, 891-891.	7.2	25
141	Alcohol-Induced Changes in Methylation Status of Individual CpG Sites, and Serum Levels of Vasopressin and Atrial Natriuretic Peptide in Alcohol-Dependent Patients during Detoxification Treatment. <i>European Addiction Research</i> , 2014, 20, 143-150.	2.4	29
142	A new method to model electroconvulsive therapy in rats with increased construct validity and enhanced translational value. <i>Journal of Psychiatric Research</i> , 2014, 53, 94-98.	3.1	8
143	CAGn repeat of the androgen receptor is linked to proopiomelanocortin promoter methylation—relevance for craving of male alcohol-dependent patients?. <i>Psychopharmacology</i> , 2014, 231, 2059-2066.	3.1	11
144	TNF- α and IL-6 serum levels: Neurobiological markers of alcohol consumption in alcohol-dependent patients?. <i>Alcohol</i> , 2014, 48, 671-676.	1.7	65

#	ARTICLE	IF	CITATIONS
145	The implications for the biological and sociodynamic causal explanations of attitudes toward alcohol-dependent patients. <i>Psychiatry Research</i> , 2014, 215, 766-770.	3.3	5
146	Methylation of the promoter of brain-derived neurotrophic factor exon IV and antidepressant response in major depression. <i>Molecular Psychiatry</i> , 2014, 19, 281-283.	7.9	151
147	Brief Psychotic Disorder After Abrupt Withdrawal of Hydroxyzine Hydrochloride. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 526-527.	1.4	2
148	Epigenetic down regulation of nerve growth factor during alcohol withdrawal. <i>Addiction Biology</i> , 2013, 18, 508-510.	2.6	58
149	Value of genetic and epigenetic testing as biomarkers of response to antidepressant treatment. <i>International Review of Psychiatry</i> , 2013, 25, 572-578.	2.8	15
150	Hypomethylation of neuregulin in rats selectively bred for reduced sensorimotor gating. <i>Schizophrenia Research</i> , 2013, 150, 262-265.	2.0	14
151	Prevalence of the metabolic syndrome in patients with borderline personality disorder: results from a cross-sectional study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 205-213.	3.2	60
152	Atrial Natriuretic Peptide, Arginine Vasopressin Peptide and Cortisol Serum Levels in Opiate-Dependent Patients. <i>Neuropsychobiology</i> , 2013, 67, 111-115.	1.9	12
153	Biological Markers for Alcohol Withdrawal Seizures: A Retrospective Analysis. <i>European Addiction Research</i> , 2012, 18, 97-102.	2.4	8
154	Alterations of Homocysteine Serum Levels during Alcohol Withdrawal Are Influenced by Folate and Riboflavin: Results from the German Investigation on Neurobiology in Alcoholism (GINA). <i>Alcohol and Alcoholism</i> , 2012, 47, 497-500.	1.6	21
155	Smoking, but Not Malnutrition, Influences Promoter-Specific DNA Methylation of the Proopiomelanocortin Gene in Patients with and without Anorexia Nervosa. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 168-176.	1.9	29
156	Indicators for elevated risk factors for alcohol-withdrawal seizures: an analysis using a random forest algorithm. <i>Journal of Neural Transmission</i> , 2012, 119, 1449-1453.	2.8	17
157	Reduced plasma levels of asymmetric Di-Methylarginine (ADMA) in patients with alcohol dependence normalize during withdrawal. <i>European Neuropsychopharmacology</i> , 2012, 22, 836-840.	0.7	6
158	Lower levels of cannabinoid 1 receptor mRNA in female eating disorder patients: Association with wrist cutting as impulsive self-injurious behavior. <i>Psychoneuroendocrinology</i> , 2012, 37, 2032-2036.	2.7	22
159	Stable-isotope dilution GC-MS method for ethanol in vapour ethanol and microdialysis systems based on carbonate-catalyzed extractive pentafluorobenzoylation. <i>Analyst</i> , 2012, 137, 2480.	3.5	3
160	Sex hormone activity in alcohol addiction: Integrating organizational and activational effects. <i>Progress in Neurobiology</i> , 2012, 96, 136-163.	5.7	119
161	Microstructural abnormalities of the posterior thalamic radiation and the mediodorsal thalamic nuclei in females with anorexia nervosa – A voxel based diffusion tensor imaging (DTI) study. <i>Journal of Psychiatric Research</i> , 2012, 46, 1237-1242.	3.1	75
162	Association of V89L SRD5A2 polymorphism with craving and serum leptin levels in male alcohol addicts. <i>Psychopharmacology</i> , 2012, 224, 421-429.	3.1	16

#	ARTICLE	IF	CITATIONS
163	Association of Nerve Growth Factor and Vascular Endothelial Growth Factor A with Psychometric Measurements of Opiate Dependence: Results of a Pilot Study in Patients Participating in a Structured Diamorphine Maintenance Program. <i>European Addiction Research</i> , 2012, 18, 213-219.	2.4	10
164	ERK1/2 protein and mRNA levels in human blood are linked to smoking behavior. <i>Addiction Biology</i> , 2012, 17, 1026-1035.	2.6	7
165	Opioid modulators for alcohol dependence. <i>Expert Opinion on Investigational Drugs</i> , 2011, 20, 1073-1086.	4.1	26
166	Serum levels of BDNF are associated with craving in opiate-dependent patients. <i>Journal of Psychopharmacology</i> , 2011, 25, 1480-1484.	4.0	56
167	Decreased galanin serum levels are associated with alcohol-craving during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 568-572.	4.8	8
168	Does Alcohol Craving Decrease With Increasing Age? Results From a Cross-Sectional Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2011, 72, 158-162.	1.0	23
169	Brain-derived neurotrophic factor, Val66Met single nucleotide polymorphism is not associated with alcohol dependence. <i>Psychiatric Genetics</i> , 2011, 21, 53-54.	1.1	7
170	Prolactin Serum Levels During Alcohol Withdrawal Are Associated With the Severity of Alcohol Dependence and Withdrawal Symptoms. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 235-239.	2.4	10
171	The TTTAn aromatase (CYP19A1) polymorphism is associated with compulsive craving of male patients during alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2011, 36, 1261-1264.	2.7	10
172	NACP-Rep1 relates to Beck Depression Inventory Scores in Healthy Humans. <i>Journal of Molecular Neuroscience</i> , 2011, 44, 41-47.	2.3	4
173	Androgen Receptor Polyglutamine Length Does Not Influence Serum Levels of Adipocytokines in Alcoholism: A Preliminary Retrospective Analysis. <i>Alcohol and Alcoholism</i> , 2011, 46, 214-216.	1.6	2
174	Smoking behaviour is associated with expression and phosphorylation of CREB in human buffy coat. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 207.	2.1	11
175	Epigenetics and depression: current challenges and new therapeutic options. <i>Current Opinion in Psychiatry</i> , 2010, 23, 588-592.	6.3	72
176	BDNF plasma levels decrease during benzodiazepine withdrawal in patients suffering from comorbidity of depressive disorder and benzodiazepine dependence. <i>Psychopharmacology</i> , 2010, 209, 213-215.	3.1	12
177	DNA methylation of the POMC gene promoter is associated with craving in alcohol dependence. <i>Journal of Neural Transmission</i> , 2010, 117, 513-519.	2.8	74
178	Elevation of homocysteine levels is only partially reversed after therapy in females with eating disorders. <i>Journal of Neural Transmission</i> , 2010, 117, 521-527.	2.8	16
179	Promoter specific DNA methylation and gene expression of POMC in acutely underweight and recovered patients with anorexia nervosa. <i>Journal of Psychiatric Research</i> , 2010, 44, 827-833.	3.1	90
180	Epigenetic dysregulation of dopaminergic genes in eating disorders. <i>International Journal of Eating Disorders</i> , 2010, 43, 577-583.	4.0	124

#	ARTICLE	IF	CITATIONS
181	CLINICAL STUDY: BRIEF REPORT: Serum levels of vascular endothelial growth factor A increase during alcohol withdrawal. <i>Addiction Biology</i> , 2010, 15, 362-364.	2.6	16
182	Anorexia Nervosa in a 56-Year-Old Woman with a Diagnosis of Hyperlipidemia: A Case Report. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 492-493.	2.3	5
183	Neuropathological and Reelin Deficiencies in the Hippocampal Formation of Rats Exposed to MAM; Differences and Similarities with Schizophrenia. <i>PLoS ONE</i> , 2010, 5, e10291.	2.5	30
184	BDNF and GDNF serum levels in alcohol-dependent patients during withdrawal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1060-1064.	4.8	82
185	Promoter specific methylation of the dopamine transporter gene is altered in alcohol dependence and associated with craving. <i>Journal of Psychiatric Research</i> , 2009, 43, 388-392.	3.1	120
186	Elevated cannabinoid 1 receptor mRNA is linked to eating disorder related behavior and attitudes in females with eating disorders. <i>Psychoneuroendocrinology</i> , 2009, 34, 620-624.	2.7	57
187	Epigenetic regulation and gene expression of vasopressin and atrial natriuretic peptide in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009, 34, 555-560.	2.7	64
188	Polymorphism of the long polyglutamine tract in the human androgen receptor influences craving of men in alcohol withdrawal. <i>Psychoneuroendocrinology</i> , 2009, 34, 968-971.	2.7	31
189	N-methyl-d-aspartate 2b receptor subtype (NR2B) promoter methylation in patients during alcohol withdrawal. <i>Journal of Neural Transmission</i> , 2009, 116, 615-622.	2.8	72
190	Increased levels of adiponectin and resistin in alcohol dependence—possible link to craving. <i>Drug and Alcohol Dependence</i> , 2009, 99, 333-337.	3.2	55
191	One-carbon metabolism and schizophrenia: current challenges and future directions. <i>Trends in Molecular Medicine</i> , 2009, 15, 562-570.	6.7	76
192	Genetic polymorphisms relevant for one-carbon metabolism show no effect on homocysteine plasma levels and DNA methylation in alcoholism. <i>Psychiatric Genetics</i> , 2009, 19, 215-216.	1.1	1
193	<sc>SC</sc>â€œCARBOXYMETHYLCYSTEINE INHIBITS CARBACHOLâ€œINDUCED CONSTRICTION OF EPITHELIUMâ€œDENuded RAT AND HUMAN AIRWAY PREPARATIONS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 663-669.	1.9	2
194	Depressive symptoms may explain elevated plasma levels of homocysteine in females with eating disorders. <i>Journal of Psychiatric Research</i> , 2008, 42, 83-86.	3.1	17
195	NGF plasma levels increase due to alcohol intoxication and decrease during withdrawal. <i>Psychoneuroendocrinology</i> , 2008, 33, 999-1003.	2.7	21
196	Global DNA methylation is influenced by smoking behaviour. <i>European Neuropsychopharmacology</i> , 2008, 18, 295-298.	0.7	66
197	Alpha-Synuclein mRNA Levels Correspond to Beck Depression Inventory Scores in Females with Eating Disorders. <i>Neuropsychobiology</i> , 2008, 58, 48-52.	1.9	11
198	Hippocampal volume loss in patients with alcoholism is influenced by the consumed type of alcoholic beverage. <i>Alcohol and Alcoholism</i> , 2008, 43, 296-299.	1.6	23

#	ARTICLE	IF	CITATIONS
199	Epigenetic Downregulation of Atrial Natriuretic Peptide but not Vasopressin mRNA Expression in Females with Eating Disorders is Related to Impulsivity. <i>Neuropsychopharmacology</i> , 2008, 33, 2605-2609.	5.4	62
200	Association of the long allele of the 5-HTTLPR polymorphism with compulsive craving in alcohol dependence. <i>Alcohol and Alcoholism</i> , 2007, 42, 509-512.	1.6	50
201	Elevated Prenatal Homocysteine Levels and the Risk of Schizophrenia. <i>Archives of General Psychiatry</i> , 2007, 64, 980.	12.3	13
202	Homocysteine and Epigenetic DNA Methylation: A Biological Model for Depression?. <i>American Journal of Psychiatry</i> , 2007, 164, 1610-1610.	7.2	19
203	Combinations of carbohydrate-deficient transferrin, mean corpuscular erythrocyte volume, gamma-glutamyltransferase, homocysteine and folate increase the significance of biological markers in alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 2007, 89, 60-65.	3.2	34
204	Treating dopaminergic psychosis in Parkinson's disease: Structured review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2007, 17, 165-171.	0.7	74
205	Role of Appetite-Regulating Peptides in Alcohol Craving: An Analysis in Respect to Subtypes and Different Consumption Patterns in Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 950-954.	2.4	69
206	Evidence of an association of leptin serum levels and craving in alcohol dependence. <i>Psychoneuroendocrinology</i> , 2007, 32, 87-90.	2.7	72
207	Elevated prolactin serum levels and history of alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007, 41, 702-706.	3.1	10
208	Apolipoprotein E gene polymorphism and previous alcohol withdrawal seizures. <i>Journal of Psychiatric Research</i> , 2007, 41, 871-875.	3.1	8
209	Decreased serum activity of semicarbazide-sensitive amine oxidase (SSAO) in patients treated with second generation antipsychotics: a link to impaired glucose metabolism?. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 425-429.	1.9	6
210	Peritoneal instillation of taurididine or polihexanide modulates intestinal microcirculation in experimental endotoxemia. <i>International Journal of Colorectal Disease</i> , 2007, 22, 807-817.	2.2	3
211	Decreased serum semicarbazide sensitive aminooxidase (SSAO) activity in patients with major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 906-909.	4.8	9
212	Association of catecholamine-O-methyltransferase and 5-HTTLPR genotype with eating disorder-related behavior and attitudes in females with eating disorders. <i>Psychiatric Genetics</i> , 2006, 16, 205-208.	1.1	43
213	Obsessive-compulsive alcohol craving is not associated with Apolipoprotein E genotype. <i>Psychiatric Genetics</i> , 2006, 16, 231-232.	1.1	1
214	An Assessment of the Potential Value of Elevated Homocysteine in Predicting Alcohol Withdrawal Seizures. <i>Epilepsia</i> , 2006, 47, 934-938.	5.1	39
215	Epigenetic DNA Hypermethylation of the HERP Gene Promoter Induces Downregulation of Its mRNA Expression in Patients With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 587-591.	2.4	171
216	SHOULD ASPIRIN BE DISCONTINUED FOR DIAGNOSTIC LUMBAR PUNCTURE?. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 181-182.	2.6	9

#	ARTICLE	IF	CITATIONS
217	Thermostatic tissue platform for intravital microscopy: 'the hanging drop' model. <i>Journal of Microscopy</i> , 2006, 224, 203-210.	1.8	20
218	Nicotine dependence is associated with compulsive alcohol craving. <i>Addiction</i> , 2006, 101, 892-897.	3.3	28
219	Intraperitoneal instillation of polihexanide produces hypotension and vasodilation: in vivo and in vitro study in rats. <i>International Journal of Colorectal Disease</i> , 2006, 21, 373-380.	2.2	10
220	Actions of psychotropic drugs beyond their primary targets at the synaptic cleft. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 265-267.	3.2	2
221	Tranylcypromine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 268-273.	3.2	45
222	VOLUME INTAKE AND CRAVING IN ALCOHOL WITHDRAWAL. <i>Alcohol and Alcoholism</i> , 2006, 41, 61-65.	1.6	42
223	Prolactin Serum Levels and Alcohol Craving – An Analysis Using Lesch's Typology. <i>Neuropsychobiology</i> , 2006, 53, 133-136.	1.9	18
224	Reply: Drug-Induced Psychosis after Long-Term Treatment with Levetiracetam. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 948-948.	1.9	1
225	Apolipoprotein E4 genotype is not associated with short-term cognition deficits during alcohol withdrawal. <i>Alcohol</i> , 2005, 37, 151-156.	1.7	2
226	Evidence of Increased Homocysteine Levels in Alcoholism: The Franconian Alcoholism Research Studies (FARS). <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 334-336.	2.4	98
227	Chrelin Levels Are Increased in Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 2154-2157.	2.4	134
228	Memantine inhibits ethanol-induced NMDA receptor up-regulation in rat hippocampal neurons. <i>Brain Research</i> , 2005, 1052, 156-162.	2.2	43
229	Creutzfeldt-Jakob Disease and Homocysteine Levels in Plasma and Cerebrospinal Fluid. <i>Gerontology</i> , 2005, 51, 142-144.	2.8	6
230	Alteration of prolactin serum levels during alcohol withdrawal correlates with craving in female patients. <i>Addiction Biology</i> , 2005, 10, 337-343.	2.6	22
231	HOMOCYSTEINE LEVELS IN PATIENTS CLASSIFIED ACCORDING TO LESCH'S TYPOLOGY. <i>Alcohol and Alcoholism</i> , 2004, 39, 493-498.	1.6	48
232	Homocysteine as a neurotoxin in chronic alcoholism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 453-464.	4.8	79
233	Elevated homocysteine levels in aqueous humor of patients with pseudoexfoliation glaucoma. <i>American Journal of Ophthalmology</i> , 2004, 138, 162-164.	3.3	121
234	Drug-Induced Psychosis after Long-Term Treatment with Levetiracetam. <i>Canadian Journal of Psychiatry</i> , 2004, 49, 870-870.	1.9	23

#	ARTICLE	IF	CITATIONS
235	Glutamate and the glutamate receptor system: a target for drug action. International Journal of Geriatric Psychiatry, 2003, 18, S33-S40.	2.7	103
236	Plasma homocysteine is a predictor of alcohol withdrawal seizures. NeuroReport, 2000, 11, 2749-2752.	1.2	73