

# Firoozeh Hosseini-Esfahani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7035668/publications.pdf>

Version: 2024-02-01

73  
papers

3,019  
citations

304743

22  
h-index

175258

52  
g-index

81  
all docs

81  
docs citations

81  
times ranked

2833  
citing authors

#	ARTICLE	IF	CITATIONS
1	The resemblance of dietary intakes in three generations of parent-offspring pairs: Tehran lipid and glucose study. <i>Appetite</i> , 2022, 169, 105794.	3.7	2
2	Associations between dietary antioxidant intakes and cardiovascular disease. <i>Scientific Reports</i> , 2022, 12, 1504.	3.3	21
3	Evaluating machine learning-powered classification algorithms which utilize variants in the GCKR gene to predict metabolic syndrome: Tehran Cardio-metabolic Genetics Study. <i>Journal of Translational Medicine</i> , 2022, 20, 164.	4.4	1
4	Resemblance of nutrient intakes in three generations of parent-offspring pairs: Tehran lipid and Glucose Study. <i>PLoS ONE</i> , 2022, 17, e0266941.	2.5	2
5	Nutrient Intake and Deficiency of Patients 1 Year After Bariatric Surgery: Tehran Obesity Treatment Study (TOTS). <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 911-918.	1.7	16
6	The association of priori and posteriori dietary patterns with the risk of incident hypertension: Tehran Lipid and Glucose Study. <i>Journal of Translational Medicine</i> , 2021, 19, 44.	4.4	14
7	A nutrient pattern characterized by vitamin A, C, B6, potassium, and fructose is associated with reduced risk of insulin-related disorders: A prospective study among participants of Tehran lipid and glucose study. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 12.	2.7	6
8	Dietary diversity modifies the association between FTO polymorphisms and obesity phenotypes. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 997-1007.	2.8	6
9	Using Machine Learning Techniques to Predict Factors Contributing to the Incidence of Metabolic Syndrome in Tehran: Cohort Study. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e27304.	2.6	7
10	The association of dietary macronutrients composition with the incidence of type 2 diabetes, using iso-energetic substitution models: Tehran Lipid and Glucose Study. <i>Primary Care Diabetes</i> , 2021, 15, 1080-1085.	1.8	0
11	The association of dietary macronutrients composition with the incidence of cardiovascular disease, using iso-energetic substitution models: Tehran lipid and glucose study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2186-2193.	2.6	2
12	Nutrient patterns and cardiometabolic risk factors among Iranian adults: Tehran lipid and glucose study. <i>BMC Public Health</i> , 2020, 20, 653.	2.9	8
13	The interaction between dietary patterns and melanocortin-4 receptor polymorphisms in relation to obesity phenotypes. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 249-256.	1.8	6
14	Acrylamide content of collected food products from Tehran's market: a risk assessment study. <i>Environmental Science and Pollution Research</i> , 2020, 27, 30558-30570.	5.3	35
15	&lt;p&gt;The Association of Dietary Polyphenol Intake with the Risk of Type 2 Diabetes: Tehran Lipid and Glucose Study&lt;/p&gt;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 1643-1652.	2.4	9
16	The association of dietary patterns and adherence to WHO healthy diet with metabolic syndrome in children and adolescents: Tehran lipid and glucose study. <i>BMC Public Health</i> , 2019, 19, 1457.	2.9	21
17	Red meat and dietary iron intakes are associated with some components of metabolic syndrome: Tehran Lipid and Glucose Study. <i>Journal of Translational Medicine</i> , 2019, 17, 313.	4.4	20
18	The interaction of cholesteryl ester transfer protein gene variations and diet on changes in serum lipid profiles. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1291-1298.	2.9	4

#	ARTICLE	IF	CITATIONS
19	Evaluating the interaction of common FTO genetic variants, added sugar, and trans-fatty acid intakes in altering obesity phenotypes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 474-480.	2.6	13
20	Dietary patterns modify the association between fat mass and obesity-associated genetic variants and changes in obesity phenotypes. <i>British Journal of Nutrition</i> , 2019, 121, 1247-1254.	2.3	13
21	Empirical dietary inflammatory pattern and risk of metabolic syndrome and its components: Tehran Lipid and Glucose Study. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 16.	2.7	21
22	Long-Term Effectiveness of a Lifestyle Intervention: A Pragmatic Community Trial to Prevent Metabolic Syndrome. <i>American Journal of Preventive Medicine</i> , 2019, 56, 437-446.	3.0	9
23	The association of dietary macronutrients with anthropometric changes, using iso-energetic substitution models: Tehran lipid and glucose study. <i>Nutrition and Metabolism</i> , 2019, 16, 83.	3.0	2
24	The Effects of a Community-Based Lifestyle Intervention on Metabolic Syndrome and Its Components in Adolescents: Findings of a Decade Follow-Up. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 215-223.	1.3	12
25	Dietary factors influence the association of cyclin D2 polymorphism rs11063069 with the risk of metabolic syndrome. <i>Nutrition Research</i> , 2018, 52, 48-56.	2.9	3
26	Food Patterns and Framingham Risk Score in Iranian Adults: Tehran Lipid and Glucose Study: 2005–2011. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 64-71.	1.3	9
27	Nutrition and Cardio-Metabolic Risk Factors: 20 Years of the Tehran Lipid and Glucose Study Findings. <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84772.	1.0	15
28	Cholesteryl ester transfer protein gene variations and macronutrient intakes interaction in relation to metabolic syndrome: Tehran lipid and glucose study. <i>Iranian Journal of Basic Medical Sciences</i> , 2018, 21, 586-592.	1.0	4
29	The Association Between Empirical Dietary Inflammatory Pattern and Metabolic Phenotypes in Overweight/Obese Adults. <i>International Journal of Endocrinology and Metabolism</i> , 2018, 16, e60048.	1.0	22
30	Metabolic Syndrome: Twenty Years of the Tehran Lipid and Glucose Study Findings. <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84771.	1.0	16
31	Nutrition and Diabetes, Cardiovascular and Chronic Kidney Diseases: Findings from 20 Years of the Tehran Lipid and Glucose Study. <i>International Journal of Endocrinology and Metabolism</i> , 2018, 16, e84791.	1.0	18
32	White rice intake and incidence of type-2 diabetes: analysis of two prospective cohort studies from Iran. <i>BMC Public Health</i> , 2017, 17, 133.	2.9	56
33	Some dietary factors can modulate the effect of the zinc transporters 8 polymorphism on the risk of metabolic syndrome. <i>Scientific Reports</i> , 2017, 7, 1649.	3.3	13
34	Low carbohydrate diet is associated with reduced risk of metabolic syndrome in Tehranian adults. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 358-365.	2.8	29
35	The interaction of fat mass and obesity associated gene polymorphisms and dietary fiber intake in relation to obesity phenotypes. <i>Scientific Reports</i> , 2017, 7, 18057.	3.3	22
36	Mediterranean Dietary Pattern Adherence Modify the Association between FTO Genetic Variations and Obesity Phenotypes. <i>Nutrients</i> , 2017, 9, 1064.	4.1	39

#	ARTICLE	IF	CITATIONS
37	Factors associated with pre-diabetes in Tehranian men and women: A structural equations modeling. PLoS ONE, 2017, 12, e0188898.	2.5	20
38	Genetic variations of cholesteryl ester transfer protein and diet interactions in relation to lipid profiles and coronary heart disease: a systematic review. Nutrition and Metabolism, 2017, 14, 77.	3.0	17
39	The Effect of Interactions of Single Nucleotide Polymorphisms of APOA1/APOC3 with Food Group Intakes on the Risk of Metabolic Syndrome. Avicenna Journal of Medical Biotechnology, 2017, 9, 94-103.	0.3	11
40	Associations of Pre-Defined Dietary Patterns with Obesity Associated Phenotypes in Tehranian Adolescents. Nutrients, 2016, 8, 505.	4.1	15
41	Patterns of food consumption and risk of type 2 diabetes in an Iranian population: A nested case-control study. Nutrition and Dietetics, 2016, 73, 169-176.	1.8	6
42	Effect of interactions of polymorphisms in the Melanocortin-4 receptor gene with dietary factors on the risk of obesity and Type 2 diabetes: a systematic review. Diabetic Medicine, 2016, 33, 1026-1034.	2.3	29
43	The effect of interaction between Melanocortin-4 receptor polymorphism and dietary factors on the risk of metabolic syndrome. Nutrition and Metabolism, 2016, 13, 35.	3.0	28
44	Is the metabolic syndrome inversely associates with butter, non-hydrogenated- and hydrogenated-vegetable oils consumption: Tehran lipid and glucose study. Diabetes Research and Clinical Practice, 2016, 112, 20-29.	2.8	8
45	The Association of Polymorphisms in Leptin/Leptin Receptor Genes and Ghrelin/Ghrelin Receptor Genes With Overweight/Obesity and the Related Metabolic Disturbances: A Review. International Journal of Endocrinology and Metabolism, 2015, 13, e19073.	1.0	39
46	Dietary patterns interact with APOA1/APOC3 polymorphisms to alter the risk of the metabolic syndrome: the Tehran Lipid and Glucose Study. British Journal of Nutrition, 2015, 113, 644-653.	2.3	32
47	Relationship of food security with Type 2 diabetes and its risk factors in Tehranian adults. International Journal of Preventive Medicine, 2015, 6, 98.	0.4	12
48	Gender differences in the relationship between serum zinc concentration and metabolic syndrome. Annals of Human Biology, 2014, 41, 436-442.	1.0	35
49	Metabolic syndrome profiles, obesity measures and intake of dietary fatty acids in adults: Tehran Lipid and Glucose Study. Journal of Human Nutrition and Dietetics, 2014, 27, 98-108.	2.5	18
50	Western Dietary Pattern Interaction with APOC3 Polymorphism in the Risk of Metabolic Syndrome: Tehran Lipid and Glucose Study. Journal of Nutrigenetics and Nutrigenomics, 2014, 7, 105-117.	1.3	14
51	Metabolic Syndrome and its Association with Healthy Eating Index-2005 in Adolescents: Tehran Lipid and Glucose Study. Journal of Food and Nutrition Research (Newark, Del ), 2014, 2, 155-161.	0.3	9
52	Low carbohydrate diet score does not predict metabolic syndrome in children and adolescents: Tehran Lipid and Glucose Study. Archives of Iranian Medicine, 2014, 17, 417-22.	0.6	13
53	Dietary intakes of zinc and copper and cardiovascular risk factors in Tehranian adults: Tehran Lipid and Glucose Study. Nutrition and Dietetics, 2013, 70, 218-226.	1.8	5
54	Fast food consumption and the risk of metabolic syndrome after 3-years of follow-up: Tehran Lipid and Glucose Study. European Journal of Clinical Nutrition, 2013, 67, 1303-1309.	2.9	48

#	ARTICLE	IF	CITATIONS
55	The Effect of Community-Based Education for Lifestyle Intervention on The Prevalence of Metabolic Syndrome and Its Components: Tehran Lipid and Glucose Study. <i>International Journal of Endocrinology and Metabolism</i> , 2013, 11, 145-53.	1.0	23
56	Dietary Quality among Tehranian Adults in Relation to Lipid Profile: Findings from the Tehran Lipid and Glucose Study. <i>Journal of Health, Population and Nutrition</i> , 2013, 31, 37-48.	2.0	30
57	Reliability, comparative validity and stability of dietary patterns derived from an FFQ in the Tehran Lipid and Glucose Study. <i>British Journal of Nutrition</i> , 2012, 108, 1109-1117.	2.3	246
58	Magnesium intake and prevalence of metabolic syndrome in adults: Tehran Lipid and Glucose Study. <i>Public Health Nutrition</i> , 2012, 15, 693-701.	2.2	32
59	Pediatric reference values for serum zinc concentration in Iranian subjects and an assessment of their dietary zinc intakes. <i>Clinical Biochemistry</i> , 2012, 45, 1254-1256.	1.9	8
60	Which Food Patterns Are Predictors of Obesity in Tehranian Adults?. <i>Journal of Nutrition Education and Behavior</i> , 2012, 44, 564-573.	0.7	17
61	Reference Values for Serum Zinc Concentration and Prevalence of Zinc Deficiency in Adult Iranian Subjects. <i>Biological Trace Element Research</i> , 2012, 149, 307-314.	3.5	36
62	Inverse association between fruit, legume, and cereal fiber and the risk of metabolic syndrome: Tehran Lipid and Glucose Study. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 276-283.	2.8	49
63	Does Dietary Intake by Tehranian Adults Align with the 2005 Dietary Guidelines for Americans? Observations from the Tehran Lipid and Glucose Study. <i>Journal of Health, Population and Nutrition</i> , 2011, 29, 39-52.	2.0	44
64	Does the diet of Tehranian adults ensure compliance with nutritional targets? Observations from the Tehran Lipid and Glucose Study. <i>Public Health Nutrition</i> , 2011, 14, 1539-1548.	2.2	10
65	Trends in Risk Factors for Cardiovascular Disease Among Iranian Adolescents: The Tehran Lipid and Glucose Study, 1999-2008. <i>Journal of Epidemiology</i> , 2011, 21, 319-328.	2.4	44
66	Dietary fatty acid composition and metabolic syndrome in Tehranian adults. <i>Nutrition</i> , 2011, 27, 1002-1007.	2.4	21
67	Intra-erythrocyte Magnesium Is Associated with Gamma-Glutamyl Transferase in Obese Children and Adolescents. <i>Biological Trace Element Research</i> , 2011, 143, 835-843.	3.5	7
68	Dietary fructose and risk of metabolic syndrome in adults: Tehran Lipid and Glucose study. <i>Nutrition and Metabolism</i> , 2011, 8, 50.	3.0	29
69	Reproducibility and Relative Validity of Food Group Intake in a Food Frequency Questionnaire Developed for the Tehran Lipid and Glucose Study. <i>Journal of Epidemiology</i> , 2010, 20, 150-158.	2.4	589
70	Adherence to dietary recommendations and risk of metabolic syndrome: Tehran Lipid and Glucose Study. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1833-1842.	3.4	125
71	Nutritional Knowledge, Attitude and Practice of Tehranian Adults and Their Relation to Serum Lipid and Lipoproteins: Tehran Lipid and Glucose Study. <i>Annals of Nutrition and Metabolism</i> , 2010, 56, 233-240.	1.9	26
72	Reliability and relative validity of an FFQ for nutrients in the Tehran Lipid and Glucose Study. <i>Public Health Nutrition</i> , 2010, 13, 654.	2.2	827

#	ARTICLE	IF	CITATIONS
73	Meat Food Group Intakes and the Risk of Type 2 Diabetes Incidence. <i>Frontiers in Nutrition</i> , 0, 9, .	3.7	1