Hans-Werner Mewes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7043635/publications.pdf

Version: 2024-02-01

106 papers 19,046 citations

56 h-index 106 g-index

107 all docs

107
docs citations

107 times ranked

25182 citing authors

| # | Article | IF | Citations |
|----|--|------|-----------|
| 1 | SmartPhase: Accurate and fast phasing of heterozygous variant pairs for genetic diagnosis of rare diseases. PLoS Computational Biology, 2020, 16, e1007613. | 1.5 | 13 |
| 2 | The bioinformatics of the yeast genomeâ€"A historical perspective. Yeast, 2019, 36, 161-165. | 0.8 | 3 |
| 3 | Identification and Characterization of Carboxylesterases from Brachypodium distachyon Deacetylating Trichothecene Mycotoxins. Toxins, 2016, 8, 6. | 1.5 | 17 |
| 4 | Implementing systems medicine within healthcare. Genome Medicine, 2015, 7, 102. | 3.6 | 13 |
| 5 | Stroma-Derived Connective Tissue Growth Factor Maintains Cell Cycle Progression and Repopulation Activity of Hematopoietic Stem Cells InÂVitro. Stem Cell Reports, 2015, 5, 702-715. | 2.3 | 21 |
| 6 | Large-scale modeling of condition-specific gene regulatory networks by information integration and inference. Nucleic Acids Research, 2014, 42, e166-e166. | 6.5 | 12 |
| 7 | SIMAPâ€"the database of all-against-all protein sequence similarities and annotations with new interfaces and increased coverage. Nucleic Acids Research, 2014, 42, D279-D284. | 6.5 | 24 |
| 8 | Rare variants in LRRK1 and Parkinson's disease. Neurogenetics, 2014, 15, 49-57. | 0.7 | 33 |
| 9 | The Fusarium graminearum Genome Reveals More Secondary Metabolite Gene Clusters and Hints of Horizontal Gene Transfer. PLoS ONE, 2014, 9, e110311. | 1.1 | 124 |
| 10 | Functional Characterization of Two Clusters of <i>Brachypodium distachyon</i> UDP-Glycosyltransferases Encoding Putative Deoxynivalenol Detoxification Genes. Molecular Plant-Microbe Interactions, 2013, 26, 781-792. | 1.4 | 85 |
| 11 | Network-based SNP meta-analysis identifies joint and disjoint genetic features across common human diseases. BMC Genomics, 2012, 13, 490. | 1.2 | 1 |
| 12 | Human metabolic individuality in biomedical and pharmaceutical research. Nature, 2011, 477, 54-60. | 13.7 | 916 |
| 13 | FGDB: revisiting the genome annotation of the plant pathogen Fusarium graminearum. Nucleic Acids Research, 2011, 39, D637-D639. | 6.5 | 81 |
| 14 | The sufficient minimal set of miRNA seed types. Bioinformatics, 2011, 27, 1346-1350. | 1.8 | 110 |
| 15 | A genome-wide perspective of genetic variation in human metabolism. Nature Genetics, 2010, 42, 137-141. | 9.4 | 618 |
| 16 | Exome sequencing identifies ACAD9 mutations as a cause of complex I deficiency. Nature Genetics, 2010, 42, 1131-1134. | 9.4 | 234 |
| 17 | Metabolic Footprint of Diabetes: A Multiplatform Metabolomics Study in an Epidemiological Setting. PLoS ONE, 2010, 5, e13953. | 1.1 | 501 |
| 18 | SIMAPâ€"a comprehensive database of pre-calculated protein sequence similarities, domains, annotations and clusters. Nucleic Acids Research, 2010, 38, D223-D226. | 6.5 | 40 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Large Scale Application of Neural Network Based Semantic Role Labeling for Automated Relation Extraction from Biomedical Texts. PLoS ONE, 2009, 4, e6393. | 1.1 | 42 |
| 20 | A Novel Putative miRNA Target Enhancer Signal. PLoS ONE, 2009, 4, e6473. | 1.1 | 7 |
| 21 | Approaching clinical proteomics: current state and future fields of application in fluid proteomics. Clinical Chemistry and Laboratory Medicine, 2009, 47, 724-44. | 1.4 | 112 |
| 22 | PEDANT covers all complete RefSeq genomes. Nucleic Acids Research, 2009, 37, D408-D411. | 6.5 | 97 |
| 23 | Sequence-Based Prediction of Type III Secreted Proteins. PLoS Pathogens, 2009, 5, e1000376. | 2.1 | 230 |
| 24 | The DICS repository: module-assisted analysis of disease-related gene lists. Bioinformatics, 2009, 25, 830-831. | 1.8 | 9 |
| 25 | Approaching clinical proteomics: Current state and future fields of application in cellular proteomics. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2009, 75A, 816-832. | 1.1 | 52 |
| 26 | PPI spider: A tool for the interpretation of proteomics data in the context of protein–protein interaction networks. Proteomics, 2009, 9, 2740-2749. | 1.3 | 63 |
| 27 | TICL – a web tool for networkâ€based interpretation of compound lists inferred by highâ€throughput metabolomics. FEBS Journal, 2009, 276, 2084-2094. | 2.2 | 30 |
| 28 | PLIPS, an Automatically Collected Database of Protein Lists Reported by Proteomics Studies. Journal of Proteome Research, 2009, 8, 1193-1197. | 1.8 | 10 |
| 29 | Uncovering metabolic pathways relevant to phenotypic traits of microbial genomes. Genome Biology, 2009, 10, R28. | 13.9 | 39 |
| 30 | FunCat functional inference with belief propagation and feature integration. Computational Biology and Chemistry, 2008, 32, 375-377. | 1.1 | 3 |
| 31 | Complex phylogenetic profiling reveals fundamental genotype–phenotype associations. Computational Biology and Chemistry, 2008, 32, 412-416. | 1.1 | 8 |
| 32 | Bioinformatics Analysis of Targeted Metabolomics—Uncovering Old and New Tales of Diabetic Mice under Medication. Endocrinology, 2008, 149, 3478-3489. | 1.4 | 120 |
| 33 | An environmental perspective on large-scale genome clustering based on metabolic capabilities. Bioinformatics, 2008, 24, i56-i62. | 1.8 | 7 |
| 34 | Beyond the  best' match: machine learning annotation of protein sequences by integration of different sources of information. Bioinformatics, 2008, 24, 621-628. | 1.8 | 12 |
| 35 | Genetics Meets Metabolomics: A Genome-Wide Association Study of Metabolite Profiles in Human Serum. PLoS Genetics, 2008, 4, e1000282. | 1.5 | 660 |
| 36 | PEDANT genome database: 10 years online. Nucleic Acids Research, 2007, 35, D354-D357. | 6.5 | 24 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Separation of sequences from host–pathogen interface using triplet nucleotide frequencies. Fungal Genetics and Biology, 2007, 44, 231-241. | 0.9 | 16 |
| 38 | The <i>Fusarium graminearum</i> Genome Reveals a Link Between Localized Polymorphism and Pathogen Specialization. Science, 2007, 317, 1400-1402. | 6.0 | 837 |
| 39 | The minimum information required for reporting a molecular interaction experiment (MIMIx). Nature Biotechnology, 2007, 25, 894-898. | 9.4 | 274 |
| 40 | Prediction and classification of protein functions. Drug Discovery Today: Technologies, 2006, 3, 145-151. | 4.0 | 16 |
| 41 | BIOREL: The benchmark resource to estimate the relevance of the gene networks. FEBS Letters, 2006, 580, 844-848. | 1.3 | 5 |
| 42 | Development of a Fusarium graminearum Affymetrix GeneChip for profiling fungal gene expression in vitro and in planta. Fungal Genetics and Biology, 2006, 43, 316-325. | 0.9 | 164 |
| 43 | Complex Functionality of Gene Groups Identified from High-throughput Data. Journal of Molecular Biology, 2006, 363, 289-296. | 2.0 | 19 |
| 44 | Deciphering the evolution and metabolism of an anammox bacterium from a community genome. Nature, 2006, 440, 790-794. | 13.7 | 1,075 |
| 45 | Insights from the genome of the biotrophic fungal plant pathogen Ustilago maydis. Nature, 2006, 444, 97-101. | 13.7 | 1,113 |
| 46 | Can we estimate the accuracy of ADME–Tox predictions?. Drug Discovery Today, 2006, 11, 700-707. | 3.2 | 242 |
| 47 | FGDB: a comprehensive fungal genome resource on the plant pathogen Fusarium graminearum. Nucleic Acids Research, 2006, 34, D456-D458. | 6.5 | 77 |
| 48 | A systematic approach to infer biological relevance and biases of gene network structures. Nucleic Acids Research, 2006, 34, e6-e6. | 6.5 | 15 |
| 49 | Resources and Tools for Investigating Biomolecular Networks in Mammals. Current Pharmaceutical Design, 2006, 12, 3723-34. | 0.9 | 3 |
| 50 | Spatiotemporal Expression Control Correlates with Intragenic Scaffold Matrix Attachment Regions (S/MARs) in Arabidopsis thaliana. PLoS Computational Biology, 2006, 2, e21. | 1.5 | 29 |
| 51 | MPact: the MIPS protein interaction resource on yeast. Nucleic Acids Research, 2006, 34, D436-D441. | 6.5 | 305 |
| 52 | DNA Damage-induced Expression of p53 Suppresses Mitotic Checkpoint Kinase hMps1. Journal of Biological Chemistry, 2006, 281, 8675-8685. | 1.6 | 39 |
| 53 | Gene selection from microarray data for cancer classification—a machine learning approach. Computational Biology and Chemistry, 2005, 29, 37-46. | 1.1 | 336 |
| 54 | Exploiting scale-free information from expression data for cancer classification. Computational Biology and Chemistry, 2005, 29, 288-293. | 1.1 | 3 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 55 | Super paramagnetic clustering of protein sequences. BMC Bioinformatics, 2005, 6, 82. | 1.2 | 37 |
| 56 | PRIME: A graphical interface for integrating genomic/proteomic databases. Proteomics, 2005, 5, 76-80. | 1.3 | 3 |
| 57 | The MIPS mammalian protein-protein interaction database. Bioinformatics, 2005, 21, 832-834. | 1.8 | 500 |
| 58 | The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. Nucleic Acids Research, 2004, 32, 5539-5545. | 6.5 | 988 |
| 59 | The PEDANT genome database in 2005. Nucleic Acids Research, 2004, 33, D308-D310. | 6.5 | 50 |
| 60 | MIPS Arabidopsis thaliana Database (MAtDB): an integrated biological knowledge resource for plant genomics. Nucleic Acids Research, 2004, 32, 373D-376. | 6.5 | 82 |
| 61 | Integrative Annotation of 21,037 Human Genes Validated by Full-Length cDNA Clones. PLoS Biology, 2004, 2, e162. | 2.6 | 290 |
| 62 | Conservation of protein–protein interactions – lessons from ascomycota. Trends in Genetics, 2004, 20, 72-76. | 2.9 | 41 |
| 63 | Illuminating the Evolutionary History of Chlamydiae. Science, 2004, 304, 728-730. | 6.0 | 373 |
| 64 | The genome sequence of the filamentous fungus Neurospora crassa. Nature, 2003, 422, 859-868. | 13.7 | 1,528 |
| 65 | Functional modules by relating protein interaction networks and gene expression. Nucleic Acids Research, 2003, 31, 6283-6289. | 6.5 | 162 |
| 66 | Sputnik: a database platform for comparative plant genomics. Nucleic Acids Research, 2003, 31, 128-132. | 6.5 | 44 |
| 67 | The PEDANT genome database. Nucleic Acids Research, 2003, 31, 207-211. | 6.5 | 110 |
| 68 | What's in the genome of a filamentous fungus? Analysis of the Neurospora genome sequence. Nucleic Acids Research, 2003, 31, 1944-1954. | 6.5 | 59 |
| 69 | Molecular evolution of eukaryotic genomes: hemiascomycetous yeast spliceosomal introns. Nucleic Acids Research, 2003, 31, 1121-1135. | 6.5 | 118 |
| 70 | The Protein Information Resource: an integrated public resource of functional annotation of proteins. Nucleic Acids Research, 2002, 30, 35-37. | 6.5 | 186 |
| 71 | SNAPper: gene order predicts gene function. Bioinformatics, 2002, 18, 1017-1019. | 1.8 | 22 |
| 72 | Online genomics facilities in the new millennium. Pharmacogenomics, 2002, 3, 265-271. | 0.6 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 73 | Exon discovery by genomic sequence alignment. Bioinformatics, 2002, 18, 777-787. | 1.8 | 51 |
| 74 | Large scale analysis of sequences from Neurospora crassa. Journal of Biotechnology, 2002, 94, 3-13. | 1.9 | 25 |
| 75 | MIPS Arabidopsisthaliana Database (MAtDB): an integrated biological knowledge resource based on the first complete plant genome. Nucleic Acids Research, 2002, 30, 91-93. | 6. 5 | 159 |
| 76 | How can we deliver the large plant genomes? Strategies and perspectives. Current Opinion in Plant Biology, 2002, 5, 173-177. | 3.5 | 34 |
| 77 | Sequence and analysis of the Arabidopsis genome. Current Opinion in Plant Biology, 2001, 4, 105-110. | 3.5 | 66 |
| 78 | Toward a Catalog of Human Genes and Proteins: Sequencing and Analysis of 500 Novel Complete Protein Coding Human cDNAs. Genome Research, 2001, 11, 422-435. | 2.4 | 166 |
| 79 | Toward a Catalog of Human Genes and Proteins: Sequencing and Analysis of 500 Novel Complete Protein Coding Human cDNAs. Genome Research, 2001, 11, 422-435. | 2.4 | 147 |
| 80 | The genome sequence of the thermoacidophilic scavenger Thermoplasma acidophilum. Nature, 2000, 407, 508-513. | 13.7 | 390 |
| 81 | Sequence and analysis of chromosome 5 of the plant Arabidopsis thaliana. Nature, 2000, 408, 823-826. | 13.7 | 175 |
| 82 | The PIR-International Protein Sequence Database. Nucleic Acids Research, 1999, 27, 39-43. | 6.5 | 149 |
| 83 | MITOP: database for mitochondria-related proteins, genes and diseases. Nucleic Acids Research, 1999, 27, 153-155. | 6.5 | 27 |
| 84 | MIPS: a database for genomes and protein sequences. Nucleic Acids Research, 1999, 27, 44-48. | 6.5 | 197 |
| 85 | Sequence and analysis of chromosome 4 of the plant Arabidopsis thaliana. Nature, 1999, 402, 769-777. | 13.7 | 413 |
| 86 | Functional analysis of 150 deletion mutants in Saccharomyces cerevisiae by a systematic approach. Molecular Genetics and Genomics, 1999, 262, 683-702. | 2.4 | 143 |
| 87 | Genome-based structural biology. Progress in Biophysics and Molecular Biology, 1999, 72, 1-17. | 1.4 | 16 |
| 88 | Clearing a path through the jungle: progress in Arabidopsis genomics. BioEssays, 1999, 21, 110-120. | 1.2 | 26 |
| 89 | Analysis of 1.9 Mb of contiguous sequence from chromosome 4 of Arabidopsis thaliana. Nature, 1998, 391, 485-488. | 13.7 | 844 |
| 90 | 3 The Bioinformatics of the Yeast Genome. Methods in Microbiology, 1998, 26, 33-51. | 0.4 | 2 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 91 | The PIR-International Protein Sequence Database. Nucleic Acids Research, 1998, 26, 27-32. | 6.5 | 79 |
| 92 | Combining diverse evidence for gene recognition in completely sequenced bacterial genomes. Nucleic Acids Research, 1998, 26, 2941-2947. | 6.5 | 171 |
| 93 | MIPS: a database for protein sequences and complete genomes. Nucleic Acids Research, 1998, 26, 33-37. | 6.5 | 85 |
| 94 | MIPS: a database for protein sequences, homology data and yeast genome information. Nucleic Acids Research, 1997, 25, 28-30. | 6.5 | 217 |
| 95 | Variations of the C2H2 zinc finger motif in the yeast genome and classification of yeast zinc finger proteins. Nucleic Acids Research, 1997, 25, 2464-2469. | 6.5 | 156 |
| 96 | Genomic Organization and Molecular Characterization of a Gene Encoding HsPXF, a Human Peroxisomal Farnesylated Protein. Genomics, 1997, 45, 200-210. | 1.3 | 42 |
| 97 | Protein structural classes in five complete genomes. Nature Structural Biology, 1997, 4, 626-628. | 9.7 | 68 |
| 98 | PEDANTic genome analysis. Trends in Genetics, 1997, 13, 415-416. | 2.9 | 85 |
| 99 | Structure and organization of the European Yeast Genome Sequencing Network. Journal of Biotechnology, 1995, 41, 131-137. | 1.9 | 13 |
| 100 | Complete DNA sequence of yeast chromosome XI. Nature, 1994, 369, 371-378. | 13.7 | 382 |
| 101 | Sequence databases: an indispensible source for biotechnological research. Journal of Biotechnology, 1994, 35, 239-256. | 1.9 | 9 |
| 102 | The PIR-International databases. Nucleic Acids Research, 1993, 21, 3089-3092. | 6.5 | 72 |
| 103 | The complete DNA sequence of yeast chromosome III. Nature, 1992, 357, 38-46. | 13.7 | 924 |
| 104 | Protein sequence databases: database management, data structures and data access. Biochemical Society Transactions, 1989, 17, 843-845. | 1.6 | 3 |
| 105 | A Rapid Vapor-Phase Acid (Hydrochloric Acid and Trifluoroacetic Acid) Hydrolysis of Peptide and Protein. Journal of Biochemistry, 1987, 102, 1593-1597. | 0.9 | 126 |
| 106 | The 2-(dimethylaminostyryl)-1-methylpyridinium cation as indicator of the mitochondrial membrane potential. FEBS Letters, 1981, 131, 7-10. | 1.3 | 46 |