

Emmanuelle Kesse-Guyot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7044428/publications.pdf>

Version: 2024-02-01

374
papers

19,931
citations

9786

73
h-index

18130

120
g-index

388
all docs

388
docs citations

388
times ranked

19567
citing authors

#	ARTICLE	IF	CITATIONS
1	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INÂS trial. <i>Public Health Nutrition</i> , 2023, 26, 96-105.	2.2	0
2	Key Findings of the French BioNutriNet Project on Organic Foodâ€Based Diets: Description, Determinants, and Relationships to Health and the Environment. <i>Advances in Nutrition</i> , 2022, 13, 208-224.	6.4	16
3	Consumption of dairy products and CVD risk: results from the French prospective cohort NutriNet-SantÃ©. <i>British Journal of Nutrition</i> , 2022, 127, 752-762.	2.3	6
4	Are foods â€healthyâ€™ or â€healthierâ€™? Front-of-pack labelling and the concept of healthiness applied to foods. <i>British Journal of Nutrition</i> , 2022, 127, 948-952.	2.3	20
5	Are recent dietary changes observed in the NutriNet-SantÃ© participants healthier and more sustainable?. <i>European Journal of Nutrition</i> , 2022, 61, 141-155.	3.9	9
6	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 250-264.	1.9	5
7	Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyols (FODMAPs) and Cancer Risk in the Prospective NutriNet-SantÃ© Cohort. <i>Journal of Nutrition</i> , 2022, 152, 1059-1069.	2.9	2
8	Modeled healthy eating patterns are largely constrained by currently estimated requirements for bioavailable iron and zincâ€a diet optimization study in French adults. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 958-969.	4.7	19
9	Dairy product consumption and risk of cancer: A short report from the <scp>NutriNetâ€SantÃ©</scp> prospective cohort study. <i>International Journal of Cancer</i> , 2022, 150, 1978-1986.	5.1	2
10	Resilience Is Associated with Less Eating Disorder Symptoms in the NutriNet-SantÃ© Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1471.	2.6	4
11	The potential effects of meat substitution on diet quality could be high if meat substitutes are optimized for nutritional compositionâ€a modeling study in French adults (INCA3). <i>European Journal of Nutrition</i> , 2022, 61, 1991-2002.	3.9	7
12	Abstract P1-09-01: Breast and prostate cancer risk associated with nitrites and nitrates from food additives: Results from the NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-01-P1-09-01.	0.9	2
13	Abstract P1-09-02: Risk of breast and other cancers associated with the consumption of artificial sweeteners: Results from the prospective NutriNet-SantÃ© cohort. <i>Cancer Research</i> , 2022, 82, P1-09-02-P1-09-02.	0.9	0
14	Nitrites and nitrates from food additives and natural sources and cancer risk: results from the NutriNet-SantÃ© cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 1106-1119.	1.9	27
15	Artificial sweeteners and cancer risk: Results from the NutriNet-SantÃ© population-based cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003950.	8.4	108
16	Nutri-Score in tug-of-war between public health and economic interests in the European Union. <i>Nature Food</i> , 2022, 3, 181-181.	14.0	3
17	Ultra-processed foods and cancer risk: from global food systems to individual exposures and mechanisms. <i>British Journal of Cancer</i> , 2022, 127, 14-20.	6.4	30
18	Ultra-processed food intake and eating disorders: Cross-sectional associations among French adults. <i>Journal of Behavioral Addictions</i> , 2022, 11, 588-599.	3.7	3

#	ARTICLE	IF	CITATIONS
19	Do individual sustainable food purchase motives translate into an individual shift towards a more sustainable diet? A longitudinal analysis in the NutriNet-Sant� cohort. <i>Cleaner and Responsible Consumption</i> , 2022, 5, 100062.	3.0	6
20	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? <i>Nutrients</i> 2022, 14, 771. <i>Nutrients</i> , 2022, 14, 2165.	4.1	2
21	Prospective association between dietary pesticide exposure profiles and type 2 diabetes risk in the NutriNet-Sant� cohort. <i>Environmental Health</i> , 2022, 21, .	4.0	9
22	Associations between Resilience and Food Intake Are Mediated by Emotional Eating in the NutriNet-Sant� Study. <i>Journal of Nutrition</i> , 2022, 152, 1907-1915.	2.9	2
23	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case�control study in the French Nutrinet-Sante cohort. <i>European Journal of Nutrition</i> , 2021, 60, 1059-1069.	3.9	6
24	Estimated dietary pesticide exposure from plant-based foods using NMF-derived profiles in a large sample of French adults. <i>European Journal of Nutrition</i> , 2021, 60, 1475-1488.	3.9	13
25	Consumption of Ultra-Processed Foods by Pesco-Vegetarians, Vegetarians, and Vegans: Associations with Duration and Age at Diet Initiation. <i>Journal of Nutrition</i> , 2021, 151, 120-131.	2.9	100
26	Association between adherence to the French dietary guidelines and the risk of type 2 diabetes. <i>Nutrition</i> , 2021, 84, 111107.	2.4	5
27	Prospective associations of the original Food Standards Agency nutrient profiling system and three variants with weight gain, overweight and obesity risk: results from the French NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2021, 125, 902-914.	2.3	22
28	Organic food consumption and gluten-free diet, is there a link? Results in French adults without coeliac disease. <i>British Journal of Nutrition</i> , 2021, 125, 1067-1078.	2.3	5
29	Osmolality-based normalization enhances statistical discrimination of untargeted metabolomic urine analysis: results from a comparative study. <i>Metabolomics</i> , 2021, 17, 2.	3.0	8
30	Randomised controlled trial in an experimental online supermarket testing the effects of front-of-pack nutrition labelling on food purchasing intentions in a low-income population. <i>BMJ Open</i> , 2021, 11, e041196.	1.9	15
31	Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Sant� cohort. , 2021, , .		0
32	Consumption of Ultra-Processed Food and Its Association with Sociodemographic Characteristics and Diet Quality in a Representative Sample of French Adults. <i>Nutrients</i> , 2021, 13, 682.	4.1	38
33	Prospective association between dietary pesticide exposure profiles and postmenopausal breast-cancer risk in the NutriNet-Sant� cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1184-1198.	1.9	18
34	The impact of the Nutri-Score front-of-pack nutrition label on purchasing intentions of unprocessed and processed foods: post-hoc analyses from three randomized controlled trials. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 38.	4.6	22
35	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Sant� Study. <i>Microorganisms</i> , 2021, 9, 716.	3.6	15
36	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March�May 2020): results from the French NutriNet-Sant� cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 924-938.	4.7	284

#	ARTICLE	IF	CITATIONS
37	The inflammatory potential of the diet is prospectively associated with subjective hearing loss. <i>European Journal of Nutrition</i> , 2021, 60, 3669-3678.	3.9	3
38	NMR metabolomic profiles associated with long-term risk of prostate cancer. <i>Metabolomics</i> , 2021, 17, 32.	3.0	8
39	Conservative to disruptive diets for optimizing nutrition, environmental impacts and cost in French adults from the NutriNet-Sant� cohort. <i>Nature Food</i> , 2021, 2, 174-182.	14.0	10
40	Substituting Meat or Dairy Products with Plant-Based Substitutes Has Small and Heterogeneous Effects on Diet Quality and Nutrient Security: A Simulation Study in French Adults (INCA3). <i>Journal of Nutrition</i> , 2021, 151, 2435-2445.	2.9	35
41	Environmental and nutritional analysis of the EAT-Lancet diet at the individual level: insights from the NutriNet-Sant� study. <i>Journal of Cleaner Production</i> , 2021, 296, 126555.	9.3	29
42	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2021, , 1-11.	2.3	8
43	Optimizing the Nutritional Composition of a Meat Substitute Intended to Replace Meat in Observed Diet Results in Marked Improvement of the Diet Quality of French Adults. <i>Current Developments in Nutrition</i> , 2021, 5, 1089.	0.3	0
44	The Health Value of Modelled Healthy Eating Patterns Is Largely Constrained by the Current Reference Values for Bioavailable Iron and Zinc. <i>Current Developments in Nutrition</i> , 2021, 5, 119.	0.3	2
45	Estimated dietary exposure to pesticide residues based on organic and conventional data in omnivores, pesco-vegetarians, vegetarians and vegans. <i>Food and Chemical Toxicology</i> , 2021, 153, 112179.	3.6	15
46	Public health potential of guidelines-based dietary scores for non-communicable diseases mortality prevention: simulation study using the Preventable Risk Integrated Model (PRIME) model. <i>Public Health Nutrition</i> , 2021, 24, 5539-5549.	2.2	4
47	Evaluation of a risk score based on dietary and lifestyle factors to target a population at risk in colorectal cancer screening. <i>Digestive and Liver Disease</i> , 2021, 53, 900-907.	0.9	1
48	Produits d'origine v�g�tale, pesticides et contaminants dans l'alimentation: quel r�le de l'agriculture biologique?. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021, 56, 368-376.	0.3	1
49	Halving food-related greenhouse gas emissions can be achieved by redistributing meat consumption: Progressive optimization results of the NutriNet-Sant� cohort. <i>Science of the Total Environment</i> , 2021, 789, 147901.	8.0	12
50	Development and evaluation of a new dietary index assessing nutrient security by aggregating probabilistic estimates of the risk of nutrient deficiency in two French adult populations. <i>British Journal of Nutrition</i> , 2021, 126, 1225-1236.	2.3	12
51	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003834.	8.4	7
52	Exposure to food additive mixtures in 106,000 French adults from the NutriNet-Sant� cohort. <i>Scientific Reports</i> , 2021, 11, 19680.	3.3	37
53	Aliments ultra-transform�s, maladies chroniques, et mortalit�: r�sultats de la cohorte prospective NutriNet-Sant�. <i>Cahiers De Nutrition Et De Dietetique</i> , 2021, , .	0.3	0
54	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , The, 2021, 5, e786-e796.	11.4	42

#	ARTICLE	IF	CITATIONS
55	Nutritional risk factors for SARS-CoV-2 infection: a prospective study within the NutriNet-Sant� cohort. BMC Medicine, 2021, 19, 290.	5.5	26
56	Association between Self-Reported Gluten Avoidance and Irritable Bowel Syndrome: Findings of the NutriNet-Sant� Study. Nutrients, 2021, 13, 4147.	4.1	3
57	Impact of the Front-of-Pack Label Nutri-Score on the Nutritional Quality of Food Choices in a Quasi-Experimental Trial in Catering. Nutrients, 2021, 13, 4530.	4.1	15
58	Organic Food Consumption During the Complementary Feeding Period and Respiratory or Allergic Diseases Up to Age 5.5 Years in the ELFE Cohort. Frontiers in Nutrition, 2021, 8, 791430.	3.7	5
59	Association between processed meat intake and asthma symptoms in the French NutriNet-Sant� cohort. European Journal of Nutrition, 2020, 59, 1553-1562.	3.9	10
60	Association between sustainable dietary patterns and body weight, overweight, and obesity risk in the NutriNet-Sant� prospective cohort. American Journal of Clinical Nutrition, 2020, 112, 138-149.	4.7	19
61	Ultraprocessed Food Consumption and Risk of Type 2 Diabetes Among Participants of the NutriNet-Sant� Prospective Cohort. JAMA Internal Medicine, 2020, 180, 283.	5.1	257
62	Dietary pesticide exposure profiles in the NutriNet-Sant� cohort. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
63	The consumption of ultra-processed foods by fish-eaters, vegetarians and vegans is associated with the duration and commencing age of diet. Proceedings of the Nutrition Society, 2020, 79, .	1.0	6
64	Sustainable values of the 2017 French food-based dietary Guidelines: Findings from the BioNutriNet project. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
65	Prospective association between organic food consumption and the risk of type 2 diabetes: findings from the NutriNet-Sant� cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 136.	4.6	21
66	Ultra-processed food intake and risk of type 2 diabetes in a French cohort of middle-aged adults. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
67	Dietary supplements use by fish-eaters, vegetarians and vegans compared to meat eaters; relationships with inadequate nutrient intake and sociodemographic characteristics. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
68	Absence of association between inflammatory dietary pattern and low trauma fractures: Results of the French cohort NutriNet-Sant�. Joint Bone Spine, 2020, 87, 632-639.	1.6	2
69	Ultra-processed food intake in association with BMI change and risk of overweight and obesity: A prospective analysis of the French NutriNet-Sant� cohort. PLoS Medicine, 2020, 17, e1003256.	8.4	140
70	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. Nutrients, 2020, 12, 2700.	4.1	3
71	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Sant� cohort. American Journal of Clinical Nutrition, 2020, 112, 1267-1279.	4.7	59
72	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54

#	ARTICLE	IF	CITATIONS
73	Characteristics associated with feeding organic foods during complementary feeding: the nationwide Étude Longitudinale Française depuis l'Enfance (ELFE) birth cohort. British Journal of Nutrition, 2020, 126, 1-10.	2.3	2
74	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Intérieur population of healthy adults. British Journal of Nutrition, 2020, 126, 1-11.	2.3	4
75	Consumption of dairy products and cardiovascular disease risk: results from the French prospective cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
76	Adherence to the new French dietary guidelines and risk of overweight and obesity. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
77	Cognitive restraint and history of weight-loss diet are associated with organic food consumption in a large population-based sample of adults. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
78	PNNS-GS2: Development and validation of a dietary quality score reflecting the French nutritional recommendations of 2017. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
79	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
80	Performance of the Front-of-Pack Nutrition Label Nutri-Score to Discriminate the Nutritional Quality of Foods Products: A Comparative Study across 8 European Countries. Nutrients, 2020, 12, 1303.	4.1	63
81	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. American Journal of Clinical Nutrition, 2020, 112, 195-207.	4.7	60
82	Consumption of ultra-processed foods and the risk of overweight and obesity, and weight trajectories in the French cohort NutriNet-Santé. Proceedings of the Nutrition Society, 2020, 79, .	1.0	3
83	Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) and overall diet quality. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
84	Greenhouse gas emissions, energy demand and land use associated with omnivorous, pesco-vegetarian, vegetarian, and vegan diets accounting for farming practices. Sustainable Production and Consumption, 2020, 22, 138-146.	11.0	48
85	Sustainability analysis of French dietary guidelines using multiple criteria. Nature Sustainability, 2020, 3, 377-385.	23.7	36
86	Food additives: distribution and co-occurrence in 126,000 food products of the French market. Scientific Reports, 2020, 10, 3980.	3.3	89
87	Prospective associations between sustainable dietary pattern assessed with the Sustainable Diet Index (SDI) and risk of cancer and cardiovascular diseases in the French NutriNet-Santé cohort. European Journal of Epidemiology, 2020, 35, 471-481.	5.7	11
88	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. European Journal of Nutrition, 2020, 59, 3425-3439.	3.9	10
89	Optimism is associated with diet quality, food group consumption and snacking behavior in a general population. Nutrition Journal, 2020, 19, 6.	3.4	9
90	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 396-405.	2.5	18

#	ARTICLE	IF	CITATIONS
91	Abstract P5-08-09: Sugar consumption and breast cancer risk: Results from NutriNet-Sant� prospective cohort. , 2020, , .		0
92	Title is missing!. , 2020, 17, e1003256.		0
93	Title is missing!. , 2020, 17, e1003256.		0
94	Title is missing!. , 2020, 17, e1003256.		0
95	Title is missing!. , 2020, 17, e1003256.		0
96	Title is missing!. , 2020, 17, e1003256.		0
97	Title is missing!. , 2020, 17, e1003256.		0
98	Individual characteristics associated with changes in the contribution of plant foods to dietary intake in a French prospective cohort. European Journal of Nutrition, 2019, 58, 1991-2002.	3.9	5
99	Modelling the impact of different front-of-package nutrition labels on mortality from non-communicable chronic disease. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 56.	4.6	59
100	Sugary drink consumption and risk of cancer: results from NutriNet-Sant� prospective cohort. BMJ: British Medical Journal, 2019, 366, l2408.	2.3	129
101	Programme National Nutrition Sant� " guidelines score 2 (PNNS-GS2): development and validation of a diet quality score reflecting the 2017 French dietary guidelines. British Journal of Nutrition, 2019, 122, 331-342.	2.3	55
102	Association between dietary fibre intake and asthma (symptoms and control): results from the French national e-cohort NutriNet-Sant�. British Journal of Nutrition, 2019, 122, 1040-1051.	2.3	22
103	Combination of Healthy Lifestyle Factors on the Risk of Hypertension in a Large Cohort of French Adults. Nutrients, 2019, 11, 1687.	4.1	23
104	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. American Journal of Public Health, 2019, 109, 1122-1129.	2.7	34
105	Cognitive Restraint and History of Dieting Are Negatively Associated with Organic Food Consumption in a Large Population-Based Sample of Organic Food Consumers. Nutrients, 2019, 11, 2468.	4.1	5
106	Prospective association between several dietary scores and risk of cardiovascular diseases: Is the Mediterranean diet equally associated to cardiovascular diseases compared to National Nutritional Scores?. American Heart Journal, 2019, 217, 1-12.	2.7	21
107	Prospective association between adherence to the MIND diet and subjective memory complaints in the French NutriNet-Sant� cohort. Journal of Neurology, 2019, 266, 942-952.	3.6	22
108	Gluten-free diet in French adults without coeliac disease: sociodemographic characteristics, motives and dietary profile. British Journal of Nutrition, 2019, 122, 231-239.	2.3	27

#	ARTICLE	IF	CITATIONS
109	Association of diet quality and physical activity with healthy ageing in the French NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2019, 122, 93-102.	2.3	3
110	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1300-1307.	2.5	30
111	Ultra-processed food intake and risk of cardiovascular disease: prospective cohort study (NutriNet-Sant�). <i>BMJ: British Medical Journal</i> , 2019, 365, l1451.	2.3	512
112	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. <i>Journal of Nutrition</i> , 2019, 149, 1198-1207.	2.9	19
113	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Sant� cohort. <i>BMC Medicine</i> , 2019, 17, 78.	5.5	113
114	Estimating sodium intake from spot urine samples at population level: a validation and application study in French adults. <i>British Journal of Nutrition</i> , 2019, 122, 186-194.	2.3	3
115	Associations between usual diet and gut microbiota composition: results from the Milieu Int�rieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1472-1483.	4.7	66
116	Improvement of diet sustainability with increased level of organic food in the diet: findings from the BioNutriNet cohort. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1173-1188.	4.7	45
117	Development and validation of an individual sustainable diet index in the NutriNet-Sant� study cohort. <i>British Journal of Nutrition</i> , 2019, 121, 1166-1177.	2.3	38
118	Association between an individual dietary index based on the British Food Standard Agency Nutrient Profiling System and asthma symptoms. <i>British Journal of Nutrition</i> , 2019, 122, 63-70.	2.3	13
119	Poverty does not modify the association between perceived diet healthiness and adherence to nutritional guidelines in the Constances cohort (France). <i>Appetite</i> , 2019, 138, 190-197.	3.7	6
120	Association Between Ultraprocessed Food Consumption and Risk of Mortality Among Middle-aged Adults in France. <i>JAMA Internal Medicine</i> , 2019, 179, 490.	5.1	246
121	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. <i>PLoS Medicine</i> , 2019, 16, e1003007.	8.4	10
122	<p>Association Between Adherence To The French Dietary Guidelines And Lower Resting Heart Rate, Longer Diastole Duration, And Lower Myocardial Oxygen Consumption. The NUTRIVASC Study</p>. <i>Vascular Health and Risk Management</i> , 2019, Volume 15, 463-475.	2.3	6
123	Urinary pesticide concentrations in French adults with low and high organic food consumption: results from the general population-based NutriNet-Sant�. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 366-378.	3.9	44
124	Impulsivity is associated with food intake, snacking, and eating disorders in a general population. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 117-126.	4.7	40
125	Some Differences in Nutritional Biomarkers are Detected Between Consumers and Nonconsumers of Organic Foods: Findings from the BioNutriNet Project. <i>Current Developments in Nutrition</i> , 2019, 3, nzy090.	0.3	11
126	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. <i>European Journal of Nutrition</i> , 2019, 58, 2679-2692.	3.9	10

#	ARTICLE	IF	CITATIONS
127	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. <i>Journal of Affective Disorders</i> , 2019, 244, 25-32.	4.1	44
128	High expression of CPT1b in skeletal muscle in metabolically healthy older subjects. <i>Diabetes and Metabolism</i> , 2019, 45, 152-159.	2.9	10
129	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-Sant�. <i>European Journal of Nutrition</i> , 2019, 58, 1515-1527.	3.9	31
130	A systematic literature review of observational studies of the bidirectional association between metabolic syndrome and migraine. <i>Diabetes and Metabolism</i> , 2019, 45, 11-18.	2.9	9
131	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
132	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
133	Adherence to the 2017 French dietary guidelines and adult weight gain: A cohort study. , 2019, 16, e1003007.		0
134	Comparing nutritional, economic, and environmental performances of diets according to their levels of greenhouse gas emissions. <i>Climatic Change</i> , 2018, 148, 155-172.	3.6	42
135	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. <i>International Journal of Epidemiology</i> , 2018, 47, 484-494.	1.9	47
136	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Sant� prospective cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k322.	2.3	605
137	A massive geographically weighted regression model of walking-environment relationships. <i>Journal of Transport Geography</i> , 2018, 68, 118-129.	5.0	29
138	The Inflammatory Potential of the Diet at Midlife Is Associated with Later Healthy Aging in French Adults. <i>Journal of Nutrition</i> , 2018, 148, 437-444.	2.9	17
139	Association Between Adherence to the Mediterranean Diet at Midlife and Healthy Aging in a Cohort of French Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 347-354.	3.6	28
140	Prospective association between adherence to the Mediterranean diet and risk of depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2018, 57, 1225-1235.	3.9	45
141	D�terminants et corr�lats de la consommation d'aliments issus de l'agriculture biologique. R�sultats du projet BioNutriNet. <i>Cahiers De Nutrition Et De Dietetique</i> , 2018, 53, 43-52.	0,3	8
142	Contribution of ultra-processed foods in the diet of adults from the French NutriNet-Sant� study. <i>Public Health Nutrition</i> , 2018, 21, 27-37.	2.2	163
143	Total and specific dietary polyphenol intakes and 6-year anthropometric changes in a middle-aged general population cohort. <i>International Journal of Obesity</i> , 2018, 42, 310-317.	3.4	20
144	Association between organic food consumption and metabolic syndrome: cross-sectional results from the NutriNet-Sant� study. <i>European Journal of Nutrition</i> , 2018, 57, 2477-2488.	3.9	44

#	ARTICLE	IF	CITATIONS
145	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. <i>Nutrients</i> , 2018, 10, 1695.	4.1	49
146	Unsaturated Fatty Acid Intakes During Midlife Are Positively Associated with Later Cognitive Function in Older Adults with Modulating Effects of Antioxidant Supplementation. <i>Journal of Nutrition</i> , 2018, 148, 1938-1945.	2.9	23
147	Prospective Association between Total and Specific Dietary Polyphenol Intakes and Cardiovascular Disease Risk in the Nutrinet-Sant� French Cohort. <i>Nutrients</i> , 2018, 10, 1587.	4.1	44
148	Association of Frequency of Organic Food Consumption With Cancer Risk. <i>JAMA Internal Medicine</i> , 2018, 178, 1597.	5.1	119
149	Impact of Front-of-Pack Nutrition Labels on Portion Size Selection: An Experimental Study in a French Cohort. <i>Nutrients</i> , 2018, 10, 1268.	4.1	30
150	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
151	How Healthy Lifestyle Factors at Midlife Relate to Healthy Aging. <i>Nutrients</i> , 2018, 10, 854.	4.1	50
152	Impulsivity and consideration of future consequences as moderators of the association between emotional eating and body weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 84.	4.6	23
153	Objective understanding of Nutri-Score Front-Of-Package nutrition label according to individual characteristics of subjects: Comparisons with other format labels. <i>PLoS ONE</i> , 2018, 13, e0202095.	2.5	84
154	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2018, 120, 290-300.	2.3	19
155	Cancer-Specific and General Nutritional Scores and Cancer Risk: Results from the Prospective NutriNet-Sant� Cohort. <i>Cancer Research</i> , 2018, 78, 4427-4435.	0.9	52
156	Association Between Mediterranean Anti-inflammatory Dietary Profile and Severity of Psoriasis. <i>JAMA Dermatology</i> , 2018, 154, 1017.	4.1	70
157	Environmental Impacts of Plant-Based Diets: How Does Organic Food Consumption Contribute to Environmental Sustainability?. <i>Frontiers in Nutrition</i> , 2018, 5, 8.	3.7	63
158	A ‘‘Fork-to-Farm’’ Multi-Scale Approach to Promote Sustainable Food Systems for Nutrition and Health: A Perspective for the Mediterranean Region. <i>Frontiers in Nutrition</i> , 2018, 5, 30.	3.7	20
159	Mindfulness Is Associated with the Metabolic Syndrome among Individuals with a Depressive Symptomatology. <i>Nutrients</i> , 2018, 10, 232.	4.1	2
160	The Mediating Role of Overweight and Obesity in the Prospective Association between Overall Dietary Quality and Healthy Aging. <i>Nutrients</i> , 2018, 10, 515.	4.1	9
161	Adherence to National Dietary Guidelines in Association with Oral Health Impact on Quality of Life. <i>Nutrients</i> , 2018, 10, 527.	4.1	12
162	Associations between dietary scores with asthma symptoms and asthma control in adults. <i>European Respiratory Journal</i> , 2018, 52, 1702572.	6.7	43

#	ARTICLE	IF	CITATIONS
163	Association between a pro plant-based dietary score and cancer risk in the prospective NutriNet-Santé cohort. International Journal of Cancer, 2018, 143, 2168-2176.	5.1	29
164	Association between time perspective and organic food consumption in a large sample of adults. Nutrition Journal, 2018, 17, 1.	3.4	78
165	Association Between Alexithymia and Risk of Incident Cardiovascular Diseases in the Supplementation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) Cohort. Psychosomatic Medicine, 2018, 80, 460-467.	2.0	4
166	Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. American Journal of Gastroenterology, 2018, 113, 1217-1228.	0.4	106
167	Identification of sustainable dietary patterns by a multicriteria approach in the NutriNet-Santé cohort. Journal of Cleaner Production, 2018, 196, 1256-1265.	9.3	10
168	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Santé cohort. Journal of Affective Disorders, 2018, 238, 554-562.	4.1	32
169	Association between cured meat intake and asthma symptoms. , 2018, , .		1
170	Long-term association between the dietary inflammatory index and cognitive functioning: findings from the SU.VI.MAX study. European Journal of Nutrition, 2017, 56, 1647-1655.	3.9	72
171	Long-term associations between inflammatory dietary scores in relation to long-term C-reactive protein status measured 12 years later: findings from the Supplementation en Vitamines et Minéraux Antioxydants (SU.VI.MAX) cohort. British Journal of Nutrition, 2017, 117, 306-314.	2.3	42
172	Prospective association between consumption frequency of organic food and body weight change, risk of overweight or obesity: results from the NutriNet-Santé Study. British Journal of Nutrition, 2017, 117, 325-334.	2.3	47
173	Association between a dietary quality index based on the food standard agency nutrient profiling system and cardiovascular disease risk among French adults. International Journal of Cardiology, 2017, 234, 22-27.	1.7	47
174	Prospective association between body mass index at midlife and healthy aging among French adults. Obesity, 2017, 25, 1254-1262.	3.0	9
175	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. BMJ Open, 2017, 7, e013718.	1.9	31
176	Dyslipidemia as a potential moderator of the association between hearing loss and depressive symptoms. Journal of Nutrition, Health and Aging, 2017, 21, 1291-1298.	3.3	4
177	Meal planning is associated with food variety, diet quality and body weight status in a large sample of French adults. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 12.	4.6	64
178	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Santé cohort. International Journal of Cancer, 2017, 141, 457-470.	5.1	27
179	Longitudinal study of diet quality and change in asthma symptoms in adults, according to smoking status. British Journal of Nutrition, 2017, 117, 562-571.	2.3	32
180	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	2.9	60

#	ARTICLE	IF	CITATIONS
181	Dietary intakes and diet quality according to levels of organic food consumption by French adults: cross-sectional findings from the NutriNet-Sant� Cohort Study. <i>Public Health Nutrition</i> , 2017, 20, 638-648.	2.2	42
182	Perception of different formats of front-of-pack nutrition labels according to sociodemographic, lifestyle and dietary factors in a French population: cross-sectional study among the NutriNet-Sant� cohort participants. <i>BMJ Open</i> , 2017, 7, e016108.	1.9	62
183	Exposure to contaminants and nutritional intakes in a French vegetarian population. <i>Food and Chemical Toxicology</i> , 2017, 109, 218-229.	3.6	16
184	Individual and Combined Effects of Dietary Factors on Risk of Incident Hypertension. <i>Hypertension</i> , 2017, 70, 712-720.	2.7	54
185	Is organic food consumption associated with life satisfaction? A cross-sectional analysis from the NutriNet-Sant� study. <i>Preventive Medicine Reports</i> , 2017, 8, 190-196.	1.8	9
186	Intuitive Eating Dimensions Were Differently Associated with Food Intake in the General Population�Based NutriNet-Sant� Study. <i>Journal of Nutrition</i> , 2017, 147, 61-69.	2.9	37
187	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2017, 56, 2289-2298.	3.9	11
188	Dilemma between health and environmental motives when purchasing animal food products: sociodemographic and nutritional characteristics of consumers. <i>BMC Public Health</i> , 2017, 17, 876.	2.9	17
189	Assessment of the Sustainability of the Mediterranean Diet Combined with Organic Food Consumption: An Individual Behaviour Approach. <i>Nutrients</i> , 2017, 9, 61.	4.1	42
190	Food Choice Motives When Purchasing in Organic and Conventional Consumer Clusters: Focus on Sustainable Concerns (The NutriNet-Sant� Cohort Study). <i>Nutrients</i> , 2017, 9, 88.	4.1	93
191	Compliance with Nutritional and Lifestyle Recommendations in 13,000 Patients with a Cardiometabolic Disease from the NutriNet-Sant� Study. <i>Nutrients</i> , 2017, 9, 546.	4.1	18
192	Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. <i>Nutrients</i> , 2017, 9, 986.	4.1	33
193	Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Sant� Study. <i>Nutrients</i> , 2017, 9, 1023.	4.1	203
194	Human health implications of organic food and organic agriculture: a comprehensive review. <i>Environmental Health</i> , 2017, 16, 111.	4.0	248
195	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2016, 146, 785-791.	2.9	44
196	What Do People Know and Believe about Vitamin D?. <i>Nutrients</i> , 2016, 8, 718.	4.1	30
197	The 5-CNL Front-of-Pack Nutrition Label Appears an Effective Tool to Achieve Food Substitutions towards Healthier Diets across Dietary Profiles. <i>PLoS ONE</i> , 2016, 11, e0157545.	2.5	18
198	Intuitive eating is inversely associated with body weight status in the general population�based NutriNet-Sant� study. <i>Obesity</i> , 2016, 24, 1154-1161.	3.0	63

#	ARTICLE	IF	CITATIONS
199	Typology of eaters based on conventional and organic food consumption: results from the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 700-709.	2.3	36
200	Dietary scores at midlife and healthy ageing in a French prospective cohort. <i>British Journal of Nutrition</i> , 2016, 116, 666-676.	2.3	20
201	Impact of the front-of-pack 5-colour nutrition label (5-CNL) on the nutritional quality of purchases: an experimental study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 101.	4.6	64
202	Prospective Association Between the Dietary Inflammatory Index and Cardiovascular Diseases in the SUPL�mentation en Vitamines et Min�raux Antioxydants (SU.VI.MAX) Cohort. <i>Journal of the American Heart Association</i> , 2016, 5, e002735.	3.7	62
203	Determining the association between types of sedentary behaviours and cardiometabolic risk factors: A 6-year longitudinal study of French adults. <i>Diabetes and Metabolism</i> , 2016, 42, 112-121.	2.9	8
204	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. <i>British Journal of Nutrition</i> , 2016, 115, 305-314.	2.3	30
205	Quick and Easy Screening for Vitamin D Insufficiency in Adults. <i>Medicine (United States)</i> , 2016, 95, e2783.	1.0	29
206	10-year cumulative and bidirectional associations of domain-specific physical activity and sedentary behaviour with health-related quality of life in French adults: Results from the SU.VI.MAX studies. <i>Preventive Medicine</i> , 2016, 88, 66-72.	3.4	23
207	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2016, 91, 335-343.	3.4	8
208	Comparison of Dietary Intakes Between a Large Online Cohort Study (Etude NutriNet-Sant�) and a Nationally Representative Cross-Sectional Study (Etude Nationale Nutrition Sant�) in France: Addressing the Issue of Generalizability in E-Epidemiology. <i>American Journal of Epidemiology</i> , 2016, 184, 660-669.	3.4	84
209	Association between dietary polyphenols intake and an oxidative stress biomarker: interest of multiple imputation for handling missing covariates and outcomes. <i>BMC Nutrition</i> , 2016, 2, .	1.6	2
210	Cluster analysis of polyphenol intake in a French middle-aged population (aged 35-64 years). <i>Journal of Nutritional Science</i> , 2016, 5, e28.	1.9	7
211	Prospective association between a dietary quality index based on a nutrient profiling system and cardiovascular disease risk. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1669-1676.	1.8	62
212	Impact of Different Front-of-Pack Nutrition Labels on Consumer Purchasing Intentions. <i>American Journal of Preventive Medicine</i> , 2016, 50, 627-636.	3.0	150
213	Association Between Blood Pressure and Adherence to French Dietary Guidelines. <i>American Journal of Hypertension</i> , 2016, 29, 948-958.	2.0	12
214	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 878-885.	4.7	40
215	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. <i>Journal of Nutrition</i> , 2016, 146, 576-585.	2.9	19
216	Built environment in local relation with walking: Why here and not there?. <i>Journal of Transport and Health</i> , 2016, 3, 500-512.	2.2	35

#	ARTICLE	IF	CITATIONS
217	Correlations between Fruit, Vegetables, Fish, Vitamins, and Fatty Acids Estimated by Web-Based Nonconsecutive Dietary Records and Respective Biomarkers of Nutritional Status. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 427-438.e5.	0.8	121
218	Leisure-Time Physical Activity and Sedentary Behavior and Their Cross-Sectional Associations with Excessive Daytime Sleepiness in the French SU.VI.MAX-2 Study. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 143-152.	1.7	10
219	Consumption of dairy products and cognitive functioning: Findings from the SU.VI.MAX 2 study. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 128-137.	3.3	27
220	Validation of the FSA nutrient profiling system dietary index in French adults—findings from SUVIMAX study. <i>European Journal of Nutrition</i> , 2016, 55, 1901-1910.	3.9	39
221	Effect of Multimorbidity on Health-Related Quality of Life in Adults Aged 55 Years or Older: Results from the SU.VI.MAX 2 Cohort. <i>PLoS ONE</i> , 2016, 11, e0169282.	2.5	40
222	Comparison Between a Self-Administered and Supervised Version of a Web-Based Cognitive Test Battery: Results From the NutriNet-Sant� Cohort Study. <i>Journal of Medical Internet Research</i> , 2016, 18, e68.	4.3	22
223	Lessons Learned From Methodological Validation Research in E-Epidemiology. <i>JMIR Public Health and Surveillance</i> , 2016, 2, e160.	2.6	13
224	Midlife plasma vitamin D concentrations and performance in different cognitive domains assessed 13 years later. <i>British Journal of Nutrition</i> , 2015, 113, 1628-1637.	2.3	13
225	Association between sustainable food choice motives during purchasing and dietary patterns in French adults. <i>Proceedings of the Nutrition Society</i> , 2015, 74, .	1.0	2
226	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. <i>British Journal of Nutrition</i> , 2015, 114, 1702-1710.	2.3	52
227	Health and dietary traits of organic food consumers: results from the NutriNet-Sant� study. <i>British Journal of Nutrition</i> , 2015, 114, 2064-2073.	2.3	39
228	Discriminating nutritional quality of foods using the 5-Color nutrition label in the French food market: consistency with nutritional recommendations. <i>Nutrition Journal</i> , 2015, 14, 100.	3.4	47
229	Objective Understanding of Front-of-Package Nutrition Labels among Nutritionally At-Risk Individuals. <i>Nutrients</i> , 2015, 7, 7106-7125.	4.1	80
230	Contribution of Organic Food to the Diet in a Large Sample of French Adults (the NutriNet-Sant�) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.1	78
231	How the Organic Food System Supports Sustainable Diets and Translates These into Practice. <i>Frontiers in Nutrition</i> , 2015, 2, 19.	3.7	29
232	Effectiveness of Front-Of-Pack Nutrition Labels in French Adults: Results from the NutriNet-Sant� Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0140898.	2.5	85
233	Comparison of the sociodemographic characteristics of the large NutriNet-Sant� e-cohort with French Census data: the issue of volunteer bias revisited. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 893-898.	3.7	145
234	Operational definition of Active and Healthy Ageing (AHA): A conceptual framework. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 955-960.	3.3	85

#	ARTICLE	IF	CITATIONS
235	Determinants of Vitamin D Status in Caucasian Adults: Influence of Sun Exposure, Dietary Intake, Sociodemographic, Lifestyle, Anthropometric, and Genetic Factors. <i>Journal of Investigative Dermatology</i> , 2015, 135, 378-388.	0.7	119
236	Unemployment is associated with high cardiovascular event rate and increased all-cause mortality in middle-aged socially privileged individuals. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 707-716.	2.3	55
237	Application aux produits disponibles sur le marché français du profil nutritionnel associé au système 5 Couleurs (5-C): cohérence avec les repères de consommation du PNNS. <i>Cahiers De Nutrition Et De Diététique</i> , 2015, 50, 189-201.	0.3	4
238	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 2011, 2014. <i>European Geriatric Medicine</i> , 2015, 6, 196-200.	2.8	18
239	Evidence of a cumulative effect of cardiometabolic disorders at midlife and subsequent cognitive function. <i>Age and Ageing</i> , 2015, 44, 648-654.	1.6	24
240	Associations between weight status and liking scores for sweet, salt and fat according to the gender in adults (The Nutrinet-Santé study). <i>European Journal of Clinical Nutrition</i> , 2015, 69, 40-46.	2.9	65
241	Performance of a five category front-of-pack labelling system "the 5-colour nutrition label" to differentiate nutritional quality of breakfast cereals in France. <i>BMC Public Health</i> , 2015, 15, 179.	2.9	43
242	Descriptive study of sedentary behaviours in 35,444 French working adults: cross-sectional findings from the ACTI-Cités study. <i>BMC Public Health</i> , 2015, 15, 379.	2.9	72
243	Healthy Aging 5 Years After a Period of Daily Supplementation With Antioxidant Nutrients: A Post Hoc Analysis of the French Randomized Trial SU.VI.MAX. <i>American Journal of Epidemiology</i> , 2015, 182, 694-704.	3.4	23
244	Validation of a Web-based, self-administered, non-consecutive-day dietary record tool against urinary biomarkers. <i>British Journal of Nutrition</i> , 2015, 113, 953-962.	2.3	134
245	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 2011, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1020-1026.	2.5	33
246	Are different vascular risk scores calculated at midlife uniformly associated with subsequent poor cognitive performance?. <i>Atherosclerosis</i> , 2015, 243, 286-292.	0.8	6
247	Prospective association between the dietary inflammatory index and metabolic syndrome: Findings from the SU.VI.MAX study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 988-996.	2.6	106
248	A Healthy Dietary Pattern at Midlife, Combined with a Regulated Energy Intake, Is Related to Increased Odds for Healthy Aging. <i>Journal of Nutrition</i> , 2015, 145, 2139-2145.	2.9	35
249	The Nutrient Profile of Foods Consumed Using the British Food Standards Agency Nutrient Profiling System Is Associated with Metabolic Syndrome in the SU.VI.MAX Cohort. <i>Journal of Nutrition</i> , 2015, 145, 2355-2361.	2.9	54
250	Prospective associations between a dietary index based on the British Food Standard Agency nutrient profiling system and 13-year weight gain in the SU.VI.MAX cohort. <i>Preventive Medicine</i> , 2015, 81, 189-194.	3.4	59
251	Prospective associations between vitamin D status, vitamin D-related gene polymorphisms, and risk of tobacco-related cancers. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1207-1215.	4.7	12
252	Relationship Between Nutrition and Blood Pressure: A Cross-Sectional Analysis from the NutriNet-Santé Study, a French Web-based Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 362-371.	2.0	44

#	ARTICLE	IF	CITATIONS
253	Overall and abdominal adiposity in midlife and subsequent cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 183-189.	3.3	25
254	Nutrition and Cognition in the Context of Ageing: Role of Dietary Patterns. , 2015, , 11-40.		1
255	How Computer Literacy and Socioeconomic Status Affect Attitudes Toward a Web-Based Cohort: Results From the NutriNet-Sant� Study. <i>Journal of Medical Internet Research</i> , 2015, 17, e34.	4.3	12
256	B Vitamin and/or n-3 Fatty Acid Supplementation and Health-Related Quality of Life: Ancillary Findings from the SU.FOL.OM3 Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e84844.	2.5	16
257	Dietary Quality and 6-Year Anthropometric Changes in a Sample of French Middle-Aged Overweight and Obese Adults. <i>PLoS ONE</i> , 2014, 9, e87083.	2.5	15
258	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk – Modulation by Antioxidants: A Nested Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e90442.	2.5	34
259	Application of the British Food Standards Agency nutrient profiling system in a French food composition database. <i>British Journal of Nutrition</i> , 2014, 112, 1699-1705.	2.3	69
260	Associations Between Dietary Patterns and Skin Microcirculation in Healthy Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 463-469.	2.4	10
261	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. <i>International Journal of Cancer</i> , 2014, 134, 445-459.	5.1	28
262	Antioxidant Status and the Risk of Elevated C-Reactive Protein 12 Years Later. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 289-298.	1.9	6
263	Development and Validation of an Individual Dietary Index Based on the British Food Standard Agency Nutrient Profiling System in a French Context. <i>Journal of Nutrition</i> , 2014, 144, 2009-2017.	2.9	63
264	Carotenoid-rich dietary patterns during midlife and subsequent cognitive function. <i>British Journal of Nutrition</i> , 2014, 111, 915-923.	2.3	75
265	Assessment of Response Consistency and Respective Participant Profiles in the Internet-based NutriNet-Sante Cohort. <i>American Journal of Epidemiology</i> , 2014, 179, 910-916.	3.4	12
266	Starchy Food Consumption in French Adults: A Cross-Sectional Analysis of the Profile of Consumers and Contribution to Nutritional Intake in a Web-Based Prospective Cohort. <i>Annals of Nutrition and Metabolism</i> , 2014, 64, 28-37.	1.9	2
267	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. <i>European Journal of Epidemiology</i> , 2014, 29, 119-132.	5.7	108
268	Interpretation of Plasma PTH Concentrations According to 25OHD Status, Gender, Age, Weight Status, and Calcium Intake: Importance of the Reference Values. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1196-1203.	3.6	63
269	Association between melanocortin-4 receptor mutations and eating behaviors in obese patients: a case-control study. <i>International Journal of Obesity</i> , 2014, 38, 883-885.	3.4	11
270	Midlife Dietary Vitamin D Intake and Subsequent Performance in Different Cognitive Domains. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 81-89.	1.9	12

#	ARTICLE	IF	CITATIONS
271	Association between intake of nutrients and food groups and liking for fat (The Nutrinet-Sant�� Tj ETQq1 1 0.784314 rgBT/Overlo	3.7	26
272	The Associations between Emotional Eating and Consumption of Energy-Dense Snack Foods Are Modified by Sex and Depressive Symptomatology. <i>Journal of Nutrition</i> , 2014, 144, 1264-1273.	2.9	127
273	Clustering of Midlife Lifestyle Behaviors and Subsequent Cognitive Function: A Longitudinal Study. <i>American Journal of Public Health</i> , 2014, 104, e170-e177.	2.7	44
274	Baseline Plasma Fatty Acids Profile and Incident Cardiovascular Events in the SU.FOL.OM3 Trial: The Evidence Revisited. <i>PLoS ONE</i> , 2014, 9, e92548.	2.5	18
275	Changes in Sedentary Behaviours and Associations with Physical Activity through Retirement: A 6-Year Longitudinal Study. <i>PLoS ONE</i> , 2014, 9, e106850.	2.5	23
276	Motives for Participating in a Web-Based Nutrition Cohort According to Sociodemographic, Lifestyle, and Health Characteristics: The NutriNet-Sant�� Cohort Study. <i>Journal of Medical Internet Research</i> , 2014, 16, e189.	4.3	34
277	The K-T cancellation test in the older adults: Normative data and construct validity. <i>Aging, Neuropsychology, and Cognition</i> , 2013, 20, 429-442.	1.3	9
278	Does Compliance with Nutrition Guidelines Lead to Healthy Aging? A Quality-of-Life Approach. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2013, 113, 228-240.e2.	0.8	17
279	Intakes of PUFAs Were Inversely Associated with Plasma C-Reactive Protein 12 Years Later in a Middle-Aged Population with Vitamin E Intake as an Effect Modifier. <i>Journal of Nutrition</i> , 2013, 143, 1760-1766.	2.9	28
280	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 225-236.	2.5	43
281	Adherence to Mediterranean diet reduces the risk of metabolic syndrome: A 6-year prospective study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 677-683.	2.6	166
282	Sociodemographic profiles regarding bitter food consumption. Cross-sectional evidence from a general French population. <i>Appetite</i> , 2013, 67, 53-60.	3.7	11
283	Association between dietary intake of n-3 polyunsaturated fatty acids and severity of skin photoaging in a middle-aged Caucasian population. <i>Journal of Dermatological Science</i> , 2013, 72, 233-239.	1.9	22
284	Differential association between adherence to nutritional recommendations and body weight status across educational levels: a cross-sectional study. <i>Preventive Medicine</i> , 2013, 57, 488-493.	3.4	16
285	Dietary patterns, inflammation and the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013, 39, 99-110.	2.9	216
286	Sociodemographic, lifestyle and dietary correlates of dietary supplement use in a large sample of French adults: results from the NutriNet-Sant�� cohort study. <i>British Journal of Nutrition</i> , 2013, 110, 1480-1491.	2.3	61
287	Dietary patterns and risk of elevated C-reactive protein concentrations 12 years later. <i>British Journal of Nutrition</i> , 2013, 110, 747-754.	2.3	41
288	Distinctive unhealthy eating pattern in free-living middle-aged hypertensives when compared with dyslipidemic or overweight patients. <i>Journal of Hypertension</i> , 2013, 31, 1554-1563.	0.5	3

#	ARTICLE	IF	CITATIONS
289	Reply to T Aalbers et al. American Journal of Clinical Nutrition, 2013, 97, 1412-1413.	4.7	3
290	Midlife Iron Status Is Inversely Associated with Subsequent Cognitive Performance, Particularly in Perimenopausal Women. Journal of Nutrition, 2013, 143, 1974-1981.	2.9	9
291	Mediterranean diet and cognitive function: a French study. American Journal of Clinical Nutrition, 2013, 97, 369-376.	4.7	125
292	CD36 and SR-BI Are Involved in Cellular Uptake of Provitamin A Carotenoids by Caco-2 and HEK Cells, and Some of Their Genetic Variants Are Associated with Plasma Concentrations of These Micronutrients in Humans. Journal of Nutrition, 2013, 143, 448-456.	2.9	109
293	Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. British Journal of Nutrition, 2013, 110, 1-10.	2.3	117
294	Intake of specific nutrients and foods and hearing level measured 13 years later. British Journal of Nutrition, 2013, 109, 2079-2088.	2.3	31
295	Profiles of Organic Food Consumers in a Large Sample of French Adults: Results from the Nutrinet-Sant� Cohort Study. PLoS ONE, 2013, 8, e76998.	2.5	119
296	Association between Adherence to Nutritional Guidelines, the Metabolic Syndrome and Adiposity Markers in a French Adult General Population. PLoS ONE, 2013, 8, e76349.	2.5	33
297	Participant Profiles According to Recruitment Source in a Large Web-Based Prospective Study: Experience From the Nutrinet-Sant� Study. Journal of Medical Internet Research, 2013, 15, e205.	4.3	42
298	Validity of Web-Based Self-Reported Weight and Height: Results of the Nutrinet-Sant� Study. Journal of Medical Internet Research, 2013, 15, e152.	4.3	198
299	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. American Journal of Clinical Nutrition, 2012, 95, 944-950.	4.7	7
300	Supplementation with B vitamins or n-3 fatty acids and depressive symptoms in cardiovascular disease survivors: ancillary findings from the SUpplementation with FOLate, vitamins B-6 and B-12 and/or OMEga-3 fatty acids (SU.FOL.OM3) randomized trial. American Journal of Clinical Nutrition, 2012, 96, 208-214.	4.7	41
301	Total and Specific Polyphenol Intakes in Midlife Are Associated with Cognitive Function Measured 13 Years Later. Journal of Nutrition, 2012, 142, 76-83.	2.9	131
302	A Healthy Dietary Pattern at Midlife Is Associated with Subsequent Cognitive Performance. Journal of Nutrition, 2012, 142, 909-915.	2.9	95
303	Cross-Sectional but Not Longitudinal Association Between n-3 Fatty Acid Intake and Depressive Symptoms: Results From the SU.VI.MAX 2 Study. American Journal of Epidemiology, 2012, 175, 979-987.	3.4	28
304	Dietary fat, abdominal obesity and smoking modulate the relationship between plasma complement component 3 concentrations and metabolic syndrome risk. Atherosclerosis, 2012, 220, 513-519.	0.8	40
305	High Dietary Saturated Fat Intake Accentuates Obesity Risk Associated with the Fat Mass and Obesity-Associated Gene in Adults. Journal of Nutrition, 2012, 142, 824-831.	2.9	124
306	Development of a questionnaire to assay recalled liking for salt, sweet and fat. Food Quality and Preference, 2012, 23, 110-124.	4.6	41

#	ARTICLE	IF	CITATIONS
307	Identifying built environmental patterns using cluster analysis and GIS: Relationships with walking, cycling and body mass index in French adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 59.	4.6	52
308	B Vitamin and/or ω -3 Fatty Acid Supplementation and Cancer. <i>Archives of Internal Medicine</i> , 2012, 172, 540.	3.8	34
309	Association between dietary scores and 13-year weight change and obesity risk in a French prospective cohort. <i>International Journal of Obesity</i> , 2012, 36, 1455-1462.	3.4	78
310	Alcohol Consumption in Midlife and Cognitive Performance Assessed 13 Years Later in the SU.VI.MAX 2 Cohort. <i>PLoS ONE</i> , 2012, 7, e52311.	2.5	16
311	Dietary Monounsaturated Fatty Acids Intake and Risk of Skin Photoaging. <i>PLoS ONE</i> , 2012, 7, e44490.	2.5	29
312	Cross-Sectional and Longitudinal Associations of Different Sedentary Behaviors with Cognitive Performance in Older Adults. <i>PLoS ONE</i> , 2012, 7, e47831.	2.5	130
313	Association between Dietary Patterns and Depressive Symptoms Over Time: A 10-Year Follow-Up Study of the GAZEL Cohort. <i>PLoS ONE</i> , 2012, 7, e51593.	2.5	145
314	Socio-economic, demographic, lifestyle and health characteristics associated with consumption of fatty-sweetened and fatty-salted foods in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011, 105, 776-786.	2.3	22
315	Sociodemographic and economic characteristics associated with dairy intake vary across genders. <i>Journal of Human Nutrition and Dietetics</i> , 2011, 24, 74-85.	2.5	9
316	Higher adherence to French dietary guidelines and chronic diseases in the prospective SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 887-894.	2.9	25
317	Agreement between web-based and paper versions of a socio-demographic questionnaire in the NutriNet-Santé study. <i>International Journal of Public Health</i> , 2011, 56, 407-417.	2.3	139
318	Thirteen-year prospective study between fish consumption, long-chain N-3 fatty acids intakes and cognitive function. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 115-120.	3.3	42
319	Comparison between an interactive web-based self-administered 24h dietary record and an interview by a dietitian for large-scale epidemiological studies. <i>British Journal of Nutrition</i> , 2011, 105, 1055-1064.	2.3	241
320	Associations between dietary patterns, physical activity (leisure-time and occupational) and television viewing in middle-aged French adults. <i>British Journal of Nutrition</i> , 2011, 105, 902-910.	2.3	78
321	Adherence to nutritional recommendations and subsequent cognitive performance: findings from the prospective Supplementation with Antioxidant Vitamins and Minerals 2 (SU.VI.MAX 2) study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 200-210.	4.7	59
322	French adults' cognitive performance after daily supplementation with antioxidant vitamins and minerals at nutritional doses: a post hoc analysis of the Supplementation in Vitamins and Mineral Antioxidants (SU.VI.MAX) trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 892-899.	4.7	89
323	Cognitive function after supplementation with B vitamins and long-chain omega-3 fatty acids: ancillary findings from the SU.FOL.OM3 randomized trial. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 278-286.	4.7	80
324	Adherence to French Nutritional Guidelines Is Associated with Lower Risk of Metabolic Syndrome. <i>Journal of Nutrition</i> , 2011, 141, 1134-1139.	2.9	18

#	ARTICLE	IF	CITATIONS
325	Fruit and vegetable intake and cognitive function in the SU.VI.MAX 2 prospective study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1295-1303.	4.7	67
326	Impact of 6-year body weight change on cardiac geometry and function in ageing adults: the SUPPLEMENTATION en Vitamines et MinÉraux Antioxydants -2 (SU.VI.MAX-2) cardiovascular ultrasound substudy. <i>Journal of Hypertension</i> , 2010, 28, 2309-2315.	0.5	3
327	Variations in compliance with starchy food recommendations and consumption of types of starchy foods according to sociodemographic and socioeconomic characteristics. <i>British Journal of Nutrition</i> , 2010, 103, 1485-1492.	2.3	9
328	Comparison between web-based and paper versions of a self-administered anthropometric questionnaire. <i>European Journal of Epidemiology</i> , 2010, 25, 287-296.	5.7	209
329	The Nutrinet-SantÉ Study: a web-based prospective study on the relationship between nutrition and health and determinants of dietary patterns and nutritional status. <i>BMC Public Health</i> , 2010, 10, 242.	2.9	355
330	Compliance with French Nutrition and Health Program Recommendations Is Strongly Associated with Socioeconomic Characteristics in the General Adult Population. <i>Journal of the American Dietetic Association</i> , 2010, 110, 848-856.	1.1	53
331	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5-year follow-up after stopping antioxidant vitamins and minerals supplements: A postintervention follow-up in the SU.VI.MAX Study. <i>International Journal of Cancer</i> , 2010, 127, 1875-1881.	5.1	84
332	Leisure-time physical activity and sedentary behavior clusters and their associations with overweight in middle-aged French adults. <i>International Journal of Obesity</i> , 2010, 34, 1293-1301.	3.4	17
333	Variations in Compliance with Recommendations and Types of Meat/Seafood/Eggs according to Sociodemographic and Socioeconomic Categories. <i>Annals of Nutrition and Metabolism</i> , 2010, 56, 65-73.	1.9	17
334	Relative Validity and Reproducibility of a Food Frequency Questionnaire Designed for French Adults. <i>Annals of Nutrition and Metabolism</i> , 2010, 57, 153-162.	1.9	82
335	Physical Activity does not Influence the Effect of Antioxidant Supplementation at Nutritional Doses on the Incidence of Impaired Fasting Glucose: A 7.5 Year Post-hoc Analysis from the SU.VI.MAX Study. <i>Hormone and Metabolic Research</i> , 2010, 42, 826-827.	1.5	1
336	Effects of B vitamins and omega 3 fatty acids on cardiovascular diseases: a randomised placebo controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 341, c6273-c6273.	2.3	394
337	Incidence of skin cancers during 5-year follow-up after stopping antioxidant vitamins and mineral supplementation. <i>European Journal of Cancer</i> , 2010, 46, 3316-3322.	2.8	40
338	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 718-724.	2.8	63
339	Association Between the French Nutritional Guideline-based Score and 6-Year Anthropometric Changes in a French Middle-aged Adult Cohort. <i>American Journal of Epidemiology</i> , 2009, 170, 757-765.	3.4	28
340	Adherence to the French Programme National Nutrition SantÉ Guideline Score Is Associated with Better Nutrient Intake and Nutritional Status. <i>Journal of the American Dietetic Association</i> , 2009, 109, 1031-1041.	1.1	152
341	Dietary patterns and their sociodemographic and behavioural correlates in French middle-aged adults from the SU.VI.MAX cohort. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 521-528.	2.9	81
342	Long-chain n-3 fatty acid levels in baseline serum phospholipids do not predict later occurrence of depressive episodes: A nested case-control study within a cohort of middle-aged French men and women. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 81, 265-271.	2.2	19

#	ARTICLE	IF	CITATIONS
343	Differential associations of dietary sodium and potassium intake with blood pressure: a focus on pulse pressure. <i>Journal of Hypertension</i> , 2009, 27, 1158-1164.	0.5	18
344	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1915-1922.	2.8	78
345	Relationships between different types of fruit and vegetable consumption and serum concentrations of antioxidant vitamins. <i>British Journal of Nutrition</i> , 2008, 100, 633-641.	2.3	28
346	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1298-1305.	4.7	38
347	The French National Nutrition and Health Program Score Is Associated with Nutritional Status and Risk of Major Chronic Diseases ³ . <i>Journal of Nutrition</i> , 2008, 138, 946-953.	2.9	46
348	Dairy consumption and 6-y changes in body weight and waist circumference in middle-aged French adults. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1248-55.	4.7	59
349	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.2	121
350	Dairy Products, Calcium and the Risk of Breast Cancer: Results of the French SU.VI.MAX Prospective Study. <i>Annals of Nutrition and Metabolism</i> , 2007, 51, 139-145.	1.9	49
351	Dietary patterns and blood pressure change over 5-y follow-up in the SU.VI.MAX cohort. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1650-1656.	4.7	116
352	Dairy products, calcium and phosphorus intake, and the risk of prostate cancer: results of the French prospective SU.VI.MAX (SupplÃ©mentation en Vitamines et MinÃ©raux Antioxydants) study. <i>British Journal of Nutrition</i> , 2006, 95, 539-545.	2.3	64
353	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk â€” results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464.	2.2	56
354	Dietary and cancer-related behaviors of vitamin/mineral dietary supplement users in a large cohort of French women. <i>European Journal of Nutrition</i> , 2006, 45, 205-214.	3.9	32
355	Dietary Patterns and Risk of Colorectal Tumors: A Cohort of French Women of the National Education System (E3N). <i>American Journal of Epidemiology</i> , 2006, 164, 1085-1093.	3.4	90
356	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	2.3	136
357	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1387-1396.	2.9	166
358	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1397-1408.	2.9	109
359	Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. <i>International Journal of Cancer</i> , 2005, 117, 137-144.	5.1	136
360	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	1.8	90

#	ARTICLE	IF	CITATIONS
361	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	6.3	716
362	Dual Association of β -Carotene With Risk of Tobacco-Related Cancers in a Cohort of French Women. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1338-1344.	6.3	88
363	Is the Association with Fiber from Foods in Colorectal Cancer Confounded by Folate Intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1552-1556.	2.5	110
364	Consumption of Vegetables and Fruits and Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 183.	7.4	227
365	Regional dietary habits of French women born between 1925 and 1950. <i>European Journal of Nutrition</i> , 2005, 44, 285-292.	3.9	21
366	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet</i> , The, 2003, 361, 1496-1501.	13.7	988
367	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002, 5, 1243-1258.	2.2	139
368	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002, 5, 1287-1296.	2.2	114
369	Diversity of dietary patterns observed in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002, 5, 1311-1328.	2.2	211
370	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002, 5, 1227-1242.	2.2	56
371	Cooking of meat and fish in Europe – results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1216-1230.	2.9	42
372	Do eating habits differ according to alcohol consumption? Results of a study of the French cohort of the European Prospective Investigation into Cancer and Nutrition (E3N-EPIC). <i>American Journal of Clinical Nutrition</i> , 2001, 74, 322-327.	4.7	131
373	Ultra-processed food consumption and NCD-related dietary nutrient profile in a national sample of French children and adolescents. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	1.6	0
374	Health impact of foods: Time to switch to a 3D-vision. <i>Frontiers in Nutrition</i> , 0, 9, .	3.7	6