

Jian-Bing Zeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7045781/publications.pdf>

Version: 2024-02-01

88
papers

5,148
citations

71102

41
h-index

91884

69
g-index

88
all docs

88
docs citations

88
times ranked

3921
citing authors

#	ARTICLE	IF	CITATIONS
1	Sustainable, Malleable, and Recyclable Castor Oil-Derived Poly(urethane urea) Networks with Tunable Mechanical Properties and Shape Memory Performance Based on Dynamic Piperazine-Urea Bonds. <i>Macromolecules</i> , 2022, 55, 2243-2251.	4.8	50
2	Biobased mussel-inspired underwater superoleophobic chitosan derived complex hydrogel coated cotton fabric for oil/water separation. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 279-289.	7.5	21
3	Biobased covalent adaptable networks: towards better sustainability of thermosets. <i>Green Chemistry</i> , 2022, 24, 4363-4387.	9.0	67
4	Castor oil-derived sustainable poly(urethane urea) covalent adaptable networks with tunable mechanical properties and multiple recyclability based on reversible piperidine-urea bond. <i>Chemical Engineering Journal</i> , 2022, 446, 137071.	12.7	41
5	Dynamic crosslinking towards well-dispersed cellulose nanofiber reinforced epoxy vitrimer composites. <i>Composites Communications</i> , 2022, 33, 101228.	6.3	12
6	Fabrication of sustainable and durable superwetting cotton fabrics with plant polyphenol for on-demand oil/water separation. <i>Industrial Crops and Products</i> , 2022, 186, 115264.	5.2	17
7	Malleable and thermally recyclable polyurethane foam. <i>Green Chemistry</i> , 2021, 23, 307-313.	9.0	51
8	Dynamic Crosslinking: An Efficient Approach to Fabricate Epoxy Vitrimer. <i>Materials</i> , 2021, 14, 919.	2.9	13
9	Biobased High-Performance Epoxy Vitrimer with UV Shielding for Recyclable Carbon Fiber Reinforced Composites. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4638-4647.	6.7	133
10	Sustainable and malleable polyurethane networks from castor oil and vanillin with tunable mechanical properties. <i>Industrial Crops and Products</i> , 2021, 174, 114198.	5.2	40
11	Biobased epoxy vitrimer from epoxidized soybean oil for reprocessable and recyclable carbon fiber reinforced composite. <i>Composites Communications</i> , 2020, 22, 100445.	6.3	96
12	Sustainable Epoxy Vitrimers from Epoxidized Soybean Oil and Vanillin. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15020-15029.	6.7	140
13	Highly Stretchable, Recyclable, and Fast Room Temperature Self-Healable Biobased Elastomers Using Polycondensation. <i>Macromolecules</i> , 2020, 53, 9847-9858.	4.8	65
14	Highly toughened and heat resistant poly(L-lactide)/poly(ϵ -caprolactone) blends via engineering balance between kinetics and thermodynamics of phasic morphology with stereocomplex crystallite. <i>Composites Part B: Engineering</i> , 2020, 197, 108155.	12.0	27
15	Mussel-inspired chitosan modified superhydrophilic and underwater superoleophobic cotton fabric for efficient oil/water separation. <i>Carbohydrate Polymers</i> , 2020, 244, 116449.	10.2	94
16	Biobased, reprocessable and weldable epoxy vitrimers from epoxidized soybean oil. <i>Industrial Crops and Products</i> , 2020, 153, 112576.	5.2	96
17	Fully Sustainable, Nanoparticle-Free, Fluorine-Free, and Robust Superhydrophobic Cotton Fabric Fabricated via an Eco-Friendly Method for Efficient Oil/Water Separation. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15696-15705.	6.7	86
18	Malleable and Sustainable Poly(ester amide) Networks Synthesized via Melt Condensation Polymerization. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15147-15153.	6.7	66

#	ARTICLE	IF	CITATIONS
19	Fully biobased polylactide/epoxidized soybean oil resin blends with balanced stiffness and toughness by dynamic vulcanization. <i>Polymer Testing</i> , 2019, 78, 105981.	4.8	13
20	Toward durable and robust superhydrophobic cotton fabric through hydrothermal growth of ZnO for oil/water separation. <i>Cellulose</i> , 2019, 26, 8121-8133.	4.9	32
21	Robust and nanoparticle-free superhydrophobic cotton fabric fabricated from all biological resources for oil/water separation. <i>International Journal of Biological Macromolecules</i> , 2019, 140, 1175-1182.	7.5	21
22	Structure-property relationship in fully biobased epoxidized soybean oil thermosets cured by dicarboxyl terminated polyamide 1010 oligomer with different carboxyl/epoxy ratios. <i>Polymer Testing</i> , 2019, 79, 106057.	4.8	17
23	Robust and durable superhydrophobic cotton fabrics via a one-step solvothermal method for efficient oil/water separation. <i>Cellulose</i> , 2019, 26, 2861-2872.	4.9	50
24	Highly toughened and heat-resistant poly(l-lactide) materials through interfacial interaction control via chemical structure of biodegradable elastomer. <i>Applied Surface Science</i> , 2019, 483, 1090-1100.	6.1	29
25	Localization control of carbon nanotubes in immiscible polylactide/vulcanized epoxidized soybean oil blends. <i>Composites Communications</i> , 2019, 11, 6-11.	6.3	15
26	Relating Chemical Structure to Toughness via Morphology Control in Fully Sustainable Sebacic Acid Cured Epoxidized Soybean Oil Toughened Polylactide Blends. <i>Macromolecules</i> , 2018, 51, 2027-2037.	4.8	141
27	Castor oil derived poly(urethane urea) networks with reprocessibility and enhanced mechanical properties. <i>Polymer</i> , 2018, 143, 79-86.	3.8	65
28	Rational design of sustainable polyurethanes from castor oil: towards simultaneous reinforcement and toughening. <i>Science China Materials</i> , 2018, 61, 993-1000.	6.3	26
29	Biobased super-hydrophobic coating on cotton fabric fabricated by spray-coating for efficient oil/water separation. <i>Polymer Testing</i> , 2018, 66, 41-47.	4.8	84
30	Reprocessable Epoxy Networks with Tunable Physical Properties: Synthesis, Stress Relaxation and Recyclability. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 641-648.	3.8	49
31	Uniform fiber orientation and transcrystallization formed in isotactic polypropylene/short glass fiber composites via a shear-induced orientation extrusion. <i>Polymer Composites</i> , 2018, 39, 3168-3177.	4.6	8
32	Fully biobased and high performance epoxy thermosets from epoxidized soybean oil and diamino terminated polyamide 1010 oligomers. <i>Polymer Testing</i> , 2018, 72, 140-146.	4.8	26
33	Cellulose nanocrystal coated cotton fabric with superhydrophobicity for efficient oil/water separation. <i>Carbohydrate Polymers</i> , 2018, 199, 390-396.	10.2	109
34	Castor oil-based high performance and reprocessable poly(urethane urea) network. <i>Polymer Testing</i> , 2018, 70, 174-179.	4.8	43
35	Structure, morphology, and properties of LDPE/sepiolite nanofiber nanocomposite. <i>Polymers for Advanced Technologies</i> , 2017, 28, 958-964.	3.2	9
36	Morphology and isothermal crystallization of graphene oxide reinforced biodegradable poly(butylene succinate). <i>Polymer Testing</i> , 2017, 59, 1-9.	4.8	19

#	ARTICLE	IF	CITATIONS
37	Ultralow Percolation Threshold in Poly(L-lactide)/Poly(μ -caprolactone)/Multiwall Carbon Nanotubes Composites with a Segregated Electrically Conductive Network. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3087-3098.	3.1	83
38	Morphological regulation improved electrical conductivity and electromagnetic interference shielding in poly(L-lactide)/poly(μ -caprolactone)/carbon nanotube nanocomposites via constructing stereocomplex crystallites. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2807-2817.	5.5	144
39	Morphology, crystallization and rheological behavior in poly(butylene succinate)/cellulose nanocrystal nanocomposites fabricated by solution coagulation. <i>Carbohydrate Polymers</i> , 2017, 164, 75-82.	10.2	59
40	Curing of epoxidized soybean oil with crystalline oligomeric poly(butylene succinate) towards high performance and sustainable epoxy resins. <i>Chemical Engineering Journal</i> , 2017, 326, 875-885.	12.7	93
41	Progress in Toughening Poly(Lactic Acid) with Renewable Polymers. <i>Polymer Reviews</i> , 2017, 57, 557-593.	10.9	172
42	High Performance and Thermal Processable Dicarboxylic Acid Cured Epoxidized Plant Oil Resins through Dynamic Vulcanization with Poly(lactic acid). <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1938-1947.	6.7	51
43	Curing behavior of epoxidized soybean oil with biobased dicarboxylic acids. <i>Polymer Testing</i> , 2017, 57, 281-287.	4.8	74
44	Fully bio-based, highly toughened and heat-resistant poly(L-lactide) ternary blends via dynamic vulcanization with poly(D-lactide) and unsaturated bioelastomer. <i>Science China Materials</i> , 2017, 60, 1008-1022.	6.3	26
45	Sustainable and Biodegradable Superhydrophobic Coating from Epoxidized Soybean Oil and ZnO Nanoparticles on Cellulosic Substrates for Efficient Oil/Water Separation. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 11440-11450.	6.7	110
46	All Plant Oil Derived Epoxy Thermosets with Excellent Comprehensive Properties. <i>Macromolecules</i> , 2017, 50, 5729-5738.	4.8	84
47	Ultralow percolation threshold and enhanced electromagnetic interference shielding in poly(L-lactide)/multi-walled carbon nanotube nanocomposites with electrically conductive segregated networks. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9359-9369.	5.5	322
48	Morphology, rheological and crystallization behavior in non-covalently functionalized carbon nanotube reinforced poly(butylene succinate) nanocomposites with low percolation threshold. <i>Polymer Testing</i> , 2016, 50, 182-190.	4.8	56
49	Dynamic vulcanization of castor oil in a polylactide matrix for toughening. <i>RSC Advances</i> , 2016, 6, 79542-79553.	3.6	51
50	Formation of thermally conductive networks in isotactic polypropylene/hexagonal boron nitride composites via "Bridge Effect" of multi-wall carbon nanotubes and graphene nanoplatelets. <i>RSC Advances</i> , 2016, 6, 98571-98580.	3.6	29
51	Control of the Crystalline Morphology of Poly(L-lactide) by Addition of High-Melting-Point Poly(L-lactide) and Its Effect on the Distribution of Multiwalled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2016, 120, 7423-7437.	2.6	40
52	Magnetic Responsive Polymer Nanocomposites with <i>in situ</i> Tunable Anisotropy by Magnetic Self-Organization. <i>ChemistrySelect</i> , 2016, 1, 5542-5546.	1.5	6
53	Enhancement of the interfacial interaction between poly(vinyl chloride) and zinc oxide modified reduced graphene oxide. <i>RSC Advances</i> , 2016, 6, 5784-5791.	3.6	37
54	Shear-induced orientation of functional graphene oxide sheets in isotactic polypropylene. <i>Journal of Materials Science</i> , 2016, 51, 5185-5195.	3.7	34

#	ARTICLE	IF	CITATIONS
55	Effect of base-deposited graphene oxide on the thermal stabilization of poly(vinyl chloride). <i>Polymer International</i> , 2016, 65, 125-132.	3.1	10
56	Crystallization Behavior of Poly(sodium 4-styrenesulfonate)-Functionalized Carbon Nanotubes Filled Poly(μ -caprolactone) Nanocomposites. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 1881-1889.	3.7	14
57	Synthesis, characterization and isothermal crystallization behavior of poly(butylene Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 66 Technologies, 2015, 26, 1003-1013.	3.2	15
58	Fabrication of hierarchically crystallographic morphologies in isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	2.6	6
59	Synthesis and characterization of a polyurethane ionene/zinc chloride complex with antibacterial properties. <i>RSC Advances</i> , 2015, 5, 12423-12433.	3.6	9
60	Biobased Thermoplastic Poly(ester urethane) Elastomers Consisting of Poly(butylene succinate) and Poly(propylene succinate). <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 6258-6268.	3.7	14
61	Properties regulation of poly(butylene succinate) ionomers through their ionic group distribution. <i>Polymer</i> , 2015, 66, 148-159.	3.8	15
62	Compatibilization strategies in poly(lactic acid)-based blends. <i>RSC Advances</i> , 2015, 5, 32546-32565.	3.6	216
63	Poly(sodium 4-styrenesulfonate) modified graphene for reinforced biodegradable poly(μ -caprolactone) nanocomposites. <i>RSC Advances</i> , 2015, 5, 73146-73154.	3.6	24
64	Succinic Acid Based Biodegradable Thermoplastic Poly(ester urethane) Elastomers: Effects of Segment Ratios and Lengths on Physical Properties. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 1404-1414.	3.7	20
65	Composition dependence of physical properties of biodegradable poly(ethylene succinate) urethane ionenes. <i>RSC Advances</i> , 2014, 4, 54175-54186.	3.6	13
66	In situ formed crosslinked polyurethane toughened polylactide. <i>Polymer Chemistry</i> , 2014, 5, 2530.	3.9	129
67	Fully Biobased and Supertough Polylactide-Based Thermoplastic Vulcanizates Fabricated by Peroxide-Induced Dynamic Vulcanization and Interfacial Compatibilization. <i>Biomacromolecules</i> , 2014, 15, 4260-4271.	5.4	178
68	Super-tough poly(α -lactide)/crosslinked polyurethane blends with tunable impact toughness. <i>RSC Advances</i> , 2014, 4, 12857-12866.	3.6	83
69	Sustainable waterborne polyurethane ionomer reinforced poly(vinyl alcohol) composite films. <i>Composites Science and Technology</i> , 2014, 96, 109-115.	7.8	17
70	Nonisothermal crystallization behaviors of biodegradable double crystalline poly(butylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td	2.6	2
71	Synthesis and characterization of segmented poly(butylene succinate) urethane ionenes containing secondary amine cation. <i>Polymer</i> , 2014, 55, 4358-4368.	3.8	41
72	Block phosphorus-containing poly(trimethylene terephthalate) copolyester via solid-state polymerization: retarded crystallization and melting behaviour. <i>CrystEngComm</i> , 2013, 15, 2688.	2.6	24

#	ARTICLE	IF	CITATIONS
73	Crystallization and morphology of a polymer blend based on linear PPDO and branched poly(p-dioxanone)-poly(lactic acid) block copolymer with immiscible blocks. <i>Polymer Chemistry</i> , 2012, 3, 2537.	3.9	11
74	Urethane Ionic Groups Induced Rapid Crystallization of Biodegradable Poly(ethylene succinate). <i>ACS Macro Letters</i> , 2012, 1, 965-968.	4.8	42
75	From miscible to partially miscible biodegradable double crystalline poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 662 11	3.9	56
76	Poly(butylene succinate)-poly(ethylene glycol) multiblock copolymer: Synthesis, structure, properties and shape memory performance. <i>Polymer Chemistry</i> , 2012, 3, 800.	3.9	58
77	Isothermal Crystallization Behavior of Biodegradable P(BS-b-PEGS) Multiblock Copolymers. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 8262-8272.	3.7	20
78	Aromatic-aliphatic random and block copolyesters: synthesis, sequence distribution and thermal properties. <i>Polymer Chemistry</i> , 2012, 3, 1344.	3.9	31
79	Chitin Whiskers: An Overview. <i>Biomacromolecules</i> , 2012, 13, 1-11.	5.4	374
80	Synthesis and characterization of a novel multiblock copolyester containing poly(ethylene succinate) and poly(butylene succinate). <i>Materials Chemistry and Physics</i> , 2011, 130, 943-949.	4.0	46
81	A novel aromatic-aliphatic copolyester consisting of poly(1,4-dioxanone) and poly(ethylene-1,6-hexene terephthalate): Preparation, thermal, and mechanical properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2828-2837.	2.3	13
82	Rapid ring-opening polymerization of 1,4-dioxanone initiated by titanium alkoxides. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5885-5890.	2.3	20
83	Unique Crystalline/Crystalline Polymer Blends of Poly(ethylene succinate) and Poly(p-dioxanone): Miscibility and Crystallization Behaviors. <i>Journal of Physical Chemistry B</i> , 2010, 114, 14827-14833.	2.6	78
84	Non-isothermal Crystallization Behaviors of Poly(p-dioxanone) and Poly(p-dioxanone)-poly(butylene succinate) Multiblock Copolymer from Amorphous State. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 269-285.	1.0	9
85	Synthesis of high-molecular-weight aliphatic-aromatic copolyesters from poly(ethylene-1,6-hexene terephthalate) and poly(L-lactic acid) by chain extension. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5898-5907.	2.3	25
86	A novel biodegradable multiblock poly(ester urethane) containing poly(L-lactic acid) and poly(butylene succinate) blocks. <i>Polymer</i> , 2009, 50, 1178-1186.	3.8	166
87	Thermal and Thermo-Oxidative Degradation of Biodegradable Poly(Ester Urethane) Containing Poly(L-Lactic Acid) and Poly(Butylene Succinate) Blocks. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 635-649.	1.0	11
88	ABA triblock copolymers from poly(p-dioxanone) and poly(ethylene glycol). <i>Journal of Applied Polymer Science</i> , 2006, 102, 1092-1097.	2.6	16