Carolyn A Chew-Graham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7047999/publications.pdf

Version: 2024-02-01

298 papers

13,410 citations

52 h-index 30087 103 g-index

305 all docs

305 docs citations

305 times ranked 16544 citing authors

#	Article	IF	CITATIONS
1	PICO, PICOS and SPIDER: a comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. BMC Health Services Research, 2014, 14, 579.	2.2	1,163
2	Controlled Interventions to Reduce Burnout in Physicians. JAMA Internal Medicine, 2017, 177, 195.	5.1	898
3	Association Between Physician Burnout and Patient Safety, Professionalism, and Patient Satisfaction. JAMA Internal Medicine, 2018, 178, 1317.	5.1	705
4	Preeclampsia and Future Cardiovascular Health. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	663
5	'I wouldn't want it on my CV or their records': medical students' experiences of help-seeking for mental health problems. Medical Education, 2003, 37, 873-880.	2.1	395
6	Selfâ€Reported Sleep Duration and Quality and Cardiovascular Disease and Mortality: A Doseâ€Response Metaâ€Analysis. Journal of the American Heart Association, 2018, 7, e008552.	3.7	260
7	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	2.8	244
8	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. BMJ: British Medical Journal, 2017, 359, j4351.	2.3	240
9	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. Lancet Public Health, The, 2021, 6, e124-e135.	10.0	201
10	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. BMJ, The, 2015, 350, h638-h638.	6.0	200
11	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. BMJ, The, 2013, 346, f2882-f2882.	6.0	195
12	Finding the 'right' GP: a qualitative study of the experiences of people with long-COVID. BJGP Open, 2020, 4, bjgpopen20X101143.	1.8	183
13	'Justifiable depression': how primary care professionals and patients view late-life depression? a qualitative study. Family Practice, 2006, 23, 369-377.	1.9	177
14	The epidemiology of multiple somatic symptoms. Journal of Psychosomatic Research, 2012, 72, 311-317.	2.6	173
15	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	6.0	173
16	Social networks, social capital and chronic illness self-management: a realist review. Chronic Illness, 2011, 7, 60-86.	1.5	167
17	Framing the doctor-patient relationship in chronic illness: a comparative study of general practitioners' accounts. Sociology of Health and Illness, 2004, 26, 135-158.	2.1	163
18	Medically unexplained symptoms and the problem of power in the primary care consultation: a qualitative study. Family Practice, 2002, 19, 178-182.	1.9	152

#	Article	IF	CITATIONS
19	The comorbidity burden of type 2 diabetes mellitus: patterns, clusters and predictions from a large English primary care cohort. BMC Medicine, 2019, 17, 145.	5.5	151
20	Effects of befriending on depressive symptoms and distress: systematic review and meta-analysis. British Journal of Psychiatry, 2010, 196, 96-101.	2.8	145
21	Qualitative research and the problem of judgement: lessons from interviewing fellow professionals. Family Practice, 2002, 19, 285-289.	1.9	140
22	Talking about depression: a qualitative study of barriers to managing depression in people with long term conditions in primary care. BMC Family Practice, 2011, 12, 10.	2.9	124
23	Preterm Delivery and Future Risk of Maternal Cardiovascular Disease: A Systematic Review and Metaâ€Analysis. Journal of the American Heart Association, 2018, 7, .	3.7	122
24	A qualitative study of GPs' attitudes to self-management of chronic disease. British Journal of General Practice, 2006, 56, 407-14.	1.4	121
25	Access to primary mental health care for hard-to-reach groups: From â€~silent suffering' to â€~making it work'. Social Science and Medicine, 2011, 72, 763-772.	3.8	118
26	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. Implementation Science, 2011, 6, 56.	6.9	106
27	Case identification of depression in patients with chronic physical health problems: a diagnostic accuracy meta-analysis of 113 studies. British Journal of General Practice, 2011, 61, e808-e820.	1.4	100
28	Patterns of Access to Community Palliative Care Services: A Literature Review. Journal of Pain and Symptom Management, 2009, 37, 884-912.	1.2	99
29	Nurse led, home based self help treatment for patients in primary care with chronic fatigue syndrome: randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c1777-c1777.	2.3	98
30	Self-harm in older adults: systematic review. British Journal of Psychiatry, 2019, 214, 186-200.	2.8	92
31	Disclosure of symptoms of postnatal depression, the perspectives of health professionals and women: a qualitative study. BMC Family Practice, 2009, 10, 7.	2.9	91
32	Clinical assessment and management of multimorbidity: NICE guideline. British Journal of General Practice, 2017, 67, 235-236.	1.4	77
33	Implementing, embedding and integrating self-management support tools for people with long-term conditions in primary care nursing: A qualitative study. International Journal of Nursing Studies, 2014, 51, 1103-1113.	5.6	75
34	Managing depression in primary care: another example of the inverse care law?. Family Practice, 2002, 19, 632-637.	1.9	74
35	South Asian women, psychological distress and self-harm: lessons for primary care trusts. Health and Social Care in the Community, 2002, 10, 339-347.	1.6	74
36	Implementation of a self-management support approach (WISE) across a health system: a process evaluation explaining what did and did not work for organisations, clinicians and patients. Implementation Science, 2014, 9, 129.	6.9	73

#	Article	IF	Citations
37	Understanding the management of early-stage chronic kidney disease in primary care: a qualitative study. British Journal of General Practice, 2012, 62, e233-e242.	1.4	70
38	How QOF is shaping primary care review consultations: a longitudinal qualitative study. BMC Family Practice, 2013, 14, 103.	2.9	69
39	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. BMC Psychiatry, 2016, 16, 53.	2.6	69
40	Making the diagnosis of Chronic Fatigue Syndrome/Myalgic Encephalitis in primary care: a qualitative study. BMC Family Practice, 2010, 11, 16.	2.9	68
41	Why may older people with depression not present to primary care? Messages from secondary analysis of qualitative data. Health and Social Care in the Community, 2012, 20, 52-60.	1.6	68
42	†Permission to participate?' A qualitative study of participation in patients from differing socio-economic backgrounds. Journal of Health Psychology, 2013, 18, 1046-1055.	2.3	68
43	A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. British Journal of General Practice, 2007, 57, 364-70.	1.4	67
44	Better together? a naturalistic qualitative study of inter-professional working in collaborative care for co-morbid depression and physical health problems. Implementation Science, 2013, 8, 110.	6.9	66
45	Case studies: A research strategy appropriate for palliative care?. Palliative Medicine, 2004, 18, 677-684.	3.1	65
46	†How do you explain a pain that can't be seen?': The narratives of women with chronic pelvic pain and their disengagement with the diagnostic cycle. British Journal of Health Psychology, 2007, 12, 261-274.	3.5	64
47	Touch in primary care consultations: qualitative investigation of doctors' and patients' perceptions. British Journal of General Practice, 2013, 63, e283-e290.	1.4	64
48	A qualitative study of patient choices in using emergency health care for long-term conditions: The importance of candidacy and recursivity. Patient Education and Counseling, 2013, 93, 335-341.	2.2	61
49	Women's views and experiences of antidepressants as a treatment for postnatal depression: a qualitative study. Family Practice, 2008, 25, 450-455.	1.9	60
50	GPs' and health visitors' views on the diagnosis and management of postnatal depression: a qualitative study. British Journal of General Practice, 2008, 58, 169-176.	1.4	60
51	Managing depression in people with multimorbidity: a qualitative evaluation of an integrated collaborative care model. BMC Family Practice, 2015, 16, 32.	2.9	58
52	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry,the, 2018, 5, 905-912.	7.4	57
53	CollAborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-252.	2.8	56
54	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. Chronic Illness, 2010, 6, 136-150.	1.5	55

#	Article	IF	CITATIONS
55	â€~On the surface': a qualitative study of GPs' and patients' perspectives on psoriasis. BMC Family Practice, 2013, 14, 158.	2.9	55
56	Facilitating professional liaison in collaborative care for depression in UK primary care; a qualitative study utilising normalisation process theory. BMC Family Practice, 2014, 15, 78.	2.9	54
57	What do older people experiencing loneliness think about primary care or community based interventions to reduce loneliness? A qualitative study in England. Health and Social Care in the Community, 2017, 25, 1733-1742.	1.6	54
58	'Reluctant pioneer': A qualitative study of doctors' experiences as patients with long COVID. Health Expectations, 2021, 24, 833-842.	2.6	54
59	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003–2018. BMC Psychiatry, 2021, 21, 229.	2.6	54
60	Effect of Information and Telephone-Guided Access to Community Support for People with Chronic Kidney Disease: Randomised Controlled Trial. PLoS ONE, 2014, 9, e109135.	2.5	54
61	A cluster randomised controlled trial of the clinical and cost-effectiveness of a 'whole systems' model of self-management support for the management of long- term conditions in primary care: trial protocol. Implementation Science, 2012, 7, 7.	6.9	51
62	The harmful consequences of elevating the doctor-patient relationship to be a primary goal of the general practice consultation. Family Practice, 2004, 21, 229-231.	1.9	49
63	Delivering the WISE (Whole Systems Informing Self-Management Engagement) training package in primary care: learning from formative evaluation. Implementation Science, 2010, 5, 7.	6.9	49
64	Pain assessment and pain treatment for communityâ€dwelling people with dementia: A systematic review and narrative synthesis. International Journal of Geriatric Psychiatry, 2019, 34, 807-821.	2.7	49
65	Prison staff and women prisoner's views on selfâ€harm; their implications for service delivery and development: A qualitative study. Criminal Behaviour and Mental Health, 2010, 20, 274-284.	0.8	48
66	Medically unexplained symptoms: continuing challenges for primary care. British Journal of General Practice, 2017, 67, 106-107.	1.4	48
67	Barriers, facilitators, and survival strategies for GPs seeking treatment for distress: a qualitative study. British Journal of General Practice, 2017, 67, e700-e708.	1.4	48
68	Treating depression in later life. BMJ: British Medical Journal, 2004, 329, 181-182.	2.3	47
69	Effectiveness of a Computerized Decision Aid in Primary Care on Decision Making and Quality of Life in Menorrhagia: Results of the MENTIP Randomized Controlled Trial. Medical Decision Making, 2007, 27, 575-584.	2.4	47
70	Pre-eclampsia is associated with a twofold increase in diabetes: a systematic review and meta-analysis. Diabetologia, 2016, 59, 2518-2526.	6.3	47
71	Custody vs care: attitudes of prison staff to self-harm in women prisoners—a qualitative study. Journal of Forensic Psychiatry and Psychology, 2009, 20, 408-426.	1.0	46
72	Sleep Disturbance and Chronic Widespread Pain. Current Rheumatology Reports, 2015, 17, 469.	4.7	46

#	Article	IF	Citations
7 3	Using Multiple Sources of Knowledge to Reach Clinical Understanding of Chronic Fatigue Syndrome. Annals of Family Medicine, 2008, 6, 340-348.	1.9	45
74	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). BMJ: British Medical Journal, 2018, 363, k4218.	2.3	44
7 5	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental–physical multimorbidity: cluster-randomised trial. British Journal of Psychiatry, 2018, 213, 456-463.	2.8	44
76	Women's experiences of health visitor delivered listening visits as a treatment for postnatal depression: A qualitative study. Patient Education and Counseling, 2010, 78, 234-239.	2.2	43
77	Managing self-limiting respiratory tract infections: a qualitative study of the usefulness of the delayed prescribing strategy. British Journal of General Practice, 2011, 61, e579-e589.	1.4	43
78	Illness beliefs and the sociocultural context of diabetes self-management in British South Asians: a mixed methods study. BMC Family Practice, 2015, 16, 58.	2.9	43
79	Judgements about fellow professionals and the management of patients receiving palliative care in primary care: a qualitative study. British Journal of General Practice, 2008, 58, 264-272.	1.4	41
80	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. BMC Health Services Research, 2009, 9, 226.	2.2	41
81	Slaying the dragon myth: an ethnographic study of receptionists in UK general practice. British Journal of General Practice, 2013, 63, e177-e184.	1.4	41
82	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	2.8	41
83	Somatization and Health Anxiety as Predictors of Health Care Use. Psychosomatic Medicine, 2012, 74, 656-664.	2.0	40
84	Having diabetes and having to fast: a qualitative study of British Muslims with diabetes. Health Expectations, 2015, 18, 1698-1708.	2.6	40
85	Symptom perceptions and help-seeking behaviour prior to lung and colorectal cancer diagnoses: a qualitative study. Family Practice, 2015, 32, 568-577.	1.9	40
86	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. Journal of Psychosomatic Research, 2016, 82, 54-61.	2.6	40
87	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. BMC Health Services Research, 2012, 12, 249.	2.2	39
88	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. JAMA Network Open, 2021, 4, e2134803.	5.9	39
89	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. BMC Health Services Research, 2014, 14, 549.	2.2	38
90	The association between anxiety and disease activity and quality of life in rheumatoid arthritis: a systematic review and meta-analysis. Clinical Rheumatology, 2020, 39, 1471-1482.	2.2	38

#	Article	IF	CITATIONS
91	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	2.5	38
92	Challenges to nurse prescribers of a noâ€antibiotic prescribing strategy for managing selfâ€limiting respiratory tract infections. Journal of Advanced Nursing, 2012, 68, 2622-2632.	3.3	36
93	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. BMC Family Practice, 2016, 17, 106.	2.9	36
94	Validating screening instruments for cognitive impairment in older South Asians in the United Kingdom., 2000, 15, 54-62.		35
95	The use of mixed methodology in evaluating complex interventions: identifying patient factors that moderate the effects of a decision aid. Family Practice, 2007, 24, 594-600.	1.9	35
96	Why do patients with long-term conditions use unscheduled care? A qualitative literature review. Health and Social Care in the Community, 2013, 21, 339-351.	1.6	35
97	Role of the GP in the management of patients with self-harm behaviour: a systematic review. British Journal of General Practice, 2020, 70, e364-e373.	1.4	35
98	'I never realised that doctors were into feelings too': changing student perceptions through interprofessional education. Learning in Health and Social Care, 2003, 2, 137-146.	0.6	34
99	The implications of living with heart failure; the impact on everyday life, family support, co-morbidities and access to healthcare: a secondary qualitative analysis. BMC Family Practice, 2016, 17, 139.	2.9	33
100	GPs' experiences of dealing with parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2016, 66, e737-e746.	1.4	32
101	Developing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalitis (CFS/ME) in primary care: a qualitative study. BMC Family Practice, 2012, 13, 93.	2.9	31
102	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	8.4	31
103	A qualitative study of referral to community mental health teams in the UK: exploring the rhetoric and the reality. BMC Health Services Research, 2007, 7, 117.	2.2	30
104	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	2.2	30
105	Experiences of <scp>UK</scp> healthâ€care services for people with <scp>M</scp> ultiple <scp>S</scp> clerosis: a systematic narrative review. Health Expectations, 2015, 18, 1844-1855.	2.6	30
106	Non-disclosure of chronic kidney disease in primary care and the limits of instrumental rationality in chronic illness self-management. Social Science and Medicine, 2015, 131, 31-39.	3.8	30
107	Holding relationships in primary care: a qualitative exploration of doctors' and patients' perceptions. British Journal of General Practice, 2011, 61, e484-e491.	1.4	29
108	Clinical management following self-harm in a UK-wide primary care cohort. Journal of Affective Disorders, 2016, 197, 182-188.	4.1	29

#	Article	IF	Citations
109	Musculoskeletal pain and co-morbid insomnia in adults; a population study of the prevalence and impact on restricted social participation. BMC Family Practice, 2017, 18, 17.	2.9	29
110	<p>Depression predicts emergency care use in people with chronic obstructive pulmonary disease: a large cohort study in primary care</p> . International Journal of COPD, 2019, Volume 14, 1343-1353.	2.3	29
111	Acute Myocardial Infarction in Severe Mental Illness: Prevalence, Clinical Outcomes, and Process of Care in U.S. Hospitalizations. Canadian Journal of Cardiology, 2019, 35, 821-830.	1.7	29
112	Factors influencing engagement of patients in a novel intervention for CFS/ME: a qualitative study. Primary Health Care Research and Development, 2011, 12, 112-122.	1.2	28
113	â€~I should have taken that further' – missed opportunities during cardiovascular risk assessment in patients with psoriasis in <scp>UK</scp> primary care settings: a mixedâ€methods study. Health Expectations, 2016, 19, 1121-1137.	2.6	28
114	Patient and Public Involvement and Engagement in a doctoral research project exploring selfâ€harm in older adults. Health Expectations, 2019, 22, 617-631.	2.6	28
115	Failure to improve appropriateness of referrals to adult community mental health services-lessons from a multi-site cluster randomized controlled trial. Family Practice, 2008, 25, 181-190.	1.9	27
116	Practice Nurses' views of their role in the management of Chronic Fatigue Syndrome/Myalagic Encephalitis: a qualitative study. BMC Nursing, 2009, 8, 2.	2.5	27
117	Premature Death Among Primary Care Patients With a History of Self-Harm. Annals of Family Medicine, 2017, 15, 246-254.	1.9	27
118	Screening for depression in African-Caribbean elders. Family Practice, 1999, 16, 591-595.	1.9	26
119	An intervention to promote patient participation and self-management in long term conditions: development and feasibility testing. BMC Health Services Research, 2010, 10, 206.	2.2	26
120	Is chronic pelvic pain a comfortable diagnosis for primary care practitioners: a qualitative study. BMC Family Practice, $2010,11,7.$	2.9	26
121	Improving the detection and management of anxiety disorders in primary care. British Journal of General Practice, 2011, 61, 489-490.	1.4	25
122	Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. BMC Psychiatry, 2014, 14, 217.	2.6	25
123	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. BMJ Open, 2016, 6, e012514.	1.9	25
124	Process and impact of patient involvement in a systematic review of shared decision making in primary care consultations. Health Expectations, 2017, 20, 298-308.	2.6	25
125	Improving the physical health of people with severe mental illness. InnovAiT, 2019, 12, 203-210.	0.0	25
126	Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2020, 70, e102-e110.	1.4	25

#	Article	IF	CITATIONS
127	The role of information in supporting self-care in vascular conditions: a conceptual and empirical review. Health and Social Care in the Community, 2011, 19, 449-459.	1.6	24
128	A qualitative study of patient and professional perspectives of healthcare services for multiple sclerosis: implications for service development and policy. Health and Social Care in the Community, 2017, 25, 848-857.	1.6	24
129	Loss of doctor-to-doctor communication: Lessons from the reconfiguration of mental health services in England. Journal of Health Services Research and Policy, 2008, 13, 6-12.	1.7	23
130	Temporal Trends in Pregnancyâ€Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. Journal of the American Heart Association, 2020, 9, e016182.	3.7	23
131	Temporal Changes in Hypertensive Disorders of Pregnancy and Impact on Cardiovascular and Obstetric Outcomes. American Journal of Cardiology, 2020, 125, 1508-1516.	1.6	23
132	Sources of work-related psychological distress experienced by UK-wide foundation and junior doctors: a qualitative study. BMJ Open, 2021, 11, e043521.	1.9	23
133	How older adults self-manage distress – does the internet have a role? A qualitative study. BMC Family Practice, 2018, 19, 185.	2.9	22
134	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) Tj ETQq0 0 0 rgBT	/@værlock	1202Tf 50 457
135	Access to healthcare for long-term conditions in women involved in street-based prostitution: a qualitative study. BMC Family Practice, 2015, 16, 118.	2.9	21
136	Revealing hidden depression in older people: a qualitative study within a randomised controlled trial. BMC Family Practice, 2015, 16, 142.	2.9	21
137	Improving recognition of anxiety and depression in rheumatoid arthritis: a qualitative study in a community clinic. British Journal of General Practice, 2017, 67, e531-e537.	1.4	21
138	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. Health Technology Assessment, 2018, 22, 1-136.	2.8	21
139	What challenges did junior doctors face while working during the COVID-19 pandemic? A qualitative study. BMJ Open, 2021, 11, e056122.	1.9	21
140	Long COVID and the importance of the doctor–patient relationship. British Journal of General Practice, 2021, 71, 54-55.	1.4	20
141	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. British Journal of General Practice, 2011, 61, e666-e673.	1.4	19
142	Diagnosis and management of chronic fatigue syndrome/myalgic encephalitis in black and minority ethnic people: a qualitative study. Primary Health Care Research and Development, 2014, 15, 143-155.	1.2	19
143	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	1.4	19
144	The triple whammy anxiety depression and osteoarthritis in long-term conditions. BMC Family Practice, 2015, 16, 163.	2.9	19

#	Article	IF	CITATIONS
145	Understanding the needs of carers of people with psychosis in primary care. British Journal of General Practice, 2016, 66, 400-401.	1.4	19
146	Predictors of Outcome Following Brief Psychodynamic-Interpersonal Therapy for Deliberate Self-Poisoning. Australian and New Zealand Journal of Psychiatry, 2003, 37, 532-536.	2.3	18
147	The associated features of multiple somatic symptom complexes. Journal of Psychosomatic Research, 2018, 112, 1-8.	2.6	18
148	A relational analysis of an invisible illness: A meta-ethnography of people with chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME) and their support needs. Social Science and Medicine, 2020, 265, 113369.	3.8	18
149	Implementing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalomyelitis (CFS/ME) in primary care: A qualitative study. BMC Family Practice, 2016, 17, 66.	2.9	17
150	Understanding self-harm in older adults: A qualitative study. EClinicalMedicine, 2019, 12, 52-61.	7.1	17
151	Community ageing research 75+ study (CARE75+): an experimental ageing and frailty research cohort. BMJ Open, 2019, 9, e026744.	1.9	17
152	Protective factors and sources of support in the workplace as experienced by UK foundation and junior doctors: a qualitative study. BMJ Open, 2021, 11, e045588.	1.9	17
153	Challenges of nurse delivery of psychological interventions for long-term conditions in primary care: a qualitative exploration of the case of chronic fatigue syndrome/myalgic encephalitis. Implementation Science, 2011, 6, 132.	6.9	16
154	CASPER plus (CollAborative care in Screen-Positive EldeRs with major depressive disorder): study protocol for a randomised controlled trial. Trials, 2014, 15, 451.	1.6	16
155	Feasibility of training practice nurses to deliver a psychosocial intervention within a collaborative care framework for people with depression and long-term conditions. BMC Nursing, 2016, 15, 71.	2.5	16
156	Mental health support through primary care during and after covid-19. BMJ, The, 2021, 373, n1064.	6.0	16
157	Beyond skin: the need for a new approach to the management of psoriasis in primary care. British Journal of General Practice, 2012, 62, 568-569.	1.4	15
158	Findings from a feasibility study to improve GP elicitation of patient concerns in UK general practice consultations. Patient Education and Counseling, 2018, 101, 1394-1402.	2.2	15
159	The elicitation and management of multiple health concerns in GP consultations. Patient Education and Counseling, 2019, 102, 687-693.	2.2	15
160	Mitigating the impacts of COVID-19: where are the mental health trials?. Lancet Psychiatry, the, 2021, 8, 647-650.	7.4	15
161	Negotiating refusal in primary care consultations: a qualitative study. Family Practice, 2012, 29, 488-496.	1.9	14
162	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 28.	1.6	14

#	Article	IF	Citations
163	A motivational intervention for patients with COPD in primary care: qualitative evaluation of a new practitioner role. BMC Family Practice, 2014, 15, 164.	2.9	14
164	Who cares for the clinicians? The mental health crisis in the GP workforce. British Journal of General Practice, 2016, 66, 344-345.	1.4	14
165	Meeting the mental health needs of people with multiple sclerosis: a qualitative study of patients and professionals. Disability and Rehabilitation, 2017, 39, 1097-1105.	1.8	14
166	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. BMJ Open, 2018, 8, e020926.	1.9	14
167	â€~Treading water but drowning slowly': what are GPs' experiences of living and working with mental illness and distress in England? A qualitative study. BMJ Open, 2018, 8, e018620.	1.9	14
168	Embracing a †new normalâ€. the construction of biographical renewal in young adults†narratives of living with a stoma. Sociology of Health and Illness, 2020, 42, 342-358.	2.1	14
169	Access to Psychological Support for Young People Following Stoma Surgery: Exploring Patients' and Clinicians' Perspectives. Qualitative Health Research, 2021, 31, 535-549.	2.1	14
170	â€ïl wouldn't push that further because I don't want to lose her': a multiperspective qualitative study of behaviour change for longâ€term conditions in primary care. Health Expectations, 2015, 18, 1995-2010.	2.6	13
171	Modelling self-management pathways for people with diabetes in primary care. BMC Family Practice, 2015, 16, 112.	2.9	13
172	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. BMC Health Services Research, 2016, 16, 58.	2.2	13
173	Prognostic models for predicting relapse or recurrence of major depressive disorder in adults. The Cochrane Library, 2021, 2021, CD013491.	2.8	13
174	Exploring women's experiences of identifying, negotiating and managing perinatal anxiety: a qualitative study. BMJ Open, 2020, 10, e040731.	1.9	13
175	Predicting relapse or recurrence of depression: systematic review of prognostic models. British Journal of Psychiatry, 2022, 221, 448-458.	2.8	13
176	Operationalising unscheduled care policy: a qualitative study of healthcare professionals' perspectives. British Journal of General Practice, 2013, 63, e192-e199.	1.4	12
177	Predicting and preventing relapse of depression in primary care. British Journal of General Practice, 2020, 70, 54-55.	1.4	12
178	Healthcare professionals' perspectives on identifying and managing perinatal anxiety: a qualitative study. British Journal of General Practice, 2019, 69, e768-e776.	1.4	11
179	Understanding the management of heart failure with preserved ejection fraction: a qualitative multiperspective study. British Journal of General Practice, 2020, 70, e880-e889.	1.4	11
180	Switching antipsychotics to support the physical health of people with severe mental illness: a qualitative study of healthcare professionals' perspectives. BMJ Open, 2021, 11, e042497.	1.9	11

#	Article	IF	Citations
181	Supporting patients with long COVID return to work. British Journal of General Practice, 2021, 71, 508-509.	1.4	11
182	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 66.	1.6	10
183	Experiences of general practice care for self-harm: a qualitative study of young people's perspectives. British Journal of General Practice, 2021, 71, BJGP.2021.0091.	1.4	10
184	Optimising primary care for people with dementia. Mental Health in Family Medicine, 2013, 10, 143-51.	0.2	10
185	Achieving target recruitment in a primary care trial: lessons from PRIDE. Primary Health Care Research and Development, 2007, 8, 264.	1.2	9
186	Communicating Cardiovascular Disease Risk to People with Psoriasis: What Techniques do Practitioners Use?. International Journal of Behavioral Medicine, 2016, 23, 168-178.	1.7	9
187	Role of primary care in supporting older adults who self-harm: a qualitative study in England. British Journal of General Practice, 2019, 69, e740-e751.	1.4	9
188	Optimising Management of Patients with Heart Failure with Preserved Ejection Fraction in Primary Care (OPTIMISE-HFpEF): rationale and protocol for a multi-method study. BJGP Open, 2019, 3, bjgpopen19X101675.	1.8	9
189	The role of primary care in the diagnosis and management of menorrhagia: a qualitative study of women with menorrhagia. Primary Health Care Research and Development, 2005, 6, 217-223.	1.2	8
190	Nurses' feelings of 'ownership' of palliative care patients: findings from a qualitative case study. Progress in Palliative Care, 2010, 18, 346-351.	1.2	8
191	Focus on shared decisionâ€making. Health Expectations, 2017, 20, 1181-1182.	2.6	8
192	Relationship of anxiety with joint pain and its management: A population survey. Musculoskeletal Care, 2018, 16, 353-362.	1.4	8
193	Development and validation of the Dlabetes Severity SCOre (DISSCO) in 139 626 individuals with type 2 diabetes: a retrospective cohort study. BMJ Open Diabetes Research and Care, 2020, 8, e000962.	2.8	8
194	Rheumatic Conditions as Risk Factors for Selfâ∈Harm: A Retrospective Cohort Study. Arthritis Care and Research, 2021, 73, 130-137.	3.4	8
195	Challenges in the management of people with heart failure with preserved ejection fraction (HFpEF) in primary care: A qualitative study of general practitioner perspectives. Chronic Illness, 2022, 18, 410-425.	1.5	8
196	Long COVID in children: the perspectives of parents and children need to be heard. British Journal of General Practice, 2021, 71, 216-216.	1.4	8
197	"l'm Managing My Diabetes between Two Worlds― Beliefs and Experiences of Diabetes Management in British South Asians on Holiday in the Eastâ€"A Qualitative Study. Journal of Diabetes Research, 2016, 2016, 1-8.	2.3	7
198	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /O	verlock 10 2.5	Tf 50 67 Td

fully-powered pragmatic randomised controlled trial. PLoS ONE, 2022, 17, e0263856.

198

#	Article	IF	CITATIONS
199	Informed consent? How do primary care professionals prepare women for cervical smears: A qualitative study. Patient Education and Counseling, 2006, 61, 381-388.	2.2	6
200	Soliciting additional concerns in the primary care consultation and the utility of a brief communication intervention to aid solicitation: A qualitative study. Patient Education and Counseling, 2016, 99, 724-732.	2,2	6
201	†Multimorbidity': an acceptable term for patients or time for a rebrand?. British Journal of General Practice, 2019, 69, 372-373.	1.4	6
202	Identification of post-traumatic stress disorder following ICU. British Journal of General Practice, 2019, 69, 154-155.	1.4	6
203	Self-harm in young people: the exceptional potential of the general practice consultation. British Journal of General Practice, 2019, 69, 168-169.	1.4	6
204	The experiences of general practitioner partners living with distress: An interpretative phenomenological analysis. Journal of Health Psychology, 2020, 25, 1439-1449.	2.3	6
205	Prognostic value of first-recorded breathlessness for future chronic respiratory and heart disease: a cohort study using a UK national primary care database. British Journal of General Practice, 2020, 70, e264-e273.	1.4	6
206	Involving patients in research during a pandemic. Health Expectations, 2020, 23, 521-522.	2.6	6
207	Acceptability of nurse-led reviews for inflammatory rheumatological conditions: A qualitative study. Journal of Multimorbidity and Comorbidity, 2021, 11, 263355652110024.	2.2	6
208	Patient commentary: How power imbalances in the narratives, research, and publications around long covid can harm patients. BMJ, The, 2021, 373, n1579.	6.0	6
209	Evaluation of the Impact of the PABBS Suicide Bereavement Training on Clinicians' Knowledge and Skills. Crisis, 2020, 41, 351-358.	1.2	6
210	Involving the public in health research in Latin America: making the case for mental health. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2018, 42, 1-6.	1.1	6
211	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. British Journal of Psychiatry, 2022, 221, 468-475.	2.8	6
212	Improving the Care of People with Long-Term Conditions in Primary Care: Protocol for the Enhance Pilot Trial. Journal of Comorbidity, 2015, 5, 135-149.	3.9	5
213	†Hajj: what it means for general practice'. BJGP Open, 2018, 2, bjgpopen18X101493.	1.8	5
214	The INCLUDE study. Journal of Comorbidity, 2018, 8, 2235042X1879237.	3.9	5
215	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. British Journal of General Practice, 2021, 71, 200-201.	1.4	5
216	CHOICE: Choosing Health Options In Chronic Care Emergencies. Programme Grants for Applied Research, 2017, 5, 1-272.	1.0	5

#	Article	IF	Citations
217	Risk factors for nonfatal selfâ€harm and suicide among adolescents: two nested case–control studies conducted in the UK Clinical Practice Research Datalink. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1078-1088.	5.2	5
218	The impact of remote consultations on brief conversations in general practice. BJGP Open, 2022, 6, BJGPO.2021.0199.	1.8	5
219	Long COVID in children and young people: uncertainty and contradictions. British Journal of General Practice, 2022, 72, 253-254.	1.4	5
220	Binge eating disorder: general practitioners' constructs of an ambiguous pathology. Primary Health Care Research and Development, 2003, 4, 301-306.	1.2	4
221	Finding a vein or obtaining consent: a qualitative study of hepatitis C testing in GP methadone clinics. Family Practice, 2003, 20, 538-544.	1.9	4
222	Costâ€Utility Analysis of Routine Anxiety and Depression Screening in Patients Consulting for Osteoarthritis: Results From a Clinical, Randomized Controlled Trial. Arthritis Care and Research, 2018, 70, 1787-1794.	3.4	4
223	A feasibility study for NOn-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. Trials, 2018, 19, 172.	1.6	4
224	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. BMC Family Practice, 2019, 20, 16.	2.9	4
225	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. Pilot and Feasibility Studies, 2019, 5, 71.	1.2	4
226	Routine laboratory surveillance of antimicrobial resistance in community-acquired urinary tract infections adequately informs prescribing policy in England. JAC-Antimicrobial Resistance, 2020, 2, dlaa022.	2.1	4
227	Clinicians' and patients' experiences of managing heart failure during the COVID-19 pandemic: a qualitative study. BJGP Open, 2021, 5, BJGPO.2021.0115.	1.8	4
228	Indicators of dementia disease progression in primary care: An electronic health record cohort study. European Journal of Neurology, 2021, 28, 1499-1510.	3.3	4
229	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. Public Health Research, 2018, 6, 1-76.	1.3	4
230	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. Programme Grants for Applied Research, 2018, 6, 1-154.	1.0	4
231	The perceptions of general practice among Central and Eastern Europeans in the United Kingdom: A systematic scoping review. Health Expectations, 2022, , .	2.6	4
232	Collaborative training in breaking bad news to patients. Journal of Interprofessional Care, 2003, 17, 307-9.	1.7	4
233	A new role for the general practitioner? Reframing 'inappropriate attenders' to inappropriate services. Primary Health Care Research and Development, 2004, 5, 60-67.	1.2	3
234	The exceptional potential of the Internet? Perceptions about the management of another set of communications: a qualitative study. Primary Health Care Research and Development, 2005, 6, 311-319.	1.2	3

#	Article	lF	Citations
235	Broadening the reach of <i>Health Expectations</i> . Health Expectations, 2017, 20, 1-2.	2.6	3
236	The value of an embedded qualitative study in a trial of a second antidepressant for people who had not responded to one antidepressant: understanding the perspectives of patients and general practitioners. BMC Family Practice, 2018, 19, 197.	2.9	3
237	Comparative differences in musculoskeletal pain consultation and analgesic prescription for people with dementia. Pain, 2021, Publish Ahead of Print, 2613-2620.	4.2	3
238	Clinicians' Perspectives on Self-Harm in Pakistan: A Qualitative Study. Frontiers in Psychiatry, 2021, 12, 607549.	2.6	3
239	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. Diagnostic and Prognostic Research, 2021, 5, 12.	1.8	3
240	In-Hospital Complications in Pregnant Women With Current or Historical Cancer Diagnoses. Mayo Clinic Proceedings, 2021, 96, 2779-2792.	3.0	3
241	Challenge of optimising medication in people with severe mental illness. BMJ Quality and Safety, 2021, , bmjqs-2021-013847.	3.7	3
242	Integrating case-finding and initial management for osteoarthritis, anxiety, and depression into primary care long-term condition reviews: results from the ENHANCE pilot trial. Family Practice, 2022, 39, 592-602.	1.9	3
243	Diagnosing chronic fatigue syndrome in south asians: Lessons from a secondary analysis of a UK qualitative study. Journal of Family Medicine and Primary Care, 2013, 2, 277.	0.9	3
244	Community Ageing Research 75+ (CARE75+) REMOTE study: a remote model of recruitment and assessment of the health, well-being and social circumstances of older people. BMJ Open, 2021, 11, e048524.	1.9	3
245	How do people with knee osteoarthritis perceive and manage flares? A qualitative study. BJGP Open, 2022, 6, BJGPO.2021.0086.	1.8	3
246	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. BJPsych Open, 2022, 8, .	0.7	3
247	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). Pilot and Feasibility Studies. 2022. 8, 27.	1.2	3
248	†Keeping the plates spinning': a qualitative study of the complexity, barriers, and facilitators to caregiving in heart failure with preserved ejection fraction. European Journal of Cardiovascular Nursing, 2023, 22, 141-148.	0.9	3
249	â€It's always in the back of my mind': understanding the psychological impact of recovery following pancreaticoduodenectomy for cancer: a qualitative study. BMJ Open, 2021, 11, e050016.	1.9	3
250	Diabetes and depression in general practice: meeting the challenge of managing comorbidity. British Journal of General Practice, 2014, 64, 386-387.	1.4	2
251	Positive reporting? Is there a bias is reporting of patient and public involvement and engagement?. Health Expectations, 2016, 19, 499-500.	2.6	2
252	Attending away from the body predicts increased physical symptom reports at six months in primary care patients. Journal of Psychosomatic Research, 2018, 113, 81-88.	2.6	2

#	Article	IF	CITATIONS
253	Involving people and patients in health care, health policy and research $\hat{a}\in$ across the board. Health Expectations, 2019, 22, 273-274.	2.6	2
254	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. Journal of Psychopharmacology, 2020, 34, 1342-1349.	4.0	2
255	Markers of dementia-related health in primary care electronic health records. Aging and Mental Health, 2021, 25, 1452-1462.	2.8	2
256	Vertebral fracture as a risk factor for self-harm: a retrospective cohort study. BMC Musculoskeletal Disorders, 2021, 22, 757.	1.9	2
257	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. Public Health Research, 2022, 10, 1-160.	1.3	2
258	Patients' views of proactive care for those at risk of diabetes. Practice Nursing, 2005, 16, 506-511.	0.1	1
259	Is personal care important in the diagnosis of depression in older people?. British Journal of General Practice, 2008, 58, 675-676.	1.4	1
260	Selfâ€management in longâ€ŧerm conditions – where does the health service sit?. Health Expectations, 2015, 18, 603-604.	2.6	1
261	Further call for PPI expertise in HEX. Health Expectations, 2015, 18, 301-302.	2.6	1
262	How can general practice respond to the needs of street-based prostitutes?. British Journal of General Practice, 2016, 66, 323-324.	1.4	1
263	Patient involvement in research – participants or collaborators?. Health Expectations, 2017, 20, 369-370.	2.6	1
264	RCGP Research Paper of the Year 2016: how the winning papers are so relevant to clinical practice. British Journal of General Practice, 2017, 67, 520-521.	1.4	1
265	The Patient and Service User Perspective. , 0, , 39-53.		1
266	Mental Health and Long-Term Physical Conditions. , 0, , 175-184.		1
267	Seeking the patient perspective. Health Expectations, 2018, 21, 561-562.	2.6	1
268	Supporting young people with self-harm behaviour in primary care. Lancet Psychiatry, the, 2019, 6, 724.	7.4	1
269	Aging well with chronic pain in rural areas: an ecologically informed study. Housing and Society, 2020, 47, 122-145.	0.9	1
270	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. Health Services and Delivery Research, 2019, 7, 1-120.	1.4	1

#	Article	lF	Citations
271	The potential of general practice to support young people who self-harm: a narrative review. BJGP Open, 2022, , BJGPO.2021.0159.	1.8	1
272	On being touched by touch. InnovAiT, 2013, 6, 395-396.	0.0	0
273	Encouraging patient and public involvement in <scp>HEX</scp> . Health Expectations, 2014, 17, 753-754.	2.6	O
274	<i>HEX</i> goes Open Access. Health Expectations, 2015, 18, 451-451.	2.6	0
275	Considering the Healthcare Needs of Older People with Multimorbidity: Managing Alice. Journal of Comorbidity, 2016, 6, 53-55.	3.9	O
276	Reaching vulnerable groups. Health Expectations, 2016, 19, 3-4.	2.6	0
277	Shoot the academics? Running the gauntlet of online responders. British Journal of General Practice, 2016, 66, 615-615.	1.4	O
278	A Sociological View of Mental Health and Illness. , 0, , 24-38.		0
279	The Role of the Primary Care Team. , 0, , 373-385.		O
280	Undertaking Mental Health Research in Primary Care. , 0, , 459-472.		0
281	Sustaining patient and public involvement and engagement in research. Health Expectations, 2018, 21, 937-938.	2.6	O
282	RCGP Research Paper of the Year 2017: of relevance to the <i>General Practice Forward View?</i> British Journal of General Practice, 2018, 68, 536-537.	1.4	0
283	i049 \hat{a} of the importance of identifying and managing co-morbid anxiety and depression in people with rheumatological conditions. Rheumatology, 2018, 57, .	1.9	O
284	Collaborative Care and Stepped Care. , 0, , 401-419.		0
285	$088\hat{a} \in f$ The impact of anxiety on quality of life and disease activity in rheumatoid arthritis: a systematic review. Rheumatology, 2019, 58, .	1.9	O
286	E059 $\hat{a} \in f$ Development of a nurse-led integrated care review based in primary care to identify and improve the management of co-morbidities in patients with inflammatory rheumatological conditions: the INCLUDE study. Rheumatology, 2019, 58, .	1.9	0
287	Self harm attempt in the older population of the UK \hat{a} \in "Author's reply. Lancet Psychiatry,the, 2019, 6, 92-93.	7.4	O
288	RCGP Research Paper of the Year 2018: highlighting the challenge for primary care medical education research. British Journal of General Practice, 2019, 69, 564-565.	1.4	0

#	Article	IF	CITATIONS
289	â€In research, publishing and practice, the individual always matters'. Health Expectations, 2019, 22, 1185-1186.	2.6	O
290	The role of primary care in supporting imprisoned women with mental illness. British Journal of General Practice, 2021, 71, 392-393.	1.4	O
291	Managing chronic fatigue syndrome in UK primary care: challenges and opportunities. Chronic Illness, 2006, 2, 143-153.	1.5	O
292	Changing times, challenging times. Health Expectations, 2020, 23, 1387-1387.	2.6	0
293	RCGP Research Paper of the Year 2019: impact of COVID-19. British Journal of General Practice, 2020, 70, 602-603.	1.4	O
294	Interventions for preventing relapse or recurrence of major depressive disorder in adults in a primary care setting: a network meta-analysis. The Cochrane Library, 2021, 2021, .	2.8	0
295	How the RCGP Research Paper of the Year 2020 reflects our motto  Cum Scientia Caritas'. British Journal of General Practice, 2021, 71, 556-557.	1.4	O
296	†You know where we are if you need us.' The role of primary care in supporting patients following pancreaticoduodenectomy for cancer: a qualitative study. BJGP Open, 2022, , BJGPO.2021.0154.	1.8	0
297	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. Programme Grants for Applied Research, 2022, 10, 1-240.	1.0	O
298	Why GPs must not lose their role in supporting people back to work. British Journal of General Practice, 2022, 72, 174-174.	1.4	0