

Carolyn A Chew-Graham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7047999/publications.pdf>

Version: 2024-02-01

298
papers

13,410
citations

34105

52
h-index

30087

103
g-index

305
all docs

305
docs citations

305
times ranked

16544
citing authors

#	ARTICLE	IF	CITATIONS
1	â€œKeeping the plates spinningâ€™: a qualitative study of the complexity, barriers, and facilitators to caregiving in heart failure with preserved ejection fraction. <i>European Journal of Cardiovascular Nursing</i> , 2023, 22, 141-148.	0.9	3
2	Challenges in the management of people with heart failure with preserved ejection fraction (HFpEF) in primary care: A qualitative study of general practitioner perspectives. <i>Chronic Illness</i> , 2022, 18, 410-425.	1.5	8
3	Integrating case-finding and initial management for osteoarthritis, anxiety, and depression into primary care long-term condition reviews: results from the ENHANCE pilot trial. <i>Family Practice</i> , 2022, 39, 592-602.	1.9	3
4	How do people with knee osteoarthritis perceive and manage flares? A qualitative study. <i>BJGP Open</i> , 2022, 6, BJGPO.2021.0086.	1.8	3
5	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. <i>BJPsych Open</i> , 2022, 8, .	0.7	3
6	The perceptions of general practice among Central and Eastern Europeans in the United Kingdom: A systematic scoping review. <i>Health Expectations</i> , 2022, , .	2.6	4
7	â€œYou know where we are if you need us.â€™ The role of primary care in supporting patients following pancreaticoduodenectomy for cancer: a qualitative study. <i>BJGP Open</i> , 2022, , BJGPO.2021.0154.	1.8	0
8	Predicting relapse or recurrence of depression: systematic review of prognostic models. <i>British Journal of Psychiatry</i> , 2022, 221, 448-458.	2.8	13
9	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluationâ€”the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> , 2022, 8, 27.	1.2	3
10	The potential of general practice to support young people who self-harm: a narrative review. <i>BJGP Open</i> , 2022, , BJGPO.2021.0159.	1.8	1
11	Risk factors for nonfatal self-harm and suicide among adolescents: two nested case-control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1078-1088.	5.2	5
12	The impact of remote consultations on brief conversations in general practice. <i>BJGP Open</i> , 2022, 6, BJGPO.2021.0199.	1.8	5
13	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. <i>Programme Grants for Applied Research</i> , 2022, 10, 1-240.	1.0	0
14	Why GPs must not lose their role in supporting people back to work. <i>British Journal of General Practice</i> , 2022, 72, 174-174.	1.4	0
15	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2
16	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	2.5	7
17	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 468-475.	2.8	6
18	Long COVID in children and young people: uncertainty and contradictions. <i>British Journal of General Practice</i> , 2022, 72, 253-254.	1.4	5

#	ARTICLE	IF	CITATIONS
19	Markers of dementia-related health in primary care electronic health records. <i>Aging and Mental Health</i> , 2021, 25, 1452-1462.	2.8	2
20	Rheumatic Conditions as Risk Factors for Self-Harm: A Retrospective Cohort Study. <i>Arthritis Care and Research</i> , 2021, 73, 130-137.	3.4	8
21	Access to Psychological Support for Young People Following Stoma Surgery: Exploring Patients' and Clinicians' Perspectives. <i>Qualitative Health Research</i> , 2021, 31, 535-549.	2.1	14
22	Acceptability of nurse-led reviews for inflammatory rheumatological conditions: A qualitative study. <i>Journal of Multimorbidity and Comorbidity</i> , 2021, 11, 263355652110024.	2.2	6
23	Switching antipsychotics to support the physical health of people with severe mental illness: a qualitative study of healthcare professionals' perspectives. <i>BMJ Open</i> , 2021, 11, e042497.	1.9	11
24	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e124-e135.	10.0	201
25	Comparative differences in musculoskeletal pain consultation and analgesic prescription for people with dementia. <i>Pain</i> , 2021, Publish Ahead of Print, 2613-2620.	4.2	3
26	'Reluctant pioneer': A qualitative study of doctors' experiences as patients with long COVID. <i>Health Expectations</i> , 2021, 24, 833-842.	2.6	54
27	Long COVID in children: the perspectives of parents and children need to be heard. <i>British Journal of General Practice</i> , 2021, 71, 216-216.	1.4	8
28	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. <i>British Journal of General Practice</i> , 2021, 71, 200-201.	1.4	5
29	Mental health support through primary care during and after covid-19. <i>BMJ</i> , The, 2021, 373, n1064.	6.0	16
30	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003-2018. <i>BMC Psychiatry</i> , 2021, 21, 229.	2.6	54
31	Clinicians' Perspectives on Self-Harm in Pakistan: A Qualitative Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 607549.	2.6	3
32	Prognostic models for predicting relapse or recurrence of major depressive disorder in adults. <i>The Cochrane Library</i> , 2021, 2021, CD013491.	2.8	13
33	Experiences of general practice care for self-harm: a qualitative study of young people's perspectives. <i>British Journal of General Practice</i> , 2021, 71, BJGP.2021.0091.	1.4	10
34	Sources of work-related psychological distress experienced by UK-wide foundation and junior doctors: a qualitative study. <i>BMJ Open</i> , 2021, 11, e043521.	1.9	23
35	Patient commentary: How power imbalances in the narratives, research, and publications around long covid can harm patients. <i>BMJ</i> , The, 2021, 373, n1579.	6.0	6
36	Protective factors and sources of support in the workplace as experienced by UK foundation and junior doctors: a qualitative study. <i>BMJ Open</i> , 2021, 11, e045588.	1.9	17

#	ARTICLE	IF	CITATIONS
37	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 12.	1.8	3
38	In-Hospital Complications in Pregnant Women With Current or Historical Cancer Diagnoses. <i>Mayo Clinic Proceedings</i> , 2021, 96, 2779-2792.	3.0	3
39	Cliniciansâ€™ and patientsâ€™ experiences of managing heart failure during the COVID-19 pandemic: a qualitative study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0115.	1.8	4
40	The role of primary care in supporting imprisoned women with mental illness. <i>British Journal of General Practice</i> , 2021, 71, 392-393.	1.4	0
41	Mitigating the impacts of COVID-19: where are the mental health trials?. <i>Lancet Psychiatry</i> , 2021, 8, 647-650.	7.4	15
42	Challenge of optimising medication in people with severe mental illness. <i>BMJ Quality and Safety</i> , 2021, , bmjqs-2021-013847.	3.7	3
43	Vertebral fracture as a risk factor for self-harm: a retrospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 757.	1.9	2
44	Long COVID and the importance of the doctorâ€™patient relationship. <i>British Journal of General Practice</i> , 2021, 71, 54-55.	1.4	20
45	Indicators of dementia disease progression in primary care: An electronic health record cohort study. <i>European Journal of Neurology</i> , 2021, 28, 1499-1510.	3.3	4
46	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
47	Supporting patients with long COVID return to work. <i>British Journal of General Practice</i> , 2021, 71, 508-509.	1.4	11
48	Interventions for preventing relapse or recurrence of major depressive disorder in adults in a primary care setting: a network meta-analysis. <i>The Cochrane Library</i> , 2021, 2021, .	2.8	0
49	How the RCGP Research Paper of the Year 2020 reflects our motto â€˜Cum Scientia Caritasâ€™. <i>British Journal of General Practice</i> , 2021, 71, 556-557.	1.4	0
50	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021, 4, e2134803.	5.9	39
51	Community Ageing Research 75+ (CARE75+) REMOTE study: a remote model of recruitment and assessment of the health, well-being and social circumstances of older people. <i>BMJ Open</i> , 2021, 11, e048524.	1.9	3
52	What challenges did junior doctors face while working during the COVID-19 pandemic? A qualitative study. <i>BMJ Open</i> , 2021, 11, e056122.	1.9	21
53	â€˜Itâ€™s always in the back of my mindâ€™: understanding the psychological impact of recovery following pancreaticoduodenectomy for cancer: a qualitative study. <i>BMJ Open</i> , 2021, 11, e050016.	1.9	3
54	The experiences of general practitioner partners living with distress: An interpretative phenomenological analysis. <i>Journal of Health Psychology</i> , 2020, 25, 1439-1449.	2.3	6

#	ARTICLE	IF	CITATIONS
55	Embracing a "new normal": the construction of biographical renewal in young adults' narratives of living with a stoma. <i>Sociology of Health and Illness</i> , 2020, 42, 342-358.	2.1	14
56	The association between anxiety and disease activity and quality of life in rheumatoid arthritis: a systematic review and meta-analysis. <i>Clinical Rheumatology</i> , 2020, 39, 1471-1482.	2.2	38
57	A relational analysis of an invisible illness: A meta-ethnography of people with chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME) and their support needs. <i>Social Science and Medicine</i> , 2020, 265, 113369.	3.8	18
58	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020, 34, 1342-1349.	4.0	2
59	Prognostic value of first-recorded breathlessness for future chronic respiratory and heart disease: a cohort study using a UK national primary care database. <i>British Journal of General Practice</i> , 2020, 70, e264-e273.	1.4	6
60	Temporal Trends in Pregnancy-Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. <i>Journal of the American Heart Association</i> , 2020, 9, e016182.	3.7	23
61	Routine laboratory surveillance of antimicrobial resistance in community-acquired urinary tract infections adequately informs prescribing policy in England. <i>JAC-Antimicrobial Resistance</i> , 2020, 2, dlaa022.	2.1	4
62	Understanding the management of heart failure with preserved ejection fraction: a qualitative multiperspective study. <i>British Journal of General Practice</i> , 2020, 70, e880-e889.	1.4	11
63	Development and validation of the Diabetes Severity SCOrE (DISSCO) in 139 626 individuals with type 2 diabetes: a retrospective cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000962.	2.8	8
64	Involving patients in research during a pandemic. <i>Health Expectations</i> , 2020, 23, 521-522.	2.6	6
65	Predicting and preventing relapse of depression in primary care. <i>British Journal of General Practice</i> , 2020, 70, 54-55.	1.4	12
66	Role of the GP in the management of patients with self-harm behaviour: a systematic review. <i>British Journal of General Practice</i> , 2020, 70, e364-e373.	1.4	35
67	Temporal Changes in Hypertensive Disorders of Pregnancy and Impact on Cardiovascular and Obstetric Outcomes. <i>American Journal of Cardiology</i> , 2020, 125, 1508-1516.	1.6	23
68	Ageing well with chronic pain in rural areas: an ecologically informed study. <i>Housing and Society</i> , 2020, 47, 122-145.	0.9	1
69	Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study. <i>British Journal of General Practice</i> , 2020, 70, e102-e110.	1.4	25
70	Evaluation of the Impact of the PABBS Suicide Bereavement Training on Clinicians' Knowledge and Skills. <i>Crisis</i> , 2020, 41, 351-358.	1.2	6
71	Finding the 'right' GP: a qualitative study of the experiences of people with long-COVID. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101143.	1.8	183
72	Changing times, challenging times. <i>Health Expectations</i> , 2020, 23, 1387-1387.	2.6	0

#	ARTICLE	IF	CITATIONS
73	Exploring women's experiences of identifying, negotiating and managing perinatal anxiety: a qualitative study. <i>BMJ Open</i> , 2020, 10, e040731.	1.9	13
74	RCGP Research Paper of the Year 2019: impact of COVID-19. <i>British Journal of General Practice</i> , 2020, 70, 602-603.	1.4	0
75	Understanding self-harm in older adults: A qualitative study. <i>EClinicalMedicine</i> , 2019, 12, 52-61.	7.1	17
76	The comorbidity burden of type 2 diabetes mellitus: patterns, clusters and predictions from a large English primary care cohort. <i>BMC Medicine</i> , 2019, 17, 145.	5.5	151
77	Depression predicts emergency care use in people with chronic obstructive pulmonary disease: a large cohort study in primary care. <i>International Journal of COPD</i> , 2019, Volume 14, 1343-1353.	2.3	29
78	The impact of anxiety on quality of life and disease activity in rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 2019, 58, .	1.9	0
79	Development of a nurse-led integrated care review based in primary care to identify and improve the management of co-morbidities in patients with inflammatory rheumatological conditions: the INCLUDE study. <i>Rheumatology</i> , 2019, 58, .	1.9	0
80	Self harm attempt in the older population of the UK – Author's reply. <i>Lancet Psychiatry</i> , 2019, 6, 92-93.	7.4	0
81	"Multimorbidity": an acceptable term for patients or time for a rebrand?. <i>British Journal of General Practice</i> , 2019, 69, 372-373.	1.4	6
82	Supporting young people with self-harm behaviour in primary care. <i>Lancet Psychiatry</i> , 2019, 6, 724.	7.4	1
83	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. <i>BMC Family Practice</i> , 2019, 20, 16.	2.9	4
84	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4
85	Acute Myocardial Infarction in Severe Mental Illness: Prevalence, Clinical Outcomes, and Process of Care in U.S. Hospitalizations. <i>Canadian Journal of Cardiology</i> , 2019, 35, 821-830.	1.7	29
86	Patient and Public Involvement and Engagement in a doctoral research project exploring self-harm in older adults. <i>Health Expectations</i> , 2019, 22, 617-631.	2.6	28
87	Involving people and patients in health care, health policy and research – across the board. <i>Health Expectations</i> , 2019, 22, 273-274.	2.6	2
88	Improving the physical health of people with severe mental illness. <i>InnovAiT</i> , 2019, 12, 203-210.	0.0	25
89	Identification of post-traumatic stress disorder following ICU. <i>British Journal of General Practice</i> , 2019, 69, 154-155.	1.4	6
90	Community ageing research 75+ study (CARE75+): an experimental ageing and frailty research cohort. <i>BMJ Open</i> , 2019, 9, e026744.	1.9	17

#	ARTICLE	IF	CITATIONS
91	Self-harm in older adults: systematic review. <i>British Journal of Psychiatry</i> , 2019, 214, 186-200.	2.8	92
92	Pain assessment and pain treatment for community-dwelling people with dementia: A systematic review and narrative synthesis. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 807-821.	2.7	49
93	Self-harm in young people: the exceptional potential of the general practice consultation. <i>British Journal of General Practice</i> , 2019, 69, 168-169.	1.4	6
94	RCGP Research Paper of the Year 2018: highlighting the challenge for primary care medical education research. <i>British Journal of General Practice</i> , 2019, 69, 564-565.	1.4	0
95	Healthcare professionals' perspectives on identifying and managing perinatal anxiety: a qualitative study. <i>British Journal of General Practice</i> , 2019, 69, e768-e776.	1.4	11
96	"In research, publishing and practice, the individual always matters". <i>Health Expectations</i> , 2019, 22, 1185-1186.	2.6	0
97	Role of primary care in supporting older adults who self-harm: a qualitative study in England. <i>British Journal of General Practice</i> , 2019, 69, e740-e751.	1.4	9
98	The elicitation and management of multiple health concerns in GP consultations. <i>Patient Education and Counseling</i> , 2019, 102, 687-693.	2.2	15
99	Optimising Management of Patients with Heart Failure with Preserved Ejection Fraction in Primary Care (OPTIMISE-HFpEF): rationale and protocol for a multi-method study. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101675.	1.8	9
100	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-120.	1.4	1
101	Relationship of anxiety with joint pain and its management: A population survey. <i>Musculoskeletal Care</i> , 2018, 16, 353-362.	1.4	8
102	Cost-Utility Analysis of Routine Anxiety and Depression Screening in Patients Consulting for Osteoarthritis: Results From a Clinical, Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018, 70, 1787-1794.	3.4	4
103	Preterm Delivery and Future Risk of Maternal Cardiovascular Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	122
104	A feasibility study for Non-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. <i>Trials</i> , 2018, 19, 172.	1.6	4
105	Findings from a feasibility study to improve GP elicitation of patient concerns in UK general practice consultations. <i>Patient Education and Counseling</i> , 2018, 101, 1394-1402.	2.2	15
106	Sustaining patient and public involvement and engagement in research. <i>Health Expectations</i> , 2018, 21, 937-938.	2.6	0
107	The value of an embedded qualitative study in a trial of a second antidepressant for people who had not responded to one antidepressant: understanding the perspectives of patients and general practitioners. <i>BMC Family Practice</i> , 2018, 19, 197.	2.9	3
108	RCGP Research Paper of the Year 2017: of relevance to the <i>General Practice Forward View?</i>. <i>British Journal of General Practice</i> , 2018, 68, 536-537.	1.4	0

#	ARTICLE	IF	CITATIONS
109	â€˜Hajj: what it means for general practiceâ€™. BJGP Open, 2018, 2, bjgpopen18X101493.	1.8	5
110	â€˜The importance of identifying and managing co-morbid anxiety and depression in people with rheumatological conditions. Rheumatology, 2018, 57, .	1.9	0
111	How older adults self-manage distress â€˜ does the internet have a role? A qualitative study. BMC Family Practice, 2018, 19, 185.	2.9	22
112	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry, the, 2018, 5, 905-912.	7.4	57
113	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). BMJ: British Medical Journal, 2018, 363, k4218.	2.3	44
114	The INCLUDE study. Journal of Comorbidity, 2018, 8, 2235042X1879237.	3.9	5
115	Association Between Physician Burnout and Patient Safety, Professionalism, and Patient Satisfaction. JAMA Internal Medicine, 2018, 178, 1317.	5.1	705
116	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mentalâ€˜physical multimorbidity: cluster-randomised trial. British Journal of Psychiatry, 2018, 213, 456-463.	2.8	44
117	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. BMJ Open, 2018, 8, e020926.	1.9	14
118	â€˜Treading water but drowning slowlyâ€™: what are GPsâ€™ experiences of living and working with mental illness and distress in England? A qualitative study. BMJ Open, 2018, 8, e018620.	1.9	14
119	Attending away from the body predicts increased physical symptom reports at six months in primary care patients. Journal of Psychosomatic Research, 2018, 113, 81-88.	2.6	2
120	Selfâ€˜Reported Sleep Duration and Quality and Cardiovascular Disease and Mortality: A Doseâ€˜Response Metaâ€˜Analysis. Journal of the American Heart Association, 2018, 7, e008552.	3.7	260
121	Seeking the patient perspective. Health Expectations, 2018, 21, 561-562.	2.6	1
122	The associated features of multiple somatic symptom complexes. Journal of Psychosomatic Research, 2018, 112, 1-8.	2.6	18
123	Involving the public in health research in Latin America: making the case for mental health. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2018, 42, 1-6.	1.1	6
124	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. Health Technology Assessment, 2018, 22, 1-136.	2.8	21
125	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. Public Health Research, 2018, 6, 1-76.	1.3	4
126	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. Programme Grants for Applied Research, 2018, 6, 1-154.	1.0	4

#	ARTICLE	IF	CITATIONS
127	Meeting the mental health needs of people with multiple sclerosis: a qualitative study of patients and professionals. <i>Disability and Rehabilitation</i> , 2017, 39, 1097-1105.	1.8	14
128	What do older people experiencing loneliness think about primary care or community based interventions to reduce loneliness? A qualitative study in England. <i>Health and Social Care in the Community</i> , 2017, 25, 1733-1742.	1.6	54
129	Preeclampsia and Future Cardiovascular Health. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017, 10, .	2.2	663
130	Medically unexplained symptoms: continuing challenges for primary care. <i>British Journal of General Practice</i> , 2017, 67, 106-107.	1.4	48
131	Musculoskeletal pain and co-morbid insomnia in adults; a population study of the prevalence and impact on restricted social participation. <i>BMC Family Practice</i> , 2017, 18, 17.	2.9	29
132	Clinical assessment and management of multimorbidity: NICE guideline. <i>British Journal of General Practice</i> , 2017, 67, 235-236.	1.4	77
133	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017, 15, 246-254.	1.9	27
134	Controlled Interventions to Reduce Burnout in Physicians. <i>JAMA Internal Medicine</i> , 2017, 177, 195.	5.1	898
135	Barriers, facilitators, and survival strategies for GPs seeking treatment for distress: a qualitative study. <i>British Journal of General Practice</i> , 2017, 67, e700-e708.	1.4	48
136	Improving recognition of anxiety and depression in rheumatoid arthritis: a qualitative study in a community clinic. <i>British Journal of General Practice</i> , 2017, 67, e531-e537.	1.4	21
137	Broadening the reach of <i>Health Expectations</i>. <i>Health Expectations</i> , 2017, 20, 1-2.	2.6	3
138	Patient involvement in research â€œ participants or collaborators?. <i>Health Expectations</i> , 2017, 20, 369-370.	2.6	1
139	Process and impact of patient involvement in a systematic review of shared decision making in primary care consultations. <i>Health Expectations</i> , 2017, 20, 298-308.	2.6	25
140	A qualitative study of patient and professional perspectives of healthcare services for multiple sclerosis: implications for service development and policy. <i>Health and Social Care in the Community</i> , 2017, 25, 848-857.	1.6	24
141	Focus on shared decisionâ€making. <i>Health Expectations</i> , 2017, 20, 1181-1182.	2.6	8
142	RCGP Research Paper of the Year 2016: how the winning papers are so relevant to clinical practice. <i>British Journal of General Practice</i> , 2017, 67, 520-521.	1.4	1
143	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ: British Medical Journal</i> , 2017, 359, j4351.	2.3	240
144	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) Tj ETQq0 0 0 rgBT /Ove rlock 12 Tf 50 57		

#	ARTICLE	IF	CITATIONS
145	Collaborative care for Screen-Positive Elders with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	2.8	56
146	CHOICE: Choosing Health Options In Chronic Care Emergencies. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-272.	1.0	5
147	Considering the Healthcare Needs of Older People with Multimorbidity: Managing Alice. <i>Journal of Comorbidity</i> , 2016, 6, 53-55.	3.9	0
148	Managing My Diabetes between Two Worlds: Beliefs and Experiences of Diabetes Management in British South Asians on Holiday in the East: A Qualitative Study. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8.	2.3	7
149	Implementing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalomyelitis (CFS/ME) in primary care: A qualitative study. <i>BMC Family Practice</i> , 2016, 17, 66.	2.9	17
150	The implications of living with heart failure; the impact on everyday life, family support, co-morbidities and access to healthcare: a secondary qualitative analysis. <i>BMC Family Practice</i> , 2016, 17, 139.	2.9	33
151	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012514.	1.9	25
152	Pre-eclampsia is associated with a twofold increase in diabetes: a systematic review and meta-analysis. <i>Diabetologia</i> , 2016, 59, 2518-2526.	6.3	47
153	How can general practice respond to the needs of street-based prostitutes?. <i>British Journal of General Practice</i> , 2016, 66, 323-324.	1.4	1
154	Reaching vulnerable groups. <i>Health Expectations</i> , 2016, 19, 3-4.	2.6	0
155	Understanding the needs of carers of people with psychosis in primary care. <i>British Journal of General Practice</i> , 2016, 66, 400-401.	1.4	19
156	Shoot the academics? Running the gauntlet of online responders. <i>British Journal of General Practice</i> , 2016, 66, 615-615.	1.4	0
157	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. <i>BMC Family Practice</i> , 2016, 17, 106.	2.9	36
158	GPs' experiences of dealing with parents bereaved by suicide: a qualitative study. <i>British Journal of General Practice</i> , 2016, 66, e737-e746.	1.4	32
159	Who cares for the clinicians? The mental health crisis in the GP workforce. <i>British Journal of General Practice</i> , 2016, 66, 344-345.	1.4	14
160	Positive reporting? Is there a bias in reporting of patient and public involvement and engagement?. <i>Health Expectations</i> , 2016, 19, 499-500.	2.6	2
161	Feasibility of training practice nurses to deliver a psychosocial intervention within a collaborative care framework for people with depression and long-term conditions. <i>BMC Nursing</i> , 2016, 15, 71.	2.5	16
162	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. <i>BMC Health Services Research</i> , 2016, 16, 58.	2.2	13

#	ARTICLE	IF	CITATIONS
163	Communicating Cardiovascular Disease Risk to People with Psoriasis: What Techniques do Practitioners Use?. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 168-178.	1.7	9
164	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016, 197, 182-188.	4.1	29
165	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 66.	1.6	10
166	"I should have taken that further" missed opportunities during cardiovascular risk assessment in patients with psoriasis in UK primary care settings: a mixed methods study. <i>Health Expectations</i> , 2016, 19, 1121-1137.	2.6	28
167	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <i>BMC Psychiatry</i> , 2016, 16, 53.	2.6	69
168	Soliciting additional concerns in the primary care consultation and the utility of a brief communication intervention to aid solicitation: A qualitative study. <i>Patient Education and Counseling</i> , 2016, 99, 724-732.	2.2	6
169	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. <i>Journal of Psychosomatic Research</i> , 2016, 82, 54-61.	2.6	40
170	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-192.	2.8	41
171	Having diabetes and having to fast: a qualitative study of British Muslims with diabetes. <i>Health Expectations</i> , 2015, 18, 1698-1708.	2.6	40
172	HEX goes Open Access. <i>Health Expectations</i> , 2015, 18, 451-451.	2.6	0
173	Experiences of UK healthcare services for people with Multiple Sclerosis: a systematic narrative review. <i>Health Expectations</i> , 2015, 18, 1844-1855.	2.6	30
174	"I wouldn't push that further because I don't want to lose her": a multiperspective qualitative study of behaviour change for long-term conditions in primary care. <i>Health Expectations</i> , 2015, 18, 1995-2010.	2.6	13
175	Self-management in long-term conditions "where does the health service sit?". <i>Health Expectations</i> , 2015, 18, 603-604.	2.6	1
176	The triple whammy anxiety depression and osteoarthritis in long-term conditions. <i>BMC Family Practice</i> , 2015, 16, 163.	2.9	19
177	Modelling self-management pathways for people with diabetes in primary care. <i>BMC Family Practice</i> , 2015, 16, 112.	2.9	13
178	Access to healthcare for long-term conditions in women involved in street-based prostitution: a qualitative study. <i>BMC Family Practice</i> , 2015, 16, 118.	2.9	21
179	Revealing hidden depression in older people: a qualitative study within a randomised controlled trial. <i>BMC Family Practice</i> , 2015, 16, 142.	2.9	21
180	Improving the Care of People with Long-Term Conditions in Primary Care: Protocol for the Enhance Pilot Trial. <i>Journal of Comorbidity</i> , 2015, 5, 135-149.	3.9	5

#	ARTICLE	IF	CITATIONS
181	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ</i> , The, 2015, 350, h638-h638.	6.0	200
182	Symptom perceptions and help-seeking behaviour prior to lung and colorectal cancer diagnoses: a qualitative study. <i>Family Practice</i> , 2015, 32, 568-577.	1.9	40
183	Sleep Disturbance and Chronic Widespread Pain. <i>Current Rheumatology Reports</i> , 2015, 17, 469.	4.7	46
184	Managing depression in people with multimorbidity: a qualitative evaluation of an integrated collaborative care model. <i>BMC Family Practice</i> , 2015, 16, 32.	2.9	58
185	Non-disclosure of chronic kidney disease in primary care and the limits of instrumental rationality in chronic illness self-management. <i>Social Science and Medicine</i> , 2015, 131, 31-39.	3.8	30
186	Further call for PPI expertise in HEX. <i>Health Expectations</i> , 2015, 18, 301-302.	2.6	1
187	Illness beliefs and the sociocultural context of diabetes self-management in British South Asians: a mixed methods study. <i>BMC Family Practice</i> , 2015, 16, 58.	2.9	43
188	A motivational intervention for patients with COPD in primary care: qualitative evaluation of a new practitioner role. <i>BMC Family Practice</i> , 2014, 15, 164.	2.9	14
189	Implementation of a self-management support approach (WISE) across a health system: a process evaluation explaining what did and did not work for organisations, clinicians and patients. <i>Implementation Science</i> , 2014, 9, 129.	6.9	73
190	CASPER plus (Collaborative care in Screen-Positive Elders with major depressive disorder): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 451.	1.6	16
191	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. <i>BMC Health Services Research</i> , 2014, 14, 549.	2.2	38
192	PICO, PICOS and SPIDER: a comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. <i>BMC Health Services Research</i> , 2014, 14, 579.	2.2	1,163
193	Encouraging patient and public involvement in <sc>HEX</sc>. <i>Health Expectations</i> , 2014, 17, 753-754.	2.6	0
194	Diagnosis and management of chronic fatigue syndrome/myalgic encephalitis in black and minority ethnic people: a qualitative study. <i>Primary Health Care Research and Development</i> , 2014, 15, 143-155.	1.2	19
195	Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. <i>BMC Psychiatry</i> , 2014, 14, 217.	2.6	25
196	Facilitating professional liaison in collaborative care for depression in UK primary care; a qualitative study utilising normalisation process theory. <i>BMC Family Practice</i> , 2014, 15, 78.	2.9	54
197	Implementing, embedding and integrating self-management support tools for people with long-term conditions in primary care nursing: A qualitative study. <i>International Journal of Nursing Studies</i> , 2014, 51, 1103-1113.	5.6	75
198	Introducing case management for people with dementia in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2014, 64, e735-e741.	1.4	19

#	ARTICLE	IF	CITATIONS
199	Diabetes and depression in general practice: meeting the challenge of managing comorbidity. <i>British Journal of General Practice</i> , 2014, 64, 386-387.	1.4	2
200	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). <i>PLoS ONE</i> , 2014, 9, e104225.	2.5	38
201	Effect of Information and Telephone-Guided Access to Community Support for People with Chronic Kidney Disease: Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e109135.	2.5	54
202	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. <i>Health Technology Assessment</i> , 2014, 18, 1-148.	2.8	244
203	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 28.	1.6	14
204	How QOF is shaping primary care review consultations: a longitudinal qualitative study. <i>BMC Family Practice</i> , 2013, 14, 103.	2.9	69
205	Better together? a naturalistic qualitative study of inter-professional working in collaborative care for co-morbid depression and physical health problems. <i>Implementation Science</i> , 2013, 8, 110.	6.9	66
206	Why do patients with long-term conditions use unscheduled care? A qualitative literature review. <i>Health and Social Care in the Community</i> , 2013, 21, 339-351.	1.6	35
207	A qualitative study of patient choices in using emergency health care for long-term conditions: The importance of candidacy and recursivity. <i>Patient Education and Counseling</i> , 2013, 93, 335-341.	2.2	61
208	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f4913-f4913.	6.0	173
209	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 346, f2882-f2882.	6.0	195
210	Touch in primary care consultations: qualitative investigation of doctors' and patients' perceptions. <i>British Journal of General Practice</i> , 2013, 63, e283-e290.	1.4	64
211	â€œPermission to participate?â€™ A qualitative study of participation in patients from differing socio-economic backgrounds. <i>Journal of Health Psychology</i> , 2013, 18, 1046-1055.	2.3	68
212	On being touched by touch. <i>InnovAiT</i> , 2013, 6, 395-396.	0.0	0
213	â€œOn the surfaceâ€™: a qualitative study of GPs' and patients' perspectives on psoriasis. <i>BMC Family Practice</i> , 2013, 14, 158.	2.9	55
214	Slaying the dragon myth: an ethnographic study of receptionists in UK general practice. <i>British Journal of General Practice</i> , 2013, 63, e177-e184.	1.4	41
215	Operationalising unscheduled care policy: a qualitative study of healthcare professionals' perspectives. <i>British Journal of General Practice</i> , 2013, 63, e192-e199.	1.4	12
216	Diagnosing chronic fatigue syndrome in south asians: Lessons from a secondary analysis of a UK qualitative study. <i>Journal of Family Medicine and Primary Care</i> , 2013, 2, 277.	0.9	3

#	ARTICLE	IF	CITATIONS
217	Optimising primary care for people with dementia. <i>Mental Health in Family Medicine</i> , 2013, 10, 143-51.	0.2	10
218	Negotiating refusal in primary care consultations: a qualitative study. <i>Family Practice</i> , 2012, 29, 488-496.	1.9	14
219	Somatization and Health Anxiety as Predictors of Health Care Use. <i>Psychosomatic Medicine</i> , 2012, 74, 656-664.	2.0	40
220	Beyond skin: the need for a new approach to the management of psoriasis in primary care. <i>British Journal of General Practice</i> , 2012, 62, 568-569.	1.4	15
221	The epidemiology of multiple somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2012, 72, 311-317.	2.6	173
222	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. <i>BMC Health Services Research</i> , 2012, 12, 249.	2.2	39
223	Developing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalitis (CFS/ME) in primary care: a qualitative study. <i>BMC Family Practice</i> , 2012, 13, 93.	2.9	31
224	A cluster randomised controlled trial of the clinical and cost-effectiveness of a 'whole systems' model of self-management support for the management of long-term conditions in primary care: trial protocol. <i>Implementation Science</i> , 2012, 7, 7.	6.9	51
225	Challenges to nurse prescribers of a non-antibiotic prescribing strategy for managing self-limiting respiratory tract infections. <i>Journal of Advanced Nursing</i> , 2012, 68, 2622-2632.	3.3	36
226	Why may older people with depression not present to primary care? Messages from secondary analysis of qualitative data. <i>Health and Social Care in the Community</i> , 2012, 20, 52-60.	1.6	68
227	Understanding the management of early-stage chronic kidney disease in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2012, 62, e233-e242.	1.4	70
228	Access to primary mental health care for hard-to-reach groups: From 'silent suffering' to 'making it work'. <i>Social Science and Medicine</i> , 2011, 72, 763-772.	3.8	118
229	Improving the detection and management of anxiety disorders in primary care. <i>British Journal of General Practice</i> , 2011, 61, 489-490.	1.4	25
230	Holding relationships in primary care: a qualitative exploration of doctors' and patients' perceptions. <i>British Journal of General Practice</i> , 2011, 61, e484-e491.	1.4	29
231	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. <i>British Journal of General Practice</i> , 2011, 61, e666-e673.	1.4	19
232	The role of information in supporting self-care in vascular conditions: a conceptual and empirical review. <i>Health and Social Care in the Community</i> , 2011, 19, 449-459.	1.6	24
233	Talking about depression: a qualitative study of barriers to managing depression in people with long term conditions in primary care. <i>BMC Family Practice</i> , 2011, 12, 10.	2.9	124
234	Challenges of nurse delivery of psychological interventions for long-term conditions in primary care: a qualitative exploration of the case of chronic fatigue syndrome/myalgic encephalitis. <i>Implementation Science</i> , 2011, 6, 132.	6.9	16

#	ARTICLE	IF	CITATIONS
235	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. <i>Implementation Science</i> , 2011, 6, 56.	6.9	106
236	Case identification of depression in patients with chronic physical health problems: a diagnostic accuracy meta-analysis of 113 studies. <i>British Journal of General Practice</i> , 2011, 61, e808-e820.	1.4	100
237	Social networks, social capital and chronic illness self-management: a realist review. <i>Chronic Illness</i> , 2011, 7, 60-86.	1.5	167
238	Factors influencing engagement of patients in a novel intervention for CFS/ME: a qualitative study. <i>Primary Health Care Research and Development</i> , 2011, 12, 112-122.	1.2	28
239	Managing self-limiting respiratory tract infections: a qualitative study of the usefulness of the delayed prescribing strategy. <i>British Journal of General Practice</i> , 2011, 61, e579-e589.	1.4	43
240	Nurses' feelings of 'ownership' of palliative care patients: findings from a qualitative case study. <i>Progress in Palliative Care</i> , 2010, 18, 346-351.	1.2	8
241	An intervention to promote patient participation and self-management in long term conditions: development and feasibility testing. <i>BMC Health Services Research</i> , 2010, 10, 206.	2.2	26
242	Prison staff and women prisoner's views on self-harm; their implications for service delivery and development: A qualitative study. <i>Criminal Behaviour and Mental Health</i> , 2010, 20, 274-284.	0.8	48
243	Women's experiences of health visitor delivered listening visits as a treatment for postnatal depression: A qualitative study. <i>Patient Education and Counseling</i> , 2010, 78, 234-239.	2.2	43
244	Making the diagnosis of Chronic Fatigue Syndrome/Myalgic Encephalitis in primary care: a qualitative study. <i>BMC Family Practice</i> , 2010, 11, 16.	2.9	68
245	Is chronic pelvic pain a comfortable diagnosis for primary care practitioners: a qualitative study. <i>BMC Family Practice</i> , 2010, 11, 7.	2.9	26
246	Delivering the WISE (Whole Systems Informing Self-Management Engagement) training package in primary care: learning from formative evaluation. <i>Implementation Science</i> , 2010, 5, 7.	6.9	49
247	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. <i>Chronic Illness</i> , 2010, 6, 136-150.	1.5	55
248	Nurse led, home based self help treatment for patients in primary care with chronic fatigue syndrome: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 340, c1777-c1777.	2.3	98
249	Effects of befriending on depressive symptoms and distress: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2010, 196, 96-101.	2.8	145
250	Patterns of Access to Community Palliative Care Services: A Literature Review. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 884-912.	1.2	99
251	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. <i>BMC Health Services Research</i> , 2009, 9, 188.	2.2	30
252	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. <i>BMC Health Services Research</i> , 2009, 9, 226.	2.2	41

#	ARTICLE	IF	CITATIONS
253	Disclosure of symptoms of postnatal depression, the perspectives of health professionals and women: a qualitative study. <i>BMC Family Practice</i> , 2009, 10, 7.	2.9	91
254	Practice Nurses' views of their role in the management of Chronic Fatigue Syndrome/Myalgic Encephalitis: a qualitative study. <i>BMC Nursing</i> , 2009, 8, 2.	2.5	27
255	Custody vs care: attitudes of prison staff to self-harm in women prisoners—a qualitative study. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 408-426.	1.0	46
256	Loss of doctor-to-doctor communication: Lessons from the reconfiguration of mental health services in England. <i>Journal of Health Services Research and Policy</i> , 2008, 13, 6-12.	1.7	23
257	Women's views and experiences of antidepressants as a treatment for postnatal depression: a qualitative study. <i>Family Practice</i> , 2008, 25, 450-455.	1.9	60
258	Using Multiple Sources of Knowledge to Reach Clinical Understanding of Chronic Fatigue Syndrome. <i>Annals of Family Medicine</i> , 2008, 6, 340-348.	1.9	45
259	Failure to improve appropriateness of referrals to adult community mental health services—lessons from a multi-site cluster randomized controlled trial. <i>Family Practice</i> , 2008, 25, 181-190.	1.9	27
260	GPs' and health visitors' views on the diagnosis and management of postnatal depression: a qualitative study. <i>British Journal of General Practice</i> , 2008, 58, 169-176.	1.4	60
261	Judgements about fellow professionals and the management of patients receiving palliative care in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2008, 58, 264-272.	1.4	41
262	Is personal care important in the diagnosis of depression in older people?. <i>British Journal of General Practice</i> , 2008, 58, 675-676.	1.4	1
263	Achieving target recruitment in a primary care trial: lessons from PRIDE. <i>Primary Health Care Research and Development</i> , 2007, 8, 264.	1.2	9
264	The use of mixed methodology in evaluating complex interventions: identifying patient factors that moderate the effects of a decision aid. <i>Family Practice</i> , 2007, 24, 594-600.	1.9	35
265	Effectiveness of a Computerized Decision Aid in Primary Care on Decision Making and Quality of Life in Menorrhagia: Results of the MENTIP Randomized Controlled Trial. <i>Medical Decision Making</i> , 2007, 27, 575-584.	2.4	47
266	A qualitative study of referral to community mental health teams in the UK: exploring the rhetoric and the reality. <i>BMC Health Services Research</i> , 2007, 7, 117.	2.2	30
267	“How do you explain a pain that can't be seen?”: The narratives of women with chronic pelvic pain and their disengagement with the diagnostic cycle. <i>British Journal of Health Psychology</i> , 2007, 12, 261-274.	3.5	64
268	A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. <i>British Journal of General Practice</i> , 2007, 57, 364-70.	1.4	67
269	Informed consent? How do primary care professionals prepare women for cervical smears: A qualitative study. <i>Patient Education and Counseling</i> , 2006, 61, 381-388.	2.2	6
270	'Justifiable depression': how primary care professionals and patients view late-life depression? a qualitative study. <i>Family Practice</i> , 2006, 23, 369-377.	1.9	177

#	ARTICLE	IF	CITATIONS
271	Managing chronic fatigue syndrome in UK primary care: challenges and opportunities. <i>Chronic Illness</i> , 2006, 2, 143-153.	1.5	0
272	A qualitative study of GPs' attitudes to self-management of chronic disease. <i>British Journal of General Practice</i> , 2006, 56, 407-14.	1.4	121
273	Patients' views of proactive care for those at risk of diabetes. <i>Practice Nursing</i> , 2005, 16, 506-511.	0.1	1
274	The exceptional potential of the Internet? Perceptions about the management of another set of communications: a qualitative study. <i>Primary Health Care Research and Development</i> , 2005, 6, 311-319.	1.2	3
275	The role of primary care in the diagnosis and management of menorrhagia: a qualitative study of women with menorrhagia. <i>Primary Health Care Research and Development</i> , 2005, 6, 217-223.	1.2	8
276	Case studies: A research strategy appropriate for palliative care?. <i>Palliative Medicine</i> , 2004, 18, 677-684.	3.1	65
277	Treating depression in later life. <i>BMJ: British Medical Journal</i> , 2004, 329, 181-182.	2.3	47
278	A new role for the general practitioner? Reframing 'inappropriate attenders' to inappropriate services. <i>Primary Health Care Research and Development</i> , 2004, 5, 60-67.	1.2	3
279	The harmful consequences of elevating the doctor-patient relationship to be a primary goal of the general practice consultation. <i>Family Practice</i> , 2004, 21, 229-231.	1.9	49
280	Framing the doctor-patient relationship in chronic illness: a comparative study of general practitioners' accounts. <i>Sociology of Health and Illness</i> , 2004, 26, 135-158.	2.1	163
281	'I never realised that doctors were into feelings too': changing student perceptions through interprofessional education. <i>Learning in Health and Social Care</i> , 2003, 2, 137-146.	0.6	34
282	Predictors of Outcome Following Brief Psychodynamic-Interpersonal Therapy for Deliberate Self-Poisoning. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 532-536.	2.3	18
283	'I wouldn't want it on my CV or their records': medical students' experiences of help-seeking for mental health problems. <i>Medical Education</i> , 2003, 37, 873-880.	2.1	395
284	Binge eating disorder: general practitioners' constructs of an ambiguous pathology. <i>Primary Health Care Research and Development</i> , 2003, 4, 301-306.	1.2	4
285	Finding a vein or obtaining consent: a qualitative study of hepatitis C testing in GP methadone clinics. <i>Family Practice</i> , 2003, 20, 538-544.	1.9	4
286	Collaborative training in breaking bad news to patients. <i>Journal of Interprofessional Care</i> , 2003, 17, 307-9.	1.7	4
287	Qualitative research and the problem of judgement: lessons from interviewing fellow professionals. <i>Family Practice</i> , 2002, 19, 285-289.	1.9	140
288	Medically unexplained symptoms and the problem of power in the primary care consultation: a qualitative study. <i>Family Practice</i> , 2002, 19, 178-182.	1.9	152

#	ARTICLE	IF	CITATIONS
289	Managing depression in primary care: another example of the inverse care law?. Family Practice, 2002, 19, 632-637.	1.9	74
290	South Asian women, psychological distress and self-harm: lessons for primary care trusts. Health and Social Care in the Community, 2002, 10, 339-347.	1.6	74
291	Validating screening instruments for cognitive impairment in older South Asians in the United Kingdom. , 2000, 15, 54-62.		35
292	Screening for depression in African-Caribbean elders. Family Practice, 1999, 16, 591-595.	1.9	26
293	A Sociological View of Mental Health and Illness. , 0, , 24-38.		0
294	The Patient and Service User Perspective. , 0, , 39-53.		1
295	Mental Health and Long-Term Physical Conditions. , 0, , 175-184.		1
296	The Role of the Primary Care Team. , 0, , 373-385.		0
297	Undertaking Mental Health Research in Primary Care. , 0, , 459-472.		0
298	Collaborative Care and Stepped Care. , 0, , 401-419.		0