Jian S Dai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7051000/publications.pdf

Version: 2024-02-01

| 366 papers | 8,500 citations | 47006 47 h-index | 76 g-index |
|---------------|--------------------|------------------------|---------------------|
| 379 | 379 | 379 | 3160 citing authors |
| all docs | docs citations | times ranked | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Design and Analysis of a Novel Reconfigurable Ankle Rehabilitation Exoskeleton Capable of Matching the Mobile Biological Joint Center in Real-Time. Journal of Mechanisms and Robotics, 2023, 15, . | 2.2 | 4 |
| 2 | Kinetostatic backflip strategy for self-recovery of quadruped robots with the selected rotation axis. Robotica, 2022, 40, 1713-1731. | 1.9 | 8 |
| 3 | Novel Design of a Rotation Center Auto-Matched Ankle Rehabilitation Exoskeleton With Decoupled Control Capacity. Journal of Mechanical Design, Transactions of the ASME, 2022, 144, . | 2.9 | 8 |
| 4 | Compliance model of Exechon manipulators with an offset wrist. Mechanism and Machine Theory, 2022, 167, 104558. | 4.5 | 12 |
| 5 | Variable-gain control for continuum robots based on velocity sensitivity. Mechanism and Machine Theory, 2022, 168, 104618. | 4.5 | 6 |
| 6 | Repelling-screw-based geometrical interpretation of dualities of compliant mechanisms. Mechanism and Machine Theory, 2022, 169, 104636. | 4.5 | 4 |
| 7 | Safe physical human-robot interaction: A quasi whole-body sensing method based on novel laser-ranging sensor ring pairs. Robotics and Computer-Integrated Manufacturing, 2022, 75, 102280. | 9.9 | 7 |
| 8 | Power-Shaping Model-Based Control With Feedback Deactivation for Flexible-Joint Robot Interaction. IEEE Robotics and Automation Letters, 2022, 7, 4566-4573. | 5.1 | 8 |
| 9 | A humanoid robotic hand capable of internal assembly and measurement in spacesuit gloves. Industrial Robot, 2022, 49, 603-615. | 2.1 | 3 |
| 10 | Finite displacement screw-based group analysis of 3PRS parallel mechanisms. Mechanism and Machine Theory, 2022, 171, 104727. | 4.5 | 6 |
| 11 | The investigation of environmental sustainability within product design: a critical review. Design Science, 2022, 8, . | 2.1 | 12 |
| 12 | Origaker: A Novel Multi-Mimicry Quadruped Robot Based on a Metamorphic Mechanism. Journal of Mechanisms and Robotics, 2022, 14, . | 2.2 | 20 |
| 13 | Minimally Model-Based Trajectory Tracking and Variable Impedance Control of Flexible-Joint Robots. IEEE Transactions on Industrial Electronics, 2021, 68, 6031-6041. | 7.9 | 36 |
| 14 | Analysis and Synthesis of Compliant Parallel Mechanismsâ€"Screw Theory Approach. Springer Tracts in Advanced Robotics, 2021, , . | 0.4 | 7 |
| 15 | Six novel 6R metamorphic mechanisms induced from three-series-connected Bennett linkages that vary among classical linkages. Mechanism and Machine Theory, 2021, 156, 104133. | 4.5 | 19 |
| 16 | An Improved Bouc–Wen Model Based on Equitorque Discretization for a Load-Dependent Nonlinear Stiffness Actuator. IEEE Transactions on Automation Science and Engineering, 2021, 18, 840-849. | 5.2 | 2 |
| 17 | Graph Representations. , 2021, , 1-12. | | O |
| 18 | Flexible-Joint Humanoid Balancing Augmentation via Full-State Feedback Variable Impedance Control. Journal of Mechanisms and Robotics, 2021, 13, . | 2.2 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Structure Synthesis of a Class of Parallel Manipulators With Fully Decoupled Projective Motion. Journal of Mechanisms and Robotics, 2021, 13, . | 2.2 | 9 |
| 20 | Design of Transformable Hinged Ori-Block Dissected from Cylinders and Cones. Journal of Mechanical Design, Transactions of the ASME, 2021, 143, . | 2.9 | 13 |
| 21 | Design of a novel simulated "soft―mechanical grasper. Mechanism and Machine Theory, 2021, 158, 104240. | 4.5 | 12 |
| 22 | Geometric Design-based Dimensional Synthesis of a Novel Metamorphic Multi-fingered Hand with Maximal Workspace. Chinese Journal of Mechanical Engineering (English Edition), 2021, 34, . | 3.7 | 5 |
| 23 | Reconfigurability of the origami-inspired integrated 8R kinematotropic metamorphic mechanism and its evolved 6R and 4R mechanisms. Mechanism and Machine Theory, 2021, 161, 104245. | 4.5 | 29 |
| 24 | A novel reconfigurable spherical joint based on linear independence of screws and its resultant metamorphic mechanisms. Mechanism and Machine Theory, 2021, 164, 104351. | 4.5 | 4 |
| 25 | Revelation of metamorphic phenomenon through the equivalent mechanisms and development of the novel metamorphic epicyclic gear trains. Mechanism and Machine Theory, 2021, 166, 104433. | 4.5 | 4 |
| 26 | A Lie-Theory-Based Dynamic Parameter Identification Methodology for Serial Manipulators. IEEE/ASME Transactions on Mechatronics, 2021, 26, 2688-2699. | 5.8 | 26 |
| 27 | Screw theory-based stiffness analysis for a fluidic-driven soft robotic manipulator. , 2021, , . | | 4 |
| 28 | Large Deformation Analysis ofÂCompliant Parallel Mechanisms. Springer Tracts in Advanced Robotics, 2021, , 121-145. | 0.4 | 1 |
| 29 | An Introduction to Screw Theory. Springer Tracts in Advanced Robotics, 2021, , 17-31. | 0.4 | 0 |
| 30 | Compliance Parameterization andÂOptimization of Compliant Parallel Mechanisms. Springer Tracts in Advanced Robotics, 2021, , 99-120. | 0.4 | 0 |
| 31 | Conceptual Design of Compliant Parallel Mechanisms. Springer Tracts in Advanced Robotics, 2021, , 65-79. | 0.4 | 0 |
| 32 | Construction of Compliant Mechanisms. Springer Tracts in Advanced Robotics, 2021, , 49-64. | 0.4 | 0 |
| 33 | Stiffness Construction and Decomposition of Compliant Parallel Mechanisms. Springer Tracts in Advanced Robotics, 2021, , 81-98. | 0.4 | 1 |
| 34 | Screw Representation of Flexible Elements. Springer Tracts in Advanced Robotics, 2021, , 33-48. | 0.4 | 0 |
| 35 | Message from the new Editors-in-Chief. Robotica, 2021, 39, 1-2. | 1.9 | 3 |
| 36 | A Novel Ortho-Triplex Tensegrity Derived by the Linkage-Truss Transformation With Prestress-Stability Analysis Using Screw Theory. Journal of Mechanical Design, Transactions of the ASME, 2021, 143, . | 2.9 | 1 |

| # | Article | lF | CITATIONS |
|----|--|-------------|-----------|
| 37 | A Sarrus-like overconstrained eight-bar linkage and its associated Fulleroid-like platonic deployable mechanisms. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 241-262. | 2.1 | 19 |
| 38 | A hybrid continuum robot based on pneumatic muscles with embedded elastic rods. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2020, 234, 318-328. | 2.1 | 24 |
| 39 | Optimization of Stiffness to Achieve Increased Bandwidth and Torque Resolution in Nonlinear Stiffness Actuators. IEEE Transactions on Industrial Electronics, 2020, 67, 2925-2935. | 7.9 | 11 |
| 40 | Analysis of unified error model and simulated parameters calibration for robotic machining based on Lie theory. Robotics and Computer-Integrated Manufacturing, 2020, 61, 101855. | 9.9 | 28 |
| 41 | Passivity Preservation for Variable Impedance Control of Compliant Robots. IEEE/ASME Transactions on Mechatronics, 2020, 25, 2342-2353. | 5. 8 | 32 |
| 42 | Analytical Expressions of Serial Manipulator Jacobians and their High-Order Derivatives based on Lie Theory. , 2020, , . | | 4 |
| 43 | Geometrical revelation of correlated characteristics of the ray and axis order of the Pl $	ilde{A}^{1}\!\!/\!\!4$ cker coordinates in line geometry. Mechanism and Machine Theory, 2020, 153, 103983. | 4.5 | 15 |
| 44 | Bifurcation variations and motion-ruled-surface evolution of a novel Schatz linkage induced metamorphic mechanism. Mechanism and Machine Theory, 2020, 150, 103867. | 4.5 | 27 |
| 45 | High-order based revelation of bifurcation of novel Schatz-inspired metamorphic mechanisms using screw theory. Mechanism and Machine Theory, 2020, 152, 103931. | 4.5 | 25 |
| 46 | A deformable tetrahedron rolling mechanism (DTRM) based on URU branch. Mechanism and Machine Theory, 2020, 153, 104000. | 4.5 | 9 |
| 47 | A matrix method to determine infinitesimally mobile linkages with only first-order infinitesimal mobility. Mechanism and Machine Theory, 2020, 148, 103776. | 4. 5 | 7 |
| 48 | Tangential intersection of branches of motion. Mechanism and Machine Theory, 2020, 147, 103730. | 4.5 | 10 |
| 49 | Instantaneous mobility analysis using the twist space intersection approach for parallel mechanisms. Mechanism and Machine Theory, 2020, 151, 103866. | 4.5 | 8 |
| 50 | Geometric constraint-based modeling and analysis of a novel continuum robot with Shape Memory Alloy initiated variable stiffness. International Journal of Robotics Research, 2020, 39, 1620-1634. | 8.5 | 95 |
| 51 | Lie Group Based Type Synthesis Using Transformation Configuration Space for Reconfigurable Parallel Mechanisms With Bifurcation Between Spherical Motion and Planar Motion. Journal of Mechanical Design, Transactions of the ASME, 2020, 142, . | 2.9 | 26 |
| 52 | A Mechanically Intelligent Crawling Robot Driven by Shape Memory Alloy and Compliant Bistable Mechanism. Journal of Mechanisms and Robotics, 2020, 12, . | 2.2 | 33 |
| 53 | Structure Synthesis of Parallel Manipulators With Fully Decoupled Projective Motion and Any Degrees of Freedom. , 2020, , . | | 0 |
| 54 | Kinematic Calibration of a 3rRPS Metamorphic Parallel Mechanism. , 2020, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | A Model-Free Solution for Stable Balancing and Locomotion of Floating-base Legged Systems. , 2020, , . | | 4 |
| 56 | Design analysis and type synthesis of a petal-inspired space deployable-foldable mechanism. Mechanism and Machine Theory, 2019, 141, 151-170. | 4.5 | 35 |
| 57 | A novel 6R metamorphic mechanism with eight motion branches and multiple furcation points. Mechanism and Machine Theory, 2019, 142, 103598. | 4.5 | 28 |
| 58 | Enabling grasp action: Generalized quality evaluation of grasp stability via contact stiffness from contact mechanics insight. Mechanism and Machine Theory, 2019, 134, 625-644. | 4.5 | 15 |
| 59 | Trajectory Tracking Control for Flexible-Joint Robot Based on Extended Kalman Filter and PD Control. Frontiers in Neurorobotics, 2019, 13, 25. | 2.8 | 5 |
| 60 | Kinematics and statics of eccentric soft bending actuators with external payloads. Mechanism and Machine Theory, 2019, 139, 526-541. | 4.5 | 38 |
| 61 | Jumping with Expandable Trunk of a Metamorphic Quadruped Robotâ€"The Origaker II. Applied Sciences (Switzerland), 2019, 9, 1778. | 2.5 | 7 |
| 62 | Reconfiguration-aimed and manifold-operation based type synthesis of metamorphic parallel mechanisms with motion between 1R2T and 2R1T. Mechanism and Machine Theory, 2019, 139, 66-80. | 4.5 | 41 |
| 63 | Relevance and Transferability for Parallel Mechanisms With Reconfigurable Platforms. Journal of Mechanisms and Robotics, 2019, 11 , . | 2.2 | 17 |
| 64 | Task space-based orientability analysis and optimization of a wire-driven continuum robot. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2019, 233, 7658-7668. | 2.1 | 6 |
| 65 | A synthesis method for 1-DOF mechanisms with a cusp in the configuration space. Mechanism and Machine Theory, 2019, 132, 154-175. | 4.5 | 18 |
| 66 | The isomorphic design and analysis of a novel plane-space polyhedral metamorphic mechanism. Mechanism and Machine Theory, 2019, 131, 152-171. | 4. 5 | 10 |
| 67 | Configuration analysis of a reconfigurable Rubik's snake robot. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2019, 233, 3137-3154. | 2.1 | 16 |
| 68 | A new mechanical design method of compliant actuators with non-linear stiffness with predefined deflection-torque profiles. Mechanism and Machine Theory, 2019, 133, 164-178. | 4.5 | 31 |
| 69 | First- and Second-Order Kinematics-Based Constraint System Analysis and Reconfiguration Identification for the Queer-Square Mechanism. Journal of Mechanisms and Robotics, 2019, 11, . | 2.2 | 15 |
| 70 | Three Novel Symmetric Waldron–Bricard Metamorphic and Reconfigurable Mechanisms and Their Isomerization. Journal of Mechanisms and Robotics, 2019, 11, . | 2.2 | 18 |
| 71 | Stability Margin of a Metamorphic Quadruped Robot With a Twisting Trunk. Journal of Mechanisms and Robotics, 2019, 11, . | 2.2 | 21 |
| 72 | Mechanism design and analysis of a proposed wheelchair-exoskeleton hybrid robot for assisting human movement. Mechanical Sciences, 2019, 10, 11-24. | 1.0 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A Shape Memory Alloy Driven Crawling Robot Utilizing a Bistable Mechanism. , 2019, , . | | 3 |
| 74 | Model-Free Control for Continuum Robots Based on an Adaptive Kalman Filter. IEEE/ASME Transactions on Mechatronics, 2018, 23, 286-297. | 5.8 | 125 |
| 75 | Bifurcated configurations and their variations of an 8-bar linkage derived from an 8-kaleidocycle. Mechanism and Machine Theory, 2018, 121, 745-754. | 4.5 | 29 |
| 76 | Selective-Compliance-Based Lagrange Model and Multilevel Noncollocated Feedback Control of a Humanoid Robot. Journal of Mechanisms and Robotics, 2018, 10, . | 2.2 | 13 |
| 77 | Compositional Submanifolds of Prismatic–Universal–Prismatic and Skewed Prismatic–Revolute– Prismatic Kinematic Chains and Their Derived Parallel Mechanisms. Journal of Mechanisms and Robotics, 2018, 10, . | 2.2 | 4 |
| 78 | Geometric design optimization of an under-actuated tendon-driven robotic gripper. Robotics and Computer-Integrated Manufacturing, 2018, 50, 80-89. | 9.9 | 70 |
| 79 | A Finite and Instantaneous Screw Based Approach for Topology Design and Kinematic Analysis of 5-Axis Parallel Kinematic Machines. Chinese Journal of Mechanical Engineering (English Edition), 2018, 31, . | 3.7 | 28 |
| 80 | Trot Gait with Twisting Trunk of a Metamorphic Quadruped Robot. Journal of Bionic Engineering, 2018, 15, 971-981. | 5.0 | 26 |
| 81 | Self-aligning Analysis of the Metamorphic Palm of the KCL/TJU Metamorphic Hand. , 2018, , . | | 1 |
| 82 | A Metamorphic Hand with Coplanar Reconfiguration. , 2018, , . | | 4 |
| 83 | Group Method for Synthesis of Metamorphic Parallel Mechanism with 1R2T and 2R1T Reconfiguration. , 2018, , . | | 1 |
| 84 | Preventing Tumbling With a Twisting Trunk for the Quadruped Robot: Origaker I. , $2018, \ldots$ | | 2 |
| 85 | Metamorphic Mechanism and Reconfiguration of a Biomimetic Quadruped Robot., 2018,,. | | 1 |
| 86 | Matrix Analysis of Second-Order Kinematic Constraints of Single-Loop Linkages in Screw Coordinates. , $2018, , .$ | | 2 |
| 87 | A Muscle-Specific Rehabilitation Training Method Based on Muscle Activation and the Optimal Load Orientation Concept. Applied Bionics and Biomechanics, 2018, 2018, 1-13. | 1.1 | 2 |
| 88 | A Single-Loop 8R Linkage with Plane-Symmetry and Bifurcation Property. , $2018, \ldots$ | | 2 |
| 89 | Towards a Modular Suturing Catheter for Minimally Invasive Vascular Surgery. , 2018, , . | | 2 |
| 90 | Dynamic Modelling and Simulation of a Deployable Quadrotor. , 2018, , . | | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Motion Cycle and Configuration Torus With Their Relationship to Furcation During Reconfiguration. Journal of Mechanisms and Robotics, 2018, 10, . | 2.2 | 3 |
| 92 | Grasp analysis and optimal design of robotic fingertip for two tendon-driven fingers. Mechanism and Machine Theory, 2018, 130, 447-462. | 4.5 | 18 |
| 93 | Origami Carton Non Linear Multi-Body Simulation Towards Industry 4.0: Preliminary Study. , 2018, , . | | 0 |
| 94 | A Mapping Method of Grasping Posture Applying to the Metamorphic Multi-fingered Hand. , 2018, , . | | 3 |
| 95 | Novel spherical-planar and Bennett-spherical 6R metamorphic linkages with reconfigurable motion branches. Mechanism and Machine Theory, 2018, 128, 628-647. | 4.5 | 41 |
| 96 | Design and modeling of a soft robotic surface with hyperelastic material. Mechanism and Machine Theory, 2018, 130, 109-122. | 4.5 | 38 |
| 97 | Origami robots. Zhongguo Kexue Jishu Kexue/Scientia Sinica Technologica, 2018, 48, 1259-1274. | 0.5 | 7 |
| 98 | Continuous Static Gait with Twisting Trunk of a Metamorphic Quadruped Robot. Mechanical Sciences, 2018, 9, 1-14. | 1.0 | 23 |
| 99 | Kinematic analysis and optimization of a planar parallel compliant mechanism for self-alignment knee exoskeleton. Mechanical Sciences, 2018, 9, 405-416. | 1.0 | 15 |
| 100 | Rolling Contact in Kinematics of Multifingered Robotic Hands. Springer Proceedings in Advanced Robotics, 2018, , 217-224. | 1.3 | 3 |
| 101 | In-hand forward and inverse kinematics with rolling contact. Robotica, 2017, 35, 2381-2399. | 1.9 | 8 |
| 102 | Kinematic study of the general plane-symmetric Bricard linkage and its bifurcation variations. Mechanism and Machine Theory, 2017, 116, 89-104. | 4.5 | 44 |
| 103 | Workspace Analysis of Tendon-Driven Continuum Robots Based on Mechanical Interference Identification. Journal of Mechanical Design, Transactions of the ASME, 2017, 139, . | 2.9 | 17 |
| 104 | Design of a Pneumatic Muscle Based Continuum Robot With Embedded Tendons. IEEE/ASME Transactions on Mechatronics, 2017, 22, 751-761. | 5.8 | 59 |
| 105 | A way of relating instantaneous and finite screws based on the screw triangle product. Mechanism and Machine Theory, 2017, 108, 75-82. | 4.5 | 63 |
| 106 | Fuzzy Model Based Stability Analysis of the Metamorphic Robotic Palm. IFAC-PapersOnLine, 2017, 50, 8630-8635. | 0.9 | 0 |
| 107 | Modeling for a metamorphic quadruped robot with a twisting trunk: Kinematic and workspace. , 2017, , | | 6 |
| 108 | Robust Adaptive Control for Vision-Based Stabilization of a Wheeled Humanoid Robot. International Journal of Humanoid Robotics, 2016, 13, 1650010. | 1.1 | 1 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 109 | Variable Motion/Force Transmissibility of a Metamorphic Parallel Mechanism With Reconfigurable 3T and 3R Motion. Journal of Mechanisms and Robotics, 2016, 8, . | 2.2 | 31 |
| 110 | Motion/Force Transmission Analysis of Parallel Mechanisms With Planar Closed-Loop Subchains. Journal of Mechanical Design, Transactions of the ASME, 2016, 138, . | 2.9 | 17 |
| 111 | Kinematics Analysis of a Snake Robot Module Using Screw Theory. , 2016, , . | | 3 |
| 112 | Kinematics Analysis and Control of a Three-Fingered Metamorphic Robot Hand., 2016,,. | | 0 |
| 113 | Force Balance of a Spatial Metamorphic 6R Closed-Chain Linkage With Specific Kinematic Conditions. , 2016, , . | | 0 |
| 114 | Optimal Design of a Metamorphic Parallel Mechanism With Reconfigurable 1T2R and 3R Motion Based on Unified Motion/Force Transmissibility. , 2016, , . | | 1 |
| 115 | Product Submanifold Based Analysis of Kinematic Chains and a 3-PUP Parallel Mechanism. , 2016, , . | | 0 |
| 116 | Spherical trigonometry constrained kinematics for a dexterous robotic hand with an articulated palm. Robotica, 2016, 34, 2788-2805. | 1.9 | 19 |
| 117 | Analysis of frequency characteristics and sensitivity of compliant mechanisms. Chinese Journal of Mechanical Engineering (English Edition), 2016, 29, 680-693. | 3.7 | 14 |
| 118 | A Novel 4-DOF Origami Grasper With an SMA-Actuation System for Minimally Invasive Surgery. IEEE Transactions on Robotics, 2016, 32, 484-498. | 10.3 | 108 |
| 119 | Stiffness analysis, motion design and reconfiguration study of parallel mechanisms and manipulators. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2016, 230, 339-340. | 2.1 | 5 |
| 120 | Design of a flexible force-sensing platform for medical ultrasound probes. , 2016, , . | | 2 |
| 121 | Geometric constraints and motion branch variations for reconfiguration of single-loop linkages with mobility one. Mechanism and Machine Theory, 2016, 106, 16-29. | 4.5 | 24 |
| 122 | A compact continuum manipulator system with enhanced steering abilities for robot-assisted surgery. , 2016, , . | | 2 |
| 123 | Task-based structure synthesis of source metamorphic mechanisms and constrained forms of metamorphic joints. Mechanism and Machine Theory, 2016, 96, 334-345. | 4.5 | 26 |
| 124 | Geometry and kinematics for a spherical-base integrated parallel mechanism. Meccanica, 2016, 51, 1607-1621. | 2.0 | 10 |
| 125 | Adaptive dynamic surface control for vision-based stabilization of an uncertain electrically driven nonholonomic mobile robot. Robotica, 2016, 34, 449-467. | 1.9 | 5 |
| 126 | Repelling-Screw Based Force Analysis of Origami Mechanisms. Journal of Mechanisms and Robotics, 2016, 8, . | 2.2 | 31 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | An Extensible Continuum Robot With Integrated Origami Parallel Modules. Journal of Mechanisms and Robotics, 2016, 8, . | 2.2 | 92 |
| 128 | A Novel Reconfigurable 7R Linkage with Multifurcation. Mechanisms and Machine Science, 2016, , 15-25. | 0.5 | 3 |
| 129 | A Novel Continuum Manipulator Design Using Serially Connected Double-Layer Planar Springs. IEEE/ASME Transactions on Mechatronics, 2016, 21, 1281-1292. | 5.8 | 75 |
| 130 | Six-Dimensional Compliance Analysis and Validation of Orthoplanar Springs. Journal of Mechanical Design, Transactions of the ASME, 2016, 138, . | 2.9 | 16 |
| 131 | Systematization of morphing in reconfigurable mechanisms. Mechanism and Machine Theory, 2016, 96, 215-224. | 4.5 | 48 |
| 132 | Reconfiguration and Static Joint Force Variation of a 3rRPS Metamorphic Parallel Mechanism with 3R and 1T2R Motion. Mechanisms and Machine Science, 2016, , 213-222. | 0.5 | 5 |
| 133 | Origami Carton Folding Analysis Using Flexible Panels. Mechanisms and Machine Science, 2016, , 95-106. | 0.5 | 3 |
| 134 | Joint force decomposition and variation in unified inverse dynamics analysis of a metamorphic parallel mechanism. Meccanica, 2016, 51, 1583-1593. | 2.0 | 17 |
| 135 | Reconfiguration of the plane-symmetric double-spherical 6R linkage with bifurcation and trifurcation. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2016, 230, 473-482. | 2.1 | 16 |
| 136 | An Origami Parallel Structure Integrated Deployable Continuum Robot. , 2015, , . | | 3 |
| 137 | Stiffness Design, Analysis and Validation of a Parallel-Mechanism Equivalent Suspension System. , 2015, , . | | 0 |
| 138 | Singularity-Free Workspace Aimed Optimal Design of a 2T2R Parallel Mechanism for Automated Fiber Placement. Journal of Mechanisms and Robotics, 2015, 7, . | 2.2 | 34 |
| 139 | Euler–Rodrigues formula variations, quaternion conjugation and intrinsic connections. Mechanism and Machine Theory, 2015, 92, 144-152. | 4.5 | 201 |
| 140 | New test rig for creased paperboard investigation to confectionery industry reconfigurable folders. , 2015, , . | | 1 |
| 141 | Assur-Group Inferred Structural Synthesis for Planar Mechanisms. Journal of Mechanisms and Robotics, 2015, 7, . | 2.2 | 25 |
| 142 | Characteristic Equation-Based Dynamic Analysis of a Three-Revolute Prismatic Spherical Parallel Kinematic Machine. Journal of Computational and Nonlinear Dynamics, 2015, 10, . | 1.2 | 5 |
| 143 | Screw-System-Variation Enabled Reconfiguration of the Bennett Plano-Spherical Hybrid Linkage and Its Evolved Parallel Mechanism. Journal of Mechanical Design, Transactions of the ASME, 2015, 137, . | 2.9 | 48 |
| 144 | A Polynomial Formulation of Inverse Kinematics of Rolling Contact. Journal of Mechanisms and Robotics, $2015, 7, .$ | 2.2 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Forward Kinematics Solution Distribution and Analytic Singularity-Free Workspace of Linear-Actuated Symmetrical Spherical Parallel Manipulators. Journal of Mechanisms and Robotics, 2015, 7, . | 2.2 | 22 |
| 146 | Variable Motion/Force Transmissibility of a Metamorphic Parallel Mechanism With Reconfigurable 3T and 3R Motion. , 2015, , . | | 2 |
| 147 | Constraint Stiffness Construction and Decomposition of a SPS Orthogonal Parallel Mechanism. , 2015, , . | | 1 |
| 148 | Characteristics of the double-cycled motion-ruled surface of the Schatz linkage based on differential geometry. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2015, 229, 957-964. | 2.1 | 6 |
| 149 | Comparison of numerical and neural network methods for the kinematic modeling of a hybrid structure robot. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2015, 229, 1162-1171. | 2.1 | 4 |
| 150 | Inverse kinematics and workspace analysis of the metamorphic hand. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2015, 229, 965-975. | 2.1 | 10 |
| 151 | Helical Kirigami-Enabled Centimeter-Scale Worm Robot With Shape-Memory-Alloy Linear Actuators. Journal of Mechanisms and Robotics, 2015, 7, . | 2.2 | 53 |
| 152 | From sliding–rolling loci to instantaneous kinematics: An adjoint approach. Mechanism and Machine Theory, 2015, 85, 161-171. | 4.5 | 8 |
| 153 | Constraint-plane-based synthesis and topology variation of a class of metamorphic parallel mechanisms. Journal of Mechanical Science and Technology, 2014, 28, 4179-4191. | 1.5 | 32 |
| 154 | Multi-furcation in a derivative queer-square mechanism. Mechanism and Machine Theory, 2014, 81, 36-53. | 4.5 | 39 |
| 155 | A gabor based fast interest point detector for image-based robot visual servo control. , 2014, , . | | 0 |
| 156 | Six Dimensional Compliance Analysis of Ortho-Planar Springs for a Continuum Manipulator. , 2014, , . | | 2 |
| 157 | An Overconstrained Eight-Bar Linkage and its Associated Fulleroid-Like Deployable Platonic Mechanisms. , 2014, , . | | 2 |
| 158 | A Kirigami-Inspired 8R Linkage and Its Evolved Overconstrained 6R Linkages With the Rotational Symmetry of Order Two. Journal of Mechanisms and Robotics, 2014, 6, . | 2.2 | 51 |
| 159 | Synthesis, Mobility, and Multifurcation of Deployable Polyhedral Mechanisms With Radially Reciprocating Motion. Journal of Mechanical Design, Transactions of the ASME, 2014, 136, . | 2.9 | 111 |
| 160 | An Optimization Approach to Teleoperation of the Thumb of a Humanoid Robot Hand: Kinematic Mapping and Calibration. Journal of Mechanical Design, Transactions of the ASME, 2014, 136, . | 2.9 | 19 |
| 161 | Lyapunov Stability Margins for humanoid robot balancing. , 2014, , . | | 11 |
| 162 | A novel continuum-style robot with multilayer compliant modules. , 2014, , . | | 27 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Statistical identification and macroscopic transitional model between disorder and order., 2014,,. | | O |
| 164 | A Spatial Eight-Bar Linkage and Its Association With the Deployable Platonic Mechanisms. Journal of Mechanisms and Robotics, $2014, 6, .$ | 2.2 | 65 |
| 165 | Origami-Inspired Integrated Planar-Spherical Overconstrained Mechanisms. Journal of Mechanical Design, Transactions of the ASME, 2014, 136, . | 2.9 | 92 |
| 166 | A non-overconstrained variant of the Agile Eye with a special decoupled kinematics. Robotica, 2014, 32, 889-905. | 1.9 | 8 |
| 167 | Compliance modeling and analysis of a 3-RPS parallel kinematic machine module. Chinese Journal of Mechanical Engineering (English Edition), 2014, 27, 703-713. | 3.7 | 21 |
| 168 | Constraint-Based Design and Analysis of a Compliant Parallel Mechanism Using SMA-Spring Actuators. , 2014, , . | | 1 |
| 169 | Independent Suspension of Invariable Alignment Parameters by Using Flexible Links With Anisotropic Elasticity. Journal of Mechanisms and Robotics, 2014, 6, . | 2.2 | 0 |
| 170 | Helical Kirigami-Inspired Centimeter-Scale Worm Robot With Shape-Memory-Alloy Actuators. , 2014, , . | | 4 |
| 171 | Trifurcation of the Evolved Sarrus-Motion Linkage Based on Parametric Constraints. , 2014, , 345-353. | | 7 |
| 172 | Reconfigurable and Deployable Platonic Mechanisms with a Variable Revolute Joint., 2014,, 485-495. | | 11 |
| 173 | DEXDEB \hat{a} \in "Application of DEXtrous Robotic Hands for DEBoning Operation. Springer Tracts in Advanced Robotics, 2014, , 217-235. | 0.4 | 0 |
| 174 | DEXDEB $\hat{a}\in$ "Application of DEXtrous Robotic Hands for DEBoning Operation. Springer Tracts in Advanced Robotics, 2014, , 217-235. | 0.4 | 0 |
| 175 | Reconfigurability and unified kinematics modeling of a 3rTPS metamorphic parallel mechanism with perpendicular constraint screws. Robotics and Computer-Integrated Manufacturing, 2013, 29, 121-128. | 9.9 | 53 |
| 176 | Control Strategies for Patient-Assisted Training Using the Ankle Rehabilitation Robot (ARBOT). IEEE/ASME Transactions on Mechatronics, 2013, 18, 1799-1808. | 5.8 | 124 |
| 177 | A push recovery strategy for a passively compliant humanoid robot using decentralized LQR controllers. , 2013, , . | | 5 |
| 178 | Design and kinematic analysis of a novel prism deployable mechanism. Mechanism and Machine Theory, 2013, 63, 35-49. | 4.5 | 80 |
| 179 | Large bending behavior of creased paperboard. I. Experimental investigations. International Journal of Solids and Structures, 2013, 50, 3089-3096. | 2.7 | 28 |
| 180 | Large bending behavior of creased paperboard. II. Structural analysis. International Journal of Solids and Structures, 2013, 50, 3097-3105. | 2.7 | 19 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 181 | Task-oriented structure synthesis of a class of parallel manipulators using motion constraint generator. Mechanism and Machine Theory, 2013, 70, 394-406. | 4.5 | 17 |
| 182 | Modelling and analysis of a rigid–compliant parallel mechanism. Robotics and Computer-Integrated Manufacturing, 2013, 29, 33-40. | 9.9 | 8 |
| 183 | Geometry Constraint and Branch Motion Evolution of 3-PUP Parallel Mechanisms with Bifurcated Motion. Mechanism and Machine Theory, 2013, 61, 168-183. | 4.5 | 33 |
| 184 | Structure Design, Kinematics and Grasp Constraint of a Metamorphic Robotic Hand for Meat Deboning Operation. , 2013, , . | | 4 |
| 185 | Four Motion Branches of an Origami Based Eight Bar Spatial Mechanism. , 2013, , . | | 1 |
| 186 | Stiffness Design for a Spatial Three Degrees of Freedom Serial Compliant Manipulator Based on Impact Configuration Decomposition. Journal of Mechanisms and Robotics, 2013, 5, . | 2.2 | 20 |
| 187 | Classification of Origami-Enabled Foldable Linkages and Emerging Applications. , 2013, , . | | 6 |
| 188 | Geometric Constraint and Mobility Variation of Two 3SvPSv Metamorphic Parallel Mechanisms. Journal of Mechanical Design, Transactions of the ASME, 2013, 135, . | 2.9 | 78 |
| 189 | Unified Kinematics and Singularity Analysis of a Metamorphic Parallel Mechanism With Bifurcated Motion. Journal of Mechanisms and Robotics, 2013, 5, . | 2.2 | 48 |
| 190 | Screw-System-Based Mobility Analysis of a Family of Fully Translational Parallel Manipulators. Mathematical Problems in Engineering, 2013, 2013, 1-9. | 1,1 | 9 |
| 191 | Design of an Ackermann-type steering mechanism. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2013, 227, 2549-2562. | 2.1 | 46 |
| 192 | Gravity compensation control of compliant joint systems with multiple drives., 2013,,. | | 11 |
| 193 | Synthesis and static analysis of the deployable frame for a morphing wing. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2013, 227, 565-579. | 2.1 | 9 |
| 194 | A compliant humanoid walking strategy based on the switching of state feedback gravity compensation controllers. , 2013, , . | | 11 |
| 195 | Control Strategy and Trajectory Planning for Reconfiguration of a vA Based Metamorphic Parallel Manipulator. , 2013, , . | | 0 |
| 196 | Controllable Rotation Workspace of a Metamorphic Parallel Mechanism With Reconfigurable Universal Joints. , 2013, , . | | 0 |
| 197 | Kinematic Analysis and Stiffness Validation of Origami Cartons. Journal of Mechanical Design, Transactions of the ASME, 2013, 135, . | 2.9 | 29 |
| 198 | Kinematic and Stiffness Analysis of an Origami-Type Carton. , 2013, , . | | 5 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 199 | Structural dynamics of the foldable stairs. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2012, 226, 2549-2572. | 2.1 | 2 |
| 200 | Configuration and actuation analysis of a 2US+UPS asymmetrical parallel mechanism. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2012, 226, 2296-2308. | 2.1 | 2 |
| 201 | Kinematics of a Fully-Decoupled Remote Center-of-Motion Parallel Manipulator for Minimally Invasive Surgery. Journal of Medical Devices, Transactions of the ASME, 2012, 6, . | 0.7 | 70 |
| 202 | The Analysis of a Simplified 2R Pseudo-Rigid-Body Model with Moment Load. Applied Mechanics and Materials, 2012, 224, 18-23. | 0.2 | 0 |
| 203 | Global Stability Study of a Compliant Double-Inverted Pendulum Based on Hamiltonian Modeling. , 2012, , . | | 1 |
| 204 | Reciprocity-Based Singular Value Decomposition for Inverse Kinematic Analysis of the Metamorphic Multifingered Hand. Journal of Mechanisms and Robotics, 2012, 4, . | 2.2 | 31 |
| 205 | Structure Synthesis of Single-Driven Metamorphic Mechanisms Based on the Augmented Assur Groups. Journal of Mechanisms and Robotics, 2012, 4, . | 2.2 | 54 |
| 206 | Mechanism Synthesis of a Foldable Stair. Journal of Mechanisms and Robotics, 2012, 4, . | 2.2 | 16 |
| 207 | Finite Displacement Screw Operators With Embedded Chasles' Motion. Journal of Mechanisms and Robotics, 2012, 4, . | 2.2 | 62 |
| 208 | Foldability and Constraint Analysis of Two 3US Parallel Mechanisms. , 2012, , . | | 0 |
| 209 | A Polynomial Approach to Inverse Kinematics of Rolling Contact. , 2012, , . | | 1 |
| 210 | Reconfiguration and Unified Kinematics Analysis of a Metamorphic Parallel Mechanism With Bifurcated Motion. , 2012, , . | | 0 |
| 211 | A Family of Overconstrained 6R Linkages With the Rotational Symmetry of Order 2., 2012, , . | | 0 |
| 212 | Jacobian Analysis of a Fully Decoupled Parallel Manipulator for Minimally Invasive Surgery., 2012,,. | | 0 |
| 213 | The KCLBOT: The Challenges of Stereo Vision for a Small Autonomous Mobile Robot. , 2012, , . | | 0 |
| 214 | Reconfiguration Mechanism With Interlocking Geometric Constraints From Puzzles., 2012,,. | | 1 |
| 215 | Predictive seam tracking with iteratively learned feedforward compensation for high-precision robotic laser welding. Journal of Manufacturing Systems, 2012, 31, 2-7. | 13.9 | 19 |
| 216 | Stiffness of a rectilinear suspension with automatic length compensation branches. Mechanism and Machine Theory, 2012, 56, 99-122. | 4.5 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Kinematic design considerations for minimally invasive surgical robots: an overview. International Journal of Medical Robotics and Computer Assisted Surgery, 2012, 8, 127-145. | 2.3 | 161 |
| 218 | Workspace atlas and stroke analysis of seven-bar mechanisms with the translation-output. Mechanism and Machine Theory, 2012, 47, 117-134. | 4.5 | 5 |
| 219 | Constraint analysis and bifurcated motion of the 3PUP parallel mechanism. Mechanism and Machine Theory, 2012, 49, 256-269. | 4.5 | 31 |
| 220 | Type-Changeable Kinematic Pair Evolved Reconfigurable Parallel Mechanisms., 2012,, 309-319. | | 3 |
| 221 | Friction Compensation and Control Strategy for the Dexterous Robotic Hands., 2012,, 697-705. | | 5 |
| 222 | Duality of the Platonic Polyhedrons and Isomorphism of the Regular Deployable Polyhedral Mechanisms (DPMs)., 2012,, 759-771. | | 2 |
| 223 | Forward Displacement Analysis of Two Foldable 3US Parallel Mechanisms. , 2012, , 805-814. | | 3 |
| 224 | Synthesis of a Family of Regular Deployable Polyhedral Mechanisms (DPMs)., 2012, , 123-130. | | 9 |
| 225 | Kinematics of an Overconstrained 6R Linkage with 2-Fold Rotational Symmetry. , 2012, , 229-236. | | 2 |
| 226 | Task Analysis and Motion Generation for Service Robots. , 2012, , 30-50. | | 2 |
| 227 | Biological Modeling Representations and Configuration Evolution Analysis of a Novel Metamorphic Loading Mechanism., 2012,, 63-71. | | 0 |
| 228 | Reconfiguration and Actuation Scheme of 3rTPS Metamorphic Parallel Mechanisms with Parallel Constraint Screws., 2012,, 259-268. | | 0 |
| 229 | The Equivalent Resistance Gradient Model of Metamorphic Mechanisms and the Design Approach. , 2012, , 53-62. | | 2 |
| 230 | A STEREO VISION MODEL FOR A SMALL FORM FACTOR AUTONOMOUS MOBILE ROBOT "KCLBOT― , 2012, 81-88. | , | 0 |
| 231 | Prehension analysis and manipulability of an anthropomorphic metamorphic hand with a reconfigurable palm. , $2011, \ldots$ | | 7 |
| 232 | Feature extraction of non-uniform food products using RGB and RGB-D data combined with shape models. , $2011, \dots$ | | 3 |
| 233 | Category-based food ordering processes. Trends in Food Science and Technology, 2011, 22, 14-20. | 15.1 | 20 |
| 234 | The KCLBOT: A Double Compass Self-Localizing Maneuverable Mobile Robot., 2011,,. | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Kinematic Mapping and Calibration of the Thumb Motions for Teleoperating a Humanoid Robot Hand. , 2011, , . | | 3 |
| 236 | SLAM Using 3D Reconstruction via a Visual RGB and RGB-D Sensory Input., 2011,,. | | 2 |
| 237 | Augmented Adjacency Matrix for Topological Configuration of the Metamorphic Mechanisms. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2011, 5, 187-198. | 0.7 | 13 |
| 238 | Characteristics of the Screw Transformation Matrix and Their Effect on Chasles' Motion. , 2011, , . | | O |
| 239 | Stiffness Design for Compliant Manipulators Based on Dynamics Analysis of the Impact Configuration. , 2011, , . | | 1 |
| 240 | Posture, Workspace, and Manipulability of the Metamorphic Multifingered Hand With an Articulated Palm. Journal of Mechanisms and Robotics, $2011,3,\ldots$ | 2.2 | 51 |
| 241 | Mobility Analysis and Inverse Kinematics of a Novel 2R1T Parallel Manipulator., 2011,,. | | 0 |
| 242 | Geometry and Kinematics of a Plane-Symmetric Spatial Eight-Bar Linkage With Exact Straight-Line Motion. , $2011, , .$ | | 2 |
| 243 | Geometric Constraint of an Evolved Deployable Ball Mechanism. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2011, 5, 302-314. | 0.7 | 16 |
| 244 | Workspace and Orientation Analysis of a Parallel Structure for Robotic Fingers. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2011, 5, 54-69. | 0.7 | 3 |
| 245 | A Fully Decoupled Remote Center-of-Motion Parallel Manipulator for Minimally Invasive Surgery. , 2011, , . | | 0 |
| 246 | Geometry and Constraint Based Design of Metamorphic Parallel Mechanisms. , 2011, , . | | 0 |
| 247 | FLEXIBLE ROBOTICS. BJU International, 2011, 107, 187-189. | 2.5 | 20 |
| 248 | Kinematic analysis of a 5-R SP parallel mechanism withÂcentralized motion. Meccanica, 2011, 46, 221-237. | 2.0 | 8 |
| 249 | Structure synthesis and statics analysis of a foldable stair. Mechanism and Machine Theory, 2011, 46, 998-1015. | 4.5 | 57 |
| 250 | Topology and kinematic analysis of color-changing ball. Mechanism and Machine Theory, 2011, 46, 67-81. | 4.5 | 39 |
| 251 | Automatic folding of cartons using a reconfigurable robotic system. Robotics and Computer-Integrated Manufacturing, 2011, 27, 604-613. | 9.9 | 29 |
| 252 | Design optimization of parallel manipulators with required pose resolution., 2011,,. | | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Topology and kinematic performance analysis of Hoeken straight-line COPMM for micro-operation. International Journal of Nanomanufacturing, 2011, 7, 544. | 0.3 | 3 |
| 254 | Constraint-Based Limb Synthesis and Mobility-Change-Aimed Mechanism Construction. Journal of Mechanical Design, Transactions of the ASME, 2011, 133, . | 2.9 | 67 |
| 255 | Axis Constraint Analysis and Its Resultant 6R Double-Centered Overconstrained Mechanisms. Journal of Mechanisms and Robotics, 2011, 3, . | 2.2 | 25 |
| 256 | KINEMATIC ANALYSIS AND PROTOTYPE OF A METAMORPHIC ANTHROPOMORPHIC HAND WITH A RECONFIGURABLE PALM. International Journal of Humanoid Robotics, 2011, 08, 459-479. | 1.1 | 69 |
| 257 | Introducing a new 3D ordering process for discrete food products using food categorisation. Industrial Robot, 2010, 37, 562-570. | 2.1 | 3 |
| 258 | A new algorithm for pickâ€andâ€place operation. Industrial Robot, 2010, 37, 527-531. | 2.1 | 6 |
| 259 | Motion and Constraint Ruled Surfaces of the Schatz Linkage. , 2010, , . | | O |
| 260 | ${\it Constraint-Based \ Limb\ Synthesis\ and\ Mobility-Change-Aimed\ Mechanism\ Construction.\ ,\ 2010,\ ,\ .}$ | | 0 |
| 261 | Configuration Synthesis of Metamorphic Mechanisms Based on Characteristic Incidence Matrix. , 2010, , . | | O |
| 262 | Wireless Bluetooth Remote Control of a Multi-Fingered Metamorphic Hand—Metahand. , 2010, , . | | 0 |
| 263 | Geometric and kinematic analysis of a seven-bar three-fixed-pivoted compound-joint mechanism. Mechanism and Machine Theory, 2010, 45, 170-184. | 4.5 | 16 |
| 264 | Constraint analysis on mobility change of a novel metamorphic parallel mechanism. Mechanism and Machine Theory, 2010, 45, 1864-1876. | 4.5 | 105 |
| 265 | Type synthesis of a class of spatial lower-mobility parallel mechanisms with orthogonal arrangement based on Lie group enumeration. Science China Technological Sciences, 2010, 53, 388-404. | 4.0 | 30 |
| 266 | Orientation angle rotatability of planar serial n-link manipulators. Science China Technological Sciences, 2010, 53, 1620-1637. | 4.0 | 2 |
| 267 | Linkages That Transfer Rotations to Radially Reciprocating Motion. , 2010, , . | | 2 |
| 268 | Design and kinematics analysis of a new 3CCC parallel mechanism. Robotica, 2010, 28, 1065-1072. | 1.9 | 33 |
| 269 | Surgical robotics and its development and progress. Robotica, 2010, 28, 161-161. | 1.9 | 31 |
| 270 | Topology represention and analysis of carton manipulation. , 2010, , . | | 0 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 271 | Modeling of a novel 3-way rotary type electro-hydraulic valve. , 2010, , . | | 6 |
| 272 | A 3-way valve-controlled spring assisted rotary actuator. , 2010, , . | | 0 |
| 273 | Mathematical Modeling and Simulation of the External and Internal Double Circular-Arc Spiral Bevel Gears for the Nutation Drive. Journal of Mechanical Design, Transactions of the ASME, 2010, 132, . | 2.9 | 33 |
| 274 | Topology and Constraint Analysis of Phase Change in the Metamorphic Chain and Its Evolved Mechanism. Journal of Mechanical Design, Transactions of the ASME, 2010, 132, . | 2.9 | 108 |
| 275 | Topology and Constraint Analysis of Reconfiguration in Metamorphic Mechanisms. , 2010, , . | | 1 |
| 276 | Mobility and Geometric Analysis of the Hoberman Switch-Pitch Ball and Its Variant. Journal of Mechanisms and Robotics, 2010, 2, . | 2.2 | 77 |
| 277 | A reconfigurable robotic folding system for confectionery industry. Industrial Robot, 2010, 37, 542-551. | 2.1 | 10 |
| 278 | Singular-Value Decomposition Based Kinematic Analysis of the Metamorphic Multifingered Hand. , 2010, , . | | 2 |
| 279 | Structural Synthesis of Serial Robotic Manipulators Subject to Specific Motion Constraints. , 2010, , . | | 10 |
| 280 | Geometry and Constraint Analysis of the Three-Spherical Kinematic Chain Based Parallel Mechanism. Journal of Mechanisms and Robotics, 2010, 2, . | 2.2 | 45 |
| 281 | Origami-based robotic paper-and-board packaging for food industry. Trends in Food Science and Technology, 2010, 21, 153-157. | 15.1 | 47 |
| 282 | A Darboux-Frame-Based Formulation of Spin-Rolling Motion of Rigid Objects With Point Contact. IEEE Transactions on Robotics, 2010, 26, 383-388. | 10.3 | 45 |
| 283 | Overconstrained Mechanisms with Radially Reciprocating Motion. , 2010, , 293-300. | | 6 |
| 284 | Lower-Mobility Parallel Robots: Theory and Applications. Advances in Mechanical Engineering, 2010, 2, 927930. | 1.6 | 11 |
| 285 | Carton Motion-Moment Diagram and Stiffness Characteristics. Lecture Notes in Computer Science, 2010, , 430-441. | 1.3 | 0 |
| 286 | A coordinate-free approach to instantaneous kinematics of two rigid objects with rolling contact and its implications for trajectory planning. , 2009, , . | | 4 |
| 287 | Orientation and Workspace Analysis of the Multifingered Metamorphic Hand—Metahand. IEEE Transactions on Robotics, 2009, 25, 942-947. | 10.3 | 123 |
| 288 | A high performance 2-dof over-actuated parallel mechanism for ankle rehabilitation. , 2009, , . | | 56 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Reconfiguration of Spatial Metamorphic Mechanisms. Journal of Mechanisms and Robotics, 2009, $1,$ | 2.2 | 41 |
| 290 | Kinematic Geometry of Circular Surfaces With a Fixed Radius Based on Euclidean Invariants. Journal of Mechanical Design, Transactions of the ASME, 2009, 131, . | 2.9 | 24 |
| 291 | Mobility Change in Two Types of Metamorphic Parallel Mechanisms. Journal of Mechanisms and Robotics, 2009, 1, . | 2.2 | 124 |
| 292 | A High-performance Redundantly Actuated Parallel Mechanism for Ankle Rehabilitation. International Journal of Robotics Research, 2009, 28, 1216-1227. | 8.5 | 125 |
| 293 | Orientation angle workspaces of planar serial three-link manipulators. Science in China Series D: Earth Sciences, 2009, 52, 975-985. | 0.9 | 14 |
| 294 | Carton erection using reconfigurable folder mechanisms. Packaging Technology and Science, 2009, 22, 385-395. | 2.8 | 8 |
| 295 | Forward displacement analysis of the general 6–6 Stewart mechanism using Gröbner bases. Mechanism and Machine Theory, 2009, 44, 1640-1647. | 4.5 | 52 |
| 296 | Crank conditions and rotatability of 3-RRR planar parallel mechanisms. Science in China Series D: Earth Sciences, 2009, 52, 3601-3612. | 0.9 | 6 |
| 297 | Mobility analysis of complex joints by means of screw theory. Robotica, 2009, 27, 915-927. | 1.9 | 21 |
| 298 | Analysis and synthesis of ankle motion and rehabilitation robots. , 2009, , . | | 17 |
| 299 | A Study of the Mobility of a Family of 3-DOF Parallel Manipulators via Screw Theory. , 2009, , . | | 2 |
| 300 | Geometric and Kinematic Analysis of the Hoberman Switch-Pitch Ball and Its Variant. , 2009, , . | | 5 |
| 301 | Reconfiguration Techniques and Geometric Constraints of Metamorphic Mechanisms. , 2009, , . | | 4 |
| 302 | Configuration Based Improved Synthesis of Metamorphic Mechanisms. , 2009, , . | | 1 |
| 303 | The Axis Constraint Equation and a General 6R Double-Spherical Overconstrained Mechanism. , 2009, , 233-240. | | 1 |
| 304 | Segmental Kinematic Coupling of the Human Spinal Column during Locomotion. Journal of Bionic Engineering, 2008, 5, 328-334. | 5.0 | 19 |
| 305 | Latency errors in the mathematical modelling and meshing characteristics of the toroidal drive. Mathematical and Computer Modelling, 2008, 47, 827-854. | 2.0 | 8 |
| 306 | Numeration and type synthesis of 3-DOF orthogonal translational parallel manipulators. Progress in Natural Science: Materials International, 2008, 18, 563-574. | 4.4 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Dexterous Manipulation of Origami Cartons With Robotic Fingers Based on the Interactive Configuration Space. Journal of Mechanical Design, Transactions of the ASME, 2008, 130, . | 2.9 | 42 |
| 308 | Stiffness Characteristics of Carton Folds for Packaging. Journal of Mechanical Design, Transactions of the ASME, 2008, 130, . | 2.9 | 43 |
| 309 | Biological Modeling and Evolution Based Synthesis of Metamorphic Mechanisms. Journal of Mechanical Design, Transactions of the ASME, 2008, 130, . | 2.9 | 68 |
| 310 | Geometry and Kinematic Analysis of a Redundantly Actuated Parallel Mechanism That Eliminates Singularities and Improves Dexterity. Journal of Mechanical Design, Transactions of the ASME, 2008, 130, . | 2.9 | 98 |
| 311 | Characteristic Equation-Based Dynamics Analysis of Vibratory Bowl Feeders With Three Spatial Compliant Legs. IEEE Transactions on Automation Science and Engineering, 2008, 5, 164-175. | 5.2 | 23 |
| 312 | A modelâ€based approach to cooperative operation of multirobot systems. Industrial Robot, 2008, 35, 37-45. | 2.1 | 4 |
| 313 | Genome Reconfiguration of Metamorphic Manipulators Based on Lie Group Theory. , 2008, , . | | 3 |
| 314 | A Centralized 5-RSP Parallel Mechanism. , 2008, , . | | 2 |
| 315 | Constraint Redundancy in Mobility of Parallel Manipulators. , 2008, , . | | 0 |
| 316 | Automated Conceptual Design for Hybrid Mechanisms Based on Characteristic State Space Theory. , 2008, , . | | 0 |
| 317 | The Duality of Biomimetics and Artiomimetics in the Creative Process of Design. , 2008, , . | | 0 |
| 318 | OPTIMUM SIZE OF A SOFT-FINGER CONTACT IN ROBOTIC GRASP., 2008, , . | | 0 |
| 319 | Geometric Modeling and Simulation on Toroidal Drive. , 2007, , . | | 0 |
| 320 | From Origami to a New Class of Centralized 3-DOF Parallel Mechanisms. , 2007, , 1183. | | 26 |
| 321 | Geometric Analysis and Synthesis of the Metamorphic Robotic Hand. Journal of Mechanical Design, Transactions of the ASME, 2007, 129, 1191-1197. | 2.9 | 95 |
| 322 | Stiffness Characteristics and Kinematics Analysis of Parallel 3-DOF Mechanism with Flexible Joints. , 2007, , . | | 2 |
| 323 | Patterned Bootstrap: A New Method That Gives Efficiency for Some Precision Position Synthesis Problems. Journal of Mechanical Design, Transactions of the ASME, 2007, 129, 173-183. | 2.9 | 11 |
| 324 | Path Planning for Origami Carton Folding With a Multi-Fingered Robotic System., 2007,,. | | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 325 | Geometry and Kinematic Analysis of a Redundantly Actuated Parallel Mechanism for Rehabilitation. , 2007, , . | | 4 |
| 326 | Evolution Based Synthesis of Metamorphic Mechanisms. , 2007, , . | | 0 |
| 327 | A packaging robot for complex cartons. Industrial Robot, 2006, 33, 82-87. | 2.1 | 38 |
| 328 | Mobility of Overconstrained Parallel Mechanisms. Journal of Mechanical Design, Transactions of the ASME, 2006, 128, 220-229. | 2.9 | 346 |
| 329 | Error Analysis and Compensation for Meshing Contact of Toroidal Drives. Journal of Mechanical Design, Transactions of the ASME, 2006, 128, 610-617. | 2.9 | 14 |
| 330 | Comparative analysis of meshing characteristics with respect to different meshing rollers of the toroidal drive. Mechanism and Machine Theory, 2006, 41, 863-881. | 4.5 | 16 |
| 331 | An historical review of the theoretical development of rigid body displacements from Rodrigues parameters to the finite twist. Mechanism and Machine Theory, 2006, 41, 41-52. | 4.5 | 100 |
| 332 | Product Cost Estimation: Technique Classification and Methodology Review. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2006, 128, 563-575. | 2.2 | 335 |
| 333 | Compliance Analysis of a Three-Legged Rigidly-Connected Platform Device. Journal of Mechanical Design, Transactions of the ASME, 2006, 128, 755. | 2.9 | 81 |
| 334 | Mobility Characteristics of a Flexure-based Compliant Manipulator with Three Legs. , 2006, , . | | 6 |
| 335 | Differential Geometry Based Analysis and Synthesis of a Multifingered Robotic Hand With a Metamorphic Palm. , 2006, , . | | 2 |
| 336 | Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower. Journal of Materials Processing Technology, 2005, 170, 259-267. | 6.3 | 51 |
| 337 | Force Analysis of a Vibratory Bowl Feeder for Automatic Assembly. Journal of Mechanical Design, Transactions of the ASME, 2005, 127, 637-645. | 2.9 | 23 |
| 338 | Matrix Representation of Topological Changes in Metamorphic Mechanisms. Journal of Mechanical Design, Transactions of the ASME, 2005, 127, 837-840. | 2.9 | 143 |
| 339 | Geometric Modeling and Meshing Characteristics of the Toroidal Drive. Journal of Mechanical Design, Transactions of the ASME, 2005, 127, 988-996. | 2.9 | 26 |
| 340 | Patterned Bootstrap: A New Method Which Gives Efficiency for Precision Position Synthesis of Planar Linkages., 2005,,. | | 0 |
| 341 | Torsional Stiffnesses of the Soft Contact of a Soft-Robotic-Finger. , 2004, , 971. | | 0 |
| 342 | Screw System Analysis of Parallel Mechanisms and Applications to Constraint and Mobility Study. , 2004, , 1569. | | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|-----------|
| 343 | Stiffness Modeling of the Soft-Finger Contact in Robotic Grasping. Journal of Mechanical Design, Transactions of the ASME, 2004, 126, 646-656. | 2.9 | 51 |
| 344 | Sprained Ankle Physiotherapy Based Mechanism Synthesis and Stiffness Analysis of a Robotic Rehabilitation Device. Autonomous Robots, 2004, 16, 207-218. | 4.8 | 118 |
| 345 | Mobility analysis of a complex structured ball based on mechanism decomposition and equivalent screw system analysis. Mechanism and Machine Theory, 2004, 39, 445-458. | 4.5 | 104 |
| 346 | Garment handling and corresponding devices-technology in robotic ironing. Chinese Journal of Mechanical Engineering (English Edition), 2004, 17, 5. | 3.7 | 5 |
| 347 | Non-Invasive Laser Based Measurement of the Helicoidal Motion of a Vibratory Platform With Three Leaf-Spring Legs. , 2004, , . | | O |
| 348 | Kinematic Analysis and Stiffness Characteristics of a Hybrid 2-DOF 7-Bar Linkage. , 2004, , . | | 2 |
| 349 | Dynamics and Coupling Actuation of Elastic Underactuated Manipulators. Journal of Field Robotics, 2003, 20, 135-146. | 0.7 | 21 |
| 350 | An approach to carton-folding trajectory planning using dual robotic fingers. Robotics and Autonomous Systems, 2003, 42, 47-63. | 5.1 | 48 |
| 351 | Orientation capability of planar manipulators using virtual joint angle analysis. Mechanism and Machine Theory, 2003, 38, 241-252. | 4.5 | 30 |
| 352 | A Linear Algebraic Procedure in Obtaining Reciprocal Screw Systems. Journal of Field Robotics, 2003, 20, 401-412. | 0.7 | 50 |
| 353 | Bi-parameter curve interpolation. International Journal of Production Research, 2002, 40, 1823-1834. | 7.5 | O |
| 354 | Analysis of Integrated Grasp Stiffness Matrix With Manipulator Parameters., 2002,, 1087. | | 0 |
| 355 | Angular interpolations for planar implicit curves. International Journal of Production Research, 2002, 40, 2125-2140. | 7. 5 | 1 |
| 356 | Orientation capability representation and application to manipulator analysis and synthesis. Robotica, 2002, 20, 529-535. | 1.9 | 6 |
| 357 | Geometric Analysis of Overconstrained Parallel Manipulators with Three and Four Degrees of Freedom JSME International Journal Series C-Mechanical Systems Machine Elements and Manufacturing, 2002, 45, 730-740. | 0.3 | 58 |
| 358 | Null–space construction using cofactors from a screw–algebra context. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2002, 458, 1845-1866. | 2.1 | 89 |
| 359 | Stiffness characteristics and kinematics analysis of two-link elastic underactuated manipulators. Journal of Field Robotics, 2002, 19, 169-176. | 0.7 | 17 |
| 360 | An Approach to Sequence Analysis of Carton Manipulation. , 2002, , . | | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 361 | Interrelationship between screw systems and corresponding reciprocal systems and applications. Mechanism and Machine Theory, 2001, 36, 633-651. | 4.5 | 134 |
| 362 | Fine motion control based on constraint criteria under pre-loading configurations. Journal of Field Robotics, 2000, 17, 171-185. | 0.7 | 15 |
| 363 | Mobility in Metamorphic Mechanisms of Foldable/Erectable Kinds. , 1998, , . | | 32 |
| 364 | Mathematical Analysis of Finger Positions of a Spherical Linkage Metamorphic Robot Palm. Journal of the Institution of Engineers, Bangladesh, 1970, 36, 18-26. | 0.5 | 0 |
| 365 | The Analysis and Modeling for Nutation Drives with Double Circular-Arc Helical Bevel Gears. Materials Science Forum, 0, , 949-954. | 0.3 | 2 |
| 366 | Task Analysis and Motion Generation for Service Robots., 0,, 33-52. | | 0 |