

# Arlene H Sharpe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7054377/publications.pdf>

Version: 2024-02-01

299  
papers

72,360  
citations

1172

114  
h-index

713

259  
g-index

308  
all docs

308  
docs citations

308  
times ranked

64347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Liver stromal cells restrict macrophage maturation and stromal IL-6 limits the differentiation of cirrhosis-linked macrophages. <i>Journal of Hepatology</i> , 2022, 76, 1127-1137.	1.8	12
2	TCR-sequencing in cancer and autoimmunity: barcodes and beyond. <i>Trends in Immunology</i> , 2022, 43, 180-194.	2.9	20
3	PD-L1 promotes myofibroblastic activation of hepatic stellate cells by distinct mechanisms selective for TGF- $\beta$ 2 receptor I versus II. <i>Cell Reports</i> , 2022, 38, 110349.	2.9	15
4	Repertoire analyses reveal T cell antigen receptor sequence features that influence T cell fate. <i>Nature Immunology</i> , 2022, 23, 446-457.	7.0	37
5	The Programmed Death-1 Pathway Counter-Regulates Inflammation-Induced Osteoclast Activity in Clinical and Experimental Settings. <i>Frontiers in Immunology</i> , 2022, 13, 773946.	2.2	9
6	CRISPR Screens to Identify Regulators of Tumor Immunity. <i>Annual Review of Cancer Biology</i> , 2022, 6, 103-122.	2.3	5
7	When killers become thieves: Trogocytosed PD-1 inhibits NK cells in cancer. <i>Science Advances</i> , 2022, 8, eabj3286.	4.7	35
8	PD-L1-PD-1 interactions limit effector regulatory T cell populations at homeostasis and during infection. <i>Nature Immunology</i> , 2022, 23, 743-756.	7.0	47
9	Microenvironmental Landscape of Human Melanoma Brain Metastases in Response to Immune Checkpoint Inhibition. <i>Cancer Immunology Research</i> , 2022, 10, 996-1012.	1.6	18
10	Tumor cells dictate anti-tumor immune responses by altering pyruvate utilization and succinate signaling in CD8+ T cells. <i>Cell Metabolism</i> , 2022, 34, 1137-1150.e6.	7.2	78
11	Concurrent Dexamethasone Limits the Clinical Benefit of Immune Checkpoint Blockade in Glioblastoma. <i>Clinical Cancer Research</i> , 2021, 27, 276-287.	3.2	100
12	Pharmacologic Screening Identifies Metabolic Vulnerabilities of CD8+ T Cells. <i>Cancer Immunology Research</i> , 2021, 9, 184-199.	1.6	74
13	Expression of T-Cell Exhaustion Molecules and Human Endogenous Retroviruses as Predictive Biomarkers for Response to Nivolumab in Metastatic Clear Cell Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2021, 27, 1371-1380.	3.2	49
14	Inhibitory signaling sustains a distinct early memory CD8 <sup>+</sup> T cell precursor that is resistant to DNA damage. <i>Science Immunology</i> , 2021, 6, .	5.6	52
15	Abstract IA16: Discovery of new immunotherapy targets and mechanisms leveraging CRISPR. , 2021, , .		0
16	Epitope spreading toward wild-type melanocyte-lineage antigens rescues suboptimal immune checkpoint blockade responses. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	54
17	Single-cell analyses identify circulating anti-tumor CD8 T cells and markers for their enrichment. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	74
18	Immune checkpoint inhibitor-associated myocarditis: manifestations and mechanisms. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	84

#	ARTICLE	IF	CITATIONS
19	Editorial overview: Cancer Immunotherapy: Are we there yet?. <i>Current Opinion in Immunology</i> , 2021, 69, iii-v.	2.4	1
20	The aging lung: Physiology, disease, and immunity. <i>Cell</i> , 2021, 184, 1990-2019.	13.5	175
21	Emerging concepts in PD-1 checkpoint biology. <i>Seminars in Immunology</i> , 2021, 52, 101480.	2.7	84
22	Progressive immune dysfunction with advancing disease stage in renal cell carcinoma. <i>Cancer Cell</i> , 2021, 39, 632-648.e8.	7.7	230
23	Not-so-opposite ends of the spectrum: CD8+ T cell dysfunction across chronic infection, cancer and autoimmunity. <i>Nature Immunology</i> , 2021, 22, 809-819.	7.0	113
24	Control of gasdermin D oligomerization and pyroptosis by the Ragulator-Rag-mTORC1 pathway. <i>Cell</i> , 2021, 184, 4495-4511.e19.	13.5	201
25	PD-1 Blockade on Tumor Microenvironment-Resident ILC2s Promotes TNF- $\beta$ Production and Restricts Progression of Metastatic Melanoma. <i>Frontiers in Immunology</i> , 2021, 12, 733136.	2.2	16
26	A Cre-driven allele-conditioning line to interrogate CD4+ conventional T $\beta$ cells. <i>Immunity</i> , 2021, 54, 2209-2217.e6.	6.6	8
27	Development of preclinical and clinical models for immune-related adverse events following checkpoint immunotherapy: a perspective from SITC and AACR. , 2021, 9, e002627.		15
28	Spatially organized multicellular immune hubs in human colorectal cancer. <i>Cell</i> , 2021, 184, 4734-4752.e20.	13.5	256
29	PD-1 restraint of regulatory T cell suppressive activity is critical for immune tolerance. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	151
30	Understanding adverse events of immunotherapy: A mechanistic perspective. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	22
31	Monitoring PD-1 Phosphorylation to Evaluate PD-1 Signaling during Antitumor Immune Responses. <i>Cancer Immunology Research</i> , 2021, 9, 1465-1475.	1.6	8
32	The double-edged sword: Harnessing PD-1 blockade in tumor and autoimmunity. <i>Science Immunology</i> , 2021, 6, eabf4034.	5.6	22
33	Overexpression of PD-1 on T cells promotes tolerance in cardiac transplantation via ICOS-dependent mechanisms. <i>JCI Insight</i> , 2021, 6, .	2.3	11
34	Prevention of CAR-T-cell dysfunction. <i>Nature Biomedical Engineering</i> , 2020, 4, 16-17.	11.6	2
35	Programmed death ligand 2 “A link between inflammation and bone loss in rheumatoid arthritis. <i>Journal of Translational Autoimmunity</i> , 2020, 3, 100028.	2.0	10
36	The PD-1 Pathway Regulates Development and Function of Memory CD8+ T Cells following Respiratory Viral Infection. <i>Cell Reports</i> , 2020, 31, 107827.	2.9	72

#	ARTICLE	IF	CITATIONS
37	PD-1 pathway regulates ILC2 metabolism and PD-1 agonist treatment ameliorates airway hyperreactivity. <i>Nature Communications</i> , 2020, 11, 3998.	5.8	101
38	The multifaceted functions of follicular regulatory T cells. <i>Current Opinion in Immunology</i> , 2020, 67, 68-74.	2.4	42
39	JEM women in STEM: Unique journeys with a common purpose. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	1
40	A bilateral tumor model identifies transcriptional programs associated with patient response to immune checkpoint blockade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 23684-23694.	3.3	32
41	Obesity Shapes Metabolism in the Tumor Microenvironment to Suppress Anti-Tumor Immunity. <i>Cell</i> , 2020, 183, 1848-1866.e26.	13.5	347
42	T Follicular Regulatory Cellâ€œDerived Fibrinogen-like Protein 2 Regulates Production of Autoantibodies and Induction of Systemic Autoimmunity. <i>Journal of Immunology</i> , 2020, 205, 3247-3262.	0.4	13
43	Interplay of somatic alterations and immune infiltration modulates response to PD-1 blockade in advanced clear cell renal cell carcinoma. <i>Nature Medicine</i> , 2020, 26, 909-918.	15.2	488
44	IMMU-09. CONCURRENT DEXAMETHASONE LIMITS THE CLINICAL BENEFIT OF IMMUNE CHECKPOINT BLOCKADE IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2020, 22, ii106-ii106.	0.6	1
45	Immunogenomic characterization of advanced clear cell renal cell carcinoma treated with PD-1 blockade.. <i>Journal of Clinical Oncology</i> , 2020, 38, 5010-5010.	0.8	2
46	Evaluation of predictive biomarkers for nivolumab in patients (pts) with metastatic clear cell renal cell carcinoma (mccRCC) from the CheckMate-025 (CM-025) trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 5023-5023.	0.8	6
47	The effects of age and systemic metabolism on anti-tumor T cell responses. <i>ELife</i> , 2020, 9, .	2.8	34
48	Immuno-PET identifies the myeloid compartment as a key contributor to the outcome of the antitumor response under PD-1 blockade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16971-16980.	3.3	92
49	Follicular regulatory T cells control humoral and allergic immunity by restraining early B cell responses. <i>Nature Immunology</i> , 2019, 20, 1360-1371.	7.0	176
50	T Cell Activation Depends on Extracellular Alanine. <i>Cell Reports</i> , 2019, 28, 3011-3021.e4.	2.9	117
51	Defining â€œT cell exhaustionâ€™. <i>Nature Reviews Immunology</i> , 2019, 19, 665-674.	10.6	879
52	irRECIST for the Evaluation of Candidate Biomarkers of Response to Nivolumab in Metastatic Clear Cell Renal Cell Carcinoma: Analysis of a Phase II Prospective Clinical Trial. <i>Clinical Cancer Research</i> , 2019, 25, 2174-2184.	3.2	80
53	FoxP3 and Ezh2 regulate Tfr cell suppressive function and transcriptional program. <i>Journal of Experimental Medicine</i> , 2019, 216, 605-620.	4.2	56
54	Adverse Events Following Cancer Immunotherapy: Obstacles and Opportunities. <i>Trends in Immunology</i> , 2019, 40, 511-523.	2.9	180

#	ARTICLE	IF	CITATIONS
55	A CRISPR-Cas9 delivery system for in vivo screening of genes in the immune system. <i>Nature Communications</i> , 2019, 10, 1668.	5.8	78
56	Subsets of exhausted CD8+ T cells differentially mediate tumor control and respond to checkpoint blockade. <i>Nature Immunology</i> , 2019, 20, 326-336.	7.0	1,148
57	Targeting PI3K $\hat{}$ function for amelioration of murine chronic graft-versus-host disease. <i>American Journal of Transplantation</i> , 2019, 19, 1820-1830.	2.6	9
58	Costimulation of type-2 innate lymphoid cells by GITR promotes effector function and ameliorates type 2 diabetes. <i>Nature Communications</i> , 2019, 10, 713.	5.8	58
59	PTPN2 regulates the generation of exhausted CD8+ T cell subpopulations and restrains tumor immunity. <i>Nature Immunology</i> , 2019, 20, 1335-1347.	7.0	142
60	Fibroblastic reticular cells enhance T cell metabolism and survival via epigenetic remodeling. <i>Nature Immunology</i> , 2019, 20, 1668-1680.	7.0	53
61	Small-molecule BCL6 inhibitor effectively treats mice with nonsclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2019, 133, 94-99.	0.6	21
62	Role of PD-1 during effector CD8 T cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4749-4754.	3.3	327
63	A phase II study of combined therapy with a BRAF inhibitor (vemurafenib) and interleukin-2 (aldesleukin) in patients with metastatic melanoma. <i>Oncolmmunology</i> , 2018, 7, e1423172.	2.1	25
64	Inhibitors of the PD-1 Pathway in Tumor Therapy. <i>Journal of Immunology</i> , 2018, 200, 375-383.	0.4	112
65	Role of Selenof as a Gatekeeper of Secreted Disulfide-Rich Glycoproteins. <i>Cell Reports</i> , 2018, 23, 1387-1398.	2.9	49
66	Dendritic Cell PD-L1 Limits Autoimmunity and Follicular T Cell Differentiation and Function. <i>Journal of Immunology</i> , 2018, 200, 2592-2602.	0.4	96
67	The diverse functions of the PD1 inhibitory pathway. <i>Nature Reviews Immunology</i> , 2018, 18, 153-167.	10.6	1,210
68	PD-L1 Prevents the Development of Autoimmune Heart Disease in Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2018, 200, 834-846.	0.4	23
69	TSC2-deficient tumors have evidence of T cell exhaustion and respond to anti“PD-1/anti“CTLA-4 immunotherapy. <i>JCI Insight</i> , 2018, 3, .	2.3	49
70	Podoplanin+ tumor lymphatics are rate limiting for breast cancer metastasis. <i>PLoS Biology</i> , 2018, 16, e2005907.	2.6	17
71	Defective respiration and one-carbon metabolism contribute to impaired na $\hat{}$ ve T cell activation in aged mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13347-13352.	3.3	93
72	LSD1 Ablation Stimulates Anti-tumor Immunity and Enables Checkpoint Blockade. <i>Cell</i> , 2018, 174, 549-563.e19.	13.5	473

#	ARTICLE	IF	CITATIONS
73	Evaluation of predictive biomarkers for nivolumab in metastatic clear cell renal cell carcinoma (mccRCC) using RECIST and immune-related (IR) RECIST.. Journal of Clinical Oncology, 2018, 36, 619-619.	0.8	2
74	CD160 Stimulates CD8+ T Cell Responses and Is Required for Optimal Protective Immunity to <i>Listeria monocytogenes</i> . ImmunoHorizons, 2018, 2, 238-250.	0.8	28
75	Rescue of exhausted CD8 T cells by PD-1-targeted therapies is CD28-dependent. Science, 2017, 355, 1423-1427.	6.0	753
76	Introduction to checkpoint inhibitors and cancer immunotherapy. Immunological Reviews, 2017, 276, 5-8.	2.8	151
77	Anti-Programmed Death 1 (PD1)., 2017, , 57-66.		1
78	The microRNA miR-31 inhibits CD8+ T cell function in chronic viral infection. Nature Immunology, 2017, 18, 791-799.	7.0	64
79	PD-L1 on tumor cells is sufficient for immune evasion in immunogenic tumors and inhibits CD8 T cell cytotoxicity. Journal of Experimental Medicine, 2017, 214, 895-904.	4.2	614
80	B Cells Drive Autoimmunity in Mice with CD28-Deficient Regulatory T Cells. Journal of Immunology, 2017, 199, 3972-3980.	0.4	21
81	Targeted reconstruction of T cell receptor sequence from single cell RNA-seq links CDR3 length to T cell differentiation state. Nucleic Acids Research, 2017, 45, e148-e148.	6.5	77
82	In vivo CRISPR screening identifies Ptpn2 as a cancer immunotherapy target. Nature, 2017, 547, 413-418.	18.7	792
83	Type 2 innate lymphoid cell suppression by regulatory T cells attenuates airway hyperreactivity and requires inducible T-cell costimulator-inducible T-cell costimulator ligand interaction. Journal of Allergy and Clinical Immunology, 2017, 139, 1468-1477.e2.	1.5	153
84	Biology of PD-1 Checkpoint Blockade. Blood, 2017, 130, SCI-35-SCI-35.	0.6	1
85	Mitochondrial Biogenesis and Proteome Remodeling Promote One-Carbon Metabolism for T Cell Activation. Cell Metabolism, 2016, 24, 104-117.	7.2	282
86	Coinhibitory Pathways in the B7-CD28 Ligand-Receptor Family. Immunity, 2016, 44, 955-972.	6.6	462
87	Suppression by TFR cells leads to durable and selective inhibition of B cell effector function. Nature Immunology, 2016, 17, 1436-1446.	7.0	189
88	Defining CD8+ T cells that provide the proliferative burst after PD-1 therapy. Nature, 2016, 537, 417-421.	18.7	1,371
89	Programmed Death-1 Ligand 2-Mediated Regulation of the PD-L1 to PD-1 Axis Is Essential for Establishing CD4 + T Cell Immunity. Immunity, 2016, 45, 333-345.	6.6	92
90	Anti-CD48 Monoclonal Antibody Attenuates Experimental Autoimmune Encephalomyelitis by Limiting the Number of Pathogenic CD4+ T Cells. Journal of Immunology, 2016, 197, 3038-3048.	0.4	13

#	ARTICLE	IF	CITATIONS
91	Binding of the cytoplasmic domain of CD28 to the plasma membrane inhibits Lck recruitment and signaling. <i>Science Signaling</i> , 2016, 9, ra75.	1.6	41
92	Analysis of Immune Signatures in Longitudinal Tumor Samples Yields Insight into Biomarkers of Response and Mechanisms of Resistance to Immune Checkpoint Blockade. <i>Cancer Discovery</i> , 2016, 6, 827-837.	7.7	785
93	Enhancing the Efficacy of Checkpoint Blockade Through Combination Therapies. , 2016, , 1-39.		0
94	T follicular regulatory cells. <i>Immunological Reviews</i> , 2016, 271, 246-259.	2.8	261
95	Roles of CD48 in regulating immunity and tolerance. <i>Clinical Immunology</i> , 2016, 164, 10-20.	1.4	160
96	Distinct clinical patterns and immune infiltrates are observed at time of progression on targeted therapy versus immune checkpoint blockade for melanoma. <i>Oncimmunology</i> , 2016, 5, e1136044.	2.1	55
97	Coinhibitory Pathways in Immunotherapy for Cancer. <i>Annual Review of Immunology</i> , 2016, 34, 539-573.	9.5	718
98	Glioblastoma Eradication Following Immune Checkpoint Blockade in an Orthotopic, Immunocompetent Model. <i>Cancer Immunology Research</i> , 2016, 4, 124-135.	1.6	339
99	Programmed death ligand-1 expression on donor T cells drives graft-versus-host disease lethality. <i>Journal of Clinical Investigation</i> , 2016, 126, 2642-2660.	3.9	81
100	ABCB5 Identifies Immunoregulatory Dermal Cells. <i>Cell Reports</i> , 2015, 12, 1564-1574.	2.9	51
101	Negative Regulation of Humoral Immunity Due to Interplay between the SLAMF1, SLAMF5, and SLAMF6 Receptors. <i>Frontiers in Immunology</i> , 2015, 6, 158.	2.2	32
102	The kinase DYRK1A reciprocally regulates the differentiation of Th17 and regulatory T cells. <i>ELife</i> , 2015, 4, .	2.8	48
103	Genetic absence of PD-1 promotes accumulation of terminally differentiated exhausted CD8+ T cells. <i>Journal of Experimental Medicine</i> , 2015, 212, 1125-1137.	4.2	368
104	Mitochondrial Metabolism in T Cell Activation and Senescence: A Mini-Review. <i>Gerontology</i> , 2015, 61, 131-138.	1.4	50
105	PD-L1 Antibodies to Its Cytoplasmic Domain Most Clearly Delineate Cell Membranes in Immunohistochemical Staining of Tumor Cells. <i>Cancer Immunology Research</i> , 2015, 3, 1308-1315.	1.6	114
106	The PTEN pathway in T <sub>regs</sub> is a critical driver of the suppressive tumor microenvironment. <i>Science Advances</i> , 2015, 1, e1500845.	4.7	167
107	Transgenic Expression of CXCR3 on T Cells Enhances Susceptibility to Cutaneous <i>Leishmania major</i> Infection by Inhibiting Monocyte Maturation and Promoting a Th2 Response. <i>Infection and Immunity</i> , 2015, 83, 67-76.	1.0	9
108	Inducible RNAi in vivo reveals that the transcription factor BATF is required to initiate but not maintain CD8 <sup>+</sup> T-cell effector differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 512-517.	3.3	29

#	ARTICLE	IF	CITATIONS
109	Control of PI(3) kinase in Treg cells maintains homeostasis and lineage stability. <i>Nature Immunology</i> , 2015, 16, 188-196.	7.0	347
110	Defective TFH Cell Function and Increased TFR Cells Contribute to Defective Antibody Production in Aging. <i>Cell Reports</i> , 2015, 12, 163-171.	2.9	112
111	T follicular regulatory cells in the regulation of B cell responses. <i>Trends in Immunology</i> , 2015, 36, 410-418.	2.9	261
112	ICOS:ICOS-Ligand Interaction Is Required for Type 2 Innate Lymphoid Cell Function, Homeostasis, and Induction of Airway Hyperreactivity. <i>Immunity</i> , 2015, 42, 538-551.	6.6	254
113	Melanoma Cell-Intrinsic PD-1 Receptor Functions Promote Tumor Growth. <i>Cell</i> , 2015, 162, 1242-1256.	13.5	507
114	Deletion of CTLA-4 on regulatory T cells during adulthood leads to resistance to autoimmunity. <i>Journal of Experimental Medicine</i> , 2015, 212, 1603-1621.	4.2	183
115	Ox40 pathway plays distinct roles in regulating Th2 responses but does not determine outcome of cutaneous leishmaniasis caused by <i>Leishmania mexicana</i> and <i>Leishmania major</i> . <i>Experimental Parasitology</i> , 2015, 148, 49-55.	0.5	7
116	Hepatic immune regulation by stromal cells. <i>Current Opinion in Immunology</i> , 2015, 32, 1-6.	2.4	22
117	In Vitro Assay to Sensitively Measure Tfr Suppressive Capacity and Tfh Stimulation of B Cell Responses. <i>Methods in Molecular Biology</i> , 2015, 1291, 151-160.	0.4	36
118	A phase II study of combined therapy with vemurafenib (vem) and high-dose interleukin-2 (aldesleukin); Tj ETQq0 0,0 rgBT /Oyerlock 10	0.8	2
119	<i>Helicobacter pylori</i> cag Pathogenicity Island's Role in B7-H1 Induction and Immune Evasion. <i>PLoS ONE</i> , 2015, 10, e0121841.	1.1	32
120	CD39 Expression Identifies Terminally Exhausted CD8+ T Cells. <i>PLoS Pathogens</i> , 2015, 11, e1005177.	2.1	296
121	Role of PD-1/PD-L1 in Acute and Chronic Graft Versus Host Disease. <i>Blood</i> , 2015, 126, SCI-8-SCI-8.	0.6	0
122	Loss of Programmed Death Ligand-1 Expression on Donor T Cells Lessens Acute Graft-Versus-Host Disease Lethality. <i>Blood</i> , 2015, 126, 147-147.	0.6	0
123	Inclusion of CD80 in HSV Targets the Recombinant Virus to PD-L1 on DCs and Allows Productive Infection and Robust Immune Responses. <i>PLoS ONE</i> , 2014, 9, e87617.	1.1	23
124	The Coinhibitory Receptor CTLA-4 Controls B Cell Responses by Modulating T Follicular Helper, T Follicular Regulatory, and T Regulatory Cells. <i>Immunity</i> , 2014, 41, 1026-1039.	6.6	355
125	Checkpoint blockade cancer immunotherapy targets tumour-specific mutant antigens. <i>Nature</i> , 2014, 515, 577-581.	13.7	1,705
126	Response to BRAF Inhibition in Melanoma Is Enhanced When Combined with Immune Checkpoint Blockade. <i>Cancer Immunology Research</i> , 2014, 2, 643-654.	1.6	226



#	ARTICLE	IF	CITATIONS
127	Treg Cells Expressing the Coinhibitory Molecule TIGIT Selectively Inhibit Proinflammatory Th1 and Th17 Cell Responses. <i>Immunity</i> , 2014, 40, 569-581.	6.6	702
128	GEF-H1 controls microtubule-dependent sensing of nucleic acids for antiviral host defenses. <i>Nature Immunology</i> , 2014, 15, 63-71.	7.0	36
129	Balance and Imbalance in the Immune System: Life on the Edge. <i>Immunity</i> , 2014, 41, 682-684.	6.6	33
130	Coinfection with <i>Streptococcus pneumoniae</i> Modulates the B Cell Response to Influenza Virus. <i>Journal of Virology</i> , 2014, 88, 11995-12005.	1.5	27
131	Interplay between regulatory T cells and PD-1 in modulating T cell exhaustion and viral control during chronic LCMV infection. <i>Journal of Experimental Medicine</i> , 2014, 211, 1905-1918.	4.2	182
132	RGMB is a novel binding partner for PD-L2 and its engagement with PD-L2 promotes respiratory tolerance. <i>Journal of Experimental Medicine</i> , 2014, 211, 943-959.	4.2	249
133	Circulating T follicular regulatory and helper cells have memory-like properties. <i>Journal of Clinical Investigation</i> , 2014, 124, 5191-5204.	3.9	215
134	DEC-205-mediated antigen targeting to steady-state dendritic cells induces deletion of diabetogenic CD8+ T cells independently of PD-1 and PD-L1. <i>International Immunology</i> , 2013, 25, 651-660.	1.8	21
135	The receptor PD-1 controls follicular regulatory T cells in the lymph nodes and blood. <i>Nature Immunology</i> , 2013, 14, 152-161.	7.0	428
136	PD-1 Dependent Exhaustion of CD8+ T Cells Drives Chronic Malaria. <i>Cell Reports</i> , 2013, 5, 1204-1213.	2.9	147
137	B7h (ICOS-L) Maintains Tolerance at the Fetomaternal Interface. <i>American Journal of Pathology</i> , 2013, 182, 2204-2213.	1.9	30
138	Lack of PD-L1 Expression by iNKT Cells Improves the Course of Influenza A Infection. <i>PLoS ONE</i> , 2013, 8, e59599.	1.1	21
139	Brief Report: Increased expression of a short splice variant of CTLA-4 exacerbates lupus in MRL- <i>lpr</i> mice. <i>Arthritis and Rheumatism</i> , 2013, 65, 764-769.	6.7	7
140	BRAF inhibition is associated with increased clonality in tumor-infiltrating lymphocytes. <i>Onc Immunology</i> , 2013, 2, e26615.	2.1	97
141	Host programmed death ligand 1 is dominant over programmed death ligand 2 expression in regulating graft-versus-host disease lethality. <i>Blood</i> , 2013, 122, 3062-3073.	0.6	156
142	Anti-Programmed Death 1 (PD1)., 2013,, 1-10.		0
143	PD-L1 and PD-L2 Protect The Heart In a T-Cell Receptor Transgenic Model Of Graft-Versus Host Disease. <i>Blood</i> , 2013, 122, 4479-4479.	0.6	0
144	CD80 Expression on B Cells Regulates Murine T Follicular Helper Development, Germinal Center B Cell Survival, and Plasma Cell Generation. <i>Journal of Immunology</i> , 2012, 188, 4217-4225.	0.4	98

#	ARTICLE	IF	CITATIONS
145	Neuronal Programmed Cell Death-1 Ligand Expression Regulates Retinal Ganglion Cell Number in Neonatal and Adult Mice. <i>Journal of Neuro-Ophthalmology</i> , 2012, 32, 227-237.	0.4	12
146	Overexpression of the CTLA-4 Isoform Lacking Exons 2 and 3 Causes Autoimmunity. <i>Journal of Immunology</i> , 2012, 188, 155-162.	0.4	25
147	PD-1 Protects against Inflammation and Myocyte Damage in T Cell-Mediated Myocarditis. <i>Journal of Immunology</i> , 2012, 188, 4876-4884.	0.4	218
148	Crucial Role of Granulocytic Myeloid-Derived Suppressor Cells in the Regulation of Central Nervous System Autoimmune Disease. <i>Journal of Immunology</i> , 2012, 188, 1136-1146.	0.4	216
149	CD28 Costimulation Regulates Genome-Wide Effects on Alternative Splicing. <i>PLoS ONE</i> , 2012, 7, e40032.	1.1	51
150	The SLAM family member CD48 (Slamf2) protects lupus-prone mice from autoimmune nephritis. <i>Journal of Autoimmunity</i> , 2011, 37, 48-57.	3.0	22
151	Anti-CD3 mAb treatment cures PDL1 <sup>-/-</sup> .NOD mice of diabetes but precipitates fatal myocarditis. <i>Clinical Immunology</i> , 2011, 140, 47-53.	1.4	2
152	Antigen-specific CD4 T-cell help rescues exhausted CD8 T cells during chronic viral infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 21182-21187.	3.3	155
153	Physiologic Control of IDO Competence in Splenic Dendritic Cells. <i>Journal of Immunology</i> , 2011, 187, 2329-2335.	0.4	66
154	The Programmed Death-1 Ligand 1:B7-1 Pathway Restrains Diabetogenic Effector T Cells In Vivo. <i>Journal of Immunology</i> , 2011, 187, 1097-1105.	0.4	159
155	Auto-antibody production and glomerulonephritis in congenic Slamf1 <sup>-/-</sup> and Slamf2 <sup>-/-</sup> [B6.129] but not in Slamf1 <sup>-/-</sup> and Slamf2 <sup>-/-</sup> [BALB/c.129] mice. <i>International Immunology</i> , 2011, 23, 149-158.	1.8	20
156	The Novel Costimulatory Programmed Death Ligand 1/B7.1 Pathway Is Functional in Inhibiting Alloimmune Responses In Vivo. <i>Journal of Immunology</i> , 2011, 187, 1113-1119.	0.4	115
157	Cutting Edge: TIGIT Has T Cell-Intrinsic Inhibitory Functions. <i>Journal of Immunology</i> , 2011, 186, 1338-1342.	0.4	452
158	Impairment of the Programmed Cell Death-1 Pathway Increases Atherosclerotic Lesion Development and Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1100-1107.	1.1	189
159	The Role of LAT in Increased CD8 <sup>+</sup> T Cell Exhaustion in Trigeminal Ganglia of Mice Latently Infected with Herpes Simplex Virus 1. <i>Journal of Virology</i> , 2011, 85, 4184-4197.	1.5	103
160	Role of PD-1 in regulating acute infections. <i>Current Opinion in Immunology</i> , 2010, 22, 397-401.	2.4	125
161	The PD-1 pathway in tolerance and autoimmunity. <i>Immunological Reviews</i> , 2010, 236, 219-242.	2.8	1,902
162	PD-1 regulates germinal center B cell survival and the formation and affinity of long-lived plasma cells. <i>Nature Immunology</i> , 2010, 11, 535-542.	7.0	583

#	ARTICLE	IF	CITATIONS
163	Taming tissue-specific T cells: CTLA-4 reins in self-reactive T cells. <i>Nature Immunology</i> , 2010, 11, 109-111.	7.0	27
164	Regulation of T-Cell Chemotaxis by Programmed Death-Ligand 1 (PD-L1) in Dry Eye-Associated Corneal Inflammation. , 2010, 51, 3418.		57
165	PD-L1 has distinct functions in hematopoietic and nonhematopoietic cells in regulating T cell responses during chronic infection in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 2508-2515.	3.9	129
166	Enhanced selection of FoxP3 <sup>+</sup> T-regulatory cells protects CTLA-4-deficient mice from CNS autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3306-3311.	3.3	48
167	Genetic Evidence That the Differential Expression of the Ligand-Independent Isoform of CTLA-4 Is the Molecular Basis of the Idd5.1 Type 1 Diabetes Region in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2009, 183, 5146-5157.	0.4	65
168	Cutting Edge: IL-27 Induces the Transcription Factor c-Maf, Cytokine IL-21, and the Costimulatory Receptor ICOS that Coordinately Act Together to Promote Differentiation of IL-10-Producing Tr1 Cells. <i>Journal of Immunology</i> , 2009, 183, 797-801.	0.4	443
169	Constitutive Neuronal Expression of the Immune Regulator, Programmed Death 1 (PD-1), Identified During Experimental Autoimmune Uveitis. <i>Ocular Immunology and Inflammation</i> , 2009, 17, 47-55.	1.0	39
170	Intestinal Tolerance Is Converted to Autoimmune Enteritis upon PD-1 Ligand Blockade. <i>Journal of Immunology</i> , 2009, 182, 2102-2112.	0.4	105
171	CTLA-4 Controls Regulatory T Cell Peripheral Homeostasis and Is Required for Suppression of Pancreatic Islet Autoimmunity. <i>Journal of Immunology</i> , 2009, 182, 274-282.	0.4	144
172	Role of the Immune Modulator Programmed Cell Death-1 during Development and Apoptosis of Mouse Retinal Ganglion Cells. , 2009, 50, 4941.		19
173	T.2.5. PD-L1 Regulates the Development, Maintenance and Function of Induced-regulatory T Cells. <i>Clinical Immunology</i> , 2009, 131, S45.	1.4	0
174	B7-1/2, but not PD-1/2 molecules, are required on IL-10-treated tolerogenic DC and DC-derived exosomes for <i>in vivo</i> function. <i>European Journal of Immunology</i> , 2009, 39, 3084-3090.	1.6	49
175	The costimulatory molecule ICOS regulates the expression of c-Maf and IL-21 in the development of follicular T helper cells and TH-17 cells. <i>Nature Immunology</i> , 2009, 10, 167-175.	7.0	645
176	Mechanisms of costimulation. <i>Immunological Reviews</i> , 2009, 229, 5-11.	2.8	293
177	PD-L1 regulates the development, maintenance, and function of induced regulatory T cells. <i>Journal of Experimental Medicine</i> , 2009, 206, 3015-3029.	4.2	1,711
178	PD-1 and Its Ligands in Tolerance and Immunity. <i>Annual Review of Immunology</i> , 2008, 26, 677-704.	9.5	4,462
179	Intrafollicular location of marginal zone/CD1dhi B cells is associated with autoimmune pathology in a mouse model of lupus. <i>Laboratory Investigation</i> , 2008, 88, 1008-1020.	1.7	24
180	Programmed Death Ligand 1 Regulates a Critical Checkpoint for Autoimmune Myocarditis and Pneumonitis in MRL Mice. <i>Journal of Immunology</i> , 2008, 181, 2513-2521.	0.4	157

#	ARTICLE	IF	CITATIONS
181	ICOS/ICOSL Interaction Is Required for CD4+ Invariant NKT Cell Function and Homeostatic Survival. <i>Journal of Immunology</i> , 2008, 180, 5448-5456.	0.4	79
182	T-Cell Costimulation and Coinhibition in Atherosclerosis. <i>Circulation Research</i> , 2008, 103, 1220-1231.	2.0	123
183	Viral targeting of fibroblastic reticular cells contributes to immunosuppression and persistence during chronic infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15430-15435.	3.3	206
184	Programmed Death 1 Ligand (PD-L) 1 and PD-L2 Limit Autoimmune Kidney Disease: Distinct Roles. <i>Journal of Immunology</i> , 2007, 179, 7466-7477.	0.4	73
185	The Function of Donor versus Recipient Programmed Death-Ligand 1 in Corneal Allograft Survival. <i>Journal of Immunology</i> , 2007, 179, 3672-3679.	0.4	101
186	Endothelial Programmed Death-1 Ligand 1 (PD-L1) Regulates CD8 <sup>+</sup> T-Cell-Mediated Injury in the Heart. <i>Circulation</i> , 2007, 116, 2062-2071.	1.6	221
187	Paradoxical Effect of Reduced Costimulation in T Cell-Mediated Colitis. <i>Journal of Immunology</i> , 2007, 178, 5563-5570.	0.4	10
188	PD-1 Regulates Self-Reactive CD8+ T Cell Responses to Antigen in Lymph Nodes and Tissues. <i>Journal of Immunology</i> , 2007, 179, 5064-5070.	0.4	212
189	CTLA-4 Ablation and Interleukin-12-Driven Differentiation Synergistically Augment Cardiac Pathogenicity of Cytotoxic T Lymphocytes. <i>Circulation Research</i> , 2007, 101, 248-257.	2.0	71
190	Induction of autoimmune disease in CTLA-4 <sup>-/-</sup> mice depends on a specific CD28 motif that is required for <i>in vivo</i> costimulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13756-13761.	3.3	85
191	Programmed Death-1 Ligand 1 Interacts Specifically with the B7-1 Costimulatory Molecule to Inhibit T Cell Responses. <i>Immunity</i> , 2007, 27, 111-122.	6.6	1,464
192	TIM-1 and TIM-4 Glycoproteins Bind Phosphatidylserine and Mediate Uptake of Apoptotic Cells. <i>Immunity</i> , 2007, 27, 927-940.	6.6	536
193	Proatherogenic immune responses are regulated by the PD-1/PD-L pathway in mice. <i>Journal of Clinical Investigation</i> , 2007, 117, 2974-2982.	3.9	174
194	PD-1 and its ligands in T-cell immunity. <i>Current Opinion in Immunology</i> , 2007, 19, 309-314.	2.4	388
195	The function of programmed cell death 1 and its ligands in regulating autoimmunity and infection. <i>Nature Immunology</i> , 2007, 8, 239-245.	7.0	1,286
196	Tissue expression of PD-L1 mediates peripheral T cell tolerance. <i>Journal of Experimental Medicine</i> , 2006, 203, 883-895.	4.2	1,042
197	CD48 Controls T-Cell and Antigen-Presenting Cell Functions in Experimental Colitis. <i>Gastroenterology</i> , 2006, 130, 424-434.	0.6	28
198	Restoring function in exhausted CD8 T cells during chronic viral infection. <i>Nature</i> , 2006, 439, 682-687.	13.7	3,471

#	ARTICLE	IF	CITATIONS
199	Synergistic Costimulation by Both B7 Molecules Regulates Colitis Pathogenesis. <i>Annals of the New York Academy of Sciences</i> , 2006, 1072, 233-241.	1.8	5
200	PD-L1 and PD-L2 have distinct roles in regulating host immunity to cutaneous leishmaniasis. <i>European Journal of Immunology</i> , 2006, 36, 58-64.	1.6	78
201	T-Cell Costimulation – Biology, Therapeutic Potential, and Challenges. <i>New England Journal of Medicine</i> , 2006, 355, 973-975.	13.9	190
202	Reinvigorating exhausted HIV-specific T cells via PD-1/PD-1 ligand blockade. <i>Journal of Experimental Medicine</i> , 2006, 203, 2223-2227.	4.2	374
203	Impaired Regulatory T-Cell Response and Enhanced Atherosclerosis in the Absence of Inducible Costimulatory Molecule. <i>Circulation</i> , 2006, 114, 2047-2055.	1.6	201
204	Inducible Co-Stimulator Null MRL-FaslprMice: Uncoupling of Autoantibodies and T Cell Responses in Lupus. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 122-130.	3.0	24
205	Blockade of CTLA-4 on CD4+CD25+ Regulatory T Cells Abrogates Their Function In Vivo. <i>Journal of Immunology</i> , 2006, 177, 4376-4383.	0.4	368
206	Targeting of inducible costimulator (ICOS) expressed on alloreactive T cells down-regulates graft-versus-host disease (GVHD) and facilitates engraftment of allogeneic bone marrow (BM). <i>Blood</i> , 2005, 105, 3372-3380.	0.6	113
207	THE B7 FAMILY REVISITED. <i>Annual Review of Immunology</i> , 2005, 23, 515-548.	9.5	2,104
208	Dendritic cells give and take away. <i>Nature Immunology</i> , 2005, 6, 227-228.	7.0	24
209	The B7/CD28 costimulatory family in autoimmunity. <i>Immunological Reviews</i> , 2005, 204, 128-143.	2.8	129
210	Rap1-GTP Is a Negative Regulator of Th Cell Function and Promotes the Generation of CD4+CD103+ Regulatory T Cells In Vivo. <i>Journal of Immunology</i> , 2005, 175, 3133-3139.	0.4	33
211	Analysis of the Role of Negative T Cell Costimulatory Pathways in CD4 and CD8 T Cell-Mediated Alloimmune Responses In Vivo. <i>Journal of Immunology</i> , 2005, 174, 6648-6656.	0.4	139
212	ICOS Contributes to T Cell Expansion in CTLA-4 Deficient Mice. <i>Journal of Immunology</i> , 2005, 175, 182-188.	0.4	11
213	The ICOS Molecule Plays a Crucial Role in the Development of Mucosal Tolerance. <i>Journal of Immunology</i> , 2005, 175, 7341-7347.	0.4	74
214	Programmed Death-1 (PD-1):PD-Ligand 1 Interactions Inhibit TCR-Mediated Positive Selection of Thymocytes. <i>Journal of Immunology</i> , 2005, 175, 7372-7379.	0.4	122
215	An Important Role of CD80/CD86-CTLA-4 Signaling during Photocarcinogenesis in Mice. <i>Journal of Immunology</i> , 2005, 174, 5298-5305.	0.4	46
216	B7-1/B7-2 Costimulation Regulates Plaque Antigen-Specific T-Cell Responses and Atherogenesis in Low-Density Lipoprotein Receptor-Deficient Mice. <i>Circulation</i> , 2004, 109, 2009-2015.	1.6	133

#	ARTICLE	IF	CITATIONS
217	The Cell Surface Receptor SLAM Controls T Cell and Macrophage Functions. <i>Journal of Experimental Medicine</i> , 2004, 199, 1255-1264.	4.2	153
218	B7 Expression on T Cells Down-Regulates Immune Responses through CTLA-4 Ligation via R-T Interactions. <i>Journal of Immunology</i> , 2004, 172, 34-39.	0.4	118
219	Mechanism of Action of Donor-Specific Transfusion in Inducing Tolerance: Role of Donor MHC Molecules, Donor Co-stimulatory Molecules, and Indirect Antigen Presentation. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2423-2428.	3.0	40
220	PD-L1-deficient mice show that PD-L1 on T cells, antigen-presenting cells, and host tissues negatively regulates T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 10691-10696.	3.3	556
221	Deletion of a conserved Il4 silencer impairs T helper type 1-mediated immunity. <i>Nature Immunology</i> , 2004, 5, 1251-1259.	7.0	103
222	An Autoimmune Disease-Associated CTLA-4 Splice Variant Lacking the B7 Binding Domain Signals Negatively in T Cells. <i>Immunity</i> , 2004, 20, 563-575.	6.6	197
223	Induction of B7-1 in podocytes is associated with nephrotic syndrome. <i>Journal of Clinical Investigation</i> , 2004, 113, 1390-1397.	3.9	495
224	Rap1-GTP Promotes the Generation of Regulatory T Cells in Vivo.. <i>Blood</i> , 2004, 104, 110-110.	0.6	2
225	Recovery from EAE is associated with decreased survival of encephalitogenic T cells in the CNS of B7-1/B7-2-deficient mice. <i>European Journal of Immunology</i> , 2003, 33, 2022-2032.	1.6	37
226	Regulation of PD-1, PD-L1, and PD-L2 expression during normal and autoimmune responses. <i>European Journal of Immunology</i> , 2003, 33, 2706-2716.	1.6	551
227	Endothelial expression of PD-L1 and PD-L2 down-regulates CD8+ T cell activation and cytolysis. <i>European Journal of Immunology</i> , 2003, 33, 3117-3126.	1.6	413
228	The inhibitory function of B7 costimulators in T cell responses to foreign and self-antigens. <i>Nature Immunology</i> , 2003, 4, 664-669.	7.0	161
229	The threshold pattern of calcineurin-dependent gene expression is altered by loss of the endogenous inhibitor calcipressin. <i>Nature Immunology</i> , 2003, 4, 874-881.	7.0	120
230	A Role for the B7-1/B7-2:CD28/CTLA-4 Pathway During Negative Selection. <i>Journal of Immunology</i> , 2003, 170, 5421-5428.	0.4	74
231	The role of the ICOS-B7h T cell costimulatory pathway in transplantation immunity. <i>Journal of Clinical Investigation</i> , 2003, 112, 234-243.	3.9	50
232	The role of the ICOS-B7h T cell costimulatory pathway in transplantation immunity. <i>Journal of Clinical Investigation</i> , 2003, 112, 234-243.	3.9	114
233	Memory Th2 Effector Cells Can Develop in the Absence of B7-1/B7-2, CD28 Interactions, and Effector Th Cells After Priming with an Intestinal Nematode Parasite. <i>Journal of Immunology</i> , 2002, 168, 6344-6351.	0.4	26
234	Cutting Edge: A Crucial Role for B7-CD28 in Transmitting T Help from APC to CTL. <i>Journal of Immunology</i> , 2002, 169, 4094-4097.	0.4	54

#	ARTICLE	IF	CITATIONS
235	CD80+Gr-1+ Myeloid Cells Inhibit Development of Antifungal Th1 Immunity in Mice with Candidiasis. <i>Journal of Immunology</i> , 2002, 169, 3180-3190.	0.4	126
236	Cutting Edge: CTLA-4 (CD152) Differentially Regulates Mitogen-Activated Protein Kinases (Extracellular) Tj ETQq0 0 0 rgBT /Overlock 10 Mice. <i>Journal of Immunology</i> , 2002, 169, 3475-3479.	0.4	68
237	Role of B7 Costimulatory Molecules in the Adjuvant Activity of the Heat-Labile Enterotoxin of <i>Escherichia coli</i> . <i>Journal of Immunology</i> , 2002, 169, 1744-1752.	0.4	28
238	Cutting Edge: Inducible Costimulator Protein Regulates Both Th1 and Th2 Responses to Cutaneous Leishmaniasis. <i>Journal of Immunology</i> , 2002, 168, 991-995.	0.4	56
239	The CD154/CD40 Interaction Required for Retrovirus-Induced Murine Immunodeficiency Syndrome Is Not Mediated by Upregulation of the CD80/CD86 Costimulatory Molecules. <i>Journal of Virology</i> , 2002, 76, 13106-13110.	1.5	13
240	CTLA-4 regulates cell cycle progression during a primary immune response. <i>European Journal of Immunology</i> , 2002, 32, 366-373.	1.6	115
241	T helper differentiation in resistant and susceptible B7-deficient mice infected with <i>Leishmania major</i> . <i>European Journal of Immunology</i> , 2002, 32, 1764.	1.6	22
242	Genetic background determines the requirement for B7 costimulation in induction of autoimmunity. <i>European Journal of Immunology</i> , 2002, 32, 2687-2697.	1.6	16
243	Negative co-receptors on lymphocytes. <i>Current Opinion in Immunology</i> , 2002, 14, 391-396.	2.4	152
244	Antigen-specific regulatory T cells develop via the ICOS-ICOS-ligand pathway and inhibit allergen-induced airway hyperreactivity. <i>Nature Medicine</i> , 2002, 8, 1024-1032.	15.2	728
245	The B7-CD28 superfamily. <i>Nature Reviews Immunology</i> , 2002, 2, 116-126.	10.6	1,513
246	CTLA-4 Regulates Induction of Anergy In Vivo. <i>Immunity</i> , 2001, 14, 145-155.	6.6	397
247	PD-L2 is a second ligand for PD-1 and inhibits T cell activation. <i>Nature Immunology</i> , 2001, 2, 261-268.	7.0	2,504
248	ICOS is critical for CD40-mediated antibody class switching. <i>Nature</i> , 2001, 409, 102-105.	13.7	597
249	Rejection of Mouse Cardiac Allografts by Costimulation in <i>trans</i> . <i>Journal of Immunology</i> , 2001, 167, 1174-1178.	0.4	42
250	CD28-independent Costimulation of T Cells in Alloimmune Responses. <i>Journal of Immunology</i> , 2001, 167, 140-146.	0.4	109
251	Role of the B7-CD28/CTLA-4 Pathway in Autoimmune Disease. , 2001, 5, 113-130.		38
252	B7-dependent T-cell costimulation in mice lacking CD28 and CTLA4. <i>Journal of Clinical Investigation</i> , 2001, 107, 881-887.	3.9	76

#	ARTICLE	IF	CITATIONS
253	Costimulation by B7-1 and B7-2 Is Required for Autoimmune Disease in MRL-Fas <sup>lpr</sup> Mice. <i>Journal of Immunology</i> , 2000, 164, 6046-6056.	0.4	75
254	Stimulation of the B Cell Receptor, CD86 (B7-2), and the $\beta$ 2-Adrenergic Receptor Intrinsically Modulates the Level of IgG1 and IgE Produced per B Cell. <i>Journal of Immunology</i> , 2000, 165, 680-690.	0.4	134
255	B7 co-stimulatory requirements differ for induction of immune responses by DNA, protein and recombinant pox virus vaccination. <i>European Journal of Immunology</i> , 2000, 30, 2650-2659.	1.6	28
256	Prevention and treatment of factor VIII inhibitors in murine hemophilia A. <i>Blood</i> , 2000, 95, 1324-1329.	0.6	165
257	Functional Equivalency of B7-1 and B7-2 for Costimulating Plasmid DNA Vaccine-Elicited CTL Responses. <i>Journal of Immunology</i> , 2000, 165, 6791-6795.	0.4	32
258	Either B7 Costimulation or IL-2 Can Elicit Generation of Primary Alloreactive CTL. <i>Journal of Immunology</i> , 2000, 165, 3088-3093.	0.4	19
259	A Critical Role for B7/CD28 Costimulation in Experimental Autoimmune Encephalomyelitis: A Comparative Study Using Costimulatory Molecule-Deficient Mice and Monoclonal Antibody Blockade. <i>Journal of Immunology</i> , 2000, 164, 136-143.	0.4	136
260	B7-1 (CD80) and B7-2 (CD86) Have Complementary Roles in Mediating Allergic Pulmonary Inflammation and Airway Hyperresponsiveness. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2000, 22, 265-271.	1.4	51
261	B7 Costimulation Is Critical for Antibody Class Switching and CD8 <sup>+</sup> Cytotoxic T-Lymphocyte Generation in the Host Response to Vesicular Stomatitis Virus. <i>Journal of Virology</i> , 2000, 74, 203-208.	1.5	65
262	Autoantibody Responses and Pathology Regulated by B7-1 and B7-2 Costimulation in MRL- <sup>lpr</sup> Lupus. <i>Journal of Immunology</i> , 2000, 165, 3436-3443.	0.4	45
263	The Role of B7 Costimulation in CD4/CD8 T Cell Homeostasis. <i>Journal of Immunology</i> , 2000, 164, 3543-3553.	0.4	56
264	Association of B7-1 Co-Stimulation with the Development of Graft Arterial Disease. <i>American Journal of Pathology</i> , 2000, 157, 473-484.	1.9	40
265	B7/CD28 Costimulation Is Essential for the Homeostasis of the CD4 <sup>+</sup> CD25 <sup>+</sup> Immunoregulatory T Cells that Control Autoimmune Diabetes. <i>Immunity</i> , 2000, 12, 431-440.	6.6	1,884
266	Mouse Inducible Costimulatory Molecule (ICOS) Expression Is Enhanced by CD28 Costimulation and Regulates Differentiation of CD4 <sup>+</sup> T Cells. <i>Journal of Immunology</i> , 2000, 165, 5035-5040.	0.4	400
267	ABSENCE OF HOST B7 EXPRESSION IS SUFFICIENT FOR LONG-TERM MURINE VASCULARIZED HEART ALLOGRAFT SURVIVAL. <i>Transplantation</i> , 2000, 69, 904-910.	0.5	48
268	Studies in B7-Deficient Mice Reveal a Critical Role for B7 Costimulation in Both Induction and Effector Phases of Experimental Autoimmune Encephalomyelitis. <i>Journal of Experimental Medicine</i> , 1999, 190, 733-740.	4.2	193
269	B7-1 or B7-2 Is Required to Produce the Lymphoproliferative Phenotype in Mice Lacking Cytotoxic T Lymphocyte-associated Antigen 4 (CTLA-4). <i>Journal of Experimental Medicine</i> , 1999, 189, 435-440.	4.2	137
270	The B7-CD28/CTLA-4 costimulatory pathways in autoimmune disease of the central nervous system. <i>Current Opinion in Immunology</i> , 1999, 11, 677-683.	2.4	73



#	ARTICLE	IF	CITATIONS
271	p63 is essential for regenerative proliferation in limb, craniofacial and epithelial development. <i>Nature</i> , 1999, 398, 714-718.	13.7	2,082
272	T-cell stimulation: an abundance of B7s. <i>Nature Medicine</i> , 1999, 5, 1345-1346.	15.2	58
273	Ox40-Ligand Has a Critical Costimulatory Role in Dendritic Cell:T Cell Interactions. <i>Immunity</i> , 1999, 11, 689-698.	6.6	293
274	Heparin is essential for the storage of specific granule proteases in mast cells. <i>Nature</i> , 1999, 400, 769-772.	13.7	394
275	Complete Sequence Determination of the Mouse and Human CTLA4 Gene Loci: Cross-Species DNA Sequence Similarity beyond Exon Borders. <i>Genomics</i> , 1999, 60, 341-355.	1.3	64
276	Cognate Stimulatory B-Cell-T-Cell Interactions Are Critical for T-Cell Help Recruited by Glycoconjugate Vaccines. <i>Infection and Immunity</i> , 1999, 67, 6375-6384.	1.0	90
277	The role of B7 co-stimulation in activation and differentiation of CD4+ and CD8+ T cells. <i>Immunological Reviews</i> , 1998, 165, 231-247.	2.8	271
278	Distinct roles for B7 costimulation in contact hypersensitivity and humoral immune responses to epicutaneous antigen. <i>European Journal of Immunology</i> , 1998, 28, 4221-4227.	1.6	19
279	B7 (CD80 and CD86). , 1998, , 304-308.		1
280	B7-1 and B7-2 Have Overlapping, Critical Roles in Immunoglobulin Class Switching and Germinal Center Formation. <i>Immunity</i> , 1997, 6, 303-313.	6.6	479
281	The costimulatory genes Cd80 and Cd86 are linked on mouse chromosome 16 and human chromosome 3. <i>Mammalian Genome</i> , 1997, 8, 581-582.	1.0	15
282	Costimulatory signals and viral immunity. <i>Seminars in Virology</i> , 1996, 7, 103-111.	4.1	5
283	Costimulation and autoimmunity. <i>Current Opinion in Immunology</i> , 1996, 8, 822-830.	2.4	96
284	B7-Deficient Mice Reveal an Alternative Functional CTLA-4 Counterreceptor. , 1996, , 107-120.		0
285	Reciprocal expression of co-stimulatory molecules, B7-1 and B7-2, on murine T cells following activation. <i>European Journal of Immunology</i> , 1995, 25, 207-211.	1.6	73
286	Lethal $\beta$ -thalassaemia in mice lacking the erythroid CACCC-transcription factor EKLF. <i>Nature</i> , 1995, 375, 318-322.	13.7	587
287	Transgenic mice for the preparation of hygromycin-resistant primary embryonic fibroblast feeder layers for embryonic stem cell selections. <i>Nucleic Acids Research</i> , 1995, 23, 1273-1275.	6.5	22
288	Loss of CTLA-4 leads to massive lymphoproliferation and fatal multiorgan tissue destruction, revealing a critical negative regulatory role of CTLA-4. <i>Immunity</i> , 1995, 3, 541-547.	6.6	2,628

#	ARTICLE	IF	CITATIONS
289	A negative regulatory function of B7 revealed in B7-1 transgenic mice. <i>Immunity</i> , 1994, 1, 415-421.	6.6	79
290	Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice. <i>Science</i> , 1993, 262, 907-909.	6.0	368
291	Reovirus Cytopathology: Effects on Cellular Macromolecular Synthesis and the Cytoskeleton. , 1984, , 431-464.		0
292	Pathogenesis of Reovirus Infection. , 1983, , 229-285.		26
293	The interaction of mammalian reoviruses with the cytoskeleton of monkey kidney CV-1 cells. <i>Virology</i> , 1982, 120, 399-411.	1.1	114
294	Role of the host cell in persistent viral infection: Coevolution of L cells and reovirus during persistent infection. <i>Cell</i> , 1981, 25, 325-332.	13.5	119
295	Genetics of reovirus: Identification of the ds RNA segments encoding the polypeptides of the 1/4 and 1/2 size classes. <i>Virology</i> , 1978, 89, 594-604.	1.1	166
296	A genetic map of reovirus I. Correlation of genome RNAs between serotypes 1, 2, and 3. <i>Virology</i> , 1978, 84, 63-74.	1.1	110
297	A genetic map of reovirus II. Assignment of the double-stranded RNA-negative mutant groups C, D, and E to genome segments. <i>Virology</i> , 1978, 85, 531-544.	1.1	96
298	A genetic map of reovirus II. Assignment of the double-stranded RNA-positive mutant groups A, B, and G to genome segments. <i>Virology</i> , 1978, 85, 545-556.	1.1	82
299	The Role of Costimulation in T Cell Differentiation. , 0, , 079-118.		0