

Melinda A Engevik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7057696/publications.pdf>

Version: 2024-02-01

106
papers

2,218
citations

201674

27
h-index

254184

43
g-index

110
all docs

110
docs citations

110
times ranked

2558
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Maternal <i>Lactobacillus reuteri</i> supplementation shifts the intestinal microbiome in mice and provides protection from experimental colitis in female offspring. <i>FASEB BioAdvances</i> , 2022, 4, 109-120. | 2.4 | 9 |
| 2 | Loss of H2R Signaling Disrupts Neutrophil Homeostasis and Promotes Inflammation-Associated Colonic Tumorigenesis in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 717-737. | 4.5 | 0 |
| 3 | <i>KLEBSIELLA PNEUMONIAE</i> IN THE COLONIC MUCUS LAYER INFLUENCES <i>CLOSTRIDIODES DIFFICILE</i> PATHOGENESIS. <i>Inflammatory Bowel Diseases</i> , 2022, 28, S69-S69. | 1.9 | 0 |
| 4 | <i>KLEBSIELLA PNEUMONIAE</i> IN THE COLONIC MUCUS LAYER INFLUENCES <i>CLOSTRIDIODES DIFFICILE</i> PATHOGENESIS. <i>Gastroenterology</i> , 2022, 162, S69. | 1.3 | 1 |
| 5 | Select Streptococci Can Degrade <i>Candida</i> Mannan To Facilitate Growth. <i>Applied and Environmental Microbiology</i> , 2022, 88, aem0223721. | 3.1 | 3 |
| 6 | <i>Bacteroides ovatus</i> colonization influences the abundance of intestinal short chain fatty acids and neurotransmitters. <i>IScience</i> , 2022, 25, 104158. | 4.1 | 41 |
| 7 | Identifying single-strain growth patterns of human gut microbes in response to preterm human milk and formula. <i>Food and Function</i> , 2022, 13, 5571-5589. | 4.6 | 3 |
| 8 | Using targeted LC-MS/MS-based metabolomics to measure a broad constellation of bile acids/salts in disorders of human health. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 9 | <i>Klebsiella pneumoniae</i> utilizes intestinal mucus to increase fitness in the gastrointestinal tract. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 10 | <i>Klebsiella pneumoniae</i> Cross-feeds <i>Clostridioides difficile</i> and Enhances Colonic Pro-inflammatory Responses. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 11 | Salivary Microbiota is Associated with Cannabis Use in Adolescents. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 12 | Exploring new bacterial-fungal interactions: the role of mannan degradation in Streptococci growth. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 13 | Loss of Myosin Vb leads to dysregulation of colonic goblet cell structure and function. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 14 | Characterizing the mucin-degrading capacity of the human gut microbiota. <i>Scientific Reports</i> , 2022, 12, 8456. | 3.3 | 86 |
| 15 | <i>Acinetobacter calcoaceticus</i> is Well Adapted to Withstand Intestinal Stressors and Modulate the Gut Epithelium. <i>Frontiers in Physiology</i> , 2022, 13, . | 2.8 | 10 |
| 16 | Therapeutic Opportunities for Intestinal Angiectasia-Targeting PPAR β and Oxidative Stress. <i>Clinical and Translational Science</i> , 2021, 14, 518-528. | 3.1 | 6 |
| 17 | <i>Fusobacterium nucleatum</i> Adheres to <i>Clostridioides difficile</i> via the RadD Adhesin to Enhance Biofilm Formation in Intestinal Mucus. <i>Gastroenterology</i> , 2021, 160, 1301-1314.e8. | 1.3 | 46 |
| 18 | Mucin-Degrading Microbes Release Monosaccharides That Chemoattract <i>Clostridioides difficile</i> and Facilitate Colonization of the Human Intestinal Mucus Layer. <i>ACS Infectious Diseases</i> , 2021, 7, 1126-1142. | 3.8 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Human-Derived <i>Bifidobacterium dentium</i> Modulates the Mammalian Serotonergic System and Gut "Brain Axis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 221-248. | 4.5 | 73 |
| 20 | <i>Bifidobacterium dentium</i> -derived γ -glutamylcysteine suppresses ER-mediated goblet cell stress and reduces TNBS-driven colonic inflammation. <i>Gut Microbes</i> , 2021, 13, 1-21. | 9.8 | 41 |
| 21 | Immunomodulation of dendritic cells by <i>Lactobacillus reuteri</i> surface components and metabolites. <i>Physiological Reports</i> , 2021, 9, e14719. | 1.7 | 37 |
| 22 | Exploring the impact of intestinal ion transport on the gut microbiota. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 134-144. | 4.1 | 19 |
| 23 | Partners in Infectious Disease: When Microbes Facilitate Enteric Viral Infections. <i>Gastroenterology Insights</i> , 2021, 12, 41-55. | 1.2 | 1 |
| 24 | STOCHASTIC INTERINDIVIDUAL MICROBIOME VARIATION MAY GUIDE PROTECTIVE PERINATAL PROBIOTIC DEVELOPMENT AGAINST IBD. <i>Gastroenterology</i> , 2021, 160, S5. | 1.3 | 0 |
| 25 | EXPLORING CO-INFECTIONS IN THE GASTROINTESTINAL TRACT: DISSECTING THE INTERACTION BETWEEN <i>FUSOBACTERIUM NUCLEATUM</i> AND <i>CLOSTRIDIODES DIFFICILE</i> . <i>Gastroenterology</i> , 2021, 160, S54-S55. | 1.3 | 0 |
| 26 | <i>Bacteroides ovatus</i> Promotes IL-22 Production and Reduces Trinitrobenzene Sulfonic Acid-Driven Colonic Inflammation. <i>American Journal of Pathology</i> , 2021, 191, 704-719. | 3.8 | 39 |
| 27 | <i>Fusobacterium nucleatum</i> Secretes Outer Membrane Vesicles and Promotes Intestinal Inflammation. <i>MBio</i> , 2021, 12, . | 4.1 | 101 |
| 28 | The metabolic profile of <i>Bifidobacterium dentium</i> reflects its status as a human gut commensal. <i>BMC Microbiology</i> , 2021, 21, 154. | 3.3 | 13 |
| 29 | <i>Clostridioides difficile</i> is Chemoattracted to Oligosaccharides Released by Mucin-Degrading Microbes. <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 0 |
| 30 | <i>Bacteroides ovatus</i> Influences the Levels of Intestinal Neurotransmitters in a Gnotobiotic Model. <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 0 |
| 31 | Exploring the interaction between rotavirus and <i>Lactobacillus</i> . <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 0 |
| 32 | 358 AMELIORATION OF GOBLET CELL ER-STRESS BY <i>BIFIDOBACTERIUM DENTIUM</i> METABOLITES. <i>Gastroenterology</i> , 2021, 160, S-68. | 1.3 | 0 |
| 33 | Development of a high-throughput method for examining bacterial supernatant pH using ratiometric UV-VIS spectrophotometry. <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 0 |
| 34 | Neurotransmitter Profiles Are Altered in the Gut and Brain of Mice Mono-Associated with <i>Bifidobacterium dentium</i> . <i>Biomolecules</i> , 2021, 11, 1091. | 4.0 | 17 |
| 35 | <i>Limosilactobacillus reuteri</i> ATCC 6475 metabolites upregulate the serotonin transporter in the intestinal epithelium. <i>Beneficial Microbes</i> , 2021, 12, 583-599. | 2.4 | 10 |
| 36 | STOCHASTIC INTERINDIVIDUAL MICROBIOME VARIATION MAY GUIDE PROTECTIVE PERINATAL PROBIOTIC DEVELOPMENT AGAINST IBD. <i>Inflammatory Bowel Diseases</i> , 2021, 27, S4-S4. | 1.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | EXPLORING CO-INFECTIONS IN THE GASTROINTESTINAL TRACT: DISSECTING THE INTERACTION BETWEEN FUSOBACTERIUM NUCLEATUM AND CLOSTRIDIODES DIFFICILE. <i>Inflammatory Bowel Diseases</i> , 2021, 27, S40-S40. | 1.9 | 0 |
| 38 | Enhancing Microbiome Research through Genome-Scale Metabolic Modeling. <i>MSystems</i> , 2021, 6, e0059921. | 3.8 | 15 |
| 39 | Unraveling the Metabolic Requirements of the Gut Commensal <i>Bacteroides ovatus</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 745469. | 3.5 | 12 |
| 40 | P071 MODULATION OF THE MUCUS LAYER BY BIFIDOBACTERIUM DENTIUM PROVIDES PROTECTION IN A MODEL OF COLITIS. <i>Gastroenterology</i> , 2020, 158, S61-S62. | 1.3 | 1 |
| 41 | Rotavirus induces intercellular calcium waves through ADP signaling. <i>Science</i> , 2020, 370, . | 12.6 | 44 |
| 42 | 20 ELUCIDATING THE ROLE OF FUSOBACTERIUM NUCLEATUM IN INTESTINAL INFLAMMATION. <i>Gastroenterology</i> , 2020, 158, S46-S47. | 1.3 | 0 |
| 43 | P071 MODULATION OF THE MUCUS LAYER BY BIFIDOBACTERIUM DENTIUM PROVIDES PROTECTION IN A MODEL OF COLITIS. <i>Inflammatory Bowel Diseases</i> , 2020, 26, S38-S38. | 1.9 | 0 |
| 44 | 1024 FUSOBACTERIUM NUCLEATUM SECRETES OUTER MEMBRANE VESICLES AND PROMOTES INTESTINAL INFLAMMATION. <i>Gastroenterology</i> , 2020, 158, S-205. | 1.3 | 0 |
| 45 | Changes in Pediatric Endoscopic Practice During the Coronavirus Disease 2019 Pandemic: Results From an International Survey. <i>Gastroenterology</i> , 2020, 159, 1547-1550. | 1.3 | 12 |
| 46 | Reuterin disrupts <i>Clostridioides difficile</i> metabolism and pathogenicity through reactive oxygen species generation. <i>Gut Microbes</i> , 2020, 12, 1795388. | 9.8 | 23 |
| 47 | Maternal diet alters human milk oligosaccharide composition with implications for the milk metagenome. <i>Scientific Reports</i> , 2020, 10, 22092. | 3.3 | 81 |
| 48 | 7 LACTOBACILLUS REUTERI SUPPRESSES PRO-INFLAMMATORY DRIVEN REACTIVE OXYGEN SPECIES IN VITRO IN HUMAN INTESTINAL EPITHELIAL CELLS AND IN VIVO IN A TNBS COLITIS MOUSE MODEL. <i>Inflammatory Bowel Diseases</i> , 2020, 26, S41-S41. | 1.9 | 2 |
| 49 | 479 PRO-INFLAMMATORY DRIVEN REACTIVE OXYGEN SPECIES IS SUPPRESSED BY LACTOBACILLUS REUTERI IN VITRO IN HUMAN INTESTINAL EPITHELIAL CELLS AND IN VIVO IN MOUSE COLITIS MODELS. <i>Gastroenterology</i> , 2020, 158, S-93. | 1.3 | 0 |
| 50 | Sa1901 B. OVATUS THERAPY UPREGULATES IL-22-MEDIATED SUPPRESSION OF INFLAMMATION DURING MURINE COLITIS. <i>Gastroenterology</i> , 2020, 158, S-472. | 1.3 | 0 |
| 51 | Enhancing responsiveness of human jejunal enteroids to host and microbial stimuli. <i>Journal of Physiology</i> , 2020, 598, 3085-3105. | 2.9 | 17 |
| 52 | Bifidobacteria shape host neural circuits during postnatal development by promoting synapse formation and microglial function. <i>Scientific Reports</i> , 2020, 10, 7737. | 3.3 | 66 |
| 53 | Rotavirus infection induces glycan availability to promote ileum-specific changes in the microbiome aiding rotavirus virulence. <i>Gut Microbes</i> , 2020, 11, 1324-1347. | 9.8 | 43 |
| 54 | 20 ELUCIDATING THE ROLE OF FUSOBACTERIUM NUCLEATUM IN INTESTINAL INFLAMMATION. <i>Inflammatory Bowel Diseases</i> , 2020, 26, S29-S29. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Editing Myosin VB Gene to Create Porcine Model of Microvillus Inclusion Disease, With Microvillus-Lined Inclusions and Alterations in Sodium Transporters. <i>Gastroenterology</i> , 2020, 158, 2236-2249.e9. | 1.3 | 25 |
| 56 | Healthy Human Gastrointestinal Microbiome: Composition and Function After a Decade of Exploration. <i>Digestive Diseases and Sciences</i> , 2020, 65, 695-705. | 2.3 | 104 |
| 57 | Human intestinal enteroids as a model of <i>Clostridioides difficile</i> -induced enteritis. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, G870-G888. | 3.4 | 23 |
| 58 | Elucidating the Role of Purinergic and Calcium Signaling During Rotavirus Infection. <i>FASEB Journal</i> , 2020, 34, 1-1. | 0.5 | 0 |
| 59 | 1142 MICROBIAL DEGRADATION OF ILEAL MUCUS PROMOTES ROTAVIRUS INFECTION. <i>Gastroenterology</i> , 2020, 158, S-226-S-227. | 1.3 | 0 |
| 60 | 7 LACTOBACILLUS REUTERI SUPPRESSES PRO-INFLAMMATORY DRIVEN REACTIVE OXYGEN SPECIES IN VITRO IN HUMAN INTESTINAL EPITHELIAL CELLS AND IN VIVO IN A TNBS COLITIS MOUSE MODEL. <i>Gastroenterology</i> , 2020, 158, S67. | 1.3 | 0 |
| 61 | Human-derived <i>Bifidobacterium dentium</i> Metabolites Modulate the Mammalian Serotonergic System. <i>FASEB Journal</i> , 2020, 34, 1-1. | 0.5 | 0 |
| 62 | Characterizing mucus-based biofilms in human <i>Clostridium difficile</i> infection. <i>FASEB Journal</i> , 2020, 34, 1-1. | 0.5 | 0 |
| 63 | Dysregulation of Endogenous and Paracrine Calcium Signaling Pathways by Rotaviruses and Caliciviruses. <i>FASEB Journal</i> , 2020, 34, 1-1. | 0.5 | 0 |
| 64 | Phagocytosis by macrophages depends on histamine H2 receptor signaling and scavenger receptor 1. <i>MicrobiologyOpen</i> , 2019, 8, e908. | 3.0 | 11 |
| 65 | Human Intestinal Enteroids With Inducible Neurogenin-3 Expression as a Novel Model of Gut Hormone Secretion. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 209-229. | 4.5 | 60 |
| 66 | 419 " Lactobacillus Reuteri Secretes γ -Glutamylcysteine to Suppress Pro-Inflammatory Driven Reactive Oxygen Species in Human Intestinal Enteroids. <i>Gastroenterology</i> , 2019, 156, S-82. | 1.3 | 0 |
| 67 | Su1042 " Human Cytokine Production by the Intact Intestinal Epithelium in Response to Human and Bacterial Signals. <i>Gastroenterology</i> , 2019, 156, S-492-S-493. | 1.3 | 0 |
| 68 | Microbial Metabolic Capacity for Intestinal Folate Production and Modulation of Host Folate Receptors. <i>Frontiers in Microbiology</i> , 2019, 10, 2305. | 3.5 | 95 |
| 69 | Taking a Closer Look at the Biogeography of the Human Gastrointestinal Microbiome. <i>Gastroenterology</i> , 2019, 157, 927-929. | 1.3 | 5 |
| 70 | <i>Bacteroides ovatus</i> ATCC 8483 monotherapy is superior to traditional fecal transplant and multi-strain bacteriotherapy in a murine colitis model. <i>Gut Microbes</i> , 2019, 10, 504-520. | 9.8 | 59 |
| 71 | <i>Bifidobacterium dentium</i> Fortifies the Intestinal Mucus Layer via Autophagy and Calcium Signaling Pathways. <i>MBio</i> , 2019, 10, . | 4.1 | 141 |
| 72 | Clc transporter activity modulates histidine catabolism in <i>Lactobacillus reuteri</i> by altering intracellular pH and membrane potential. <i>Microbial Cell Factories</i> , 2019, 18, 212. | 4.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | 939: Human milk oligosaccharides (HMOs) promote growth of commensal <i>Streptococcus</i> spp. abundant in human milk. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S605-S606. | 1.3 | 3 |
| 74 | Distinct roles of histamine H1- and H2-receptor signaling pathways in inflammation-associated colonic tumorigenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G205-G216. | 3.4 | 35 |
| 75 | Rotavirus Infection Activates Intercellular Calcium Waves through Purinergic Signaling. <i>FASEB Journal</i> , 2019, 33, 869.25. | 0.5 | 0 |
| 76 | 757 - Rotavirus Infection Induces Intercellular Calcium Waves Through Purinergic Signaling. <i>Gastroenterology</i> , 2018, 154, S-160-S-161. | 1.3 | 0 |
| 77 | Loss of MYO5B Leads to Reductions in Na ⁺ Absorption With Maintenance of CFTR-Dependent Cl ⁻ Secretion in Enterocytes. <i>Gastroenterology</i> , 2018, 155, 1883-1897.e10. | 1.3 | 45 |
| 78 | Biochemical Features of Beneficial Microbes: Foundations for Therapeutic Microbiology. , 2018, , 1-47. | | 0 |
| 79 | 907 - Deficits in Apical Sodium and Water Transporters Along with Maintenance of CFTR Account for Diarrheal Pathology in MYO5B Ko Mice and Patients with MVID. <i>Gastroenterology</i> , 2018, 154, S-179. | 1.3 | 3 |
| 80 | 26 - <i>Fusobacterium Nucleatum</i> Bolsters <i>Clostridium Difficile</i> Biofilms in Intestinal Mucus. <i>Gastroenterology</i> , 2018, 154, S-9. | 1.3 | 0 |
| 81 | Tu1847 - <i>Bacteroides Ovatus</i> Monotherapy is Sufficient to Suppress Intestinal Inflammation in a Murine Colitis Model. <i>Gastroenterology</i> , 2018, 154, S-1036-S-1037. | 1.3 | 0 |
| 82 | <i>Clostridium difficile</i> toxins A and B decrease intestinal SLC26A3 protein expression. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, G43-G52. | 3.4 | 12 |
| 83 | Postnatal colonization with human "infant-type" <i>Bifidobacterium</i> species alters behavior of adult gnotobiotic mice. <i>PLoS ONE</i> , 2018, 13, e0196510. | 2.5 | 66 |
| 84 | 1057 - <i>Bifidobacterium Dentium</i> Increases Muc2 Synthesis and Activates Autophagy to Promote Mucin Release. <i>Gastroenterology</i> , 2018, 154, S-200. | 1.3 | 1 |
| 85 | LIMITING THE TOXICITY OF CHEMOTHERAPY BY ENHANCING REGENERATION OF INTESTINAL STEM CELLS. <i>FASEB Journal</i> , 2018, 32, 872.2. | 0.5 | 0 |
| 86 | Live Cell Fluorescence Imaging Reveals Intercellular Calcium Waves and Chloride Channel Activation During Rotavirus Infection. <i>FASEB Journal</i> , 2018, 32, 613.1. | 0.5 | 1 |
| 87 | Secreted Factors from <i>Lactobacillus Reuteri</i> Suppress Epithelial Pro-Inflammatory Cytokines and Upregulate E-Cadherin. <i>Gastroenterology</i> , 2017, 152, S966. | 1.3 | 0 |
| 88 | 850: Oral inflammation leads to greater fetal demise following <i>Fusobacterium nucleatum</i> in a gnotobiotic model of periodontitis. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, S487. | 1.3 | 0 |
| 89 | Decreased Expression of SLC26A3 Protein in a Toxigenic Mouse Model and Patients with <i>Clostridium Difficile</i> Infection. <i>Gastroenterology</i> , 2017, 152, S66. | 1.3 | 0 |
| 90 | <i>Bifidobacterium Dentium</i> Upregulates Intestinal SERT via the JNK Pathway and Stimulates Serotonin Release. <i>Gastroenterology</i> , 2017, 152, S103-S104. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Biochemical Features of Beneficial Microbes: Foundations for Therapeutic Microbiology. <i>Microbiology Spectrum</i> , 2017, 5, . | 3.0 | 69 |
| 92 | Intestinal brush-border Na ⁺ /H ⁺ exchanger-3 drives H ⁺ -coupled iron absorption in the mouse. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, G423-G430. | 3.4 | 26 |
| 93 | Su1896 Akkermansia muciniphila Secretory Product Actively Increases Mucus Secretion and Sialylation in Human Goblet-Like Cells. <i>Gastroenterology</i> , 2016, 150, S582. | 1.3 | 3 |
| 94 | Mo1658 Clostridium difficile Chemotaxes Toward Mucin Glycans, Adheres and Forms Biofilms In Vitro and In Vivo. <i>Gastroenterology</i> , 2016, 150, S745. | 1.3 | 1 |
| 95 | 212: Fusobacterium nucleatum colonizes the placenta after oral inoculation in a gnotobiotic mouse model. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, S128. | 1.3 | 0 |
| 96 | 244: Recovery of placental bacteria is facilitated by periodontitis in orally inoculated germ-free mice. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, S144. | 1.3 | 1 |
| 97 | Effects of Circular DNA Length on Transfection Efficiency by Electroporation into HeLa Cells. <i>PLoS ONE</i> , 2016, 11, e0167537. | 2.5 | 53 |
| 98 | Human <i>Clostridium difficile</i> infection: inhibition of NHE3 and microbiota profile. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G497-G509. | 3.4 | 84 |
| 99 | Human <i>Clostridium difficile</i> infection: altered mucus production and composition. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G510-G524. | 3.4 | 105 |
| 100 | Intestinal DMT1 is critical for iron absorption in the mouse but is not required for the absorption of copper or manganese. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, G635-G647. | 3.4 | 94 |
| 101 | Modulation and adherence of intestinal mucus by commensal bacteria and the pathogen <i>C. difficile</i> . <i>FASEB Journal</i> , 2015, 29, 1007.4. | 0.5 | 1 |
| 102 | Acute consumption of a high-fat diet prior to ischemia-reperfusion results in cardioprotection through NF- κ B-dependent regulation of autophagic pathways. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H1705-H1713. | 3.2 | 29 |
| 103 | Gastritis Promotes an Activated Bone Marrow-Derived Mesenchymal Stem Cell with a Phenotype Reminiscent of a Cancer-Promoting Cell. <i>Digestive Diseases and Sciences</i> , 2014, 59, 569-582. | 2.3 | 18 |
| 104 | Loss of NHE3 alters gut microbiota composition and influences <i>Bacteroides thetaiotaomicron</i> growth. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, G697-G711. | 3.4 | 87 |
| 105 | Prebiotic Properties of Galursan HF 7K on Mouse Gut Microbiota. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 96-110. | 1.6 | 10 |
| 106 | Acidic Conditions in the NHE2 ^{-/-} Mouse Intestine Result in an Altered Mucosa-Associated Bacterial Population with Changes in Mucus Oligosaccharides. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 111-128. | 1.6 | 24 |