

Shanhui Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7058495/publications.pdf>

Version: 2024-02-01

157
papers

3,502
citations

172457

29
h-index

182427

51
g-index

160
all docs

160
docs citations

160
times ranked

2659
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Precision Tunable Single-Frequency Fiber Laser at 1.5 μm Based on Self-Injection Locking. IEEE Photonics Technology Letters, 2022, 34, 633-636.	2.5	2
2	2.02 kW and 4.7 GHz linewidth near-diffraction-limited all-fiber MOPA laser. Applied Physics Express, 2022, 15, 032001.	2.4	1
3	Gain-Switched Single-Frequency DBR Pulsed Fiber Laser at 2.0 μm . IEEE Photonics Technology Letters, 2022, 34, 255-258.	2.5	11
4	A 102 W High-Power Linearly-Polarized All-Fiber Single-Frequency Laser at 1560 nm. Photonics, 2022, 9, 396.	2.0	2
5	Short-Wavelength, in-Band-Pumped Single-Frequency DBR Tm ³⁺ -Doped Germanate Fiber Laser at 1.7 μm . IEEE Photonics Technology Letters, 2021, 33, 350-353.	2.5	15
6	An effective and universal intensity noise suppression technique for single-frequency fiber lasers at 1.5 μm . Laser Physics, 2021, 31, 075101.	1.2	3
7	Phase-noise suppression for the optical-heterodyne-generated microwave based on the amplitude-to-phase conversion. Applied Physics Express, 2021, 14, 072003.	2.4	1
8	Continuously spacing-tunable multi-wavelength single-frequency fiber laser based on cascaded four-wave mixing at 1.06 μm . Journal of Optics (United Kingdom), 2021, 23, 095502.	2.2	1
9	316 W high-brightness narrow-linewidth linearly-polarized all-fiber single-frequency laser at 1950 nm. Applied Physics Express, 2021, 14, 112004.	2.4	6
10	Compact passively Q-switched single-frequency distributed Bragg reflector fiber laser at 2.0 μm . Applied Optics, 2021, 60, 10684.	1.8	7
11	Ultralow-intensity-noise single-frequency fiber-based laser at 780 nm. Applied Physics Express, 2020, 13, 022002.	2.4	10
12	Glass-forming regions and enhanced 2.7 μm emission by Er ³⁺ heavily doping in TeO ₂ -Ga ₂ O ₃ -R ₂ O (of). Tj ETQq 0,0 0 rgBT 3.8 14		
13	Influence of stimulated Brillouin scattering on the noise evolution of high-power all-fiber single-frequency MOPA system. Optics and Laser Technology, 2020, 128, 106212.	4.6	5
14	Real-time frequency-encoded spatiotemporal focusing through scattering media using a programmable 2D ultrafine optical frequency comb. Science Advances, 2020, 6, eaay1192.	10.3	34
15	Microlasers from AIE-Active BODIPY Derivative. Small, 2020, 16, e1907074.	10.0	23
16	Tm:YAG ceramic derived multimaterial fiber with high gain per unit length for 2 μm laser applications. Optics Letters, 2020, 45, 1047.	3.3	15
17	Single-frequency DBR Nd-doped fiber laser at 1120 nm with a narrow linewidth and low threshold. Optics Letters, 2020, 45, 2263.	3.3	24
18	55-W kilohertz-linewidth core- and in-band-pumped linearly polarized single-frequency fiber laser at 1950 nm. Optics Letters, 2020, 45, 2343.	3.3	17

#	ARTICLE	IF	CITATIONS
19	Intensity-noise suppression in 1950-nm single-frequency fiber laser by bidirectional amplifier configuration. <i>Optics Letters</i> , 2020, 45, 5484.	3.3	9
20	High-efficiency and high-power single-frequency fiber laser at 1.6 μm based on cascaded energy-transfer pumping. <i>Photonics Research</i> , 2020, 8, 414.	7.0	12
21	Three-level all-fiber laser at 915 nm based on polarization-maintaining Nd ³⁺ -doped silica fiber. <i>Chinese Optics Letters</i> , 2020, 18, 011401.	2.9	6
22	Noise-sideband-free and narrow-linewidth photonic microwave generation based on an optical heterodyne technique of low-noise fiber lasers. <i>Applied Optics</i> , 2020, 59, 7907.	1.8	1
23	Quantum-precipitated rare-earth-doped glass for ultra-broadband mid-infrared emissions. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1560-1565.	3.8	6
24	Enhanced NIR photoemission from Bi-doped aluminoborate glasses via topological tailoring of glass structure. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1710-1719.	3.8	13
25	Multi-component yttrium aluminosilicate (YAS) fiber prepared by melt-in-tube method for stable single-frequency laser. <i>Journal of the American Ceramic Society</i> , 2019, 102, 2551-2557.	3.8	24
26	Mechanism for broadening and enhancing Nd ³⁺ emission in zinc aluminophosphate laser glass by addition of Bi ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2019, 102, 1694-1702.	3.8	20
27	High-Power Large-Energy Rectangular Mode-Locked Er-Doped Fiber Laser Based on High-Damage-Threshold MoS ₂ Saturable Absorber. <i>IEEE Photonics Journal</i> , 2019, 11, 1-12.	2.0	8
28	Boosting the branching ratio at 900 nm in Nd ³⁺ -doped germanophosphate glasses by crystal field strength and structural engineering for efficient blue fiber lasers. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11824-11833.	5.5	18
29	Multi-Wavelength, Passively Q-Switched, Single-Frequency Fiber Laser. <i>IEEE Photonics Technology Letters</i> , 2019, 31, 1479-1482.	2.5	8
30	High-Power Large-Energy Raman Soliton Generations Within a Mode-Locked Yb-Doped Fiber Laser Based on High-Damage-Threshold CVD-MoS ₂ as Modulator. <i>Nanomaterials</i> , 2019, 9, 1305.	4.1	4
31	Multifunctional GeSe core fibers. <i>Materials Letters</i> , 2019, 247, 193-196.	2.6	6
32	Simultaneously improving the linewidth and the low-frequency relative intensity noise of a single-frequency fiber laser. <i>Applied Physics Express</i> , 2019, 12, 052018.	2.4	7
33	Single-Frequency Pulsed Fiber Lasers. <i>Optical and Fiber Communications Reports</i> , 2019, , 97-104.	0.1	0
34	Amplification of CW Single-Frequency Lasers. <i>Optical and Fiber Communications Reports</i> , 2019, , 115-148.	0.1	0
35	Enhanced single-mode fiber laser emission by nano-crystallization of oxyfluoride glass-ceramic cores. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5155-5162.	5.5	31
36	Fundamental Principle and Enabling Technologies of Single-Frequency Fiber Lasers. <i>Optical and Fiber Communications Reports</i> , 2019, , 11-53.	0.1	1

#	ARTICLE	IF	CITATIONS
37	Single-Frequency Active Fiber Lasers. Optical and Fiber Communications Reports, 2019, , 55-83.	0.1	0
38	Influence of Laser Linewidth on Phase-OTDR System Based on Heterodyne Detection. Journal of Lightwave Technology, 2019, 37, 2641-2647.	4.6	20
39	915 nm all-fiber laser based on novel Nd-doped high alumina and yttria glass @ silica glass hybrid fiber for the pure blue fiber laser. Optics Letters, 2019, 44, 2153.	3.3	26
40	Ultra-broadband red to NIR photoemission from multiple bismuth centers in Sr ₂ B ₅ O ₉ Cl:Bi crystal. Optics Letters, 2019, 44, 4821.	3.3	11
41	In situ instant generation of an ultrabroadband near-infrared emission center in bismuth-doped borosilicate glasses via a femtosecond laser. Photonics Research, 2019, 7, 300.	7.0	19
42	Instant precipitation of KMgF ₃ :Ni ²⁺ nanocrystals with broad emission (1.3–2.2 μm) for potential combustion gas sensors. Journal of the American Ceramic Society, 2018, 101, 3890-3899.	3.8	25
43	Tunable luminescence from bismuth-doped phosphate laser glass by engineering photonic glass structure. Journal of the American Ceramic Society, 2018, 101, 1916-1922.	3.8	18
44	Ultra-compact all-fiber narrow-linewidth single-frequency blue laser at 489 nm. Journal of Optics (United Kingdom), 2018, 20, 025803.	2.2	6
45	New strategy to enhance the broadband near-infrared emission of bismuth-doped laser glasses. Journal of the American Ceramic Society, 2018, 101, 2297-2304.	3.8	19
46	Creating and stabilizing Bi NIR-emitting centers in low Bi content materials by topo-chemical reduction and tailoring of the local glass structure. Journal of Materials Chemistry C, 2018, 6, 5384-5390.	5.5	42
47	The preparation of Yttrium Aluminosilicate (YAS) Glass Fiber with heavy doping of Tm 3+ from Polycrystalline YAG ceramics. Journal of the American Ceramic Society, 2018, 101, 4627-4633.	3.8	20
48	Enhanced thermoelectric properties of polycrystalline Bi ₂ Te ₃ core fibers with preferentially oriented nanosheets. APL Materials, 2018, 6, .	5.1	33
49	Single mode compound microsphere laser. Optics Communications, 2018, 420, 1-5.	2.1	7
50	Manipulating Bi NIR emission by adjusting optical basicity, boron and aluminum coordination in borate laser glasses. Journal of the American Ceramic Society, 2018, 101, 624-633.	3.8	23
51	A yttrium aluminosilicate glass fiber with graded refractive index fabricated by melt-in-tube method. Journal of the American Ceramic Society, 2018, 101, 1616-1622.	3.8	27
52	Ultrabroad Photoemission from an Amorphous Solid by Topochemical Reduction. Advanced Optical Materials, 2018, 6, 1801059.	7.3	36
53	Polarization-Maintaining Single-Frequency Fiber Laser With Quadruple Wavelengths at the C-Band. IEEE Photonics Journal, 2018, 10, 1-10.	2.0	2
54	Ultrabroadband near-Infrared Photoemission from Bismuth-Centers in Nitridated Oxide Glasses and Optical Fiber. ACS Photonics, 2018, 5, 4393-4401.	6.6	47

#	ARTICLE	IF	CITATIONS
55	Transverse mode switchable all-fiber Brillouin laser. <i>Optics Letters</i> , 2018, 43, 4172.	3.3	16
56	Impact of Stimulated Raman Scattering on the Transverse Mode Instability Threshold. <i>IEEE Photonics Journal</i> , 2018, 10, 1-9.	2.0	16
57	Distribution and stabilization of bismuth NIR centers in Bi-doped aluminosilicate laser glasses by managing glass network structure. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7814-7821.	5.5	21
58	High-efficiency sub-watt in-band-pumped single-frequency DBR Tm ³⁺ -doped germanate fiber laser at 1950 nm. <i>Optics Express</i> , 2018, 26, 6817.	3.4	37
59	Composite filtering effect in a SESAM mode-locked fiber laser with a 32-GHz fundamental repetition rate: switchable states from single soliton to pulse bunch. <i>Optics Express</i> , 2018, 26, 10842.	3.4	28
60	15 W high OSNR kHz-linewidth linearly-polarized all-fiber single-frequency MOPA at 16 μ m. <i>Optics Express</i> , 2018, 26, 12863.	3.4	15
61	All-fiber stable orbital angular momentum beam generation and propagation. <i>Optics Express</i> , 2018, 26, 17429.	3.4	32
62	Noise-sidebands-free and ultra-low-RIN 15 μ m single-frequency fiber laser towards coherent optical detection. <i>Photonics Research</i> , 2018, 6, 326.	7.0	33
63	High-repetition-rate ultrafast fiber lasers. <i>Optics Express</i> , 2018, 26, 16411.	3.4	35
64	Near quantum-noise limited and absolute frequency stabilized 1083 μ m single-frequency fiber laser. <i>Optics Letters</i> , 2018, 43, 42.	3.3	12
65	Multi-functional bismuth-doped bioglasses: combining bioactivity and photothermal response for bone tumor treatment and tissue repair. <i>Light: Science and Applications</i> , 2018, 7, 1.	16.6	301
66	Unusual thermal response of tellurium near-infrared luminescence in phosphate laser glass. <i>Optics Letters</i> , 2018, 43, 4823.	3.3	9
67	210 W kHz-linewidth linearly-polarized all-fiber single-frequency MOPA laser. , 2018, , .		0
68	Partially doped fiber design for suppressing transverse mode instability. , 2018, , .		0
69	Compact passively Q-switched single-frequency Er ³⁺ /Yb ³⁺ -codoped phosphate fiber laser. <i>Applied Physics Express</i> , 2017, 10, 052502.	2.4	14
70	High order vector mode coupling mechanism based on mode matching method. <i>Journal of Optics (United Kingdom)</i> , 2017, 19, 065702.	2.2	2
71	Site Occupancy Preference and Antithermal Quenching of the Bi ²⁺ Deep Red Emission in $\text{P}_{20}\text{Ca}_{12}\text{O}_{70}\text{Bi}_2$. <i>Inorganic Chemistry</i> , 2017, 56, 6499-6506.	4.0	50
72	An efficient low-noise single-frequency 1033 nm Yb ³⁺ -doped MOPA phosphate fiber laser system. <i>Journal of Optics (United Kingdom)</i> , 2017, 19, 065502.	2.2	7

#	ARTICLE	IF	CITATIONS
73	Iterative method for the design of LP _{0m} mode converter. Journal of Optics (United Kingdom), 2017, 19, 117843.	2.2	0
74	All-fiber orbital angular momentum mode generation and transmission system. Optics Communications, 2017, 403, 180-184.	2.1	7
75	Controlled generation of different orbital angular momentum states in a hybrid optical fiber. Optics Communications, 2017, 402, 668-671.	2.1	4
76	Self-injection locked and semiconductor amplified ultrashort cavity single-frequency Yb ³⁺ -doped phosphate fiber laser at 978 nm. Optics Express, 2017, 25, 1535.	3.4	12
77	Low-crosstalk orbital angular momentum fiber coupler design. Optics Express, 2017, 25, 11200.	3.4	13
78	Frequency noise of distributed Bragg reflector single-frequency fiber laser. Optics Express, 2017, 25, 12601.	3.4	11
79	High-power and near-shot-noise-limited intensity noise all-fiber single-frequency 15 μ m MOPA laser. Optics Express, 2017, 25, 13324.	3.4	17
80	kHz-order linewidth controllable 1550 nm single-frequency fiber laser for coherent optical communication. Optics Express, 2017, 25, 19752.	3.4	31
81	5 GHz fundamental repetition rate, wavelength tunable, all-fiber passively mode-locked Yb-fiber laser. Optics Express, 2017, 25, 27646.	3.4	44
82	High spatial resolution distributed fiber strain sensor based on phase-OFDR. Optics Express, 2017, 25, 27913.	3.4	65
83	Efficient 16 μ m linearly-polarized single-frequency phosphate glass fiber laser. Optics Express, 2017, 25, 29078.	3.4	21
84	Experimental demonstration of transverse mode instability enhancement by a counter-pumped scheme in a 2-W all-fiberized laser. Photonics Research, 2017, 5, 77.	7.0	50
85	Review of recent progress on single-frequency fiber lasers. Journal of the Optical Society of America B: Optical Physics, 2017, 34, A49.	2.1	191
86	Mitigate transverse mode instability by linear inner-cladding fiber. Optical Engineering, 2017, 56, 1.	1.0	1
87	Linewidth suppression mechanism of self-injection locked single-frequency fiber laser. Optics Express, 2016, 24, 18907.	3.4	23
88	Ultra-narrow linewidth full C-band tunable single-frequency linear-polarization fiber laser. Optics Express, 2016, 24, 26209.	3.4	28
89	1120 nm kHz-linewidth single-polarization single-frequency Yb-doped phosphate fiber laser. Optics Express, 2016, 24, 29794.	3.4	35
90	Ultra-compact Q-switched single-frequency pulsed fiber lasers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
91	Unusual anti-thermal degradation of bismuth NIR luminescence in bismuth doped lithium tantalum silicate laser glasses. <i>Optics Express</i> , 2016, 24, 18649.	3.4	12
92	Linearly frequency-modulated pulsed single-frequency fiber laser at 1083 nm. <i>Optics Express</i> , 2016, 24, 3162.	3.4	16
93	Thermal degradation of ultrabroad bismuth NIR luminescence in bismuth-doped tantalum germanate laser glasses. <i>Optics Letters</i> , 2016, 41, 1340.	3.3	21
94	Short all Tm-doped germanate glass fiber MOPA single-frequency laser at 195 μ m. <i>Optics Express</i> , 2016, 24, 10956.	3.4	20
95	Topo-chemical Tailoring of Tellurium Quantum Dot Precipitation from Supercooled Polyphosphates for Broadband Optical Amplification. <i>Advanced Optical Materials</i> , 2016, 4, 1624-1634.	7.3	33
96	Dual-wavelength passively q-switched single-frequency fiber laser. <i>Optics Express</i> , 2016, 24, 16149.	3.4	13
97	Linear inner cladding fiber amplifier suppressing mode instability. , 2016, , .		2
98	188 W nanosecond pulsed fiber amplifier at 1064 nm. <i>Laser Physics</i> , 2016, 26, 075103.	1.2	3
99	Broad-bandwidth near-shot-noise-limited intensity noise suppression of a single-frequency fiber laser. <i>Optics Letters</i> , 2016, 41, 1333.	3.3	47
100	A Broad Continuous Temperature Tunable DBR Single-Frequency Fiber Laser at 1064 nm. <i>IEEE Photonics Journal</i> , 2016, 8, 1-7.	2.0	13
101	52 W kHz-linewidth low-noise linearly-polarized all-fiber single-frequency MOPA laser. <i>Journal of Optics (United Kingdom)</i> , 2016, 18, 055801.	2.2	8
102	Superbroad visible to NIR photoluminescence from Bi ³⁺ evidenced in Ba ₂ B ₅ O ₉ Cl: Bi crystal. <i>Optics Express</i> , 2016, 24, 2830.	3.4	28
103	High-Speed Frequency Modulated Low-Noise Single-Frequency Fiber Laser. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 1692-1695.	2.5	10
104	Spectrally Encoded Confocal Microscopy at 1.9 μ m. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 201-204.	2.5	3
105	Mechanism of solitary wave breaking phenomenon in dissipative soliton fiber lasers. <i>Optics Express</i> , 2015, 23, 28761.	3.4	4
106	Compact frequency-modulation pulsed single-frequency fiber laser. , 2015, , .		0
107	Compact frequency-modulation Q-switched single-frequency fiber laser at 1083 nm. <i>Journal of Optics (United Kingdom)</i> , 2015, 17, 125705.	2.2	10
108	Experimental investigation on linewidth characteristics of a single-frequency phosphate fiber laser at 1.0 μ m. <i>Laser Physics</i> , 2015, 25, 025103.	1.2	3

#	ARTICLE	IF	CITATIONS
109	Compact slow-light single-frequency fiber laser at 1550 nm. Applied Physics Express, 2015, 8, 082703.	2.4	19
110	Pulsing Manipulation in a 1.55- μm Mode-Locked Fiber Laser by a 1- μm Optical Pattern. IEEE Photonics Technology Letters, 2015, 27, 1949-1952.	2.5	6
111	Simultaneously reducing the intensity and frequency noise of single-frequency phosphate fiber laser. Journal of Optics (United Kingdom), 2015, 17, 075802.	2.2	5
112	Significant intensity noise suppression of single-frequency fiber laser via cascading semiconductor optical amplifier. Laser Physics Letters, 2015, 12, 095101.	1.4	12
113	Analytical identification of soliton dynamics in normal-dispersion passively mode-locked fiber lasers: from dissipative soliton to dissipative soliton resonance. Optics Express, 2015, 23, 14860.	3.4	14
114	All-optical frequency and intensity noise suppression of single-frequency fiber laser. Optics Letters, 2015, 40, 1964.	3.3	56
115	All-fiber mode-locked laser based on microfiber polarizer. Optics Letters, 2015, 40, 784.	3.3	16
116	Spectrally encoded confocal microscopy at the 1.9- μm wavelength window. , 2015, , .		0
117	Addressing a cavity with patterns at ultra-wideband detune. , 2015, , .		0
118	600-Hz linewidth short-linear-cavity fiber laser. Optics Letters, 2014, 39, 5818.	3.3	32
119	High OSNR watt-level single-frequency one-stage PM-MOPA fiber laser at 1083 nm. Optics Express, 2014, 22, 1181.	3.4	12
120	A wavelength tunable single frequency microfiber laser. Laser Physics Letters, 2014, 11, 015104.	1.4	2
121	High-efficiency watt-level 1014 nm single-frequency laser based on short Yb-doped phosphate fiber amplifiers. Applied Physics Express, 2014, 7, 062702.	2.4	9
122	3-GHz, ultrafast Yb-fiber laser sources: closing the spectral gaps. Proceedings of SPIE, 2014, , .	0.8	0
123	3- μm , watt-level femtosecond Raman soliton source. Optics Letters, 2014, 39, 2060.	3.3	21
124	820 Hz linewidth short-linear-cavity single-frequency fiber laser at 1.5 μm . Laser Physics Letters, 2014, 11, 035101.	1.4	15
125	Effect of the CW-Seed's Linewidth on the Seeded Generation of Supercontinuum. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 605-611.	2.9	7
126	Broadly Tunable Emission from $\text{CaMoO}_4\text{:Bi}$ Phosphor Based on Locally Modifying the Microenvironment Around Bi^{3+} Ions. European Journal of Inorganic Chemistry, 2014, 2014, 1373-1380.	2.0	73

#	ARTICLE	IF	CITATIONS
127	Broadly tuning Bi ³⁺ emission via crystal field modulation in solid solution compounds (Y,Lu,Sc)VO ₄ :Bi for ultraviolet converted white LEDs. Journal of Materials Chemistry C, 2014, 2, 6068-6076.	5.5	164
128	The ASE noise of a Yb ³⁺ -doped phosphate fiber single-frequency laser at 1083 nm. Laser Physics Letters, 2014, 11, 025104.	1.4	8
129	Linearly Polarized Virtual-folded-ring Fiber Lasers. , 2014, , .		0
130	A linearly frequency modulated narrow linewidth single-frequency fiber laser. Laser Physics Letters, 2013, 10, 075106.	1.4	12
131	Frequency noise of high-gain phosphate fiber single-frequency laser. Laser Physics, 2013, 23, 045107.	1.2	11
132	60 nm Bandwidth, 17 nJ Noiselike Pulse Generation from a Thulium-Doped Fiber Ring Laser. Applied Physics Express, 2013, 6, 112702.	2.4	30
133	Microwave Signal Generation From a Dual-Wavelength Single-Frequency Highly Er ³⁺ /Yb ³⁺ Co-Doped Phosphate Fiber Laser. IEEE Photonics Journal, 2013, 5, 5502306.	2.0	28
134	Low noise single-frequency single-polarization ytterbium-doped phosphate fiber laser at 1083Ånm. Optics Letters, 2013, 38, 501.	3.3	76
135	Slow/fast light using a very short Er ³⁺ /Yb ³⁺ co-doped fiber. Optics Letters, 2013, 38, 670.	3.3	9
136	A 1014 nm linearly polarized low noise narrow-linewidth single-frequency fiber laser. Optics Express, 2013, 21, 12419.	3.4	42
137	109 W kHz-linewidth one-stage all-fiber linearly-polarized MOPA laser at 1560 nm. Optics Express, 2013, 21, 12546.	3.4	28
138	195 ¼m kHz-linewidth single-frequency fiber laser using self-developed heavily Tm ³⁺ -doped germanate glass fiber. Optics Express, 2013, 21, 20800.	3.4	71
139	Experimental observation of vector solitons in a highly birefringent cavity of ytterbium-doped fiber laser. Optics Express, 2013, 21, 23866.	3.4	20
140	3ÅGHz, Yb-fiber laser-based, few-cycle ultrafast source at the Ti:sapphire laser wavelength. Optics Letters, 2013, 38, 4927.	3.3	41
141	Photonic generation of tunable microwave signals from a dual-wavelength distributed-Bragg-reflector highly Er ³⁺ /Yb ³⁺ co-doped phosphate fiber laser. Laser Physics Letters, 2013, 10, 125107.	1.4	7
142	Tunable Dual-Wavelength Narrow-Linewidth Microfiber Laser. Applied Physics Express, 2013, 6, 072701.	2.4	2
143	Effect of the CW-seed's linewidth on the seeded generation of supercontinuum. , 2013, , .		1
144	A Compact Linearly Polarized Low-Noise Single-Frequency Fiber Laser at 1064 nm. Applied Physics Express, 2013, 6, 052701.	2.4	15

#	ARTICLE	IF	CITATIONS
145	A femtosecond hybrid mode-locking fiber ring laser at 409 MHz. Laser Physics Letters, 2013, 10, 085104.	1.4	6
146	Ultra Compact Kilohertz-Linewidth High-Power Single-Frequency Laser Based on Er ³⁺ /Yb ³⁺ -Codoped Phosphate Fiber Amplifier. Applied Physics Express, 2013, 6, 022703.	2.4	7
147	3 GHz, femtosecond Raman soliton source. , 2013, , .		0
148	3 GHz few-cycle ultrafast source at 850nm. , 2013, , .		0
149	Narrow linewidth single frequency microfiber laser. Optics Letters, 2012, 37, 4323.	3.3	37
150	Compact all-fiber ring femtosecond laser with high fundamental repetition rate. Optics Express, 2012, 20, 24607.	3.4	23
151	Broadband NIR luminescence from a new bismuth doped Ba ₂ B ₅ O ₉ Cl crystal: evidence for the Bi ⁰ model. Optics Express, 2012, 20, 22569.	3.4	60
152	3ÅGHz, fundamentally mode-locked, femtosecond Yb-fiber laser. Optics Letters, 2012, 37, 3522.	3.3	94
153	All fiber ring bound-soliton laser with a round trip time of 5.7 ns. Optics Communications, 2012, 285, 5449-5451.	2.1	3
154	122-W high-power single-frequency MOPA fiber laser in all-fiber format. Chinese Optics Letters, 2011, 9, 111404-111406.	2.9	5
155	400 mW ultrashort cavity low-noise single-frequency Yb ³⁺ -doped phosphate fiber laser. Optics Letters, 2011, 36, 3708.	3.3	185
156	Spectroscopic Properties and Energy Transfer Analysis of Tm ³⁺ -Doped BaF ₂ -Ga ₂ O ₃ -GeO ₂ -La ₂ O ₃ Glass. Journal of Fluorescence, 2010, 20, 745-751.	2.5	11
157	Juddâ€™Ofelt and laser parameterization of Tm ³⁺ -doped barium gallo-germanate glass fabricated with efficient dehydration methods. Optical Materials, 2009, 31, 1723-1728.	3.6	27