Myrra Vernooij-Dassen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7059639/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Improving Patient Handovers From Hospital to Primary Care. Annals of Internal Medicine, 2012, 157, 417.	3.9	285
2	Effectiveness of Nonpharmacological Interventions in Delaying the Institutionalization of Patients with Dementia: A Metaâ€Analysis. Journal of the American Geriatrics Society, 2008, 56, 1116-1128.	2.6	165
3	Effects of combined intervention programmes for people with dementia living at home and their caregivers: a systematic review. International Journal of Geriatric Psychiatry, 2007, 22, 1181-1193.	2.7	146
4	General practitioners on dementia: tasks, practices and obstacles. Patient Education and Counseling, 2000, 39, 219-225.	2.2	137
5	Involving people with dementia in the development of supportive IT applications: A systematic review. Ageing Research Reviews, 2013, 12, 535-551.	10.9	133
6	Psychosocial interventions in dementia care research: The INTERDEM manifesto. Aging and Mental Health, 2011, 15, 283-290.	2.8	130
7	Improving patient discharge and reducing hospital readmissions by using Intervention Mapping. BMC Health Services Research, 2014, 14, 389.	2.2	123
8	Psychosocial interventions for dementia patients in long-term care. International Psychogeriatrics, 2010, 22, 1121-1128.	1.0	110
9	A systematic review of communication strategies for people with dementia in residential and nursing homes. International Psychogeriatrics, 2010, 22, 189-200.	1.0	104
10	Mild cognitive impairment: coping with an uncertain label. International Journal of Geriatric Psychiatry, 2008, 23, 148-154.	2.7	102
11	Cognitive reframing for carers of people with dementia. The Cochrane Library, 2011, , CD005318.	2.8	93
12	Social health and dementia: the power of human capabilities. International Psychogeriatrics, 2016, 28, 701-703.	1.0	88
13	Receiving a diagnosis of dementia. Dementia, 2006, 5, 397-410.	2.0	78
14	Raising the standard of applied dementia care research: addressing the implementation error. Aging and Mental Health, 2014, 18, 809-814.	2.8	78
15	Barriers and facilitators for GPs in dementia advance care planning: A systematic integrative review. PLoS ONE, 2018, 13, e0198535.	2.5	77
16	Decision making on organ donation: the dilemmas of relatives of potential brain dead donors. BMC Medical Ethics, 2015, 16, 64.	2.4	75
17	Dementia: issues in early recognition and intervention in primary care. Journal of the Royal Society of Medicine, 2003, 96, 320-324.	2.0	68
18	Decision Making by Relatives About Brain Death Organ Donation. Transplantation, 2012, 93, 1196-1211.	1.0	62

#	Article	IF	CITATIONS
19	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries. JAMA Internal Medicine, 2020, 180, 233.	5.1	62
20	Dementia: Issues in Early Recognition and Intervention in Primary Care. Journal of the Royal Society of Medicine, 2003, 96, 320-324.	2.0	55
21	Measuring the well-being of people with dementia: a conceptual scoping review. Health and Quality of Life Outcomes, 2020, 18, 249.	2.4	52
22	Quality of care in frail older people: the fragile balance between receiving and giving. BMJ: British Medical Journal, 2011, 342, d403-d403.	2.3	52
23	Quality palliative care for cancer and dementia in five European countries: some common challenges. Aging and Mental Health, 2014, 18, 400-410.	2.8	51
24	Family caregivers' involvement in caring for a hospitalized patient with cancer and their quality of life in a country with strong family bonds. Psycho-Oncology, 2015, 24, 585-591.	2.3	51
25	Pain and its interference with daily activities in medical oncology outpatients. Pain Physician, 2013, 16, 379-89.	0.4	51
26	Professionalism in general practice: development of an instrument to assess professional behaviour in general practitioner trainees. Medical Education, 2006, 40, 43-50.	2.1	50
27	Barriers to the provision of high-quality palliative care for people with dementia in England: a qualitative study of professionals' experiences. Health and Social Care in the Community, 2014, 22, 386-394.	1.6	50
28	A multicentre RCT on community occupational therapy in Alzheimer's disease: 10 sessions are not better than one consultation. BMJ Open, 2011, 1, e000096-e000096.	1.9	49
29	Shared decision-making in dementia care planning: barriers and facilitators in two European countries. Aging and Mental Health, 2017, 21, 31-39.	2.8	49
30	Patient empowerment in cancer pain management: an integrative literature review. Psycho-Oncology, 2014, 23, 1203-1211.	2.3	48
31	Positive psychology outcome measures for family caregivers of people living with dementia: a systematic review. International Psychogeriatrics, 2017, 29, 1281-1296.	1.0	48
32	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	2.5	47
33	The importance of trust-based relations and a holistic approach in advance care planning with people with dementia in primary care: a qualitative study. BMC Geriatrics, 2018, 18, 184.	2.7	46
34	Involving people with dementia in developing an interactive web tool for shared decision-making: experiences with a participatory design approach. Disability and Rehabilitation, 2018, 40, 1410-1420.	1.8	44
35	Bridging the divide between biomedical and psychosocial approaches in dementia research: the 2019 INTERDEM manifesto. Aging and Mental Health, 2021, 25, 206-212.	2.8	42
36	Why did an effective Dutch complex psycho-social intervention for people with dementia not work in the German healthcare context? Lessons learnt from a process evaluation alongside a multicentre RCT. BMJ Open, 2011, 1, e000094-e000094.	1.9	41

#	Article	IF	CITATIONS
37	The challenges of shared decision making in dementia care networks. International Psychogeriatrics, 2018, 30, 843-857.	1.0	40
38	The experience of family caregivers of patients with cancer in an Asian country: A grounded theory approach. Palliative Medicine, 2019, 33, 676-684.	3.1	40
39	Conducting a multicentre and multinational qualitative study on patient transitions. BMJ Quality and Safety, 2012, 21, i22-i28.	3.7	39
40	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the †PACE Steps to Success' intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	1.8	39
41	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. Palliative Medicine, 2020, 34, 558-570.	3.1	39
42	Facing the future. Dementia, 2006, 5, 375-395.	2.0	38
43	Development of quality indicators for memory clinics. International Journal of Geriatric Psychiatry, 2008, 23, 119-128.	2.7	37
44	Dealing with Symptoms and Issues of Hospitalized Patients with Cancer in Indonesia: The Role of Families, Nurses, and Physicians. Pain Practice, 2015, 15, 441-446.	1.9	36
45	Educating Dutch General Practitioners in Dementia Advance Care Planning: A Cluster Randomized Controlled Trial. Journal of the American Medical Directors Association, 2020, 21, 837-842.e4.	2.5	36
46	Improving the organization of palliative care: identification of barriers and facilitators in five European countries. Implementation Science, 2014, 9, 130.	6.9	35
47	Identification of the palliative phase in people with dementia: a variety of opinions between healthcare professionals. BMC Palliative Care, 2015, 14, 56.	1.8	35
48	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. Journal of the American Medical Directors Association, 2020, 21, 1051-1057.	2.5	34
49	An Interactive Web Tool for Facilitating Shared Decision-Making in Dementia-Care Networks: A Field Study. Frontiers in Aging Neuroscience, 2015, 7, 128.	3.4	33
50	Comparison of Problems and Unmet Needs of Patients with Advanced Cancer in a European Country and an Asian Country. Pain Practice, 2015, 15, 433-440.	1.9	32
51	Development and Validation of Quality Indicators for Dementia Diagnosis and Management in a Primary Care Setting. Journal of the American Geriatrics Society, 2010, 58, 557-563.	2.6	31
52	Consensus on quality indicators to assess the organisation of palliative cancer and dementia care applicable across national healthcare systems and selected by international experts. BMC Health Services Research, 2014, 14, 396.	2.2	31
53	Community occupational therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID] programme): study protocol for a randomised controlled trial. Trials, 2016, 17, 65.	1.6	31
54	PREDICTORS OF CHANGE AND CONTINUITY IN HOME CARE FOR DEMENTIA PATIENTS. , 1997, 12, 671-677.		29

#	Article	IF	CITATIONS
55	(Cost)-effectiveness of family meetings on indicated prevention of anxiety and depressive symptoms and disorders of primary family caregivers of patients with dementia: design of a randomized controlled trial. BMC Geriatrics, 2008, 8, 2.	2.7	29
56	Request for organ donation without donor registration: a qualitative study of the perspectives of bereaved relatives. BMC Medical Ethics, 2016, 17, 38.	2.4	29
57	Implementation of improvement strategies in palliative care: an integrative review. Implementation Science, 2015, 10, 103.	6.9	28
58	Comparison of the lived experiences of family caregivers of patients with dementia and of patients with cancer in Indonesia. International Psychogeriatrics, 2018, 30, 903-914.	1.0	27
59	General practitioners' perceptions of the stigma of dementia and the role of reciprocity. Dementia, 2017, 16, 948-964.	2.0	26
60	Decision Trajectories in Dementia Care Networks: Decisions and Related Key Events. Research on Aging, 2017, 39, 1039-1071.	1.8	26
61	Person-centred dementia care: moving beyond caregiving. Aging and Mental Health, 2016, 20, 667-668.	2.8	25
62	The development of quality indicators to improve psychosocial care in dementia. International Psychogeriatrics, 2012, 24, 921-930.	1.0	24
63	Assessment of CanMEDS roles in postgraduate training: The validation of the Compass. Patient Education and Counseling, 2012, 89, 199-204.	2.2	24
64	Pain Assessment with Short Message Service and Interactive Voice Response in Outpatients with Cancer and Pain: A Feasibility Study. Pain Practice, 2016, 16, 320-326.	1.9	24
65	Palliative care provision in long-term care facilities differs across Europe: Results of a cross-sectional study in six European countries (PACE). Palliative Medicine, 2019, 33, 1176-1188.	3.1	24
66	HOME CARE FOR DEMENTIA PATIENTS. Journal of the American Geriatrics Society, 1995, 43, 456-457.	2.6	23
67	Personal disease management in dementia care. International Journal of Geriatric Psychiatry, 2004, 19, 715-717.	2.7	23
68	Modelling the landscape of palliative care for people with dementia: a European mixed methods study. BMC Palliative Care, 2013, 12, 30.	1.8	23
69	Loneliness, Not Social Support, Is Associated with Cognitive Decline and Dementia Across Two Longitudinal Population-Based Cohorts. Journal of Alzheimer's Disease, 2022, 85, 295-308.	2.6	23
70	Social health in dementia care: harnessing an applied research agenda. International Psychogeriatrics, 2018, 30, 775-778.	1.0	22
71	The impact of diagnostic disclosure in dementia: a qualitative case analysis. International Psychogeriatrics, 2005, 17, 319-326.	1.0	21
72	Behavioural elements of professionalism: Assessment of a fundamental concept in medical care. Medical Teacher, 2010, 32, e161-e169.	1.8	21

#	Article	IF	CITATIONS
73	The risks of social distancing for older adults: a call to balance. International Psychogeriatrics, 2020, 32, 1235-1237.	1.0	20
74	WHEDA study: Effectiveness of occupational therapy at home for older people with dementia and their caregivers - the design of a pragmatic randomised controlled trial evaluating a Dutch programme in seven German centres. BMC Geriatrics, 2009, 9, 44.	2.7	19
75	Social interactions between people with dementia: pilot evaluation of an observational instrument in a nursing home. International Psychogeriatrics, 2016, 28, 1005-1015.	1.0	19
76	Recognizing decision needs: first step for collaborative deliberation in dementia care networks. Patient Education and Counseling, 2017, 100, 1329-1337.	2.2	19
77	Factors related to sense of competence in family caregivers of people living with dementia in the community: a narrative synthesis. International Psychogeriatrics, 2019, 31, 799-813.	1.0	18
78	Systematic Care for Caregivers of Patients With Dementia: A Multicenter, Cluster-Randomized, Controlled Trial. American Journal of Geriatric Psychiatry, 2011, 19, 521-531.	1.2	17
79	Intensive care staff, the donation request and relatives' satisfaction with the decision: a focus group study. BMC Anesthesiology, 2014, 14, 52.	1.8	17
80	The process of family-centered counseling for caregivers of persons with dementia: barriers, facilitators and benefits. International Psychogeriatrics, 2010, 22, 769-777.	1.0	16
81	Community Occupational Therapy for people with dementia and family carers (COTiD-UK) versus treatment as usual (Valuing Active Life in Dementia [VALID]) study: A single-blind, randomised controlled trial. PLoS Medicine, 2021, 18, e1003433.	8.4	16
82	Genetic research into Alzheimer's Disease: a European focus group study on ethical issues. International Journal of Geriatric Psychiatry, 2008, 23, 11-15.	2.7	15
83	Putting primary prevention of dementia on everybody's agenda. Aging and Mental Health, 2021, 25, 1376-1380.	2.8	15
84	Systematic care for caregivers of people with dementia in the ambulatory mental health service: designing a multicentre, cluster, randomized, controlled trial. BMC Geriatrics, 2009, 9, 21.	2.7	13
85	Improving palliative care in selected settings in England using quality indicators: a realist evaluation. BMC Palliative Care, 2016, 15, 69.	1.8	12
86	Sense of coherence in family caregivers of people living with dementia: a mixed-methods psychometric evaluation. Health and Quality of Life Outcomes, 2019, 17, 44.	2.4	12
87	Implementing the theory-based advance care planning ACP+ programme for nursing homes: study protocol for a cluster randomised controlled trial and process evaluation. BMC Palliative Care, 2020, 19, 5.	1.8	12
88	Influence of Adherence to a Systematic CareÂProgram for Caregivers of DementiaÂPatients. American Journal of Geriatric Psychiatry, 2013, 21, 26-36.	1.2	11
89	Strategies to implement evidence into practice to improve palliative care: recommendations of a nominal group approach with expert opinion leaders. BMC Palliative Care, 2015, 14, 47.	1.8	11
90	Shared decisionâ€making on a â€`lifeâ€and are plan' in longâ€ŧerm care facilities: research protocol. Nurs Open 2016 3, 179, 187	ing 2.4	11

Open, 2016, 3, 179-187.

#	Article	IF	CITATIONS
91	Involvement of people with dementia in making decisions about their lives: a qualitative study that appraises shared decision-making concerning daycare. BMJ Open, 2017, 7, e018337.	1.9	11
92	The Impact of a Shared Decision-Making Training Program on Dementia Care Planning in Long-Term Care. Journal of Alzheimer's Disease, 2018, 64, 1123-1135.	2.6	11
93	Problems identified by dual sensory impaired older adults in long-term care when using a self-management program: A qualitative study. PLoS ONE, 2017, 12, e0173601.	2.5	10
94	Improving the organization of palliative care by implementing quality indicators and national and setting-specific interventions: Study protocol of the IMPACT project. Progress in Palliative Care, 2014, 22, 201-205.	1.2	9
95	Mapping the complexity of dementia: factors influencing cognitive function at the onset of dementia. BMC Geriatrics, 2022, 22, .	2.7	9
96	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. Journal of Pain and Symptom Management, 2021, 61, 732-742.e1.	1.2	8
97	Impact of a Psychosocial Intervention on Social Interactions between People with Dementia: An Observational Study in a Nursing Home. Activities, Adaptation and Aging, 2022, 46, 73-89.	2.4	8
98	Rationale, design, and implementation protocol of the Dutch clinical practice guideline Pain in patients with cancer: a cluster randomised controlled trial with short message service (SMS) and interactive voice response (IVR). Implementation Science, 2011, 6, 126.	6.9	7
99	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 331-337.	2.5	7
100	The development of a dementia process within the family context: the case of Alice. Social Science and Medicine, 1998, 47, 1973-1980.	3.8	6
101	Face-validation of quality indicators for the organization of palliative care in hospitals in Indonesia: a contribution to quality improvement. Supportive Care in Cancer, 2014, 22, 3301-3310.	2.2	6
102	Care Plan Improvement in Nursing Homes: An Integrative Review. Journal of Alzheimer's Disease, 2016, 55, 1621-1638.	2.6	6
103	Effects of active psychosocial stimulation on social interactions of people with dementia living in a nursing home: a comparative study. International Psychogeriatrics, 2018, 30, 921-922.	1.0	6
104	Advance care planning with people with dementia: a process evaluation of an educational intervention for general practitioners. BMC Family Practice, 2020, 21, 199.	2.9	6
105	Social participation perspectives of people with cognitive problems and their care-givers: a descriptive qualitative study. Ageing and Society, 2019, 39, 1485-1511.	1.7	5
106	The Impact of a National Guideline on the Management of Cancer Pain on the Practice of Pain Assessment and Registration. Pain Practice, 2016, 16, 148-153.	1.9	4
107	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	1.2	4
108	Large differences in the organization of palliative care in nursing homes in six European countries: findings from the PACE cross-sectional study. BMC Palliative Care, 2021, 20, 131.	1.8	4

#	Article	IF	CITATIONS
109	Reducing sample size by combining superiority and non-inferiority for two primary endpoints in the Social Fitness study. Journal of Clinical Epidemiology, 2017, 81, 86-95.	5.0	3
110	Application of the European quality indicators for psychosocial dementia care in long-term care facilities in the Asia-Pacific region: a pilot study. Aging and Mental Health, 2018, 22, 1279-1286.	2.8	3
111	1 Kwalitatief onderzoek: nuttig, onmisbaar en uitdagend. , 2007, , 5-11.		3
112	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 439.e1-439.e8.	2.5	2
113	Dutch Pain Specialists' Adherence to the Multidisciplinary Guideline on Treating Pain in Patients with Cancer: A Case Vignette Study. Pain Practice, 2017, 17, 344-352.	1.9	0
114	Implementation of standards in dementia care. , 2005, , 215-221.		0
115	Hulp bij het vinden van een balans tussen regiebehoud en afhankelijkheid. , 2018, , 201-214.		0