Gloria Angeletti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7067605/publications.pdf

Version: 2024-02-01

430874 454955 39 934 18 30 g-index citations h-index papers 39 39 39 1629 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Suicide in a large population of former psychiatric inpatients. Psychiatry and Clinical Neurosciences, 2011, 65, 286-295.	1.8	90
2	Stigmatization of schizophrenia as perceived by nurses, medical doctors, medical students and patients. Journal of Psychiatric and Mental Health Nursing, 2011, 18, 576-585.	2.1	82
3	Suicide risk in depression and bipolar disorder: Do impulsiveness-aggressiveness and pharmacotherapy predict suicidal intent?. Neuropsychiatric Disease and Treatment, 2008, 4, 247.	2.2	78
4	Functional neuroimaging in specific phobia. Psychiatry Research - Neuroimaging, 2012, 202, 181-197.	1.8	73
5	Childhood traumatic experiences of patients with bipolar disorder type I and type II. Journal of Affective Disorders, 2015, 175, 92-97.	4.1	63
6	Add-on high frequency deep transcranial magnetic stimulation (dTMS) to bilateral prefrontal cortex reduces cocaine craving in patients with cocaine use disorder. Neuroscience Letters, 2016, 629, 43-47.	2.1	60
7	Suicide after Surgical Treatment in Patients with Epilepsy: A Meta-Analytic Investigation. Psychological Reports, 2006, 98, 323-338.	1.7	49
8	Add-on deep transcranial magnetic stimulation (dTMS) in patients with dysthymic disorder comorbid with alcohol use disorder: A comparison with standard treatment. World Journal of Biological Psychiatry, 2015, 16, 66-73.	2.6	41
9	Drug Treatment of Trichotillomania (Hair-Pulling Disorder), Excoriation (Skin-picking) Disorder, and Nail-biting (Onychophagia). Current Neuropharmacology, 2019, 17, 775-786.	2.9	39
10	Maintenance Deep Transcranial Magnetic Stimulation Sessions are Associated with Reduced Depressive Relapses in Patients with Unipolar or Bipolar Depression. Frontiers in Neurology, 2015, 6, 16.	2.4	38
11	Antidepressant effectiveness of deep Transcranial Magnetic Stimulation (dTMS) in patients with Major Depressive Disorder (MDD) with or without Alcohol Use Disorders (AUDs): A 6-month, open label, follow-up study. Journal of Affective Disorders, 2015, 174, 57-63.	4.1	34
12	Are 5â€HT ₃ antagonists effective in obsessive–compulsive disorder? A systematic review of literature. Human Psychopharmacology, 2015, 30, 70-84.	1.5	26
13	Electroconvulsive therapy improves clinical manifestations of treatment-resistant depression without changing serum BDNF levels. Psychiatry Research, 2015, 227, 171-178.	3.3	26
14	Temperament, Post-Partum Depression, Hopelessness, and Suicide Risk Among Women Soon After Delivering. Women and Health, 2011, 51, 511-524.	1.0	24
15	The Clinical and Radiological Examination of Acute Intimate Partner Violence Injuries: A Retrospective Analysis of an Italian Cohort of Women. Violence and Victims, 2016, 31, 85-102.	0.7	23
16	Hypnosis and pain perception: An Activation Likelihood Estimation (ALE) meta-analysis of functional neuroimaging studies. Journal of Physiology (Paris), 2015, 109, 165-172.	2.1	22
17	Neurobiological Evidence for the Primacy of Mania Hypothesis. Current Neuropharmacology, 2017, 15, 339-352.	2.9	22
18	Efficacy of Add-On Deep Transcranial Magnetic Stimulation in Comorbid Alcohol Dependence and Dysthymic Disorder. primary care companion for CNS disorders, The, 2013, 15, .	0.6	19

#	Article	IF	CITATIONS
19	Alcohol intake and binge drinking among Italian adolescents: The role of drinking motives. Journal of Addictive Diseases, 2016, 35, 119-127.	1.3	16
20	Erectile dysfunction in patients taking psychotropic drugs and treated with phosphodiesterase-5 inhibitors. Archivio Italiano Di Urologia Andrologia, 2018, 90, 44.	0.8	15
21	Treatment-resistant, five-year long, postpartum-onset Capgras episode resolving after electroconvulsive therapy. International Journal of Psychiatry in Medicine, 2015, 49, 227-234.	1.8	10
22	Hypothalamic Pituitary Adrenal Axis and Prolactin Abnormalities in Suicidal Behavior. CNS and Neurological Disorders - Drug Targets, 2013, 12, 954-970.	1.4	10
23	Long-Acting Injectable (LAI) Aripiprazole Formulations in the Treatment of Schizophrenia and Bipolar Disorder: a Systematic Review. Clinical Drug Investigation, 2019, 39, 713-735.	2.2	9
24	Short-Term Psychodynamic Psychotherapy in Patients with "Male Depression―Syndrome, Hopelessness, and Suicide Risk: A Pilot Study. Depression Research and Treatment, 2013, 2013, 1-5.	1.3	8
25	Electroconvulsive Therapy in a Man With Comorbid Severe Obesity, Binge Eating Disorder, and Bipolar Disorder. Journal of ECT, 2013, 29, 142-144.	0.6	8
26	Perinatal Mixed Affective State. Psychiatric Clinics of North America, 2020, 43, 113-126.	1.3	8
27	The Relevance of Insomnia in the Diagnosis of Perinatal Depression: Validation of the Italian Version of the Insomnia Symptom Questionnaire. International Journal of Environmental Research and Public Health, 2021, 18, 12507.	2.6	6
28	The Koukopoulos mixed depression rating scale (KMDRS) and the assessment of mixed symptoms during the perinatal period. Journal of Affective Disorders, 2021, 281, 980-988.	4.1	5
29	Effectiveness of Electroconvulsive Therapy in a Patient With a Treatment-Resistant Major Depressive Episode and Comorbid Body Dysmorphic Disorder. Journal of ECT, 2013, 29, 145-146.	0.6	4
30	Mitochondrial myopathy and comorbid major depressive disorder: effectiveness of dTMS on gait and mood symptoms. General Hospital Psychiatry, 2015, 37, 274.e7-274.e9.	2.4	4
31	Effectiveness of long-acting risperidone in a patient with comorbid intellectual disability, catatonic schizophrenia, and oneiroid syndrome. International Journal of Psychiatry in Medicine, 2015, 50, 251-256.	1.8	4
32	DEPRESSIVE SYMPTOMS, TEMPERAMENT/CHARACTER, AND ATTENTION DEFICIT/HYPERACTIVITY DISORDER TRAITS IN MEDICAL STUDENTS SEEKING COUNSELING. Psychiatria Danubina, 0, 30, 305-309.	0.4	4
33	Low-Dose Acetazolamide in the Treatment of Premenstrual Dysphoric Disorder: A Case Series. Psychiatry Investigation, 2014, 11, 95.	1.6	4
34	The Attentional Boost Effect in Young and Adult Euthymic Bipolar Patients and Healthy Controls. Journal of Personalized Medicine, 2021, 11, 185.	2.5	3
35	Electroconvulsive Therapy in a Physically Restrained Man With Comorbid Major Depression, Severe Agoraphobia With Panic Disorder, and Histrionic Personality Disorder. Journal of ECT, 2012, 28, 72-73.	0.6	2
36	Epilepsy and brain injury: A case report of a dramatic neuropsychiatric vicious circle. Brain Injury, 2013, 27, 940-943.	1.2	2

3

#	Article	IF	CITATIONS
37	Behavioural, psychological, and temperamental predictors of risk suicide trend after brief psychodynamic psychotherapy. European Review for Medical and Pharmacological Sciences, 2014, 18, 1001-9.	0.7	2
38	Stable Remission of Multiple Chemical Sensitivity Syndrome and Major Depression With Citalopram and 1-Month Deep Transcranial Magnetic Stimulation. Journal of ECT, 2017, 33, e27-e29.	0.6	1
39	Personality profiles in patients with bulimia and obesity: an investigation with the MMPI-2. Quaderni Italiani Di Psichiatria, 2010, 29, 59-65.	0.1	O